



**EXT 18V**  
**+LITHIUM ION-**

**ANY**MATERIAL.  
**ANY**WHERE.

**evolution®**

***Evolution Multi-Material Cutting Technology  
is now cordless allowing you to cut...***

# **ANY MATERIAL. ANYWHERE.**



- ✓ **Accurate and smooth cuts through hard & soft wood.**
- ✓ **Safely cuts reclaimed wood with embedded nails.**
- ✓ **Cool to the touch, burr free cuts through metal.**

A cut above the rest - Our multi-material power tools are accurate, reliable and powerful. High-torque DC motor and gearboxes deliver the same cutting capabilities as our corded saws. Our multi-material saws come backed by a 3 year warranty and are manufactured to strict tolerances to make light work of all your cutting.





EVOLUTION®

**EXT 18V**  
**+LITHIUM ION-**



Powerful Lithium-Ion EXT batteries with **Keep Cool Technology**.  
Actively works to keep the cells cool to maximise run time.  
Rapid charging keeps your batteries fuelled & keeps you working.



### R18BAT-LI2

- 18V, **2Ah** Lithium-ion Battery
- LED Charge Level Indicator
- Charge Time: 30mins



### R18BAT-LI4

- 18V, **4Ah** Lithium-ion Battery
- LED Charge Level Indicator
- Charge Time: 50mins



### R18BAT-LI5

- 18V, **5Ah** Lithium-ion Battery
- LED Charge Level Indicator
- Charge Time: 60mins



### R18BAT-LI8

- 18V, **8Ah** Lithium-ion Battery
- LED Charge Level Indicator
- Charge Time: 90mins



## **RAPID CHARGE**

- Rapid charger for EXT batteries
- LED charge status indicator
- Wall mountable

### **SINGLE DOCK**

**R18RCH-Li1**

### **DOUBLE DOCK**

**R18RCH-Li2**

**ACCURATE • RELIABLE • POWERFUL**

# CUTS PER CHARGE



	2AH	4AH	5AH	8AH
<b>3x2 (68x38mm) CLS</b>	85	192	243	345
<b>30x30x3mm Mild Steel Angle</b>	43	84	106	150+

	2AH	4AH	5AH	8AH
<b>12mm Hardwood Ply (Metres)</b>	26.2m	54.9m	65.8m	81.7m
<b>40x3mm Mild Steel Far Bar</b>	12	25	36	72


**R260**  
**DCT Li**

**EXT 18V**  
**+LITHIUM ION-**


# **260MM / 10"** **EXT CORDLESS** **CONCRETE SAW** **WITH DUST SUPPRESSION**




**36V**



**260MM**



**5000RPM**



**102MM**



**AUTO DUST  
SUPPRESSION**



**5.9KG**

**EVO 36V**

**BRUSHLESS**



**ACCURATE • RELIABLE • POWERFUL**

# evoMAX™


PERFORMANCE & PRECISION, REDEFINED

## NEW EVOMAX ULTRA THIN KERF DIAMOND BLADE

Featuring an optimised 260mm / 10" blade, optimised for cordless machines. 40% longer run-time and 60% faster cutting\* to unlock the full potential of the saw, currently dominating competitor machines and their supplied blade.


\*Based on internal testing data.

CUTS PER CHARGE



## HUGE 102MM CUTTING CAPACITY

Market-leading 102mm / 4" cutting depth to effortlessly slice through standard 450 x 450 x 35mm blocks and bricks **in a single pass**.



## AUTOMATIC DUST SUPPRESSION

Automatic ON/OFF water feed valve for efficient dust suppression. Activates once the trigger is engaged and turns off when released.

**R255**

**SMS-DB Li**

**EXT 18V**  
**+LITHIUM ION-**

# 255MM 36V EXT DOUBLE BEVEL MITRE SAW



**36V**  
(2 x 18V EXT)



**255MM**  
(28T TCT)



**L/R BEVEL**  
(48° - 48°)



**L/R MITRE**  
(50° - 50°)




**305 X 90MM**  
(0° M X 0° B)



**215 X 90MM**  
(45° M X 0° B)



**305 X 52MM**  
(0° M X 45° B)



**215 X 52MM**  
(45° M X 45° B)

**EVO36V**

**BRUSHLESS**




**ACCURATE • RELIABLE • POWERFUL**




## THE POWER OF CORDED. THE FREEDOM OF CORDLESS.

Powered by 2 x 18v EXT batteries to deliver maximum power, the R255SMS-DBLi easily cuts through the most challenging work pieces and delivers all-day power so you can spend more time working, and less time charging.




### SHADOW LINE TECHNOLOGY

Bright LED light casts a perfect shadow of the blade for an accurate cut guide that is permanently aligned to the saw blade.




### BRUSHLESS MOTOR

Powerful brushless motor minimises energy loss and maximises battery life delivering more cuts per charge vs brushed motors.



### EFFECTIVE DUST EXTRACTION

Redesigned dust port collects **25% more dust** vs the Evolution corded equivalent



### ACCURATE ANGLE SETTING

Quick and accurate angle setting with stainless steel mitre gauge and large dual-bevel protractor scale.


**R185**  
**SMS Li**

**EXT 18V**  
**+LITHIUM ION-**


# 185MM 18V EXT SLIDING MITRE SAW



**MULTI-MATERIAL  
CUTTING TECHNOLOGY**



**18V**



**185MM**




**LEFT BEVEL**  
(0° - 48°)



**L/R MITRE**  
(50° - 50°)



**58 X 210MM**  
(0° M X 0° B)



**58 X 145MM**  
(45° M X 0° B)



**40 X 210MM**  
(0° M X 45° B)



**40 X 145MM**  
(45° M X 45° B)



**ACCURATE • RELIABLE • POWERFUL**

**R185**  
**CMS Li**

**EXT 18V**  
**+LITHIUM ION-**

# 185MM 18V EXT COMPOUND MITRE SAW



**MULTI-MATERIAL CUTTING TECHNOLOGY**

<b>18V</b>	<b>185MM</b>	<b>LEFT BEVEL</b> (0° - 48°)	<b>L/R MITRE</b> (50° - 50°)

<b>45 X 105MM</b> (0° M X 0° B)	<b>45 X 75MM</b> (45° M X 0° B)	<b>38 X 105MM</b> (0° M X 45° B)	<b>38 X 75MM</b> (45° M X 45° B)



Mounting holes in base for bench mounting  
or use with mitre saw stand



Ergonomic, soft grip handle with safety trigger.



**evolution®**

**R185**  
**CCSX Li**

**EXT 18V**  
**+LITHIUM ION-**

# 185MM 18V EXT TRACK SAW



**MULTI-MATERIAL  
CUTTING TECHNOLOGY**

 **18V**

 **185MM**



**2400RPM**

 **59MM**

 **42MM**




**45° BEVEL**

## **BRUSHLESS**



**ACCURATE • RELIABLE • POWERFUL**



## TRACK COMPATIBLE

This versatile saw can be used free hand, or on a saw track for absolute precision, ideal for finishing cuts. The cast aluminium alloy base is designed to run on Evolution saw tracks but this saw is also compatible with tracks from Festool, Makita, Erbauer, Metabo & more.

**ST1400**

1.4M CIRCULAR  
SAW TRACK

## 1.4M SAW TRACK KIT



**ST2800**

2.8M CIRCULAR  
SAW TRACK

## 2.8M SAW TRACK KIT



**EVOLUTION**

**R185**  
CCS Li

**EXT 18V**  
+LITHIUM ION-

# 185MM 18V EXT CIRCULAR SAW



**MULTI-MATERIAL CUTTING TECHNOLOGY**

<b>64MM</b>	<b>44MM</b>	<b>57° BEVEL</b>

## **BRUSHLESS**



Rafter hook keeps your saw at hand at all times even when working at height



Accurate bevel cutting up to 57° with quick-locking lever for fast angle setting

**ACCURATE • RELIABLE • POWERFUL**

## **BRUSHLESS**

Powerful brushless motor minimises energy loss and maximises battery life delivering more cuts per charge vs brushed motors.

**R165**  
**CCS Li**

**EXT 18V**  
**+LITHIUM ION-**


# 165MM 18V EXT CIRCULAR SAW



**MULTI-MATERIAL CUTTING TECHNOLOGY**



**18V**



**165MM**



**5200RPM**



**55MM**



**36MM**



**50° BEVEL**




**evolution®**

**R150**  
**RCP Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V EXT CORDLESS CIRCULAR SAW




**ACCURATE • RELIABLE • POWERFUL**

**R90**  
**JGS Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V EXT CORDLESS JIG SAW



5 multi-material  
blades included



Parallel edge  
guide included

Pendulum  
action dial

LED worklight



**evolution®**

**R13**  
**CMB Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V LI-ION CORDLESS COMBI DRILL



**ACCURATE • RELIABLE • POWERFUL**

**R180**  
IDR **Li**

**EXT 18V**  
+LITHIUM ION-

# 18V EXT CORDLESS IMPACT DRIVER




**18V**



**1/4" HEX**



**0-2400MIN<sup>-1</sup>**



**180NM**  
Max. Torque



**RING LED  
WORKLIGHT**



Quick-release bit  
holder with universal  
1/4" hex fitting.

Rubber palm grip on the  
rear to comfortably apply  
extra pressure.



Triple LED Ring Light surrounds  
the screw with light eliminating  
shadows for accurate driving.  
Ideal for low light environments.



Powerful 180Nm torque  
makes light work of  
driving long screws &  
hex head coach bolts.

Ergonomic, soft grip  
handle with variable  
speed trigger gives the  
user complete control.

Belt Hook

**evolution**

**R18**  
**MLT Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V EXT CORDLESS MULTI-TOOL



## ACCESSORIES SUPPLIED:



## IDEAL FOR: PLUNGE CUTTING • FLUSH CUTTING • SCRAPING • DETAIL SANDING



**ACCURATE • RELIABLE • POWERFUL**

**R120**

**MXR Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V EXT CORDLESS PADDLE MIXER




**18V**




**0-650RPM**



**40L MAX**



**120MM**



**610MM**



**3.9KG**



**M14**



**LED LIGHT**



Premium helix  
mixing paddle  
included



Variable speed trigger  
Multi-tool supplied with  
on-board storage

LED worklight




Arbour lock button for easy  
paddle changes

**evolution**

**R11**  
**VAC Li**

**EXT 18V**  
**+LITHIUM ION-**

# 18V EXT CORDLESS WET/DRY VAC



Accessories included:



**ACCURATE • RELIABLE • POWERFUL**

**R240**  
**FAN Li**



**BARE  
TOOL  
ONLY**


# 240MM 18V EXT CORDLESS WORK FAN



**18V**



**2 SPEED  
SETTINGS**



**360°  
ROTATION**



**264L/S  
AIRFLOW**



**evolution**

**R2700**

**WLT Li**



**BARE  
TOOL  
ONLY**

# **18V EXT CORDLESS LED WORK LIGHT**



**18V**



**2700LM**



**3 LIGHT  
LEVELS**



**360°  
ROTATION**



Frosted lens diffuses the light  
for wide spread light

Rear carry handle

360° rotating head  
with quick release  
thumb screws

Robust  
aluminium  
frame

Hanging hook

Wide stand with rubber feet  
for sturdy placement

Threaded hole for easy  
tripod mounting



**ACCURATE • RELIABLE • POWERFUL**

**R1000**  
**TOR Li**



**BARE  
TOOL  
ONLY**

# 18V EXT CORDLESS LED TORCH



**18V**



**1000LM**



**2 LIGHT  
LEVELS**



**90°  
ROTATION**



**evolution**

# BUILDING A GREENER FUTURE



We're taking initiative to implement sustainable and environmentally positive actions to ensure we're doing what we can to protect our planet.



We use 100% recyclable materials in our packaging.



Flat-packed products to maximise shipping quantities.



We offer free repairs in-house to reduce product waste.



**ACCURATE • RELIABLE • POWERFUL**

# NOTES





Evolution reserves the right to change product contents. Evolution are committed to continuous improvement therefore items supplied may not be visually identical to the imagery used. Information correct at the time of print - 02/24. Made by Evolution Power Tools Limited. The EXT trade mark is used under license from Kingfisher International Products Limited.