


ACCURATE,  
RELIABLE,  
POWERFUL.



evOLUTION®

MULTI-MATERIAL CUTTING SAWS  
& CONTRACTOR TOOLS

# 🎯 ACCURATE

Our advanced TCT technology utilises high density tungsten carbide teeth and a thin kerf design to ensure a clean, accurate cut. We carefully design our tools to be ergonomic and give you ultimate control and precision.



# 🛡️ RELIABLE

Our saws are backed by our 3 year guarantee\*. All our power tools are rigorously tested and built to strict tolerances so we don't expect you to need it, but it's good to know you're covered. We also have a 5 star, UK based customer service team on hand to help you.



# ⚡ POWERFUL

Our powerful high torque motors and multi-material cutting blades allow you to cut through mild steel up to 4x faster than an abrasive disc! Plus, they cut with virtually no heat, burrs or sparks for a safer, cleaner cut.





# MULTI-MATERIAL CUTTING TECHNOLOGY

ONE SAW, ONE BLADE, CUTS ALL.

\*Excludes hardened high carbon, coated & stainless steel.



CUTS WOOD WITH  
EMBEDDED NAILS



CUTS MILD STEEL WITH  
VIRTUALLY NO HEAT  
OR SPARKS



LEAVES A BURR FREE  
FINISH WITH NO  
REWORK NEEDED

## MATERIALS YOU CAN CUT:

### MILD STEEL

- ✓ ANGLED STEEL, BOX SECTION & TUBE
- ✓ METAL STUD
- ✓ DRY LINING
- ✓ REBAR DOMESTIC BUILDS
- ✓ RSJ DOMESTIC BUILDS P
- ✓ STEEL PLATE (6MM)

### ALUMINIUM

- ✓ ARMOURED CABLES
- ✓ CABLE TRAY
- ✓ COPPER PLUMBING
- ✓ FLOOR EDGINGS
- ✓ ROOF FLASHINGS
- ✓ STAIR NOSINGS

### WOOD

- ✓ HARDWOOD & TANALISED DECKING
- ✓ MDF LAMINATES
- ✓ MOULDINGS
- ✓ RECLAIMED TIMBER WITH NAILS
- ✓ SCAFFOLD BOARDS
- ✓ STUDWORK TIMBER

### PLASTICS

- ✓ ELECTRICAL CONDUIT
- ✓ PLASTIC PIPES
- ✓ PLEXIGLASS
- ✓ RUBBER & REINFORCED HOSES
- ✓ WPC COMPOSITES

## PERFECT FOR:



- ✓ BUILDERS
- ✓ CARPENTERS
- ✓ AUTO MECHANICS
- ✓ INDUSTRIAL FITTERS
- ✓ PROPERTY & LOFT CONVERTERS

- ✓ KITCHEN FITTERS
- ✓ ARCHITECTURAL METALWORKERS
- ✓ ROOFING CONTRACTORS
- ✓ DRY LINERS
- ✓ LANDSCAPERS

- ✓ PIPEFITTERS
- ✓ FABRICATORS
- ✓ FENCING CONTRACTORS
- ✓ DIY ENTHUSIASTS & UPCYCLED
- ✓ ELECTRICAL FITTERS

- ✓ FLOOR FITTERS
- ✓ CEILING FIXERS
- ✓ PLUMBERS
- ✓ MAINTENANCE TECHNICIANS
- ✓ WINDOW INSTALLERS

# THE TECHNOLOGY BEHIND THE CUT



## HEAVY-DUTY TUNGSTEN CARBIDE TEETH (TCT)

High heat resistant teeth maximizes cutting life with no coolant required demonstrating outstanding durability.



## ANTI-KICKBACK SHOULDER GULLET

For safe and reliable cutting through steel and wood with embedded nails without breaking the teeth, resulting in a smooth, accurate finish every time.



## FULLY HARDENED BODY PLATE

High tension body keeps the blade stabilized, dampening vibration and reducing blade warp.



## THIN KERF DESIGN

Much thinner than abrasive discs, the Evolution® blade delivers precision, accuracy and longer cutting life.



## MADE IN JAPAN

Premium, high-quality silver alloy, ensures the blade runs truer for longer.

## MULTI-MATERIAL BLADES

- ✓ Cut mild steel with no heat, no burrs & virtually no sparks
- ✓ Cut wood with embedded nails
- ✓ Instant workable finish on both wood & steel
- ✓ Outperforms abrasive saws = lowest cost per cut
- ✓ Compatible with evolution saws only



### R185

TCT

185mm  
Teeth: 20 TCT  
Kerf: 1.7mm  
Bore: 20mm  
Max RPM: 4400  
R185TCT-20MS  
R185TCT-20CS



### R210

TCT

210mm  
Teeth: 24 TCT  
Kerf: 1.7mm  
Bore: 25.4mm  
Max RPM: 5000  
RAGEBLADE210MULTI



### R255

TCT

255mm  
Teeth: 28 TCT  
Kerf: 2mm  
Bore: 25.4mm  
Max RPM: 3250  
RAGEBLADE255MULTI




### R355

TCT

355mm  
Teeth: 36 TCT  
Kerf: 2.2mm  
Bore: 25.4mm  
Max RPM: 2500  
RAGEBLADE355MULTI

# WE PUT OUR MULTI-MATERIAL BLADE TO THE TEST.

How long do our blades last? We put our **355mm multi-material blade** to the test and achieved an average of **1000 cuts per blade** through 1/4" thick, 2" x 2" angle iron! Using the same testing criteria, an abrasive disc only managed 69 cuts. That's equivalent to 1 Evolution blade lasting as long as 14.5 abrasive discs meaning our advanced TCT blades offer a lower price per cut vs abrasives.



Based on Evolution internal testing data.  
Grade of steel may effect the blade life.



# GENERAL WOOD BLADES

The ideal blade for all continuous wood cutting. Dedicated tooth geometry makes for quick and clean cuts through all types of wood with minimal splintering



## GW185 TCT

**185mm**  
Teeth: 24 TCT  
Kerf: 1.5mm  
Bore: 20mm  
Max RPM: 5800

GW185TCT-24



## GW210 TCT

**210mm**  
Teeth: 30 TCT  
Kerf: 2mm  
Bore: 25.4mm  
Max RPM: 3750

GW210TCT-30



## GW255 TCT

**255mm**  
Teeth: 40 TCT  
Kerf: 2.4mm  
Bore: 25.4mm  
Max RPM: 5200

GW255TCT-40



## GW355 TCT

**355mm**  
Teeth: 60 TCT  
Kerf: 2.8mm  
Bore: 25.4mm  
Max RPM: 1800

GW355TCT-60

# FINE WOOD BLADES

The best saw blade for perfectly smooth finishing cuts in wood. Extra high tooth count with ATB pattern and advanced face grind for a beautifully smooth cut with no splintering.



## FW185 TCT

**185mm**  
Teeth: 40 TCT  
Kerf: 2.0mm  
Bore: 20mm  
Max RPM: 5800

FW185TCT-40



## FW210 TCT

**210mm**  
Teeth: 40 TCT  
Kerf: 2.0mm  
Bore: 25.4mm  
Max RPM: 3750

FW210TCT-40



## FW255 TCT

**255mm**  
Teeth: 60 TCT  
Kerf: 2.4mm  
Bore: 25.4mm  
Max RPM: 5200

FW255TCT-60

# DIAMOND BLADES

## FOR MITRE & CHOP SAWS

### Segmented Rim Blades

185mm & 355mm. Hot pressed turbo segmented rim for consistent cutting through natural stone, concrete, paving and more.



## 185 DM

**185mm**  
Segmented Rim  
Bore: 20mm  
Max. RPM: 8000

RAGEBLADE185DIAMOND



## 210 DM

**210mm**  
Continuous Rim  
Bore: 25.4mm  
Max. RPM: 4500

RAGEBLADE210DIAMOND



## 255 DM

**255mm**  
Continuous Rim  
Bore: 25.4mm  
Max. RPM: 6000

RAGEBLADE255DIAMOND



## 355 DM

**355mm**  
Segmented Rim  
Bore: 25.4mm  
Max. RPM: 4300

RAGEBLADE355DIAMOND

## GENERAL DIAMOND BLADES FOR DISC CUTTERS

High quality segmented diamond blade for quick & effortless cutting. Large 10mm segment height keeps the blade sharper for longer offering excellent value for money.



**D230**

**SEG**

**230mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 6650

D230SEG-CS



**D300**

**SEG**

**300mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 5100

D300SEG-CS

## PREMIUM DIAMOND BLADES FOR DISC CUTTERS

Packed with 35% more diamond Vs our general purpose diamond blade giving you faster cuts and superior blade life plus the specially designed multi-compound segments give you a smoother finish.



**PD230**

**SEG**

**230mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 6650

PD230SEG-CS



**PD300**

**SEG**

**300mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 5100

PD300SEG-CS

## MULTI-MATERIAL DIAMOND BLADES FOR DISC CUTTERS

Utilising advanced diamond technology, this one diamond blade can cut stainless steel, ductile iron, rebar, reinforced concrete, hard & soft stone, brick, tile, wood, plastics & more!



**MD230**

**SEG**

**230mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 6650

MD230SEG-CS



**MD300**

**SEG**

**300mm**

Semented Rim

Bore: 22.2mm

Max. RPM: 6400

MD300SEG-CS

## ELECTRIC DISC CUTTERS

SEE PAGE 34 - 39



**R185 CCS**

UK 110v: 027-0002C, UK 230v: 027-0001C, EU 230v: 027-0003C

# 185MM TCT MULTI-MATERIAL CIRCULAR SAW

**The ideal circular saw for any trade or workshop.** Equipped with an adjustable 64mm cutting depth and 0° - 60° bevel tilt with 22.5° and 45° bevel detents. This saw has the power to perform - Tested and trade rated to cut through a variety of materials with ease.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 60° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty



## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**



Compatible blades:

- General Wood
- Fine Wood



1600W



64mm (0°)



40mm (45°)



Ergonomic Handle



Lightweight & Portable



25.4mm (1") Cutting Depth at 60° Bevel Tilt

 4.9kg  
11lbs



64mm Adjustable Depth of Cut



0° - 60°



✓ 6mm Mild Steel

**R185 CCSX +**

 **5.1 kg**  
11.2 lbs

UK 110v: 027-0002A, UK 230v: 027-0001A, EU 230v: 027-0003A

# 185MM TCT MULTI-MATERIAL CIRCULAR SAW

**TRACK  
COMPATIBLE**



 **1600W**



**64mm (0°)**



**47mm (45°)**

**The ultimate multi-material cutting circular saw.** Designed by the trade for the trade. The R185CCSX+ model gives you extra functionality, extra support and extra reach than any other Evolution circular saw in the family. Integrated LED light, channelled air-flow, 4m cable, storage bag and compatibility with Evolution's 1.4m & 2.8m tracks, are just some of the features included in this package.

*(Tracks Sold Separately)*

## SPECIFICATION

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADE

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:  
• **General Wood**  
• **Fine Wood**



## PLUS FEATURES



### PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



### LED LIGHT

Optimum visibility of your cutting line.



### CLEANER & SAFER WORKING

Dust port adaptor for use with vacuum extraction.



### 4M POWER CABLE

Reduces the need for extension leads.



### STORAGE BAG

Easy to carry & transport around the workplace.



Adjustable  
Depth of Cut



0° - 45°



6mm  
Mild Steel

**ST1400 G2**

**ST2800 G2**

Product ID: 004-0011

Product ID: 004-0012

# UNIVERSAL 1.4M & 2.8M SAW TRACKS

For the full list of compatible circular saws  
go to [www.evolutionpowertools.com](http://www.evolutionpowertools.com)



1400mm  
2 x 700mm



2800mm  
2 x 1400mm



190mm

**Stay on track with the new & improved generation of circular saw track kits.** Designed for straight edge cutting and perfect for 4ft sheet materials. Set up easily with the self-aligning joining strips provided, and use with any track-compatible Evolution circular saw - plus most other brand's saws!

## SPECIFICATION

- Available sizes: 1.4m (2 x 700mm) and 2.8m (2 x 1400mm)
- 190mm track width
- Low friction glide strips
- Cross-compatible with other brands

## ACCESSORIES INCLUDED

- 2 x Self-Aligning Joining Strips
- 2 x Quick Release Clamps
- Carry Bag
- On-Board Hex Key

## EXTRA ACCESSORIES (Sold Separately)



### TRACK SQUARE

Aluminium track square for perfectly accurate square cutting.



### TRACK END STOP

Guarantee precise positioning for repetitive sawing or routing tasks.



### CABLE HOSE GUIDE

Ensure your work path is cable-free for optimal cutting performance.



2 x Self-Aligning Joining Strips



Storage Bag  
Included

**R185** **CCSX**

UK 110v: 027-0002, UK 230v: 027-0001, EU 230v: 027-0003

# 185MM TCT MULTI-MATERIAL CIRCULAR SAW + 3 X 340MM TRACK COMBO PACK

With a 1.02m track included this circular saw is hard to ignore. Power and precision at the forefront of its design, the R185CCSX ensures accuracy and reliability to get the job done faster, smoother and safer than ever before. True value for money with 3 years limited warranty.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Soft Grip, Ergonomic T-Handle
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty



Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:

- General Wood
- Fine Wood



1600W



64mm (0°)




47mm (45°)

# COMBO PACK

Includes:

**1020MM TRACK**  
**3 X 340MM PIECES**  
**+ CONNECTORS**



**5.1 kg**  
11.2 lbs



Adjustable  
Depth of Cut



0° - 45°



6mm  
Mild Steel

**R185 SMS +**

UK 230v: 047-0001A, EU 230v: 047-0003A

 **8.95 kg**  
19.7 lbs

# 185MM TCT MULTI-MATERIAL SLIDING MITRE SAW



1200W



210 x 56mm



145 x 56mm

**The most compact & portable sliding mitre saw we've ever made.**

Small in size but big on power, this saw has a surprisingly large cutting capacity and utilises our multi-material cutting technology. Perfect for jobs on the road or working in confined spaces. Compatible with our mitre saw stand.

## SPECIFICATION

- Multi-Material Cutting Technology
- 1200W Powerful Hi-Torque Motor
- 210 x 56mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Depth Stop for Trench Cutting
- Cable Tidy
- Sliding Fence
- Secure Top Clamp
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:

- General Wood
- Fine Wood
- Diamond



210 x 38mm

## PLUS FEATURES



### PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



### HIGH POWER MOTOR

1200w high torque motor makes light work of any material.



### DUST BAG INCLUDED

Dust Bag & Dust Port Adaptor for use with Vacuum Extraction.



### LASER GUIDANCE

Laser guide shows the blade path to guarantee accuracy.



### 3-PIECE CLAMP

3-piece top clamp for safe & secure workpiece clamping.



### 3M POWER CABLE

Reduces the need for extension leads.



### INTEGRATED HANDLES

Easy to carry & transport around the workplace.



210 x 38mm



145 x 38mm



6mm  
Mild Steel

**R210** **SMS** **+**

UK 110v: 048-0002A, UK 230v: 048-0001A, EU 230v: 048-0003A

 **11.2 kg**  
24.7 lbs

## 210MM TCT MULTI-MATERIAL SLIDING MITRE SAW



1500W



230 x 65mm



150 x 65mm

Go premium and equip yourself with the best 210mm sliding mitre saw on the market. Multi-material cutting technology with all the features you'll need to get the job done. Delivering accuracy, reliability and the power to handle heavy-duty materials - the R210SMS+ is truly superb value for money.

## SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 230 x 65mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Depth Stop for Trench Cutting
- Cable Tidy
- Sliding Fence
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
Multi-Material  
TCT Blade

Compatible blades:

- General Wood
- Fine Wood
- Diamond



## PLUS FEATURES



### PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



### INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



### QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



### SLIDE RAIL PROTECTOR

Protects against damage & prevents dust ingress.



### DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction.



### 3M POWER CABLE

Reduces the need for extension leads.



230 x 38mm



150 x 38mm



6mm  
Mild Steel

**R210**

**SMS-300+**

 **13.2 kg**  
29 lbs

UK 110v: 048-0031A, UK 230v: 048-0030A, EU 230v: 048-0032A

## **210MM TCT MULTI-MATERIAL SLIDING MITRE SAW WITH 300MM SLIDE**



**1500W**



**300 x 65mm**



**210 x 65mm**

**The perfect hybrid between a 210mm and 255mm sliding mitre saw.**

The R210SMS-300+ maintains a more compact and robust design of a 210mm model but with the 300mm cross cutting capacity of its bigger 255mm brother. Equipped with "PLUS" model features, this is the ultimate cutting solution for any trade.

## SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 300 x 65mm Cross Cut Capacity
- 300mm Slide
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Depth Stop for Trench Cutting
- Cable Tidy
- Sliding Fence
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:

- General Wood
- Fine Wood
- Diamond



## PLUS FEATURES



### PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



### INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



### QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



### DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction.



### 3M POWER CABLE

Reduces the need for extension leads.



300 x 38mm



210 x 38mm



6mm  
Mild Steel

**R255 SMS** +

UK 110v: 052-0002A, UK 230v: 052-0001A, EU 230v: 052-0003A

 **15.3 kg**  
33.7 lbs

## 255MM TCT MULTI-MATERIAL SLIDING MITRE SAW



 **2000W**  
(230v)  
**1600W**  
(110v UK Only)



**300 x 80mm**



**210 x 80mm**

Trade rated and approved the R255SMS+ is the ultimate tool on the job site. Accuracy, power and reliability at the forefront of its design, this 255mm sliding mitre saw is equipped to power through 6mm thick mild steel, and cut hardwood, laminate and even nail embedded wood with precision.

## SPECIFICATION

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 300 x 80mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Depth Stop for Trench Cutting
- Cable Tidy
- Tall Sliding Fence
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:  
 • General Wood  
 • Fine Wood  
 • Diamond



## PLUS FEATURES



### PREMIUM TCT BLADE

Long-life multi-material cutting TCT blade for smoother cuts.



### INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



### QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



### SLIDE RAIL PROTECTOR

Protects against damage & prevents dust ingress.



### DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction.



### TALL FENCE

Provides extra support for cutting crown moulding.



### 3M POWER CABLE

Reduces the need for extension leads.



300 x 45mm



210 x 45mm



6mm  
Mild Steel

**R255 SMS-DB +**

 **18.2 kg**  
40.1 lbs

UK 110v: 053-0002B, UK 230v: 053-0001B, EU 230v: 053-0003B

## **255MM TCT DOUBLE BEVEL MULTI-MATERIAL SLIDING MITRE SAW**



 **2000W**  
(230v)  
**1600W**  
(110v UK Only)



**300 x 90mm**



**212 x 90mm**

An essential for the professional tradesman, the R255SMS-DB+ is the **flagship of Evolution mitre saws**.

We've combined all our research and testing to give you optimized capacity, quality & precision, plus we've enabled 45° bevel both left and right so you can get the job done faster than ever before.

## SPECIFICATION

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 300 x 80mm Cross Cut Capacity
- Laser Guided Accuracy
- 45° - 45° Bevel Cut (L&R)
- 50° - 50° Mitre Cut
- Depth Stop for Trench Cutting
- Tall Fence & Neck
- Cable Tidy
- 3 Piece Top & Front Clamp
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**



Compatible blades:  
• General Wood  
• Fine Wood  
• Diamond

## PLUS FEATURES



### PLUS PACK

#### 2 X PREMIUM TCT BLADES

Premium Multi-material blade & general wood blade included



#### INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



#### QUICK RELEASE TOP & FRONT CLAMPS

For additional Accuracy & Faster Adjustments.



#### CLEANER & SAFER WORKING

Dust collection bag & dust port adaptor for use with vacuum extraction.



#### TALL FENCE & NECK

Provides extra support for cutting crown moulding.



#### 4M POWER CABLE

Reduces the need for extension leads.



Bevel Left:  
300 x 52mm  
Bevel Right:  
300 x 34mm



Compound Left:  
212 x 52mm  
Compound Right:  
212 x 34mm




6mm  
Mild Steel

**R210 CMS +**

5.8 kg  
12.5 lbs

UK 110v: 046-0002A, UK 230v: 046-0001A, EU 230v: 046-0003A

## 210MM TCT MULTI-MATERIAL COMPOUND MITRE SAW



1200W



125 x 55mm



85 x 55mm

**Evolution's most compact 210mm compound mitre saw** - designed to cut a variety of materials at any desired angle. Couple this with the Evolution Mitre Saw Stand to provide additional support for extra long workpieces, gives you the best value for maximum productivity.

*(Mitre Stand Sold Separately)*

## SPECIFICATION

- Multi-Material Cutting Technology
- 1200W Powerful Hi-Torque Motor
- 125 x 55mm Cross Cut Capacity
- 0° - 45° Bevel Cut
- Top Clamp
- 2m Power Cable
- Dust Bag Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## FEATURES



### + FEATURE

#### DUST BAG INCLUDED

Dust bag for a cleaner & safer working area.



### + FEATURE

#### PREMIUM TCT BLADE

Long-life multi-material cutting TCT blade for smoother cuts.



#### LIGHTWEIGHT & PORTABLE

Allows for quick and easy transport from job to job.



#### COMPACT DESIGN

Easily storable in both the workshop & vehicle.



#### ERGONOMIC HANDLE

Ambidextrous, soft grip handle for maximum comfort

## BLADES

Supplied with:  
**Multi-Material TCT Blade**



Compatible blades:

- General Wood
- Fine Wood
- Diamond



125 x 35mm



85 x 35mm



6mm  
Mild Steel

# R210

## MTS | G2

UK 230v: 116-0001  
EU 230v: 116-0003

9.5 kg  
20.8 lbs

# 210MM TCT MULTI-MATERIAL MITRE TABLE SAW



**evolution®**



1500W



120 x 55mm  
Mitre mode



65 x 55mm  
Mitre mode

**Meet the R210MTS-G2 Convertible Mitre/Table Saw, a powerhouse of versatility and precision.** With a 1,500W high torque motor and 210mm multi-material cutting blade, it's ready to tackle even more jobs, with greater cut capacity and improved accuracy to deliver faster, cleaner cuts through the widest range of wood, metals and composite materials.

## FEATURES



### ALL-IN-1 TABLE/MITRE DESIGN

Get the most out of your cutting with easy mitre to table saw capability.



### LIGHTWEIGHT & PORTABLE

Allows for quick and easy transport from job to job.



### EASY MITRE CUTTING

Micro-idents for precise & accurate mitre cutting, also with pre-set mitre stops.



### TRANSPARENT BLADE GUARD

Extra visibility to ensure the blade hits the mark each time.



### ADJUSTABLE RIP FENCE

Double clamp parallel rip fence with cut width guide.

## SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 120 x 55mm Cross Cut Capacity
- 0° - 47° Bevel Cut
- 45° - 45° Mitre Cut
- 429 x 261mm Table Size
- 120mm Cut Depth (Mitre Mode)
- 40mm Cut Depth (Table Mode)
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material TCT Blade**




120 x 35mm  
Mitre mode

Compatible blades:

- General Wood
- Fine Wood
- Diamond



429 x 261mm  
Table Size



6mm  
Mild Steel

# RAGE 5-S

UK 110v: 057-0002, UK 230v: 057-0001, EU 230v: 057-0003

 **28.5 kg**  
62.8 lbs

## 255MM TCT MULTI-MATERIAL TABLE SAW



**1500W**  
(230v)  
**1600W**  
(110v UK Only)



83mm



58mm

A unique table saw utilising our Multi-Material cutting technology. Perfect for ripping through all sheet material including hard & soft wood, metal, plastics & more! All this built onto a robust, collapsible frame with wheels for ultimate manoeuvrability & easy storage.

## SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 83mm Max. Cutting Depth
- 0° - 45° Bevel Cut
- 60° - 60° Mitre Cut
- Start/Stop Buttons
- Max. Table Size: 1200 x 640mm
- Min. Table Size: 745 x 640mm
- 3 Year Limited Warranty

## BLADES


Supplied with:  
Multi-Material  
TCT Blade

Compatible blades:

- General Wood
- Fine Wood
- Diamond



## FEATURES



### COLLAPSIBLE FRAME

with wheels for easy storage & manoeuvrability



### EXTENDABLE TABLE

Left & right table extensions provide support for even the biggest materials




### SLIDING TABLE & MITRE GAUGE

Sliding mitre gauge pushes the material through, or lock it to the table to slide the table for added support.



### DUAL LOCKING FENCE

Accurate, adjustable rip fence locks in place on the front & rear rail for accuracy.





### DUST EXTRACTION

Attach your vacuum to the port to extract dust from the blade guard & under the blade.



### CAST TABLE

Cast aluminium alloy table surface is perfectly flat & very robust.



**R255**

**TBL**

**R255**

**TBLX**

**NEW**

 **21.2 kg**  
46.7 lbs

UK 220-240V: 119-0001  
UK 110V: 119-0002  
EU 220-240V: 119-0003

UK 220-240V: 119-0006  
UK 110V: 119-0007  
EU 220-240V: 119-0008

# 255MM TCT MULTI-MATERIAL TABLE SAW



**R255**  
**TBLX**

**INCLUDES FOLDING TABLE SAW STAND**



**1650W  
(230v)**



**85mm**



**58mm**

Ready to deliver new standards for accuracy, reliability and powerful multi-material cutting. The R255TBL Portable Table Saw from Evolution is here. Designed to replace the RAGE5-S and other 255mm jobsite saws. Available on its own or with a heavy-duty foldable stand.

## FEATURES

### SPECIFICATION

- Multi-Material Cutting Technology
- 1650W Powerful Hi-Torque Motor
- 85mm Max. Cutting Depth
- 0° - 45° Bevel Cut
- 60° - 60° Mitre Cut
- Emergency Stop Paddle
- Max. Table Size: 1200 x 640mm
- Min. Table Size: 745 x 640mm
- 3 Year Limited Warranty

### BLADES

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:  
 • General Wood  
 • Fine Wood  
 • Diamond



#### DUAL RACK & PINION FENCE

Quick adjustments with micro indents for even more accurate precision.



#### MICRO-ADJUST ALIGNMENT

Patented blade parallelism adjustment for increased accuracy.



#### CROSS-CUT SLED INSERT

Integrated into the table top for more cutting size opportunity.



#### PRECISE BEVEL CUTTING

Geared, micro-adjustable angle selection for versatile cutting.



#### INCREASED CUT DEPTH

Compared to the RAGE5-S. Cut a range of materials up to 85mm.




#### IMPROVED DUST EXTRACTION


High-flow system maximises pick-up with needing a vacuum.



6mm  
Mild Steel



655mm Rip Capacity  
To The Right



1200 x 640mm  
Max. Table Size

**R255**

**TBL** +

UK 220-240V: 119-0011  
UK 110V: 119-0012  
EU 220-240V: 119-0013

**R255**

**TBLX** +

UK 220-240V: 119-0016  
UK 110V: 119-0017  
EU 220-240V: 119-0018

**NEW**



**22.8 kg**  
50.2 lbs

# 255MM TCT MULTI-MATERIAL TABLE SAW

+

## WITH EVEN MORE FEATURES



**R255**  
**TBLX** +

**INCLUDES FOLDING  
TABLE SAW STAND**



1800W  
(230v)



85mm



58mm

# UPGRADE TO EVEN BETTER

Ready for more? Experience the ultimate cutting performance with the R255TBL+ and R255TBLX+ table saws. Designed with more power, more accuracy, more versatility and even supplied with extra accessories!

## SPECIFICATION

- Multi-Material Cutting Technology
- 1800W Powerful Hi-Torque Motor
- 85mm Max. Cutting Depth
- 0° - 45° Bevel Cut
- 60° - 60° Mitre Cut
- Emergency Stop Paddle
- Max. Table Size: 1200 x 640mm
- Min. Table Size: 745 x 640mm
- 3m Power Cord
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**

Compatible blades:  
**• General Wood  
• Fine Wood  
• Diamond**



## PLUS FEATURES

(Includes all R255TBL features)



### EVEN MORE POWER

High-torque 1800W motor delivers even more powerful cuts compared to the R255TBL.



### SUPPLIED TOP CLAMP

Easily secures the workpiece for even safer cutting experience.



### DUAL DUST COLLECTION

Collects dust from above and below the blade.



### OUTFEED SUPPORT BAR

Increases the overall table size to support even larger pieces of material.



### 28-T BLADE INCLUDED

Includes a 28-tooth blade with multi-material cutting technology.

**21.5 kg**  
47.4 lbs

**R355 CPS**

UK 110v: 083-0002, UK 230v: 083-0001, EU 230v: 083-0003

## 355MM TCT MULTI-MATERIAL CHOP SAW



**2200W**  
(230v)  
**1800W**  
(110v UK Only)



95 x 180mm



78 x 110mm



120 x 120mm

**The most versatile chop saw on the market** - Designed for repetitive cross cutting through wood, mild steel, aluminium, plastics & more! Huge 355mm blade diameter powered by a 2200W high torque motor makes light work of all materials. Mount to our chop saw stand to make this saw even more versatile & boost your productivity. (Chop Stand Sold Separately)

## FEATURES



### ADJUSTABLE REAR FENCE

3 position, 0° - 45° fence for accurate mitre cuts.



### CARRY HANDLE

Built in central carry handle for easy transportation.



### BUILT IN CHIP DEFLECTOR

Directs chips down and away from the user.



### V-BLOCK ADAPTER

For secure clamping of round & square tube.

## SPECIFICATION

- Multi-Material Cutting Technology
- 2200W Powerful Hi-Torque Motor
- 0° - 45° Mitre Fence
- High Capacity Front Clamp
- 2m Power Cable
- Chip Deflector
- Heavy Duty Steel Base
- Built In Carry Handle
- Fast & Easy Blade Change
- On-board Tool Storage
- 3 Year Limited Warranty

## BLADES

Supplied with:  
**Multi-Material  
TCT Blade**



Compatible blades:

- General Wood
- Diamond



89 x 89mm



Ø 130mm



Ø 105mm



6mm  
Mild Steel

# RAGE 4

UK 110v: 081-0007, UK 230v: 081-0006, EU 230v: 081-0008

8.9 kg  
19.7 lbs

## 185MM TCT MULTI-MATERIAL CHOP SAW

- Multi-Material Cutting Technology
- 1250W Powerful Hi-Torque Motor
- 97mm x 46mm Rectangle at 90°
- 45mm Square at 90°
- 46mmØ Round Tube Capacity
- 0° - 45° Mitre Cutting Capability
- 3 Year Limited Warranty



### BLADES

Supplied with:  
Multi-Material  
TCT Blade



Compatible blades:

- General Wood
- Fine Wood
- Diamond



1250W



97 x 46mm



45mm<sup>2</sup>



Ø 50mm



6mm



0° - 45°

## CYCLONE

097-0001


### MAGNETIC SHAVING COLLECTOR

Easily Picks up Steel Shavings and  
other Ferrous workshop debris

- Rubber grip handle
- Maximum lifting weight: 6.5 kg

0.5 Kg

Simply slide the plunger and the shavings are neatly deposited.



**R15 VAC**

UK 230v: 086-0001, EU 230v: 086-0003

## 15L WET & DRY VACUUM CLEANER



**The perfect wet & dry vacuum cleaner for your workshop & general cleaning tasks.**

The powerful 1000w motor has an impressive 42.5L/s of airflow for easy pickup of bulky building dust, dry debris, liquids, mud & more.

- **15L bin with 8L dry and 9L wet capacity**
- **Power take-off socket for automatic on/off when used with a power tool**
- **Blow function**
- **Low 80db noise level**
- **Portable & lightweight design**
- **On-board accessory storage**
- **Large switch for easy operation**
- **2 Year Guarantee**



### ACCESSORIES INCLUDED:

- 1.8m Hose	- Crevice Nozzle
- 2 x Extension Wands	- Foam Filter
- Wide Nozzle	- Standard Cartridge Filter



**M-CLASS FILTER  
AVAILABLE SEPARATELY**



**1000W  
Motor**



**Max. 1700W  
Socket Output**



**Power Take  
Off Function**



**Blow  
Function**



**42.5L/S  
Airflow**



**80DB Noise  
Level**



**3M Cable**

**R230 DCT**

7.1 kg  
15.7 lbs

With Blade: UK 110v: 009-0002, UK 230v: 009-0001, EU 230v: 009-0003  
Without Blade: UK 110v: 009-0002X, UK 230v: 009-0001X, EU 230v: 009-0003X

# 230MM ELECTRIC DISC CUTTER



UP TO

**50%**

**MORE CUT CAPACITY  
THAN A 230MM  
ANGLE GRINDER**



**2000W (230v)**  
**1600W (110v UK Only)**



90mm!



**3m Rubber Cable**

**Put the grinder down and get the right tools for the job.** The all new Evolution R230DCT has up to 50% more cutting depth than a 230mm / 9" grinder and it even comes with a diamond blade included! With an impressive 90mm cutting depth, this is the ideal cut off saw for concrete, reinforced concrete, natural stone, brick, roof tile & more.

## SPECIFICATION

- Safer & more practical cutting vs a 230mm grinder
- Market leading cut depth of 90mm\*
- Ergonomic design to improve user posture
- 230mm Diamond Blade Included
- Wheeled skid plate
- 3m heavy-duty cable
- Power Protect Technology for longer tool life
- Soft start & blade brake
- 3 Year Guarantee

\* Best cut depth of a 230mm/9" blade machine. Correct at the time of writing.

## FEATURES



### ERGONOMIC DESIGN

Improves user posture and reduces user fatigue for a safe & easy cut.



### PERFECT BALANCE

Gives the user total control of the tool for accuracy and shares the tool weight evenly over both hands.



### LARGE BLADE GUARD

Provides more blade cover to protect the user from flying debris.



### WHEELED SKID PLATE

Protects the tool from rough surfaces and the wheels take the strain out of low level cutting.


## BLADES

Supplied with:  
General  
Diamond



Compatible blades:

- Premium Diamond
- Multi-Material Diamond



Power Protect  
Technology

ALSO AVAILABLE  
AS A BARE UNIT



**R300 DCT**

9.7 kg  
21.4 lbs

UK 110v: 012-0002, UK 230v: 012-0001, EU 230v: 012-0003

# 300MM ELECTRIC DISC CUTTER



**2400W (230v)**

**1600W (110v UK Only)**

110v supplied with 16A plug



**115mm!**



**3m Rubber Cable**

## Redesigned from the ground up.

The all new R300DCT electric disc cutter is the simplest tool for cutting concrete, reinforced concrete, stone, brick, paving & more! It has an improved cut capacity of 115mm vs the existing model making this one of the deepest cutting 300mm machines on the market! High torque electric motor delivers consistent peak power and stops the machine from stalling.

## SPECIFICATION

- Huge 115mm cut depth
- Powerful 2400w\* Electric Motor.
- No pull chords, no fuel & no servicing!
- 3m heavy-duty cable
- 300mm diamond blade included
- Reversible flange for 20mm or 22.2mm bore blades.
- Blade Brake & Soft Start
- Robust steel wraparound front handle
- Power Protect Technology for longer tool life
- 3 Year Guarantee

\* 2400w on 230v machines. UK 110v = 1600w with 16A plug

## FEATURES



### WHEELED SKID PLATE

Protects the tool from rough surfaces and the wheels take the strain out of low level cutting.



### ADJUSTABLE BLADE GUARD

5-position blade guard with single handed operation allows for easy horizontal or vertical cutting.



### OPTIMISED BALANCE

Evenly spreads the weight over both hands for reduced user fatigue and more control.



### ON-BOARD TOOL STORAGE

Supplied with a multi-tool with on-board storage for quick and easy blade changes & maintenance.


## BLADES

Supplied with:  
General  
Diamond



Compatible blades:

- Premium Diamond
- Multi-Material Diamond



Power Protect  
Technology



6.15m/s<sup>2</sup> Max.



109dB (A) Max.

**R300 DCT +**

UK 110v (32A Plug): 012-0002A, UK 230v: 012-0001A, EU 230v: 012-0003A



**DUST  
SUPPRESSION**

# 300MM ELECTRIC DISC CUTTER



**2400W (230v)**

**2000W (110v UK Only)**

110v supplied with 32A plug



**115mm!**



**4m Rubber Cable**

**Born to conquer the professional job site**, the all new R300DCT+ electric disc cutter is the perfect masonry saw for the pro's when effective dust control is a must. It has an impressive cut depth of 115mm making this one of the deepest cutting 300mm machines on the market. The built-in dust suppression features dual sided water delivery, armoured hose routing & robust brass hose connection.

## SPECIFICATION

- Huge 115mm cut depth
- Powerful 2400w\* Electric Motor.
- No pull chords, no fuel & no servicing!
- 4m heavy-duty rubber cable
- 300mm Premium diamond blade included
- Reversible flange for 20mm or 22.2mm bore blades.
- Blade Brake & Soft Start
- Robust steel wrap-around front handle
- Power Protect Technology for longer tool life
- 3 Year Guarantee

\* 2400w on 230v machines. UK 110v = 2000w with 32A plug

## FEATURES



### + FEATURE

#### DUST SUPPRESSION

Water fed dust suppression for use on professional building sites in accordance with dust regulations.



### + FEATURE

#### PREMIUM DIAMOND


Supplied with our Premium diamond blade with 35% more diamond vs our general diamond blade.



### + FEATURE

#### 4M POWER CABLE

Extra long 4m rubber power cable for easy of use.



#### WHEELED SKID PLATE

Protects the tool from rough surfaces and the wheels take the strain out of low level cutting.

## BLADES

Supplied with:  
**Premium Diamond**



Compatible blades:  
**• General Diamond**  
**• Multi-Material Diamond**



**Power Protect  
Technology**



**6.15m/s<sup>2</sup> Max.**



**109dB (A) Max.**

# MITRE SAW STAND **+**

WITH EXTENDABLE ARMS

**23.3 kg**  
51.4 lbs

005-0005

The Mitre Saw Stand + can support double the amount of weight vs the standard Evolution mitre saw stand. Supporting up to 4m of workpiece and a 300kg load capacity, this sturdy mitre saw stand is a necessary piece of equipment for reliable and secure cutting.

- Key features include large wheels for easy transportation, height-adjustable telescopic legs, quick-release mounting brackets for fast saw removal and height adjustable arms with rollers and end-stops.



Compatible with most  
Power Tool Brands



110cm



60cm



75cm



180cm

# SAW HORSE **PAIR**

005-0003

A must-have piece of kit for every tradesman or DIY'er. Whether on-site, in the van, or in the garden - the Evolution sawhorses enable you to have a handy workbench to work from or simple workpiece support making your workspace neater and safer.

- Sturdy & robust design that supports up to a 500kg load per horse
- Quick & easy foldable design with carry handles for instant portability
- Supplied with 4 x cast steel hooks designed to fit 4x2 timber

**3.6 kg**  
7.9 lbs



**500KG LOAD CAPACITY  
PER HORSE!**



825mm



742mm



465mm

# MITRE SAW STAND

## WITH EXTENDABLE ARMS

005-0001

SUPPORTS WORKPIECES UP TO 3M & 150 KG WORKLOAD



A fantastic addition to Evolution's product range perfectly complimenting Evolution's mitre saws, as well as most other makes of mitre saw. Easily and quickly set up, with foldable legs for simple storage and transportation.

- Key features include quick-release mounting brackets for fast saw removal and height adjustable arms with rollers and end-stops.



Compatible with most  
Power Tool Brands



110cm



60cm



75cm



180cm

# CHOP SAW STAND

## UNIVERSAL FIT

005-0002


Universal fitting chop saw stand fits all Evolution chop saws plus most other leading brands! Robust construction and packed with time saving features including:

- Height & width adjustable support arms with build in end stop.
- Height adjustable legs
- Folding design for easy transport & storage

16 kg  
35 lbs



Compatible with most  
Power Tool Brands



460 x 600mm



595mm - 815mm



130cm

## RAGE 7-S

UK 230v: 075-0002, EU 230v: 075-0003

### CORDED JIGSAW WITH VARIABLE SPEED CONTROL & BLADES

- Multi-Material Cutting Blades
- 710W Powerful Hi-Torque Motor (230v)
- 80mm Depth of Cut
- 8mm Mild Steel Plate
- Quick Release Blade Change
- Adjustable Parallel Edge Guide
- 2 Years Limited Warranty



Adjustable Parallel Edge Guide

#### REPLACEMENT BLADE PACK OF 5 075-0200

Multi-Material Cutting Blades Available for Steel, Aluminium & Wood.

4.1 kg  
9 lbs

710W (230v)  
600W (110v UK Only)




8mm Steel



80mm Wood



26mm Length



0° - 45°  
Bevel Facility



Laser Guided  
Cutting Accuracy

## R230 RCP

UK 230v: 045-0001, EU 230v: 045-0003

### MULTI-MATERIAL CUTTING RECIPROCACTION SAW & BLADES

2.7 kg  
5.9 lbs

- Multi-Material Cutting Technology
- 850W Powerful Hi-Torque Motor
- 20mm Mild Steel Thickness
- 230mm Wood Cuts
- 180° Rotating Rear Handle
- Tool free adjustments & blade change
- LED Work Light
- 2 Years Limited Warranty

#### WOOD CUTTING BLADE PACK 045-0254

Includes 1 x Green Wood Blade & 1 x General Wood Blade.

#### THIN STEEL & MULTI-MATERIAL BLADE 045-0255

Includes 1 x Thin Steel Blade & 1 x Multi-Material Blade.



850W



20mm



230mm Wood



LED Work Light



28mm Length



0-2800rpm  
Variable

## HDG 200

UK 230v: 071-0001, EU 230v: 071-0003

### HEAT GUN WITH VARIABLE HEAT CONTROL

- Powerful 2000W Motor
- Max. Temperature of 630°C
- Variable Airflow Speed of 120 - 550L/min
- **Ideal For:** Stripping Paint & Varnish, Curing Glues & Epoxy, Waxing or Dewaxing, Softening & Forming Plastics, Removing Adhesive Labels & Graphics, Heating Liquids, Applying Heat Shrink & Film, Drying Out Damp Wood, Lifting Tiles & Edging Trim, Drying Paint or Varnish, Lighting Barbecues, Loosening Rusty Screws or Nuts & Removing Caulking
- **2 Years Limited Warranty**

0.8 kg  
1 lbs



2000W



Variable Temperature  
50°C - 630°C



Variable Airflow  
120ltr/min - 550ltr/min

DIGITAL



Digital Display



+Scraper

## SDS4 800

UK 110v: 096-0002, UK 230v: 096-0001, EU 230v: 096-0003

### FOUR FUNCTION HAMMER DRILL: DRILL, CHISEL, ROTATION & HAMMER

- 1.6 Joules of high impact energy
- 650W High-Torque Motor
- 0-1100min<sup>-1</sup> Variable Speed Function
- Adjustable Auxiliary Handle
- **2 Years Limited Warranty**

2.8 kg  
6 lbs



650W



0-1100min<sup>-1</sup>



Max 13mm Ø



Max 20mm Ø



Max 30mm Ø

# TWISTER

UK 110v: 013-0002, UK 230v: 013-0001, EU 230v: 013-0003

## 1100W VARIABLE SPEED MIXER

### SUPPLIED WITH MIXING PADDLE

- Variable Speed Control: 250-750min-1
- Vibration Data: 0.5-0.7m/s<sup>2</sup>
- Ergonomic Soft Grip Handle
- No More Manual Mixing
- 2 Years Limited Warranty

#### MIX:

Plaster, Mortar & Cement.

Ideal for all Popular Mixing Applications

Twister Paddle Available: 013-0006



4.9 kg  
10.8 lbs



1100W



250-750min-1  
Variable



Ergonomic Handle



+ Paddle



0.5-0.7m/s<sup>2</sup>



M14

## R225 DWS-T

UK 230v: 078-0011, EU 230v: 078-0012

## 225MM DRY WALL SANDER

- Extendable, LED Pivoting Head
- High Power with Variable Speed
- Integrated Dust Extraction
- Comfortable & Flexible Operation
- 2 Years Limited Warranty

4.3 kg  
9.4 lbs



### ACCESSORIES INCLUDE:

- Triangular Sanding Head Attachment
- 12 Easy Mountable Sanding Discs:  
Grits inc. 80, 120, 180 & 240
- 4 Meter Hose which will fit most Vacuum Ports
- Carry Bag



750W



800 - 1700 RPM



0° - 90°  
Pivoting Head



1.45m - 1.65m Extendable



Sanding Disc x 12  
60, 80, 120, 150, 180 & 240 Grits

## EB225 DWSHH

UK 230v: 069-0001, EU 230v: 069-0003

### 225MM HAND-HELD DRY WALL SANDER

- High Power with Variable Speed
- Integrated Dust Extraction
- Easy Sanding Operation
- Adjustable Auxiliary Handle
- 2 Years Limited Warranty

#### SUPPLIED WITH:

- 6 Easy Mountable Sanding Discs:  
Grits inc. 80 (078-0090), 120 (078-0091),  
180 (078-0092) & 240 (078-0093)
- Dust Bag
- Belt Clip
- Hose



**2.8 kg**  
6.2 lbs



1050W



1500-2300min<sup>-1</sup>



+ 25L Dust Bag



+ Sanding Discs



+ Hose

## FILE SANDER

UK 230v: 062-0001, EU 230v: 062-0003

### 400W PRECISION FILE SANDER

- Variable Speed
- Dust Extraction Facility
- Adjustable Belt Tracking
- Rubber-Coated Grip
- Speed Control Dial
- Dust Sealed Bearings
- 120° Fully Adjustable Sanding Arm
- 2 Years Limited Warranty



#### SUPPLIED WITH:

- Single Wheeled Head (Flat Surfaces)
- Twin Wheeled Head (Angled Surfaces)
- Dust Bag
- 3 Sanding Belts  
Grits inc. 80 (FILEANDP80),  
100 (FILEANDP100), 120, (FILEANDP120)



Belts: 80/100/120  
Grit Available



400W



1.215m/s<sup>2</sup>



457mm (L)



13mm (W)



+ 3 Belts



+ Dust Bag

# H320 P

015-0013

## 400MM X 320MM PETROL POWERED COMPACTOR

### WITH 4-STROKE OHV SINGLE CYLINDER ENGINE


- Ideal For: Crusher Run, Sand, Soil, Small Aggregates, Patio & Block Paving, Driveways & Tarmac Repair With Excellent Surface Preparation
- Easy-Fold Hinged Handle
- Easy-Pull Start
- Air Cooled
- 2.4HP / 1.5L Capacity Petrol Engine
- 2 Years Limited Warranty



Paving Pad  
Sold Separately:  
015-0007



38 kg  
84 lbs



# H320 E

015-0008


## 400MM X 320MM ELECTRIC COMPACTOR

- Ideal For: Crusher Run, Sand, Soil Block Paving Preparation
- Easy-Fold Hinged Handle
- Thick & Durable Base Plate
- Vibration Damper System
- Compact & Easily Storable
- Roll Bars For Increased Strength
- Low Frequency & High Amplitude
- 2 Years Limited Warranty

26 kg  
57 lbs



Paving Pad  
Sold Separately:  
015-0007



780W

2860min<sup>-1</sup>

Max  
7.43m/s<sup>2</sup>

5kN

No Fumes


Quiet 94dB(A)

# EVO SYSTEM

EVO200: 014-0002

## 4-STROKE PETROL ENGINE

- Powers a Range of Outputs (see below)
- Robust & Durable Steel Frame
- Wheel Kit Provides Mobility
- Folding Handle for Storage
- Folding Output Frame
- Oil Low Sensor
- Patented Technology
- Quick Recoil Start
- Secure Foot Brake



29 kg  
63 lbs



6.5HP



3L Capacity



Oil Warning



20cm Ø




Foot Brake



3150min-1

## QUICK RELEASE OUTPUT CHANGE

Evolution's Unique Quick Release Coupling Allows Easy Output Connectivity & Removal.



(Hose not included)

### PRESSURE WASHER

PW3200: 014-0003

- Rated Pressure: 175bar
- Max. Pressure: 220bar
- Max. Flow Rate: 8L/min
- Detergent System: 1L
- Lance Included
- 2 Year Warranty



### GENERATOR

GEN2800: 014-0004

- Power (Cont) 50Hz: 2.0kw / 2.0kVA
- Power (Max.) 50Hz: 2.4kw / 3kVA
- AC Output
- Sockets: 1 x 110v & 1 x 230v
- 2 Year Warranty



### WATER PUMP

DWP1000: 014-0005

- Use with: 3" (75mm) Hose
- Suction Height: 8m
- Pump Lift: 28m
- Flow Rate: 1000L/min
- Max. Solids: 8mm
- 2 Year Warranty

EVOLUTION POWER TOOLS



4.5/5



[www.reviews.co.uk](http://www.reviews.co.uk)