



Your partner in machining and joining

**BRAND CATALOGUE**  
**2024**



# GLOBE EUROPE

- 4. LENOX BANDZAGEN**
- 6. SERVICE EN VLOEISTOFFEN**
- 8. LENOX TOOLING**
- 10. PRIVATE LABEL**
- 12. GLOBE ABRASIVES**
- 16. EGGENBERG**
- 24. PATON WELDING**
- 26. URKO**
- 28. BIANCO**
- 29. BTM**
- 30. KEM EUROPE**

Globe Europe is an importer and distributor of high-quality brands and products for the machining and joining industry. We showcase brands with a rich history and extensive specialization in development and production. At the same time, these are brands that rely on partners who, with personal attention and comprehensive product knowledge, can convince users of the added value. This way, the user doesn't pay for expensive advertisements and is assured of expert tailored advice.

Globe is ambitious and unafraid to venture off the beaten path. As a result, we now have the largest independent - green - sawing center for band saws in Western Europe. This allows us to deliver remarkably fast affordable customized solutions of the highest quality. Our technical service assists customers in maximizing the potential of their machines and band saws as part of our no-nonsense service formula.

In addition to consumables for the machining industry, we supply machines, both portable and stationary, and accessories. Thus, Globe forms your one-stop-shop for machining needs.

Recently, we have expanded our range with welding equipment from Paton. Also, a high-quality, robust brand designed and manufactured in Europe. We believe it is important to stimulate and develop knowledge and expertise locally. That's not always possible, but the addition of Paton to our portfolio represents an important step in preserving technical expertise in Europe.

In this brochure, we present an overview of our core range. We would be delighted to discuss further what we can achieve together. - Globe Europe

AMERICAN SAW & MFG. COMPANY  
HACK SAW BLADES - BAND SAW BLADES - HOLE SAWS - GROUND FLAT ST

## WELDING CENTER

Through our in-house welding center, we swiftly deliver custom-length band saws from a vast stock of base materials. Thanks to various dedicated welding stations within the welding center, we can provide saws ranging from 6mm to 80mm in height. In addition to an extensive selection of bi-metal & carbide metal saws, we also weld specialized woodcutting bandsaws and even products for stone and the food industry.


### Independent

Globe Europe remains independent as an importer and supplier. However, we are recognized by various leading producers of band saws. We are officially certified to produce for, among others, Lenox and Röntgen in the Benelux region. This close collaboration ensures that we deliver quality at competitive prices, and the additional expertise enables us to stay ahead in offering productivity-enhancing and cost-saving solutions.

For the full range of Lenox products, visit our site: [lenoxsawmasters.com](http://lenoxsawmasters.com)



# LENOX BANDSAWS



### CLASSIC CLASSIC PRO(PRO)

The most versatile blade for production. Highly suitable for a wide range of shapes and materials. Formed from a base blade of patented steel and a durable M42 HSS cutting edge.

### RX+

Developed for cutting structural steel and bundled material. Cuts noticeably quieter and with much less vibration. Patented tooth design prevents tooth stripping at higher speeds.

### ARMOR RX+

The RX+ is equipped with an AlTiN coating, which protects against heat and wear. This allows for even faster cutting. This makes the blade exceptionally suitable for quickly cutting large-sized structural steel, even without coolant.

### QXP

Developed for cutting solid material. Very high tool life and cutting speed. Suitable for low to medium alloy steel.

### CONTESTOR GT

Superior blade for cutting tough alloys, such as Inconel.


### WOODMASTER B WOODMASTER CT

Bi-metal wood saws with significantly higher tool life and accuracy than traditional carbon steel wood saws. Available with carbide teeth for exotic and hard-to-work wood species.

# SERVICE & CONSUMABLES

In collaboration with our partners, Globe optimizes the sawing process for industrial users. We do this by inspecting sawing machines and providing service to them. We set the right parameters and provide advice on our band saws and technical fluids.

In most cases, much more can be achieved from your production line through often minor adjustments and by sharing more knowledge. Our technical expert works alongside your operator and will achieve the best result through a test run with a test band. You will receive a report detailing all findings and actions taken.



#### Minimum Quantity Lubrication

Did you know that we also provide the means to adapt your sawing machine for MQL? See page 19.

#### Cutting fluids

Globe Europe supplies technical fluids that significantly improve the sawing process and results. Ask our technical expert for the most suitable product for your situation. This could be minimal quantity lubrication (MQL) or the more traditional flood cooling generated with water.



| SKU             | Product description              | Type  | Content     |
|-----------------|----------------------------------|-------|-------------|
| CPGLBANADE0005  | BAND-ADE (all metals)            | Flood | 5 liters    |
| CPGLBANADE0025  | BAND-ADE (all metals)            | Flood | 25 liters   |
| CPGLBANADE0200  | BAND-ADE (all metals)            | Flood | 200 liters  |
| CPGLBANADE1000  | BAND-ADE (all metals)            | Flood | 1000 liters |
| CPGLCAILUBE0005 | CA/I LUBE (all metals)           | Mist  | 5 liters    |
| CPGLCAILUBE0025 | CA/I LUBE (all metals)           | Mist  | 25 liters   |
| CPGLCAILUBE0200 | CA/I LUBE (all metals)           | Mist  | 200 liters  |
| CPGLCAILUBE1000 | CA/I LUBE (all metals)           | Mist  | 1000 liters |
| CPGLLUBE0005    | LUBE (ferrous metals only)       | Mist  | 5 liters    |
| CPGLLUBE0025    | LUBE (ferrous metals only)       | Mist  | 25 liters   |
| CPGLLUBE0200    | LUBE (ferrous metals only)       | Mist  | 200 liters  |
| CPGLLUBE1000    | LUBE (ferrous metals only)       | Mist  | 1000 liters |
| CPGLSAWMAS0005  | SAW MASTER (ferrous metals only) | Flood | 5 liters    |
| CPGLSAWMAS0025  | SAW MASTER (ferrous metals only) | Flood | 25 liters   |
| CPGLSAWMAS0200  | SAW MASTER (ferrous metals only) | Flood | 200 liters  |
| CPGLSAWMAS1000  | SAW MASTER (ferrous metals only) | Flood | 1000 liters |

PRIVATE LABEL Please inquire with your contact person about the options regarding private label products with custom packaging and inventory.

# TOOLING

In addition to band saws, Lenox produces an interesting range of 'tooling'. Accessories for power tools and hand tools related to sawing or cutting. Think of various types of reciprocating saws, jigsaws, and hole saws, step drills, diamond grinding discs, pipe cutters, hacksaws, and more.

**LENOX**<sup>®</sup>  
**ALWAYS HUNGRY**<sup>™</sup>  
*by Globe Europe*



# PRIVATE LABEL BAND SAWS



In addition to Lenox band saws, Globe Europe also manufactures custom 'private label' saws for resellers. Band saws can be customized with the logo and/or text of the seller. Additional options include drop shipments with custom packing slips, custom packaging, fluids with custom labels, and a dedicated brochure in your brand's style. Additionally, we provide training for sales teams. We would be happy to explain all options and conditions in a personal conversation

## ALLROUNDER

- ▶ Wide range of applications
- ▶ Exceptional tool life

| MM         | TPI     |     |     |     |     |     |      |      |       |       |
|------------|---------|-----|-----|-----|-----|-----|------|------|-------|-------|
|            | 1,4/2,0 | 2/3 | 3/4 | 4/6 | 5/8 | 6/8 | 6/10 | 8/12 | 10/14 | 14/18 |
| 12,7X 0,50 |         |     |     |     |     |     |      |      | ♦     | ♦     |
| 12,7X 0,64 |         |     |     |     |     |     | ♦    | ♦    | ♦     | ♦     |
| 12,7X 0,90 |         |     |     |     |     |     |      |      | ♦     | ♦     |
| 19 X 0,90  |         |     |     | ♦   | ♦   | ♦   | ♦    | ♦    | ♦     | ♦     |
| 27x0,90    |         | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦    | ♦     | ♦     |
| 34X 1,07   | ♦       | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦    | ♦     | ♦     |
| 41x1,27    | ♦       | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦    | ♦     | ♦     |

## CONSTRUCTION

- ▶ For structural steel and bundles
- ▶ High speed cutting

| MM       | TPI |     |     |     |     |      |       |
|----------|-----|-----|-----|-----|-----|------|-------|
|          | 2/3 | 3/4 | 4/6 | 5/7 | 5/8 | 6/10 | 10/14 |
| 27x0,90  | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦     |
| 34X 1.07 | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦     |
| 41x1,27  | ♦   | ♦   | ♦   | ♦   | ♦   | ♦    | ♦     |

## MASSIVE

- ▶ Solid material
- ▶ Tough alloys

| MM       | TPI     |         |     |     |     |     |  |
|----------|---------|---------|-----|-----|-----|-----|--|
|          | 1,0/1,3 | 1,5/2,0 | 2/3 | 3/4 | 4/6 | 5/8 |  |
| 27x0,90  | ♦       | ♦       | ♦   | ♦   | ♦   | ♦   |  |
| 34X 1.07 | ♦       | ♦       | ♦   | ♦   | ♦   | ♦   |  |
| 41x1,27  | ♦       | ♦       | ♦   | ♦   | ♦   | ♦   |  |

# GLOBE ABRASIVES



## CERAMIC ★★★★★

| SKU   | Product description   | Grain         | PU |
|-------|-----------------------|---------------|----|
| G1661 | CERAMIC 115x1,0x22,23 | SG 60SXBF CER | 25 |
| G1663 | CERAMIC 115x1,5x22,23 | SG 60SXBF CER | 25 |
| G1761 | CERAMIC 125x1,0x22,23 | SG 60SXBF CER | 25 |
| G1763 | CERAMIC 125x1,5x22,23 | SG 60SXBF CER | 25 |
| G1773 | CERAMIC 150x1,6x22,23 | SG 60SXBF CER | 25 |
| G1783 | CERAMIC 180x2,0x22,23 | SG 60SXBF CER | 25 |
| G1793 | CERAMIC 230x2,0x22,23 | SG 60SXBF CER | 25 |

GLOBE **CERAMIC-POWER** cutting discs elevate the definition of quality to an unprecedented level. They utilize self-sharpening ceramic grains and a specially developed binder that enables high performance. The CERAMIC-POWER disc keeps the metal cool and prevents burrs and pits. The disc boasts an exceptional lifespan, ensures high productivity, and is comfortable and easy to use.



Free from sulfur, iron, and chlorine.

## SAFECUT II & III

| SKU   | Product description       | Grain   | PU |
|-------|---------------------------|---------|----|
| G1542 | SAFECUT III 115x1,3x22,23 | A 60 SX | 25 |
| G1543 | SAFECUT III 125x1,3x22,23 | A 60 SX | 25 |
| G1546 | SAFECUT II 230x2,0x22,23  | A 60 SX | 50 |



Vrij van zwavel, ijzer en chlorine.



The **SAFECUT** series by Globe consists of thin discs that are extra rigid due to the metal safety ring. The result is a highly stable disc without vibrations. The 115mm and 125mm discs feature a ring of only Ø55mm, allowing for maximum utilization of the disc.

## TOP ONE ★★★★★

| SKU   | Product description   | Grain   | PU |
|-------|-----------------------|---------|----|
| G1624 | TOP ONE 115x1,0x22,23 | A 60 SX | 25 |
| G1721 | TOP ONE 125x1,0x22,23 | A 60 SX | 25 |
| G1722 | ZAC 125x1,3x22,23     | A 60 SX | 25 |
| G1723 | ZAC 125x1,6x22,23     | A 60 SX | 25 |
| G1726 | ZAC 230x2,0x22,23     | A 60 SX | 25 |

GLOBE **TOP-ONE** is the top-tier cutting disc constructed from the traditional and proven aluminum oxide grain. With high durability and grinding speed, it is the favorite of professional users who perform grinding tasks daily. Thanks to its high rigidity, minimal vibration, and cool grinding action, it is comfortable to work with. Works great with cordless grinding machines.



Free from sulfur, iron, and chlorine.

## SLIM-CUT ALU

| SKU   | Product description    | Grain    | PU |
|-------|------------------------|----------|----|
| G1645 | SLIM-CUT 115x1,3x22,23 | A 60 QAL | 25 |
| G1742 | SLIM-CUT 125x1,3x22,23 | A 60 QAL | 25 |



The processing of aluminum, with its viscosity, requires a special disc that does not clog up and remains sharp throughout its entire lifespan. The special construction of these **SLIM-CUT** cutting discs provides that solution. Also suitable for other soft non-ferrous metals such as copper, brass, etc.

## EVOLUTION ★★★

| SKU       | Product description     | Grain   | PU |
|-----------|-------------------------|---------|----|
| G1624 EVO | EVOLUTION 115x1,0x22,23 | A 60 SX | 25 |
| G1721 EVO | EVOLUTION 125x1,0x22,23 | A 60 SX | 25 |
| G1722 EVO | EVOLUTION 125x1,3x22,23 | A 60 SX | 25 |
| G1726 EVO | EVOLUTION 230x2,0x22,23 | A 60 SX | 50 |

The GLOBE **EVOLUTION** series is designed for users seeking high performance combined with a competitive price that suits occasional grinding tasks. They seek the properties of a professional disc but use the product just infrequently enough to warrant a cost-benefit analysis per cut.



Free from sulfur, iron, and chlorine.



You can recognize Globe cutting and grinding discs by the famous orange sleeve. This convenient packaging protects the discs and makes transport and storage efficient.

In this brochure, you will find our core range. Curious about what else we can deliver? Then ask for the Globe IAP brochure.

# GRINDPOWER

| SKU   | Product description         | Grain    | PU |
|-------|-----------------------------|----------|----|
| G0361 | GRINDPOWER II 115x7,0x22,23 | ZA 24 SX | 25 |
| G0362 | GRINDPOWER II 125x7,0x22,23 | ZA 24 SX | 25 |
| G0367 | GRINDPOWER II 230x7,0x22,23 | ZA 24 SX | 25 |



**STAINLESS  
STEEL & STEEL**

Free from sulfur, iron, and chlorine.

GLOBE **GRINDPOWER** grinding discs are among the most advanced products on the market for professional users. When combined with powerful grinders (>1400W for 115 & 125mm), GRINDPOWER reduces grinding time by half compared to traditional

discs. Thanks to the coarse-fine layered structure of the disc, it grinds exceptionally free of vibrations. Working with this product significantly benefits the health and energy of the user.



# GRINDING DISCS

| SKU   | Product description         | Grain        | PU |
|-------|-----------------------------|--------------|----|
| G0123 | GRINDING DISC 125X6,5X22,23 | A 24-30-36 R | 25 |
| G0127 | GRINDING DISC 230X7,0X22,23 | A 24-30-36 R | 25 |



**STEEL**


GLOBE **GRINDING DISCS** are our standard grinding discs of proven quality and reputation. They are

deployed daily worldwide in demanding construction and production projects.



# TURBOTWISTER

| SKU   | Product description    | Grain    | PU |
|-------|------------------------|----------|----|
| G0822 | TURBOTWISTER 125x22,23 | A 36 QBF | 25 |
| G0832 | TURBOTWISTER 125x22,23 | A 60 Q   | 25 |



**STAINLESS  
STEEL & STEEL**

Free from sulfur, iron, and chlorine.

GLOBE **TURBOTWISTERS** combine the high stock removal capacity of a grinding disc with the finesse of a flap disc. Their unique diamond pattern

provides exceptional cooling capacity allowing for high removal rates and longer product life.



# FLAP DISCS ECO

| SKU     | Product description                  | Grain | PU |
|---------|--------------------------------------|-------|----|
| GF2822  | Flap Disc Economy Line 125mm Flat    | 40    | 20 |
| GF2822C | Flap Disc Economy Line 125mm Conical | 40    | 20 |
| GF2824  | Flap Disc Economy Line 125mm Flat    | 60    | 20 |
| GF2824C | Flap Disc Economy Line 125mm Conical | 60    | 20 |
| GF2825  | Flap Disc Economy Line 125mm Flat    | 80    | 20 |
| GF2825C | Flap Disc Economy Line 125mm Conisch | 80    | 20 |

The **Economy Line** from Globe consists of flat and conical discs with very good stock removal capabilities but a slightly shorter lifespan

than the A-class discs. Highly suitable for general workshop use.



# FLAP DISCS TOP

| SKU    | Product description     | Grain | PU |
|--------|-------------------------|-------|----|
| G2822  | Flap Disc 125mm Flat    | K40   | 20 |
| G2822C | Flap Disc 125mm Conical | K40   | 20 |
| G2824  | Flap Disc 125mm Flat    | K60   | 20 |
| G2824C | Flap Disc 125mm Conical | K60   | 20 |
| G2825  | Flap Disc 125mm Flat    | K80   | 20 |
| G2825C | Flap Disc 125mm Conical | K80   | 20 |

GLOBE's premium flap discs combine extraordinary lifespan with high stock removal. They contain more

abrasive material than the economy line and are best suited for daily users.



# FLAP DISCS CERAMIC

| SKU    | Product description               | Grain | PU |
|--------|-----------------------------------|-------|----|
| G2862  | Flap Disc keramisch 125mm Flat    | 40    | 20 |
| G2862C | Flap Disc keramisch 125mm Conical | 40    | 20 |

The discs with ceramic grains utilize the self-sharpening and cool grinding properties of ceramics to function extremely effectively throughout their entire lifespan. Their reduced

heat development make them ideal for materials overly affected by high temperatures. Suitable for grinding machines with a minimum power of 1000W.



# FLAP DISCS HT

| SKU      | Product description        | Grain | PU |
|----------|----------------------------|-------|----|
| G2822HT  | Flap Disc HT 125mm Flat    | 40    | 20 |
| G2822CHT | Flap Disc HT 125mm Conical | 40    | 20 |
| G2824HT  | Flap Disc HT 125mm Flat    | 60    | 20 |
| G2824CHT | Flap Disc HT 125mm Conical | 60    | 20 |

The HT (High Thickness) discs from Globe concentrate more closely packed abrasive cloth in a narrow ring on the

outer edge. This results in less waste and yet maximum removal.



# EGGENBERG



105mm capacity!  
**6038TWIN**

Induction motor  
**EBS1440**



Conveyor Rollers  
**ROLLER2M**



## ▲ Portable band saw

The '6038' is a top seller in Globe's range. This portable machine delivers precise, spark-free cuts up to Ø105mm. It cuts accurately without the use of coolant or lubricant.

Additionally, the saw arm of the machine can be set vertically, allowing the optional saw table to be clamped in the vise. This feature makes the machine even more versatile.



| SKU          | Type     | Voltage | Power | Blade size        | Speed       | Cutting range (mm) |       |         |       | Weight  |       |
|--------------|----------|---------|-------|-------------------|-------------|--------------------|-------|---------|-------|---------|-------|
|              |          |         |       |                   |             | Cutting angle      |       |         |       |         |       |
| ESEC6038TWIN | 6038TWIN | 230V    | 850 W | 1335x12,7x0,64 mm | 60/80 m/min | 0°-45°             | 0°    | 105x93  | 105   | 102x102 | 17 kg |
|              |          |         |       |                   |             | 45°                | 70x60 | 72      | 68x68 |         |       |
| SMEG14       | EBS1440  | 230V    | 550 W | 1440x12,7x0,64 mm | 55 m/min    | 0°-60°             | 0°    | 125x130 | 127   | 125x125 | 43 kg |
|              |          |         |       |                   |             |                    | 45°   | 90x90   | 90    | 90x90   |       |
|              |          |         |       |                   |             |                    | 60°   | 45x45   | 45    | 45x45   |       |

# EGGENBERG

Eggenberg stationary band saws are well-designed, of proven quality and reliability, and at the same time, simple and intuitive to use.

## Side panel EBS2480



## Front panel EBS2480FP



## EBS2750



## MQL system SMEGLUBE



## Semi automatic EBS3770-A

| SKU      | Type      | Voltage | Power          | Blade size        | Cutting speed | °                | Cutting Range (mm)                          |                             |   | Weight |
|----------|-----------|---------|----------------|-------------------|---------------|------------------|---|-----------------------------|---|--------|
|          |           |         |                |                   |               |                  |   |                             |   |        |
| SMEG14   | EBS1440   | 230V    | 550 W<br>¾ PK  | 1440x12,7x0,64 mm | 55 m/min      | 0°<br>45°<br>60° | 125x130<br>90x90<br>45x45                   | 127<br>90<br>45             | 130x130<br>90x90<br>45x45                       | 25 kg  |
| SMEG24   | EBS2480   | 400V    | 1100 W<br>2 PK | 2480x27x0,90 mm   | 35-70 m/min   | 0°<br>45°<br>60° | 245x150<br>190x150<br>120x90                | 225<br>145<br>90            | 190x190<br>150x150<br>90x90                     | 205 kg |
| SMEG24FP | EBS2480FP | 400V    | 1100 W<br>2 PK | 2480x27x0,90 mm   | 45-90 m/min   | 0°<br>45°<br>60° | 245x150<br>190x150<br>120x90                | 225<br>145<br>90            | 190x190<br>150x150<br>90x90                     | 185 kg |
| SMEG27   | EBS2750   | 400V    | 1500W<br>2 PK  | 2750x27x0,90 mm   | 35-70 m/min   | 0°<br>45°<br>60° | 160x310<br>L 220x140 / R 230x170<br>160x110 | 255<br>L 180 / R 185<br>115 | L 255x255<br>L 170x170 / R 180x180<br>115 x 115 | 430 kg |
| SMEG37   | EBS3770-A | 400V    | 2200 W<br>3 PK | 3770x34x1,07 mm   | 20-80 m/min   | 0°<br>45°<br>60° | 300x490<br>L 250x250 / R 290x340<br>180x220 | 355<br>L 290 / R 350<br>230 | 300x300<br>L 270x270 / R 290x290<br>180 x 180   | 645 kg |



### TIG200P

TIG welder 10-200A  
DC/HF PULSE

### MIG200G

MIG welder 40-200A MIG/  
PULSE

### MMA160

MMA / SMAW welder  
160A

### MMA100

MMA / SMAW welder  
100A

### Welding torches

Eggenberg offers various MIG/MAG welding torches in its product range. For example, equipped with water cooling, in lengths of 3 and 4 meters.



### Electrodes

Various compositions and diameters of tungsten electrodes for TIG welding.



1500W / Ø 30mm / 800rpm  
**EMD30 ECO**

1550W / Ø 35mm / 100-830 rpm  
**EMD35**



Weldon 19 / Ø 12-60mm / 30&55mm  
**HSS Core drills**

Highly wear-resistant thanks to the tough cobalt alloy.

1-13mm-0,5 / 5% Cobalt M35 / DIN338  
**HSS-Co Spiral drills**

M3-M12 / 5% Cobalt M35  
**HSS-Co Machine taps**



# IBS75

3000W / 2000x75mm



## Industrial Stationary Belt Sander

Indispensable in the production workshop where manual development of components is regularly carried out. Eggenberg's stationary 400V belt sander is height-adjustable, equipped with a sanding table and contact wheel. It features a spark arrestor and extraction point..

### Sanding Belts ▶

| SKU            | Belt size | Grit | Composition | PU |
|----------------|-----------|------|-------------|----|
| N03TYZ20007540 | 2000x75mm | 40   | Zirkonium   | 10 |
| N03TYZ20007560 |           | 60   |             |    |
| N03TYZ20007580 |           | 80   |             |    |
| N1285020007540 | 2000x75mm | 40   | Keramisch   |    |
| N1285020007560 |           | 60   |             |    |
| N1285020007580 |           | 80   |             |    |

## Non-Woven abrasives

Eggenberg's sanding pads made from synthetic non-woven material are an excellent replacement for products like steel wool, wire brushes, sandpaper, and other non-woven cleaning or finishing products. They can be used both dry and wet on various materials, including wood, paint, metal, plastic, ceramic, porcelain, glass, rubber, or composite materials. Supplied on a roll and easy to tear to length.



| SKU        | Coarseness | Width | Length | PU   |
|------------|------------|-------|--------|------|
| SPEG200100 | Medium     | 10 cm | 10 m   | P/st |
| SPEG200110 | Fine       |       |        |      |
| SPEG200105 | Very Fine  |       |        |      |



## ECO

Zirconium flap disc for professional occasional use.

| SKU         | Type    | Diameter | Grit | V/E |
|-------------|---------|----------|------|-----|
| SPEG100040  | Flat    | 125 mm   | 40   | 10  |
| SPEG100040C | Conical |          |      |     |
| SPEG100060  | Flat    | 125 mm   | 60   | 10  |
| SPEG100060C | Conical |          |      |     |
| SPEG100080  | Flat    | 125 mm   | 80   | 10  |
| SPEG100080C | Conical |          |      |     |

## TOP

Zirconium flap disc for intensive daily use by professionals.



| SKU         | Type    | Diameter | Grit | V/E |
|-------------|---------|----------|------|-----|
| SPEG100140  | Flat    | 125 mm   | 40   | 10  |
| SPEG100140C | Conical |          |      |     |
| SPEG100160  | Flat    | 125 mm   | 60   | 10  |
| SPEG100160C | Conical |          |      |     |
| SPEG100180  | Flat    | 125 mm   | 80   | 10  |
| SPEG100180C | Conical |          |      |     |

## CERAMIC

Ceramic flap disc for processing heat-sensitive materials. Features a very high lifespan on unalloyed steel.



| SKU         | Type    | Diameter | Grit | V/E |
|-------------|---------|----------|------|-----|
| SPEG100440  | Flat    | 125 mm   | 40   | 10  |
| SPEG100440C | Conical |          |      |     |
| SPEG100460  | Flat    | 125 mm   | 60   | 10  |
| SPEG100460C | Conical |          |      |     |
| SPEG100480  | Flat    | 125 mm   | 80   | 10  |
| SPEG100480C | Conical |          |      |     |



## Paton welding

Globe Europe represents Paton Welding in the Benelux region. Paton specializes in the development and manufacturing of welding equipment and related products in Europe. In other words, the entire process from design to packaged product, with all points of quality control in between, is handled in-house. This is the primary reason why Globe has chosen to partner with this company, which celebrates its 90th anniversary in 2024. Despite being relatively less known, the company houses a vast wealth of expertise, reflected in its comprehensive range of robust welding machines.



A simple, affordable clamp benefiting from techniques utilized by Urko in their heavier models, such as the hardened brake jaw and the pressed fixed claw. Lightweight yet incredibly strong.

This model features a closed spindle with high-speed thread and internal ball bearing. This ensures a durable, consistently smooth and rapid clamping action without the clamp head rotating. The moving claw remains in place during clamp positioning, thanks to the hardened teeth that grip into the rail. The fixed claw is pressed onto the rail and can withstand pressure far beyond the maximum range without weakening the rail with holes and pins.

Model 3P is Urko's most popular model. The balance between features and cost, along with the extensive range of sizes, makes the 3P highly accessible. This series also features the hardened brake, the pressed fixed claw, and the clamp head that does not rotate when pressure is applied.

## Model 4021H

|               |    | Depth (cm) |
|---------------|----|------------|
|               |    | 6          |
| Capacity (cm) | 12 | 1529015    |
|               | 15 | 1529020    |
|               | 20 | 1529025    |
|               | 25 | 1529030    |
|               | 30 | 1529035    |



4003H

4003L

## Model 4003P

|                        |     | Depth (cm) |         |         |
|------------------------|-----|------------|---------|---------|
|                        |     | 8,3        | 10,7    | 12,5    |
| Clamping capacity (cm) | 15  | 1529015    | -       | -       |
|                        | 20  | 1529020    | 1525020 | 1528020 |
|                        | 25  | 1529025    | 1525025 | 1528025 |
|                        | 30  | 1529030    | 1525030 | 1528030 |
|                        | 35  | 1529035    | 1525035 | 1528035 |
|                        | 40  | 1529040    | 1525040 | 1528040 |
|                        | 45  | 1529045    | -       | -       |
|                        | 50  | 1529050    | 1525050 | 1528050 |
|                        | 60  | 1529060    | 1525060 | 1528060 |
|                        | 70  | 1529070    | 1525070 | 1528070 |
|                        | 80  | 1529080    | 1525080 | 1528080 |
|                        | 90  | 1529090    | 1525090 | 1528090 |
|                        | 100 | 1529100    | 1525100 | 1528100 |
|                        | 110 | -          | 1525110 | 1528110 |
|                        | 120 | -          | 1525120 | 1528120 |
|                        | 130 | -          | 1525130 | 1528130 |
|                        | 140 | -          | 1525140 | 1528140 |
|                        | 150 | -          | 1525150 | 1528150 |
|                        | 160 | -          | 1525160 | 1528160 |
|                        | 170 | -          | 1525170 | 1528170 |
|                        | 180 | -          | 1525180 | 1528180 |
|                        | 190 | -          | 1525190 | 1528190 |
|                        | 200 | -          | 1525200 | 1528200 |
|                        | 210 | -          | 1525210 | 1528210 |
|                        | 220 | -          | 1525220 | 1528220 |
|                        | 230 | -          | 1525230 | 1528230 |
|                        | 240 | -          | 1525240 | 1528240 |
|                        | 250 | -          | 1525250 | 1528250 |
|                        | 260 | -          | -       | 1528260 |
|                        | 270 | -          | -       | 1528270 |
| 280                    | -   | -          | 1528280 |         |
| 290                    | -   | -          | 1528290 |         |
| 300                    | -   | -          | 1528300 |         |



## Model 3P

|                 |     | Spandiepte (cm) |         |         |         |         |
|-----------------|-----|-----------------|---------|---------|---------|---------|
|                 |     | 9               | 12      | 14      | 22      | 35      |
| Spanlengte (cm) | 15  | 1520015         | -       | -       | -       | -       |
|                 | 20  | 1520020         | 1521020 | 1522020 | 1523020 | 1524020 |
|                 | 25  | 1520025         | 1521025 | 1522025 | 1523025 | -       |
|                 | 30  | 1520030         | 1521030 | 1522030 | 1523030 | 1524030 |
|                 | 35  | 1520035         | 1521035 | 1522035 | 1523035 | 1524035 |
|                 | 40  | 1520040         | 1521040 | 1522040 | 1523040 | 1524040 |
|                 | 45  | 1520045         | 1521045 | 1522045 | 1523045 | -       |
|                 | 50  | 1520050         | 1521050 | 1522050 | 1523050 | 1524050 |
|                 | 60  | 1520060         | 1521060 | 1522060 | 1523060 | 1524060 |
|                 | 70  | 1520070         | 1521070 | 1522070 | 1523070 | 1524070 |
|                 | 80  | 1520080         | 1521080 | 1522080 | 1523080 | 1524080 |
|                 | 90  | 1520090         | 1521090 | 1522090 | 1523090 | 1524090 |
|                 | 100 | 1520100         | 1521100 | 1522100 | 1523100 | 1524100 |
|                 | 110 | -               | 1521110 | 1522110 | 1523110 | -       |
|                 | 120 | -               | 1521120 | 1522120 | 1523120 | 1524120 |
|                 | 130 | -               | 1521130 | 1522130 | 1523130 | -       |
|                 | 140 | -               | 1521140 | 1522140 | 1523140 | -       |
|                 | 150 | -               | 1521150 | 1522150 | 1523150 | 1524150 |
|                 | 160 | -               | 1521160 | 1522160 | 1523160 | -       |
|                 | 170 | -               | 1521170 | 1522170 | 1523170 | -       |
|                 | 180 | -               | 1521180 | 1522180 | 1523180 | 1524180 |
| 190             | -   | 1521190         | 1522190 | 1523190 | -       |         |
| 200             | -   | 1521200         | 1522200 | 1523200 | 1524200 |         |
| 210             | -   | 1521210         | 1522210 | 1523210 | -       |         |
| 220             | -   | 1521220         | 1522220 | 1523220 | 1524220 |         |
| 230             | -   | 1521230         | 1522230 | 1523230 | -       |         |
| 240             | -   | 1521240         | 1522240 | 1523240 | -       |         |
| 250             | -   | 1521250         | 1522250 | 1523250 | 1524250 |         |
| 260             | -   | -               | 1522260 | 1523260 | -       |         |
| 270             | -   | -               | 1522270 | 1523270 | -       |         |
| 280             | -   | -               | 1522280 | 1523280 | -       |         |
| 290             | -   | -               | 1522290 | 1523290 | -       |         |
| 300             | -   | -               | 1522300 | 1523300 | 1524300 |         |



### Bianco Bandsaw Machines


Bianco is an Italian manufacturer of bandsaw machines. Each bandsaw, from the smallest manual, to the most complex CNC operated, is conceived, projected and assembled inside the firm. This system allows a real and accurate control of each production phase confirmed by the high quality of every single machine. Bianco's efforts in researching and developing new technologies as well as the high quality and safety standards, allow the company to propose itself on the market not only with new models, but also with special and customized machines, cutting and drilling lines.

The top-of-the-line machines are available in manual, semi-automatic, and fully automatic versions. All of them feature high-quality components such as Siemens motors, ATOS hydraulics, CEB controls, NSK bearings, etc.

### BTM Bandsaw Machines


BTM is the sister company of Bianco. Here, large-format saws are manufactured that belong in industrial manufacturing with a high degree of automation. Built on the same European expertise, reliability, and attention to detail as Bianco.

BTM offers a wide range of machines that simplify customization for industrial applications. Additionally, the company builds machines according to customer requirements. Purchasing such a machine always involves a customized process that you will go through together with our advisors.



# KEM EUROPE

Did you know that through our sister company KEM Europe, we provide a comprehensive package of machinery and tools tailored to construction and industry? This includes Korean **Keyang** power tools, floor sanders, cyclone vacuums, and diamond drilling machines from **Bycon**; diamond grinding and drilling machines from **Baier**; milling motors from **AMB Elektrik**; Diamond products from **Distar**; generators, compressors, mixers, and more from **D'Orly**, and even workwear from **SJEFFERS**.



**LENX**  
ALWAYS HUNGRY.

 **EGGENBERG**  
INDUSTRIAL TOOLS

 **RÖNTGEN**

 **GLOBE**

**PATON**

 **URKO**

**BIANCO**  
BANDSAW MACHINES

**BTMLZ**  
ADVANCED BANDSAW TECHNOLOGY

 **GLOBE**  
EUROPE

**GLOBE EUROPE BV**  
HOOGSTRAAT 13  
5469 EL, ERP

**+31 (0)413 288 344**  
**INFO@GLOBE-EUROPE.IT**  
**WWW.GLOBE-EUROPE.NL**

Changes, typographical errors, and printing mistakes reserved. No rights can be derived from the information in this brochure. Always consult with your Globe Europe contact person for personalized product advice.