Disc brake mount facing tool

Hidden

1762/DF	NEW



Product features

Stop aligning the caliper to a bad surface. New bike or service job — perfect brake alignment starts here.Whether you are assembling a brand-new bike or servicing a used one, accurate brake setup starts with correctly faced caliper mounts.The 1762/DF restores Flat Mount, Post Mount and IS2000 mounting surfaces to a clean, accurate reference based on the wheel axle itself.

Flat Mount, Post Mount and IS2000 compatible

- One system covers the three main disc brake mount standards.

Wheel axle as the alignment reference

- The tool is positioned in relation to the actual wheel axle for accurate caliper mount alignment.

Dual-blade cutting system

- Two replaceable surface cutters machine the brake caliper mounting surfaces in a controlled way.

For front forks and rear frames

- Includes short and long axle shafts for front and rear configurations.

Wide axle compatibility

- Supports QR configurations and Ø12, Ø15 and Ø20 mm thru-axle systems, depending on setup.

Minimal material removal

- Only the material required to achieve a clean, continuous mounting surface is removed.

Controlled manual operation

- Gives the mechanic good feel and precise control during machining.

Replaceable surface cutters

- Designed for long service life and easy tool maintenance.

Improves brake caliper setup

- Creates a cleaner and more accurate mounting surface for precise caliper positioning relative to the rotor.

Professional workshop solution

- Designed for repeatable frame and fork preparation in demanding bicycle service environments.

Perfect for:

- NEW BIKE ASSEMBLY and SERVICE
- Professional workshops
- Service centers
- Frame and fork preparation


Material Compatibility:

- Carbon fiber
- Steel
- Aluminum

Advantages:

- Clean contact. Precise caliper position. Faster brake setup. Reliable performance.

- One tool. Three standards. From new-bike build to professional service.



	D	D1	D2	B	H	L	L1	L2	L3	Lenght	L↓	L↑	D↓	D↑	
629829	60	20	13	50	111	103	34	51	70	74	100	157	12	20	2203

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.