



**General catalogue  
2025**

  
**SAIT**<sup>®</sup>  
SAFETY, PERFORMANCE AND **YOU**





# Contents

## ABRASIVE WHEELS

### TOP CERAMIC



BF - 27

**TOP CERAMIC-DS**

Grinding wheels for portable machines - with depressed centre.

24



BF - 42

**TOP CERAMIC-DT**

Cutting wheels for portable machines - with depressed centre.

24



BF - 41

**TOP CERAMIC-TM**

Cutting wheels for portable machines - flat.

25



BF - 29

**TOP CERAMIC-SAIT-tre**

Reinforced discs.

25



BF - 27

**POWERMAX-DS**

Grinding wheels for portable machines - with depressed centre.

26



BF - 42

**POWERMAX-DT**

Cutting wheels for portable machines - with depressed centre.

26



BF - 41

**POWERMAX-TM**

Cutting wheels for portable machines - flat.

27

### PREMIUM



BF - 27

**PREMIUM-DS**

Grinding wheels for portable machines - with depressed centre.

28



BF - 42

**PREMIUM-DT**

Cutting wheels for portable machines - with depressed centre.

33



BF - 41

**PREMIUM-TM**

Cutting wheels for portable machines - flat.

37



BF - 41

**PREMIUM-PU**

Cutting wheels for portable machines - flat.

44



BF - 41

**PREMIUM-TR**

Wheels for rail cutting with guided machines - flat.

44



BF - 41

**PREMIUM-TF**

Cutting wheels for fixed machines - flat.

45



BF - 29

**PREMIUM-SAIT-tre**

Reinforced discs.

49



**PREMIUM-SAITRIS**

Reinforced discs.

50



BF - 27

**EK WINNER-DS**

Grinding wheels for portable machines - with depressed centre.

52



BF - 42

**EK WINNER-DT**

Cutting wheels for portable machines - with depressed centre.

53



BF - 41

**EK WINNER-TM**

Cutting wheels for portable machines - flat.

55



BF - 41

**EK WINNER-TF**

Cutting wheels for fixed machines - flat.

58



# Contents

## ABRASIVE WHEELS

**PLANET**



BF - 27

**PLANET-DS**

Grinding wheels for portable machines - with depressed centre.

59



BF - 42

**PLANET-DT**

Cutting wheels for portable machines - with depressed centre.

60



BF - 41

**PLANET-TM**

Cutting wheels for portable machines - flat.

61



BF - 41

**PLANET-TF**

Cutting wheels for fixed machines - flat.

62



**V G**

Vitrified mounted points.

63

Metal burrs.

64

## ABRASIVE DISCS



**SAITDISC / POWERMAX**  
Fibre discs.

73



**SAITRON / SAITRON FV**  
Semi-rigid discs on fibre  
and discs on fibreglass.

93



**SAIT LOCK-SX**  
Quick change cloth disc.

95



**SAITLAM / POWERMAX / PLANET**  
Flap discs.

97

VEL: with hook & loop velour

## ABRASIVE CLOTH PRODUCTS



**SAITOR-G**  
Shaft mounted flap wheels.

121



**SAITOR-F**  
Flap wheels with flange.

124



**SAITEX-RI**  
Industrial rolls.

127



**SAITEX-RE**  
Shop rolls.

132



**SAITEX-RM**  
Mini-rolls.

133



**SAITEX-NC**  
Short belts.

134



**SAITEX-N**  
Belts.

136



**SAITEX-NL**  
Wide belts.

141



**SAITEX-MN**  
Standard sleeves.

142



**SAITEX-MR**  
Interlined sleeves.

145



**SAITEX-S**  
Sheets.

148



# Contents

## ABRASIVE PAPER, NET, FILM PRODUCTS



**SAITAC-RI**  
Industrial paper rolls. 155



**SAITAC-RP**  
Paper rolls for leather working. 163



**SAITAC RI-SOF**  
Industrial paper rolls with foam. 164



**SAITAC RI-VEL**  
Hook & loop paper rolls. 167



**SAITAC-RM / SAITAC RM-VEL**  
Paper and hook & loop paper mini-rolls. 169



**FREE DUST R-VEL**  
Hook & loop abrasive net rolls. 172



**SAITAC-N**  
Paper belts. 173



**SAITAC-NL / SAITAC-NL 5**  
Paper wide belts. 175



**SAITAC-S**  
Paper sheets. 177



**SAITAC-B**  
Paper strips. 185



**SAITAC B-VEL / AEROMAX B-VEL**  
Hook & loop paper strips. 185



**SAITAC D-VEL / AEROMAX D-VEL**  
Hook & loop paper discs. 189



**FREE DUST D-VEL**  
Hook & loop abrasive net discs. 205  
217



**FINEFLEX D-VEL**  
Hook & loop discs on film. 206



**FINEFLEX S-VEL**  
Hook & loop sheets on film. 207



**FILM D-VEL**  
Hook & loop discs on film. 208



**SC D-VEL SOF**  
Hook & loop paper foam discs. 209



**FOAM D-VEL**  
Hook & loop structured discs. 210



**SAITAC D-VEL / FREE DUST D-VEL**  
Hook & loop discs for "Giraffe" wall and ceiling sanders. 214



**SAITAC T-VEL**  
Hook & loop paper triangles. 214



**SAITEX D-VEL**  
Hook & loop cloth discs. 223



**SAITEX-DF / SAITAC-DF**  
Cloth and paper double face discs. 229



**SAIT SCREEN-D**  
Abrasive net discs. 230



# Contents

## NON-WOVEN PRODUCTS



**SAITPOL S-TNT**  
Sheets.

236



**SAITPOL R-TNT**  
Rolls.

237



**SAITPOL D-VEL**  
Hook & loop discs.

237



**SAITPOL D-TNT**  
Discs.

238



**SAITPOL-G / SAITPOL-F**  
Wheels.

240



**SAITPOL-GT / SAITPOL-FT / SAITLAM-XP**  
Mixed wheels and flap discs.  
Flap discs in SCM.

242



**SAITLAM-XP LUX**  
Felt flap discs.

244



**SAITPOL-UT / SAITPOL-DU / SAIT LOCK-UT**  
UNITIZED discs.

245



**SAITPOL-FV / SAITPOL D-STRIP**  
STRIP discs.

247



**SURFACE CONDITIONING (SCM)**  
Quick-change discs, discs and belts.

248



**SAIT-FOAM / SAIT-BLOCK**  
Abrasive sponges.

251

## DIAMOND TOOLS

Diamond cutting blades.

**TURBO**



|                    |              |     |
|--------------------|--------------|-----|
| <b>SAITDIAM-TU</b> | <b>TREDI</b> | 259 |
| <b>SAITDIAM-TU</b> | <b>CP</b>    | 259 |
| <b>SAITDIAM-TU</b> | <b>CV</b>    | 260 |
| <b>SAITDIAM-TU</b> | <b>CC</b>    | 260 |
| <b>SAITDIAM-TU</b> | <b>CU</b>    | 260 |

Diamond cutting blades.

**CONTINUOUS RIM**



|                    |           |     |
|--------------------|-----------|-----|
| <b>SAITDIAM-CT</b> | <b>JV</b> | 262 |
| <b>SAITDIAM-CT</b> | <b>GR</b> | 262 |
| <b>SAITDIAM-CT</b> | <b>JR</b> | 262 |
| <b>SAITDIAM-CT</b> | <b>QZ</b> | 263 |
| <b>SAITDIAM-CT</b> | <b>CR</b> | 263 |
| <b>SAITDIAM-CT</b> | <b>CS</b> | 263 |

Diamond cutting blades.

**LASER**



|                    |              |     |
|--------------------|--------------|-----|
| <b>SAITDIAM-LA</b> | <b>TREDI</b> | 265 |
| <b>SAITDIAM-LA</b> | <b>GT</b>    | 265 |
| <b>SAITDIAM-LA</b> | <b>LP</b>    | 266 |
| <b>SAITDIAM-LA</b> | <b>LV</b>    | 266 |
| <b>SAITDIAM-LA</b> | <b>LS</b>    | 266 |
| <b>SAITDIAM-LA</b> | <b>LU</b>    | 267 |

Diamond cutting blades.

**SINTERED SEGMENTS**



|                    |           |     |
|--------------------|-----------|-----|
| <b>SAITDIAM-SE</b> | <b>SE</b> | 267 |
|--------------------|-----------|-----|

Diamond cutting blades.

**SPECIALIST BLADES**



|                    |                  |     |
|--------------------|------------------|-----|
| <b>SAITDIAM-EB</b> | <b>ED / ED C</b> | 268 |
| <b>SAITDIAM-EB</b> | <b>UN</b>        | 269 |
| <b>SAITDIAM-EB</b> | <b>VR</b>        | 269 |
| <b>SAITDIAM-EB</b> | <b>GH</b>        | 270 |

Diamond cutting blades.

**Ø mm 300 - 350 - 400 /  
LASER**



|                    |           |     |
|--------------------|-----------|-----|
| <b>SAITDIAM-LA</b> | <b>AS</b> | 271 |
| <b>SAITDIAM-LA</b> | <b>GC</b> | 271 |
| <b>SAITDIAM-LA</b> | <b>PR</b> | 272 |
| <b>SAITDIAM-LA</b> | <b>SD</b> | 272 |

Diamond cup wheels for dressing.

**CUP WHEELS**



|                    |  |     |
|--------------------|--|-----|
| <b>SAITDIAM-TA</b> |  | 273 |
|--------------------|--|-----|



# Contents

Diamond utensils for dry drilling.

## DRILLS



**SAIT QUICK** 274

Diamond discs.

## HOOK & LOOP DISCS



**SAITDIAM D-VEL 100 D** 277  
**SAITDIAM D-VEL 100 SD** 277  
**SAITDIAM D-VEL 100 W** 278  
**SAITDIAM PAD** 278  
**STARTER KIT** 279  
**4 STEP KIT** 280

Diamond cutting blades.



**PLANET-DIAM BU** 281  
**PLANET-DIAM BC** 281  
**PLANET-DIAM BS** 281

## BRUSHES

### METAL BRUSHES




Cup wire brushes.



**SM-TA** 286



Wheel brushes.



**SM-CR** 287




Bevel wheel brushes.



**SM-CO** 288




Wheel brushes with shank.



**SG-CR** 289




End brushes.



**SG-FR** 290



Brushes with shank for drill.



**SE-TA** 291  
**SE-CR** 291  
**SE-FR** 291



Hand brushes.



**SM-MU** 292  
**SM-MA** 292

### NYLON BRUSHES



Cup wire brushes.



**SN-TA** 293




Wheel brushes.



**SN-CR** 293



Brushes with shank for drill.



**SN-TA** 294  
**SN-CR** 294



Hand brushes.



**SN-MU** 294

## POLISHING

### SAITLAB POLISHING SYSTEM



Abrasive compounds.

300



Foam pads.

302



## Contents



Microfibre cloths.

303



Wool pad.

304



Decontaminating products.

305

### MASKING AND PROTECTION PRODUCTS



Masking foam, film, adhesive tapes.

306



*X-SPACE*

Random orbital polisher.

**X-SPACE 21 180 EL S**

310



*VORTEX L*

Professional vacuum cleaner.

**VORTEX L 2400 AS**

312

### DECORATING ACCESSORIES



313

### MACHINES AND ACCESSORIES



*SAITmaster*

Pneumatic random orbital sander.

**SAITMASTER 3 150x3 PN**

308

**SAITMASTER 6 150x6 PN**

308



*SAITplus 200*

Angle polisher.

**SAITPLUS 200 EL**

309

### DISPLAYS AND ROLL HOLDERS



314



## Contents of ACCESSORIES

### TM ABRASIVE WHEELS



Flanges.

48

### TF ABRASIVE WHEELS



Reduction bushings.

48

### PREMIUM-SAITRIS REINFORCED DISCS



**SAITRIS PAD**

Backing pads and locking nuts.

51

### FIBRE DISCS



**SAITPAD**

Backing pads.

90

91



Spare parts.

92

### QUICK-CHANGE DISCS



**PAD SAIT LOCK**

Backing pads.

95

96

246

248

### FLAP WHEELS WITH FLANGE



Flanges.

126

### SLEEVES



**R/G**

Sleeve holders with spindle.

147



**R/F**

Sleeve holders with bore.

147

### HOOK & LOOP ROLLS



**SAITVEL-TP**

Hand sanding block.

168

### HOOK & LOOP STRIPS



**SAITVEL-TP Aero-max**

Hand sanding blocks.

188

### FINEFLEX HOOK & LOOP SHEETS



**SAITPAD MICRO**

Hand pad.

207



# Contents of ACCESSORIES

## HOOK & LOOP DISCS

|                                                                                     |                                                                           |     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-----|
|    | <b>SAITVEL-TP <i>Acromax</i></b><br>Hand sanding tool.                    | 225 |
|    | <b>SAITVEL</b><br>Handblock with self-gripping.                           | 225 |
|    | <b>PAD-VEL</b><br>Backing pads for RANDOM ORBITAL SANDERS.                | 226 |
|   | <b>PAD-VEL <i>Acromax</i></b><br>Backing pads for RANDOM ORBITAL SANDERS. | 226 |
|  | Backing pad protections.                                                  | 227 |
|  | Soft adapters for RANDOM ORBITAL SANDERS.                                 | 227 |
|  | <b>PSA-VEL</b><br>Adapters.                                               | 227 |
|  | <b>PAD-VEL</b><br>Backing pads for ROTARY SANDING MACHINES.               | 228 |

## HOOK & LOOP DIAMOND DISCS

|                                                                                    |                                      |     |
|------------------------------------------------------------------------------------|--------------------------------------|-----|
|  | <b>SAITDIAM PAD</b><br>Backing pads. | 278 |
|------------------------------------------------------------------------------------|--------------------------------------|-----|

## PROFESSIONAL VACUUM CLEANER

|                                                                                    |              |     |
|------------------------------------------------------------------------------------|--------------|-----|
|  | Spare parts. | 312 |
|------------------------------------------------------------------------------------|--------------|-----|



## The company Sait Abrasivi S.p.A.



### TORINO (Collegno)

#### Headquarters and resin bonded wheels production facility

The Turin - Collegno plant today covers 27,000 square meters, was built in 1958 and expanded several times until 2010, when a new building of over 6,000 square meters was built to accommodate new automatic production systems which manufactures the cutting and grinding reinforced bonded wheels, in diameters from 75 to 600 mm.



### CUNEO (Piozzo)

#### Coated abrasives production facility

Coated abrasives (fibre, cloth and paper) are produced in Cuneo - Piozzo. The plant was built in 1975 and expanded over the years until 2012 to accommodate new continuous production lines of coated abrasives. The site now covers an area of more than 25,000 square meters.



### TORINO (Settimo T.se)

#### Warehouse and distribution centre

The central warehouse was built in 1981 and later expanded to support the evolution of the company. Today it is an efficient logistics center of 8,500 square meters equipped with the most modern systems for the storage and shipping of Sait products in the world. The prompt availability of a huge number of products and the advanced logistic management make the Sait service a point of reference in the market of abrasive products.




Established in 1953, Sait Abrasivi S.p.A. is today one of the most important abrasive manufacturers in the world producing both bonded and coated abrasives for the industrial market.

3 plants in Italy, 9 associated companies worldwide, 10 sales branches in Italy, 200 specialists in the sale of abrasive products, 150 international partners, over 90,000 products, are all strengths that Sait Customers can benefit from.

A great, flexible, modern, professional organisation, always aware of the evolution of the market and requirements of Customers.



## Sait in Italy



|          |                                                                                                                             |                                                              |
|----------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <b>1</b> | <b>PIEMONTE - LIGURIA - VALLE D'AOSTA</b><br><b>10093 Collegno (TO)</b><br>Via Torino Pianezza, 20                          | Tel. 011.897.87.26<br>filiale_torino@sait-abr.com            |
| <b>2</b> | <b>LOMBARDIA</b><br><b>20092 Cinisello Balsamo (MI)</b><br>Via Monte Grigna, 9/B                                            | Tel. 02.66.01.03.56<br>filiale_milano@sait-abr.com           |
| <b>3</b> | <b>TRIVENETO</b><br><b>35020 Maserà di Padova (PD)</b><br>Via 1° Maggio, 4                                                  | Tel. 049.886.25.00<br>filiale_padova@sait-abr.com            |
| <b>4</b> | <b>EMILIA ROMAGNA - MARCHE</b><br><b>40129 Bologna</b><br>Via dell'Arcoveggio, 74                                           | Tel. 051.72.52.87 - 72.50.68<br>filiale_bologna@sait-abr.com |
| <b>5</b> | <b>TOSCANA - UMBRIA</b><br><b>50018 Scandicci (FI)</b><br>Via Enrico Conti, 19                                              | Tel. 055.88.22.57<br>filiale_firenze@sait-abr.com            |
| <b>6</b> | <b>LAZIO - ABRUZZO - MARCHE (AP)</b><br><b>00015 Monterotondo (RM)</b><br>Piazza della Ferriera, 1                          | Tel. 06.900.36.21<br>filiale_roma@sait-abr.com               |
| <b>7</b> | <b>CAMPANIA</b><br><b>80078 Pozzuoli (NA)</b><br>Strada Provinciale Pianura Z.I. - Località S. Martino                      | Tel. 081.526.81.77<br>filiale_napoli@sait-abr.com            |
| <b>8</b> | <b>PUGLIA - MOLISE - BASILICATA - CALABRIA</b><br><b>(CS, CZ, KR)</b><br><b>70026 Modugno (BA)</b><br>Via 10 Marzo, 150/152 | Tel. 080.530.94.55<br>filiale_bari@sait-abr.com              |
| <b>7</b> | <b>SICILIA</b><br><b>80078 Pozzuoli (NA)</b><br>Strada Provinciale Pianura Z.I. - Località S. Martino                       | Tel. 081.526.81.77<br>distr_sicilia@sait-abr.com             |
| <b>7</b> | <b>CALABRIA (RC, VV) - SARDEGNA</b><br><b>80078 Pozzuoli (NA)</b><br>Strada Provinciale Pianura Z.I. - Località S. Martino  | Tel. 081.526.81.77<br>distr_calabria@sait-abr.com            |



## Sait in the world



|                                                                                     |                                                                                                                                                               |                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>1 SAIT ABRASIVI S.p.A.</b><br>Via Torino Pianezza, 20<br><b>10093 Collegno (Torino)</b><br><b>ITALIA</b>                                                   | Tel. +39 - 011 40 77 111<br>Fax +39 - 011 40 77 233<br><a href="http://www.sait-abr.com">www.sait-abr.com</a><br><a href="mailto:uvitalia@sait-abr.com">uvitalia@sait-abr.com</a> - <a href="mailto:uvestero@sait-abr.com">uvestero@sait-abr.com</a> |
|  | <b>2 SAIT FRANCE SARL</b><br>18, rue Ampère - Z.I. - B.P. 40020<br><b>95501 Gonesse Cedex</b><br><b>FRANCE</b>                                                | Tel. +33 - (0)1 34.07.98.98<br>Fax +33 - (0)1 34.07.98.99<br><a href="http://www.sait-france.fr">www.sait-france.fr</a><br><a href="mailto:saitfrance@sait-france.fr">saitfrance@sait-france.fr</a>                                                  |
|  | <b>3 SAIT ABRASIVES (UK) LTD.</b><br>Regent House, Meridian East, Meridian Business Park<br><b>Leicester, LE19 1WZ</b><br><b>ENGLAND (UK)</b>                 | Tel. +44 - (0344) 801.33.55<br>Fax +44 - (0344) 801.33.50<br><a href="http://www.sait-abrasives.co.uk">www.sait-abrasives.co.uk</a><br><a href="mailto:info@sait-abrasives.co.uk">info@sait-abrasives.co.uk</a>                                      |
|  | <b>4 C-PARTS GmbH</b><br>Flachsstraße 50<br><b>88512 Mengen</b><br><b>DEUTSCHLAND</b>                                                                         | Tel. +49 (0) 7576 8899 411<br>Fax +49 (0) 7576 8899 410<br><a href="http://www.c-parts.de">www.c-parts.de</a><br><a href="mailto:office@c-parts.de">office@c-parts.de</a>                                                                            |
|  | <b>5 ABRASIVOS SAIT ESPAÑA S.A.</b><br>Via Europa, 10 - P.I. Pla de Llerona<br><b>08520 Les Franqueses Del Valles (BCN)</b><br><b>ESPAÑA</b>                  | Tel. +34 - 93.849.66.22<br><a href="http://www.sait-abr.com">www.sait-abr.com</a><br><a href="mailto:ventas@abrasivossait.es">ventas@abrasivossait.es</a>                                                                                            |
|  | <b>6 UNITED ABRASIVES INC.</b><br>185 Boston Post Road<br><b>North Windham CT 06256</b><br><b>U.S.A.</b>                                                      | Tel. +1 - (860) 456.71.31<br>Fax +1 - (860) 456.83.41<br><a href="http://www.unitedabrasives.com">www.unitedabrasives.com</a><br><a href="mailto:info@unitedabrasives.com">info@unitedabrasives.com</a>                                              |
|                                                                                     | <b>SOTT - SAIT OVERSEAS TRADING &amp; TECHNICAL CORP.</b><br>185 Boston Post Road<br><b>North Windham CT 06256</b><br><b>U.S.A.</b>                           | Tel. +1 - (860) 456.41.67<br>Fax +1 - (860) 450.73.47                                                                                                                                                                                                |
|  | <b>7 UNITED ABRASIVES CANADA, INC.</b><br>1835 Meyerside Drive, Unit 3<br><b>Mississauga, Ontario - L5T 1G4</b><br><b>CANADA</b>                              | Tel. (800) 345.72.48<br>Fax (800) 245.72.48                                                                                                                                                                                                          |
|  | <b>8 SAIT ABRASIVOS LTDA</b><br>Rua Hugo Creplive Filho 693, Bairro Centro Industrial<br><b>83.420-000 - Quatro Barras - Paraná</b><br><b>BRASIL</b>          | Tel. +55 - (41) 3544.7200<br>Fax +55 - (41) 3544.7201<br><a href="http://www.sait.com.br">www.sait.com.br</a><br><a href="mailto:sait@sait.com.br">sait@sait.com.br</a>                                                                              |
|  | <b>9 SAIT ABRASIVES (CHINA) CO., LTD.</b><br>6F, Century Metropolis Centre No. 1229 Century Avenue<br><b>Pudong District, Shanghai</b><br><b>CHINA 200122</b> | Tel. +86 21 20702828<br><a href="http://www.sait-abr.com">www.sait-abr.com</a><br><a href="mailto:Info.cn@sait-abr.com">Info.cn@sait-abr.com</a>                                                                                                     |



## Certifications and memberships

### ISO 9001



SAIT has obtained and maintains ISO 9001 certification for the entire production cycle, from development to the delivery of the product. All SAIT products are subject to strict quality controls to ensure high standards of safety, performance and reliability. The Customer is also constantly assisted by a team of people specialized and qualified in technical and commercial field.

### ISO 14001



SAIT considers the protection of the environment and the reduction of environmental impact an essential value. The company complies with the requirements of the ISO 14001 environmental management system standard.



**Federation of European Producers of Abrasives.**  
SAIT is one of the founder members of the Fepa.



SAIT has joined the SEAM Sustainability Program as a demonstration of its commitment to continuously improve its environmental, labour and production processes. The SEAM program ensures that SEAM members manufacture, process, supply and distribute abrasives according to their own sustainability standards with regards to environmental efficiency (waste, energy, resources), health and safety of their workers, production quality and development of innovative processes.



### Organisation for the Safety of Abrasives.

SAIT is one of the founder members of the Organisation. oSa promotes the adoption of technologies and controls in the field of product safety among manufacturers of abrasives, following the most rigorous international regulatory standards.



SAIT received the Declaration of Conformity of the Euroasian Economic Union and all its products carry the EAC logo on their label.



## Technology

Research and development are always at the forefront of our minds, underpinned with the most advanced technologies and quality control systems allows SAIT to achieve a leading position in the world market of abrasive products.

SAIT constantly invests to maintain its plants and laboratories at the highest levels of technology and automation, to ensure Customers always receive excellence in terms of safety, quality, performance and reliability.


SAIT ABRASIVI S.P.A.: A GROUP WITH SOLID ROOTS LOOKING TOWARDS THE FUTURE.





## Packaging and labelling


SAIT products are packed in transport and sales packages (unit of sales or outer boxes), designed to guarantee contents protection and to ease all storage and identification operations. Each outer box has a label containing the main products data. Internally, the products are packed in display packaging (inner boxes).





## Packaging and labelling

Display packaging are dimensioned and designed to meet the requirements of both distributors and end users. Each package allows a clear product identification and contains safety information.



## Choice of abrasive products

The choice of the most suitable tool for a specific operation is very important to obtain the best result. SAIT technical-commercial organisation is always at the users's disposal to give advices about the most suitable choice of abrasive tools among the many available types.



## Storage



Abrasive products must be stored in places with a temperature of approximately 20°C (68°F) and relative humidity of approximately 65%. It is important to avoid storing abrasive products near heat sources and in very humid places.

## Images

The images shown are purely indicative, therefore the company reserves the right to make whatever modifications without prior notice.

## Safety standards

SAIT abrasive products are manufactured and tested to ensure a high degree of safety for the operator. The machines used should be equipped with all required safety accessories (guards, screens, etc.) Accurate mounting is essential to maintain the safety standards and to achieve the best output from the abrasive tool. The maximum operational speed must not exceed the one recommended for each individual product. Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection. The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.



Refer to instruction manual / booklet.



Wear ear protection.



Wear eye protection.



Wear a mask.



Wear protective gloves.



Do not use a damaged abrasive wheel.



Do not use with hand-held machine.



Do not use for wet grinding and cutting-off.



Do not use for grinding.



Only suitable for wet cutting-off.



Only permitted with back-up pad.

## Product availability

- **Stock:** available products, subject to prior sale.
- **W2:** for such items please contact the sales department and verify the best delivery time (within 10 working days from the date of the order confirmation).
- **W4:** for such items please contact the sales department and verify the best delivery time (within 20 working days from the date of the order confirmation).
- **W5:** for such items please contact the sales department and verify the best delivery time (within 25 working days from the date of the order confirmation).
- **W8:** for such items please contact the sales department and verify the best delivery time (within 40 working days from the date of the order confirmation).



## ABRASIVE WHEELS




















# Abrasive Wheels

## Contents



| Technical information.                                                              |                                                                                     |                        |                                                                | 21       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------|----------|
| TOP CERAMIC                                                                         |    | Type<br><b>DS</b>      | Grinding wheels for portable machines - with depressed centre. | 24       |
|                                                                                     |    | <b>DT</b>              | Cutting wheels for portable machines - with depressed centre.  | 24       |
|                                                                                     |    | <b>TM</b>              | Cutting wheels for portable machines - flat.                   | 25       |
|                                                                                     |    | <b>SAIT-tre</b>        | Reinforced discs.                                              | 25       |
|    |    | <b>DS</b>              | Grinding wheels for portable machines - with depressed centre. | 26       |
|                                                                                     |    | <b>DT</b>              | Cutting wheels for portable machines - with depressed centre.  | 26       |
|                                                                                     |    | <b>TM</b>              | Cutting wheels for portable machines - flat.                   | 27       |
| PREMIUM                                                                             |    | <b>DS</b>              | Grinding wheels for portable machines - with depressed centre. | 28       |
|                                                                                     |   | <b>DT</b>              | Cutting wheels for portable machines - with depressed centre.  | 33       |
|                                                                                     |  | <b>TM</b><br><b>PU</b> | Cutting wheels for portable machines - flat.                   | 37<br>44 |
|                                                                                     |  | <b>TR</b>              | Wheels for rail cutting with guided machines - flat.           | 44       |
|                                                                                     |  | <b>TF</b>              | Cutting wheels for fixed machines - flat.                      | 45       |
|                                                                                     |  | <b>SAIT-tre</b>        | Reinforced discs.                                              | 49       |
|                                                                                     |                                                                                     | <b>SAITRIS</b>         | Reinforced discs.                                              | 50       |
|  |  | <b>DS</b>              | Grinding wheels for portable machines - with depressed centre. | 52       |
|                                                                                     |  | <b>DT</b>              | Cutting wheels for portable machines - with depressed centre.  | 53       |
|                                                                                     |  | <b>TM</b>              | Cutting wheels for portable machines - flat.                   | 55       |
|                                                                                     |  | <b>TF</b>              | Cutting wheels for fixed machines - flat.                      | 58       |
|  |  | <b>DS</b>              | Grinding wheels for portable machines - with depressed centre. | 59       |
|                                                                                     |  | <b>DT</b>              | Cutting wheels for portable machines - with depressed centre.  | 60       |
|                                                                                     |  | <b>TM</b>              | Cutting wheels for portable machines - flat.                   | 61       |
|                                                                                     |  | <b>TF</b>              | Cutting wheels for fixed machines - flat.                      | 62       |
|                                                                                     |                                                                                     | <b>V G</b>             | Vitrified mounted points.                                      | 63       |
|                                                                                     |  |                        | Metal burrs.                                                   | 64       |





## Abrasive Wheels

Cutting and grinding wheels for portable machines from 75 to 230 mm in diameter. For stationary machines up to 500mm in diameter. A complete range of wheels divided by classes of performance, each of which is produced entirely in Europe and suitable to meet the needs of each customer.



### TOP CERAMIC

The latest generation range which, thanks to the performance properties of the ceramic abrasive, guarantees an improvement in performance in terms of time, consumption and quality.



### EK winner

High performance range, where performance is combined with speed and economy.



### POWER MAX

Range developed for maximum performance. The high percentage of excellent quality zirconia enables excellent cutting capacity and guarantees extremely high performance.



### PLANET

Particularly versatile range for general purpose.



### PREMIUM

High performance specialist range suitable for intensive use for the processing of particularly demanding materials.

### How to read the product

|                |           |                                             |          |                      |          |
|----------------|-----------|---------------------------------------------|----------|----------------------|----------|
| <b>PREMIUM</b> | <b>TM</b> | <b>125 x 2,5 x 22,23</b>                    | <b>A</b> | <b>24</b>            | <b>R</b> |
| Product line   | Shape     | Dimensions<br>(diameter x thickness x bore) | Abrasive | Average<br>grit size | Hardness |

### Shapes



**BF - 27** Depressed centre - for grinding **(DS)**



**BF - 42** Depressed centre - for cutting **(DT)**



**BF - 41** Flat - for cutting **(TM, PU, TF, TR)**



**BF - 29** Depressed centre - for grinding **(SAIT-tre)**

### Bondings

**BF** Resinoid reinforced bonding

### Abrasives

**A** Aluminium oxide  
**Z** Zirconia


**C** Silicon carbide  
**S** Ceramic abrasive

### Characteristics

The combination of shape, size and specification (abrasive, grit size, hardness, structure and bonding) of every SAIT wheel is the most suitable to obtain the highest out-put as the most economic utilisation of the wheel for the specific operation for which is recommended.



## Packaging (examples)



## Safety standards

SAIT abrasive wheels are manufactured and tested in order to guarantee the maximum safety for the operation. The efficiency of the machine as well as the suitable power and working speed must be observed.

### Safety standards prescribe:

- not to exceed, for any reason, the maximum speed indicated for every type of wheel;
- not to use cutting wheels for grinding operations;
- a correct storage of the wheel in rooms with temperatures between 15°C and 30°C and relative humidity between 45% and 75%;
- to check the wheel before mounting it, to detect possible damages caused by handling and transport;
- a correct mounting of the wheel using suitable flanges;
- the use of the prescribed guards;
- the use of dust exhausters;
- not to use the wheels prescribed for fixed machines with portable machines.


**Abrasive wheels, improperly stored, used, mounted or damaged, are dangerous and can cause serious injuries to any person in the surroundings.**

**Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection.**


**The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.**



## How to read the label of the abrasive wheel



## Colour code



TOP CERAMIC



POWER MAX



Metal



Stainless steel



Zirconia



Aluminium



Cutting wheels  
for fixed machines



Stone, marble

# TOP CERAMIC-DS



Depressed centre grinding wheels  
for portable machines

 Type 27



## AS 24 N **READY**

**METAL - INOX**

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. High stock removal.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

|                |         |  |  |  |  |  |  |
|----------------|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| TOP CERAMIC-DS | AS 24 N | 115 x 7,0 x 22,23                                                                 | 10000 00057                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| TOP CERAMIC-DS | AS 24 N | 125 x 7,0 x 22,23                                                                 | 10000 00058                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| TOP CERAMIC-DS | AS 24 N | 150 x 7,0 x 22,23                                                                 | 10000 00046                                                                       | stock                                                                             |  | 10.200                                                                              | 60 (4x15)                                                                           |
| TOP CERAMIC-DS | AS 24 N | 180 x 7,0 x 22,23                                                                 | 10000 00017                                                                       | stock                                                                             |  | 8.500                                                                               | 50 (5x5) x 2                                                                        |
| TOP CERAMIC-DS | AS 24 N | 230 x 7,0 x 22,23                                                                 | 10000 00001                                                                       | stock                                                                             |  | 6.650                                                                               | 25 (5x5)                                                                            |

## AS 24 R **HEAVY DUTY** **NEW**

**METAL - INOX**

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Very high stock removal.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

|                |         |  |  |  |  |  |  |
|----------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| TOP CERAMIC-DS | AS 24 R | 125 x 7,0 x 22,23                                                                   | 10000 00085                                                                         | W4                                                                                  |  | 12.250                                                                                | 100 (10x10)                                                                           |
| TOP CERAMIC-DS | AS 24 R | 180 x 7,0 x 22,23                                                                   | 10000 00086                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (5x5) x 2                                                                          |
| TOP CERAMIC-DS | AS 24 R | 230 x 7,0 x 22,23                                                                   | 10000 00089                                                                         | W4                                                                                  |  | 6.650                                                                                 | 25 (5x5)                                                                              |

# TOP CERAMIC-DT



Depressed centre cutting wheels  
for portable machines

 Type 42 - 27



## AS 30 R **SHARP**

**METAL - INOX**

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. Extremely high cutting speed. Extremely long life.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

|                |         |  |  |  |  |  |  |
|----------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| TOP CERAMIC-DT | AS 30 R | 125 x 3,2 x 22,23                                                                   | 10000 01031                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| TOP CERAMIC-DT | AS 30 R | 150 x 4,6 x 22,23                                                                   | 10000 01053                                                                         | W4                                                                                  |  | 10.200                                                                                | 60 (4x15)                                                                             |
| TOP CERAMIC-DT | AS 30 R | 230 x 2,5 x 22,23                                                                   | 10000 01063                                                                         | W4                                                                                  |  | 6.650                                                                                 | 50 (5x10)                                                                             |

A = Aluminium oxide  
S = Ceramic abrasive

# TOP CERAMIC-TM



Flat cutting wheels  
for portable machines

Type 41



## AS 60 N SPRINT

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Very fast and cool cut. Very accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

| TOP CERAMIC-TM | AS 60 N | 115 x 1,0 x 22,23 | 10000 01599 | stock |  | 13.300 | 100 (5x20) |
|----------------|---------|-------------------|-------------|-------|--|--------|------------|
| TOP CERAMIC-TM | AS 60 N | 125 x 1,0 x 22,23 | 10000 01600 | stock |  | 12.250 | 100 (5x20) |

## AS 46 S HARD

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Fast cut. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

| TOP CERAMIC-TM | AS 46 S | 115 x 1,6 x 22,23 | 10000 01601 | stock |  | 13.300 | 100 (5x20) |
|----------------|---------|-------------------|-------------|-------|--|--------|------------|
| TOP CERAMIC-TM | AS 46 S | 125 x 1,6 x 22,23 | 10000 01602 | stock |  | 12.250 | 100 (5x20) |

## AS 36 R SPRINT

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Fast cut. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

| TOP CERAMIC-TM | AS 36 R | 230 x 2,0 x 22,23 ★ | 10000 01554 | stock |  | 6.650 | 50 (5x10) |
|----------------|---------|---------------------|-------------|-------|--|-------|-----------|

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

# TOP CERAMIC-SAIT-tre



Reinforced discs

Type 29



## AS

METAL - INOX - ALU

Special purpose. Disc with mixture of new generation abrasives with ceramic abrasive. Ideal for light grinding operations with very good finish. The disc can be mounted directly on the machine tool without the use of backing pads. Very high performance. Very high stock removal. Reduced vibrations.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS METALS

| TOP CERAMIC-SAIT-tre | AS 36 N | 125 x 4,0 x 22,23 | 10000 86114 | stock |  | 12.250 | 50 (5x10) |
|----------------------|---------|-------------------|-------------|-------|--|--------|-----------|

A = Aluminium oxide  
S = Ceramic abrasive

**POWERMAX-DS** 

 Depressed centre grinding wheels  
for portable machines



 Type 27



**METAL - INOX**

## ZZ 30 S

Special purpose for high grinding pressures. Extremely long life. High stock removal.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

|             |         |                                                                                   |                                                                                   |                                                                                   |  |                                                                                     |                                                                                     |
|-------------|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |         |  |  |  |  |  |  |
| POWERMAX-DS | ZZ 30 S | 125 x 7,0 x 22,23                                                                 | 10000 00082                                                                       | W4                                                                                |  | 12.250                                                                              | 100 (10x10)                                                                         |
| POWERMAX-DS | ZZ 30 S | 230 x 7,0 x 22,23                                                                 | 10000 00083                                                                       | stock                                                                             |  | 6.650                                                                               | 25 (5x5)                                                                            |

**POWERMAX-DT** 

 Depressed centre cutting wheels  
for portable machines



 Type 42



**METAL - INOX**

## ZZ 30 R

Special purpose for heavy duty applications. Extremely high cutting speed. Extremely long life.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

|             |         |                                                                                     |                                                                                     |                                                                                     |  |                                                                                       |                                                                                       |
|-------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |         |  |  |  |  |  |  |
| POWERMAX-DT | ZZ 30 R | 230 x 2,5 x 22,23                                                                   | 10000 01064                                                                         | stock                                                                               |  | 6.650                                                                                 | 50 (5x10)                                                                             |

Z = Zirconia

# POWERMAX-TM



Flat cutting wheels  
for portable machines



Type 41



METAL - INOX

## ZZ 36 T

Professional use. Fast cut and accurate finish. Long life.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

| POWERMAX-TM | ZZ 36 T | 180 x 2,0 x 22,23 ★ | 10000 01547 | stock | 8.500 | 50 (5x10) |
|-------------|---------|---------------------|-------------|-------|-------|-----------|
| POWERMAX-TM | ZZ 36 T | 230 x 2,0 x 22,23 ★ | 10000 01546 | stock | 6.650 | 50 (5x10) |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

## ZZ 46 T

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

| POWERMAX-TM | ZZ 46 T | 115 x 1,6 x 22,23 | 10000 01545 | stock | 13.300 | 100 (5x20) |
|-------------|---------|-------------------|-------------|-------|--------|------------|
| POWERMAX-TM | ZZ 46 T | 125 x 1,6 x 22,23 | 10000 01531 | stock | 12.250 | 100 (5x20) |

## ZZ 60 T

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

| POWERMAX-TM | ZZ 60 T | 115 x 1,0 x 22,23 | 10000 01543 | stock | 13.300 | 100 (5x20) |
|-------------|---------|-------------------|-------------|-------|--------|------------|
| POWERMAX-TM | ZZ 60 T | 125 x 1,0 x 22,23 | 10000 01544 | stock | 12.250 | 100 (5x20) |

Z = Zirconia



2025

ABRASIVE WHEELS

27

# PREMIUM-DS

Depressed centre grinding wheels  
for portable machines



Type 27



## A 24 R

METAL - METALLO - METALL

General purpose for heavy duty applications. Good stock removal. Long life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

| PREMIUM-DS | A 24 R | 115 x 6,0 x 22,23 | 10000 00029 | stock |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | A 24 R | 125 x 6,0 x 22,23 | 10000 00061 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | A 24 R | 180 x 7,0 x 22,23 | 10000 00010 | W4    |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | A 24 R | 230 x 7,0 x 22,23 | 10000 00021 | stock |  | 6.650  | 25 (5x5)     |

## A 24 N

INOX - METAL - METALLO - METALL

General purpose for high stock removal. Wheel produced without addition of iron and sulphur compounds.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

| PREMIUM-DS | A 24 N | 115 x 6,0 x 22,23 | 10000 00003 | stock |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | A 24 N | 125 x 6,0 x 22,23 | 10000 00005 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | A 24 N | 150 x 6,5 x 22,23 | 10000 00007 | stock |  | 10.200 | 60 (4x15)    |
| PREMIUM-DS | A 24 N | 180 x 7,0 x 22,23 | 10000 00009 | stock |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | A 24 N | 230 x 7,0 x 22,23 | 10000 00020 | stock |  | 6.650  | 25 (5x5)     |

## A 30 N

METAL - METALLO - METALL

General purpose for very high stock removal. Wheel produced without addition of iron and sulphur compounds.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

| PREMIUM-DS | A 30 N | 115 x 6,0 x 22,23 | 10000 00112 | stock |  | 13.300 | 100 (10x10) |
|------------|--------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DS | A 30 N | 125 x 6,0 x 22,23 | 10000 00113 | stock |  | 12.250 | 100 (10x10) |

A = Aluminium oxide

# PREMIUM-DS

Depressed centre grinding wheels  
for portable machines



Type 27



## A 36 N

INOX

Special purpose for very high stock removal and cool grinding. Wheel produced without addition of iron and sulphur compounds.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| PREMIUM-DS | A 36 N | 115 x 6,0 x 22,23 | 10000 00048 | stock |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | A 36 N | 125 x 6,0 x 22,23 | 10000 00032 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | A 36 N | 180 x 7,0 x 22,23 | 10000 00011 | stock |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | A 36 N | 230 x 7,0 x 22,23 | 10000 00022 | stock |  | 6.650  | 25 (5x5)     |

## XA 24 Q

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1 %). Certificate available. High stock removal.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| PREMIUM-DS | XA 24 Q | 115 x 6,0 x 22,23 | 10000 00041 | stock |  | 13.300 | 100 (10x10)  |
|------------|---------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | XA 24 Q | 125 x 6,0 x 22,23 | 10000 00040 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | XA 24 Q | 150 x 6,5 x 22,23 | 10000 00075 | W4    |  | 10.200 | 60 (4x15)    |
| PREMIUM-DS | XA 24 Q | 180 x 7,0 x 22,23 | 10000 00043 | W4    |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | XA 24 Q | 230 x 7,0 x 22,23 | 10000 00042 | W4    |  | 6.650  | 25 (5x5)     |

## A 46 N

ALU

Special purpose for clogging materials.

### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

| PREMIUM-DS | A 46 N | 115 x 7,0 x 22,23 | 10000 00059 | stock |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | A 46 N | 125 x 7,0 x 22,23 | 10000 00062 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | A 46 N | 180 x 7,0 x 22,23 | 10000 00012 | stock |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | A 46 N | 230 x 7,0 x 22,23 | 10000 00023 | stock |  | 6.650  | 25 (5x5)     |

## C 24 N

CAST IRON - GHISA - FONTE - GUSSEISEN - FUNDICIÓN  
STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose for very hard materials. High stock removal. Good life.

### APPLICATIONS

- CONCRETE
- VERY HARD CAST IRON
- CAST IRON WITH SANDY SURFACES

| PREMIUM-DS | C 24 N | 115 x 6,0 x 22,23 | 10000 00004 | W4    |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | C 24 N | 125 x 6,0 x 22,23 | 10000 00006 | W4    |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | C 24 N | 180 x 7,0 x 22,23 | 10000 00014 | W4    |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | C 24 N | 230 x 7,0 x 22,23 | 10000 00025 | stock |  | 6.650  | 25 (5x5)     |

A = Aluminium oxide  
C = Silicon carbide

# PREMIUM-DS

Depressed centre grinding wheels  
for portable machines



Type 27



## Z 30 R ZIRCON

ACCIAIO - STEEL - ACIER - STHAL  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Long life. Good stock removal.

### APPLICATIONS

- CAST IRON
- STEELS

| PREMIUM-DS | Z 30 R | 115 x 7,0 x 22,23 | 10000 00091 | stock |  | 13.300 | 100 (10x10)  |
|------------|--------|-------------------|-------------|-------|--|--------|--------------|
| PREMIUM-DS | Z 30 R | 125 x 7,0 x 22,23 | 10000 00092 | stock |  | 12.250 | 100 (10x10)  |
| PREMIUM-DS | Z 30 R | 180 x 7,0 x 22,23 | 10000 00069 | W4    |  | 8.500  | 50 (5x5) x 2 |
| PREMIUM-DS | Z 30 R | 230 x 7,0 x 22,23 | 10000 00101 | stock |  | 6.650  | 25 (5x5)     |

## Z 30 N ZIRCON

INOX - ACCIAIO - STEEL - ACIER - STHAL  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. High performance. High stock removal.

### APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

| PREMIUM-DS | Z 30 N | 230 x 7,0 x 22,23 | 10000 00054 | stock |  | 6.650 | 25 (5x5) |
|------------|--------|-------------------|-------------|-------|--|-------|----------|

# PREMIUM-DS

Depressed centre grinding wheels  
for portable machines



Type 27



## ZZ 24 P ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for high stock removal. High performance.

### APPLICATIONS

- CAST IRON
- STEELS

|            |         |                   |             |       |  |       |          |
|------------|---------|-------------------|-------------|-------|--|-------|----------|
|            |         |                   |             |       |  |       |          |
| PREMIUM-DS | ZZ 24 P | 230 x 7,0 x 22,23 | 10000 00028 | stock |  | 6.650 | 25 (5x5) |

## ZZ 24 N ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO - INOX  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for very high stock removal.

### APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

|            |         |                   |             |       |  |       |          |
|------------|---------|-------------------|-------------|-------|--|-------|----------|
|            |         |                   |             |       |  |       |          |
| PREMIUM-DS | ZZ 24 N | 230 x 7,0 x 22,23 | 10000 00033 | stock |  | 6.650 | 25 (5x5) |

## ZZ 24 M ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO - INOX  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for extremely high stock removal.

### APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

|            |         |                   |             |       |  |       |          |
|------------|---------|-------------------|-------------|-------|--|-------|----------|
|            |         |                   |             |       |  |       |          |
| PREMIUM-DS | ZZ 24 M | 230 x 7,0 x 22,23 | 10000 00066 | stock |  | 6.650 | 25 (5x5) |

Z = Zirconia



2025

ABRASIVE WHEELS

# PREMIUM-DS



Depressed centre grinding wheels  
for portable machines

Type 27



## AZ 24 T HIGH PERFORMANCE

ACCIAIO - STEEL - ACIER - STHAL  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. Good stock removal. Long life.

### APPLICATIONS

- STEELS
- CAST IRON
- WELDS

| PREMIUM-DS | AZ 24 T | 180 x 7,0 x 22,23 | 10000 00038 | W4    |  | 8.500 | 50 (5x5) x 2 |
|------------|---------|-------------------|-------------|-------|--|-------|--------------|
| PREMIUM-DS | AZ 24 T | 230 x 7,0 x 22,23 | 10000 00044 | stock |  | 6.650 | 25 (5x5)     |

## AZ 24 S HIGH PERFORMANCE

INOX - ACCIAIO - STEEL - ACIER - STHAL  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. High stock removal. Good life.

### APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS
- WELDS

| PREMIUM-DS | AZ 24 S | 180 x 7,0 x 22,23 | 10000 00055 | W4    |  | 8.500 | 50 (5x5) x 2 |
|------------|---------|-------------------|-------------|-------|--|-------|--------------|
| PREMIUM-DS | AZ 24 S | 230 x 7,0 x 22,23 | 10000 00053 | stock |  | 6.650 | 25 (5x5)     |

## AZC 24 Q HIGH PERFORMANCE

ACCIAIO - STEEL - ACIER - STHAL  
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. Very high stock removal. Good life. Also features silicon carbide abrasive.

### APPLICATIONS

- STEELS
- CAST IRON
- WELDS

| PREMIUM-DS | AZC 24 Q | 180 x 7,0 x 22,23 | 10000 00047 | W4    |  | 8.500 | 50 (5x5) x 2 |
|------------|----------|-------------------|-------------|-------|--|-------|--------------|
| PREMIUM-DS | AZC 24 Q | 230 x 7,0 x 22,23 | 10000 00050 | stock |  | 6.650 | 25 (5x5)     |

A = Aluminium oxide  
Z = Zirconia  
C = Silicon carbide

# PREMIUM-DT

Depressed centre cutting wheels  
for portable machines



Type 42



## A 24 R

METAL - METALLO - METALL

General purpose for heavy duty applications. Good cutting speed. Long life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-DT | A 24 R | 115 x 2,5 x 22,23                                                                 | 10000 01109                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| PREMIUM-DT | A 24 R | 115 x 3,2 x 22,23                                                                 | 10000 01003                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| PREMIUM-DT | A 24 R | 125 x 2,5 x 22,23                                                                 | 10000 01005                                                                       | W4                                                                                |  | 12.250                                                                              | 100 (10x10)                                                                         |
| PREMIUM-DT | A 24 R | 125 x 3,2 x 22,23                                                                 | 10000 01006                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| PREMIUM-DT | A 24 R | 150 x 3,2 x 22,23                                                                 | 10000 01008                                                                       | stock                                                                             |  | 10.200                                                                              | 100 (4x25)                                                                          |
| PREMIUM-DT | A 24 R | 230 x 2,6 x 22,23                                                                 | 10000 01022                                                                       | stock                                                                             |  | 6.650                                                                               | 50 (5x10)                                                                           |
| PREMIUM-DT | A 24 R | 230 x 3,4 x 22,23                                                                 | 10000 01025                                                                       | stock                                                                             |  | 6.650                                                                               | 50 (5x10)                                                                           |

## A 24 N

INOX

Special purpose for metals tough to be cut. Wheel produced without addition of iron and sulphur compounds. Cool and fast cut.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- CAST IRON
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PREMIUM-DT | A 24 N | 115 x 3,2 x 22,23                                                                   | 10000 01037                                                                         | stock                                                                               |  | 13.300                                                                                | 100 (10x10)                                                                           |
| PREMIUM-DT | A 24 N | 125 x 3,2 x 22,23                                                                   | 10000 01074                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| PREMIUM-DT | A 24 N | 230 x 2,6 x 22,23                                                                   | 10000 01030                                                                         | W4                                                                                  |  | 6.650                                                                                 | 50 (5x10)                                                                             |
| PREMIUM-DT | A 24 N | 230 x 3,2 x 22,23                                                                   | 10000 01023                                                                         | stock                                                                               |  | 6.650                                                                                 | 50 (5x10)                                                                             |

A = Aluminium oxide



2025

ABRASIVE WHEELS

33

# PREMIUM-DT

Depressed centre cutting wheels  
for portable machines



Type 42



## A 30 S

INOX

Special purpose. Wheel produced without addition of iron and sulphur compounds. Cool and fast cut. Long life.

### APPLICATIONS

- STAINLESS STEELS
- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

| PREMIUM-DT | A 30 S | 115 x 2,5 x 22,23 | 10000 01110 | W4    |  | 13.300 | 100 (10x10) |
|------------|--------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DT | A 30 S | 125 x 2,5 x 22,23 | 10000 01043 | stock |  | 12.250 | 100 (10x10) |
| PREMIUM-DT | A 30 S | 125 x 3,2 x 22,23 | 10000 01086 | stock |  | 12.250 | 100 (10x10) |
| PREMIUM-DT | A 30 S | 180 x 2,5 x 22,23 | 10000 01044 | W4    |  | 8.500  | 50 (5x10)   |
| PREMIUM-DT | A 30 S | 230 x 2,5 x 22,23 | 10000 01045 | stock |  | 6.650  | 50 (5x10)   |
| PREMIUM-DT | A 30 S | 230 x 3,2 x 22,23 | 10000 01049 | stock |  | 6.650  | 50 (5x10)   |

## A 30 T

METAL - INOX

Special purpose. Fast cut. Accurate finish. Long life.

### APPLICATIONS

- STAINLESS STEELS
- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

| PREMIUM-DT | A 30 T | 230 x 2,0 x 22,23 | 10000 01071 | W4 |  | 6.650 | 50 (5x10) |
|------------|--------|-------------------|-------------|----|--|-------|-----------|

## XA 24 Q

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1 %). Certificate available. High cutting speed.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| PREMIUM-DT | XA 24 Q | 115 x 3,2 x 22,23 | 10000 01038 | stock |  | 13.300 | 100 (10x10) |
|------------|---------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DT | XA 24 Q | 125 x 3,2 x 22,23 | 10000 01039 | stock |  | 12.250 | 100 (10x10) |
| PREMIUM-DT | XA 24 Q | 180 x 3,2 x 22,23 | 10000 01035 | W4    |  | 8.500  | 50 (5x10)   |
| PREMIUM-DT | XA 24 Q | 230 x 3,2 x 22,23 | 10000 01036 | W4    |  | 6.650  | 50 (5x10)   |

A = Aluminium oxide

# PREMIUM-DT

Depressed centre cutting wheels  
for portable machines



Type 42



## A 46 N

ALU

Special purpose for clogging materials.

### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

| PREMIUM-DT | A 46 N | 115 x 3,2 x 22,23 | 10000 01099 | W4    |  | 13.300 | 100 (10x10) |
|------------|--------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DT | A 46 N | 125 x 3,2 x 22,23 | 10000 01090 | W4    |  | 12.250 | 100 (10x10) |
| PREMIUM-DT | A 46 N | 230 x 3,2 x 22,23 | 10000 01062 | stock |  | 6.650  | 50 (5x10)   |

## C 24 R

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

### APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

| PREMIUM-DT | C 24 R | 115 x 3,2 x 22,23 | 10000 01004 | stock |  | 13.300 | 100 (10x10) |
|------------|--------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DT | C 24 R | 230 x 3,2 x 22,23 | 10000 01027 | stock |  | 6.650  | 50 (5x10)   |

## C 24 N

GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN  
GRANITO - GRANIT - GRANIT  
STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose for hard materials. Fast and clean cut. Good life.

### APPLICATIONS

- STONES
- GRANITES
- CERAMICS
- REFRACTORY MATERIALS
- CAST IRON

| PREMIUM-DT | C 24 N | 230 x 3,2 x 22,23 | 10000 01026 | stock |  | 6.650 | 50 (5x10) |
|------------|--------|-------------------|-------------|-------|--|-------|-----------|

A = Aluminium oxide  
C = Silicon carbide

# PREMIUM-DT

Depressed centre cutting wheels  
for portable machines



Type 42 - 27



## Z 30 R ZIRCON

INOX - METALLO - METAL - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- CAST IRON

| PREMIUM-DT | Z 30 R | 115 x 3,2 x 22,23 | 10000 01073 | stock |  | 13.300 | 100 (10x10) |
|------------|--------|-------------------|-------------|-------|--|--------|-------------|
| PREMIUM-DT | Z 30 R | 125 x 3,2 x 22,23 | 10000 01075 | stock |  | 12.250 | 100 (10x10) |
| PREMIUM-DT | Z 30 R | 125 x 4,0 x 22,23 | 10000 01096 | stock |  | 12.250 | 150 (10x15) |
| PREMIUM-DT | Z 30 R | 180 x 3,2 x 22,23 | 10000 01076 | W4    |  | 8.500  | 50 (5x10)   |
| PREMIUM-DT | Z 30 R | 230 x 3,4 x 22,23 | 10000 01028 | stock |  | 6.650  | 50 (5x10)   |
| PREMIUM-DT | Z 30 R | 230 x 4,6 x 22,23 | 10000 01080 | stock |  | 6.650  | 50 (5x10)   |

## AZ 24 T HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

### APPLICATIONS

- STEELS
- CAST IRON

| PREMIUM-DT | AZ 24 T | 230 x 3,2 x 22,23 | 10000 01010 | stock |  | 6.650 | 50 (5x10) |
|------------|---------|-------------------|-------------|-------|--|-------|-----------|
| PREMIUM-DT | AZ 24 T | 230 x 4,6 x 22,23 | 10000 01046 | stock |  | 6.650 | 50 (5x10) |

## AZ 24 Q HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Good life.

### APPLICATIONS

- STEELS
- CAST IRON

| PREMIUM-DT | AZ 24 Q | 230 x 3,2 x 22,23 | 10000 01047 | stock |  | 6.650 | 50 (5x10) |
|------------|---------|-------------------|-------------|-------|--|-------|-----------|
| PREMIUM-DT | AZ 24 Q | 230 x 4,6 x 22,23 | 10000 01069 | stock |  | 6.650 | 50 (5x10) |

A = Aluminium oxide  
Z = Zirconia

# PREMIUM-TM



Flat cutting wheels  
for portable machines

Type 41



METAL - METALLO - METALL

## A 24 R

General purpose for heavy duty applications. Good cutting speed. Long life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-TM | A 24 R | 125 x 2,5 x 22,23                                                                 | 10000 01503                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| PREMIUM-TM | A 24 R | 230 x 2,6 x 22,23                                                                 | 10000 01526                                                                       | stock                                                                             |  | 6.650                                                                               | 50 (5x10)                                                                           |

## A 30 S

INOX

Special purpose. Wheels free from iron, chlorine and sulphur compounds (Fe+Cl+S<0,1%). Certificate available. Suitable for nuclear and food processing plants. Cool and fast cut. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PREMIUM-TM | A 30 S | 125 x 2,0 x 22,23                                                                   | 10000 01588                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| PREMIUM-TM | A 30 S | 150 x 2,0 x 22,23                                                                   | 10000 01626                                                                         | stock                                                                               |  | 10.200                                                                                | 100 (4x25)                                                                            |
| PREMIUM-TM | A 30 S | 180 x 2,0 x 22,23 ★                                                                 | 10000 01590                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (5x10)                                                                             |
| PREMIUM-TM | A 30 S | 230 x 2,0 x 22,23 ★                                                                 | 10000 01669                                                                         | stock                                                                               |  | 6.650                                                                                 | 50 (5x10)                                                                             |
| PREMIUM-TM | A 30 S | 230 x 2,5 x 22,23                                                                   | 10000 01593                                                                         | stock                                                                               |  | 6.650                                                                                 | 50 (5x10)                                                                             |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide

# PREMIUM-TM



Flat cutting wheels  
for portable machines

Type 41



## A 46 T LONG LIFE

METAL - INOX

Special purpose. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PREMIUM-TM | A 46 T | 180 x 2,0 x 22,23 ★ | 10000 01509 | W4 | 8.500 | 50 (5x10) |
|------------|--------|---------------------|-------------|----|-------|-----------|
| PREMIUM-TM | A 46 T | 230 x 2,0 x 22,23 ★ | 10000 01518 | W4 | 6.650 | 50 (5x10) |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

## XA 46 R

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%). Certificate available. Cool and fast cut.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| PREMIUM-TM | XA 46 R | 180 x 1,8 x 22,23 ★ | 10000 01541 | stock | 8.500 | 50 (5x10) |
|------------|---------|---------------------|-------------|-------|-------|-----------|
| PREMIUM-TM | XA 46 R | 230 x 1,9 x 22,23 ★ | 10000 01542 | stock | 6.650 | 50 (5x10) |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

## A 46 N

ALU

Special purpose for clogging materials.

### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

| PREMIUM-TM | A 46 N | 230 x 2,5 x 22,23 | 10000 01616 | stock | 6.650 | 50 (5x10) |
|------------|--------|-------------------|-------------|-------|-------|-----------|

A = Aluminium oxide



### C 24 R

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

#### APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

|            |        |                   |             |       |  |       |           |
|------------|--------|-------------------|-------------|-------|--|-------|-----------|
|            |        |                   |             |       |  |       |           |
| PREMIUM-TM | C 24 R | 230 x 2,5 x 22,23 | 10000 01519 | stock |  | 6.650 | 50 (5x10) |

### C 46 S

GRANITO - GRES - STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Cool and fast cut. Accurate finish.

#### APPLICATIONS

- BUILDING MATERIALS
- TILES
- CERAMICS
- PORCELAIN STONEWARE
- GRANITES
- NON-FERROUS METALS

|            |        |                     |             |       |  |       |           |
|------------|--------|---------------------|-------------|-------|--|-------|-----------|
|            |        |                     |             |       |  |       |           |
| PREMIUM-TM | C 46 S | 230 x 2,0 x 22,23 ★ | 10000 01603 | stock |  | 6.650 | 50 (5x10) |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

### AZ 24 T HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

#### APPLICATIONS

- STEELS
- CAST IRON

|            |         |                   |             |       |  |       |           |
|------------|---------|-------------------|-------------|-------|--|-------|-----------|
|            |         |                   |             |       |  |       |           |
| PREMIUM-TM | AZ 24 T | 230 x 2,5 x 22,23 | 10000 01507 | stock |  | 6.650 | 50 (5x10) |

### ZC 30 R

GHISA - CAST IRON - GUSSEISEN - FONTE - FUNDICIÓN

Special purpose. Easy and fast cut. Long life. Suggested use with pneumatic grinders.

#### APPLICATIONS

- CAST IRON

|            |         |                   |             |       |  |       |           |
|------------|---------|-------------------|-------------|-------|--|-------|-----------|
|            |         |                   |             |       |  |       |           |
| PREMIUM-TM | ZC 30 R | 230 x 3,0 x 22,23 | 10000 01569 | stock |  | 6.650 | 50 (5x10) |

A = Aluminium oxide

Z = Zirconia

C = Silicon carbide

# PREMIUM-TM



Flat cutting wheels  
for portable machines

Type 41



THICKNESS 1,6 MM



## A 46 S

METAL - INOX

Special purpose. Cool and fast cut. Very accurate finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PREMIUM-TM | A 46 S | 115 x 1,6 x 22,23 | 10000 01596 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 46 S | 125 x 1,6 x 22,23 | 10000 01597 | stock |  | 12.250 | 100 (5x20) |
| PREMIUM-TM | A 46 S | 150 x 1,6 x 22,23 | 10000 01553 | stock |  | 10.200 | 100 (4x25) |

## A 46 T LONG LIFE

METAL - INOX

Special purpose. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PREMIUM-TM | A 46 T | 115 x 1,6 x 22,23 | 10000 01570 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 46 T | 125 x 1,6 x 22,23 | 10000 01571 | stock |  | 12.250 | 100 (5x20) |

## XA 46 R

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%). Certificate available. Cool and fast cut.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| PREMIUM-TM | XA 46 R | 115 x 1,6 x 22,23 | 10000 01627 | stock |  | 13.300 | 100 (5x20) |
|------------|---------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | XA 46 R | 125 x 1,6 x 22,23 | 10000 01628 | W4    |  | 12.250 | 100 (5x20) |

A = Aluminium oxide

# PREMIUM-TM



Flat cutting wheels  
for portable machines

Type 41



THICKNESS 1,6 MM



## A 46 N

ALU

Special purpose for clogging materials.

### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

| PREMIUM-TM | A 46 N | 115 x 1,6 x 22,23 | 10000 01660 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 46 N | 125 x 1,6 x 22,23 | 10000 01661 | stock |  | 12.250 | 100 (5x20) |

## C 46 S

GRANITO - GRES - STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Cool and fast cut. Accurate finish.

### APPLICATIONS

- BUILDING MATERIALS
- TILES
- CERAMICS
- PORCELAIN STONEWARE
- GRANITES
- NON-FERROUS METALS

| PREMIUM-TM | C 46 S | 115 x 1,6 x 22,23 | 10000 01642 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|

## ZA 46 T *High Tech*

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Free cutting achieved with high performance grinders.

### APPLICATIONS

- STEELS
- MILD STEELS
- STAINLESS STEELS

| PREMIUM-TM | ZA 46 T | 115 x 1,6 x 22,23 | 10000 01574 | stock |  | 13.300 | 100 (5x20) |
|------------|---------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | ZA 46 T | 125 x 1,6 x 22,23 | 10000 01575 | stock |  | 12.250 | 100 (5x20) |

A = Aluminium oxide  
C = Silicon carbide  
Z = Zirconia

# PREMIUM-TM



Flat cutting wheels  
for portable machines

Type 41



THICKNESS 0,8 - 1,0 MM



## A 60 T LONG LIFE

METAL - INOX

Special purpose. Cool cut. Long life.

### APPLICATIONS

- STEELS
- NON-FERROUS METALS
- STAINLESS STEELS

| PREMIUM-TM | A 60 T | 115 x 1,0 x 22,23 | 10000 01567 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 60 T | 125 x 1,0 x 22,23 | 10000 01568 | stock |  | 12.250 | 100 (5x20) |

## A 60 S

INOX

Special purpose. Free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%). Certificate available. Cool and very fast cut. Very accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

Thickness 0,8 mm

| PREMIUM-TM | A 60 S | 115 x 0,8 x 22,23 | 10000 01564 | stock |  | 13.300 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 60 S | 125 x 0,8 x 22,23 | 10000 01565 | stock |  | 12.250 | 100 (5x20) |

Thickness 1,0 mm

|            |        |                   |             |       |  |        |            |
|------------|--------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | A 60 S | 115 x 1,0 x 22,23 | 10000 01662 | stock |  | 13.300 | 100 (5x20) |
| PREMIUM-TM | A 60 S | 125 x 1,0 x 22,23 | 10000 01663 | stock |  | 12.250 | 100 (5x20) |

## A 46 N

ALU

Special purpose for clogging materials.

### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

| PREMIUM-TM | A 46 N | 125 x 1,0 x 22,23 | 10000 01528 | stock |  | 12.250 | 100 (5x20) |
|------------|--------|-------------------|-------------|-------|--|--------|------------|

## ZA 60 T High Tech

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish. Free cutting achieved with high performance grinders.

### APPLICATIONS

- STEELS
- MILD STEEL
- STAINLESS STEEL

Thickness 0,8 mm

| PREMIUM-TM | ZA 60 T | 115 x 0,8 x 22,23 | 10000 01604 | stock |  | 13.300 | 100 (5x20) |
|------------|---------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | ZA 60 T | 125 x 0,8 x 22,23 | 10000 01605 | stock |  | 12.250 | 100 (5x20) |

Thickness 1,0 mm

|            |         |                   |             |       |  |        |            |
|------------|---------|-------------------|-------------|-------|--|--------|------------|
| PREMIUM-TM | ZA 60 T | 115 x 1,0 x 22,23 | 10000 01572 | stock |  | 13.300 | 100 (5x20) |
| PREMIUM-TM | ZA 60 T | 125 x 1,0 x 22,23 | 10000 01573 | stock |  | 12.250 | 100 (5x20) |

A = Aluminium oxide  
Z = Zirconia

# PREMIUM-TM



Flat cutting wheels.  
To be used ONLY on fixed machines  
with manually guided work-piece.

Type 41



## A 24 R 80 M/S

METAL - METALLO - METALL

General purpose for heavy duty applications. Good cutting speed. Long life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-TM | A 24 R | 300 x 3,5 x 20                                                                    | 10000 01512                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TM | A 24 R | 300 x 3,5 x 22,23                                                                 | 10000 01514                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TM | A 24 R | 300 x 3,5 x 25,4                                                                  | 10000 01515                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TM | A 24 R | 350 x 3,8 x 25,4                                                                  | 10000 01521                                                                       | stock                                                                             |  | 4.400                                                                               | 20 (2x10)                                                                           |

## C 24 R 80 M/S

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

### APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

|            |        |  |  |  |  |  |  |
|------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PREMIUM-TM | C 24 R | 300 x 3,5 x 20                                                                      | 10000 01522                                                                         | W4                                                                                  |  | 5.100                                                                                 | 20 (2x10)                                                                             |
| PREMIUM-TM | C 24 R | 300 x 3,5 x 22,23                                                                   | 10000 01525                                                                         | W4                                                                                  |  | 5.100                                                                                 | 20 (2x10)                                                                             |
| PREMIUM-TM | C 24 R | 400 x 4,0 x 50                                                                      | 10000 01647                                                                         | W4                                                                                  |  | 3.850                                                                                 | 20 (2x10)                                                                             |

A = Aluminium oxide  
C = Silicon carbide

# PREMIUM-PU

## Flat cutting wheels for portable machines



Type 41



### A 60 T

INOX

General purpose. High cutting speed. Very accurate finish.

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- FERROUS METALS
- NON FERROUS METALS

| PREMIUM-PU | A 60 T | 75 x 1,0 x 9,53 | 10000 05048 | stock |  | 20.400 | 200 (10x20) |
|------------|--------|-----------------|-------------|-------|--|--------|-------------|
| PREMIUM-PU | A 60 T | 100 x 1,0 x 16  | 10000 05060 | W4    |  | 15.300 | 200 (10x20) |

# PREMIUM-TR

## Abrasive wheels for rail cutting with guided machines



Type 41



### A 24 R 100 M/S

RAIL

Special purpose for rail cutting. High cutting speed.

#### APPLICATIONS

- STEELS FOR RAILS

| PREMIUM-TR | A 24 R | 350 x 3,8 x 25,4 | 10000 02001 | stock |  | 5.500 | 20 (2x10) |
|------------|--------|------------------|-------------|-------|--|-------|-----------|
| PREMIUM-TR | A 24 R | 400 x 4,5 x 25,4 | 10000 02008 | W6    |  | 4.800 | 20 (2x10) |

### A 24 S 100 M/S

RAIL

Special purpose for rail cutting. Long life.

#### APPLICATIONS

- STEELS FOR RAILS

| PREMIUM-TR | A 24 S | 350 x 3,8 x 25,4 | 10000 02003 | stock |  | 5.500 | 20 (2x10) |
|------------|--------|------------------|-------------|-------|--|-------|-----------|

**SALE SUBJECT TO AUTHORIZATION, PRIOR TO VERIFICATION OF THE CORRECT CONDITIONS OF USE AND COMPLIANCE WITH SAFETY REGULATIONS.**

A = Aluminium oxide

# PREMIUM-TF



Cutting wheels for fixed machines  
with suitable clamping devices of the work-piece

Type 41



METAL - METALLO - METALL

## A 24 R 80 M/S

General purpose. Good cutting speed. Long life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

| PREMIUM-TF | A 24 R | 300 x 3,5 x 25,4 | 10000 02506 | W4    |  | 5.100 | 20 (2x10) |
|------------|--------|------------------|-------------|-------|--|-------|-----------|
| PREMIUM-TF | A 24 R | 300 x 3,5 x 30   | 10000 02508 | W4    |  | 5.100 | 20 (2x10) |
| PREMIUM-TF | A 24 R | 350 x 4,0 x 25,4 | 10000 02511 | stock |  | 4.400 | 20 (2x10) |
| PREMIUM-TF | A 24 R | 400 x 4,5 x 25,4 | 10000 02513 | W4    |  | 3.850 | 20 (2x10) |
| PREMIUM-TF | A 24 R | 400 x 4,5 x 40   | 10000 02516 | W4    |  | 3.850 | 20 (2x10) |
| PREMIUM-TF | A 24 R | 500 x 5,0 x 25,4 | 10000 02586 | W4    |  | 3.100 | 10 (2x5)  |
| PREMIUM-TF | A 24 R | 500 x 5,0 x 40   | 10000 02593 | W4    |  | 3.100 | 10 (2x5)  |



METAL - METALLO - METALL

## A 24 N 80 M/S

Special purpose. High cutting speed. Cool cut. Good life.

### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

| PREMIUM-TF | A 24 N | 300 x 3,5 x 25,4 | 10000 02522 | W4 |  | 5.100 | 20 (2x10) |
|------------|--------|------------------|-------------|----|--|-------|-----------|
| PREMIUM-TF | A 24 N | 350 x 4,0 x 25,4 | 10000 02528 | W4 |  | 4.400 | 20 (2x10) |
| PREMIUM-TF | A 24 N | 400 x 4,5 x 25,4 | 10000 02531 | W4 |  | 3.850 | 20 (2x10) |
| PREMIUM-TF | A 24 N | 500 x 5,0 x 25,4 | 10000 02585 | W4 |  | 3.100 | 10 (2x5)  |

A = Aluminium oxide



2025

ABRASIVE WHEELS

45

# PREMIUM-TF



Cutting wheels for fixed machines  
with suitable clamping devices of the work-piece

Type 41



INOX

## A 36 R 80 M/S EVOLUTION

Special purpose for tough materials. High cutting speed. Cool cut.

### APPLICATIONS

- STAINLESS STEEL
- ALLOY STEELS
- NON-FERROUS METALS

|            |        |  |  |  |  |  |  |
|------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-TF | A 36 R | 300 x 3,5 x 25,4                                                                  | 10000 02542                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 36 R | 350 x 3,8 x 25,4                                                                  | 10000 02547                                                                       | W4                                                                                |  | 4.400                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 36 R | 400 x 4,2 x 25,4                                                                  | 10000 02550                                                                       | W4                                                                                |  | 3.850                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 36 R | 400 x 4,2 x 40                                                                    | 10000 02551                                                                       | W4                                                                                |  | 3.850                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 36 R | 500 x 5,0 x 25,4                                                                  | 10000 02589                                                                       | W4                                                                                |  | 3.100                                                                               | 10 (2x5)                                                                            |
| PREMIUM-TF | A 36 R | 500 x 5,0 x 40                                                                    | 10000 02594                                                                       | W4                                                                                |  | 3.100                                                                               | 10 (2x5)                                                                            |



## C 24 R 80 M/S

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Good cutting speed. Long life.

### APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- NON-FERROUS METALS
- CAST IRON

|            |        |  |  |  |  |  |  |
|------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PREMIUM-TF | C 24 R | 300 x 3,5 x 25,4                                                                    | 10000 02540                                                                         | W4                                                                                  |  | 5.100                                                                                 | 20 (2x10)                                                                             |
| PREMIUM-TF | C 24 R | 350 x 3,5 x 25,4                                                                    | 10000 02532                                                                         | W4                                                                                  |  | 4.400                                                                                 | 20 (2x10)                                                                             |

A = Aluminium oxide  
C = Silicon carbide

# PREMIUM-TF



Cutting wheels for fixed machines, to be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece

Type 41



## A 60 P 80 M/S

METAL - INOX

General purpose. High cutting speed. Good life. To be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece.

### APPLICATIONS

- STEELS
- NON-FERROUS METALS
- STAINLESS STEELS

|            |        |  |  |  |  |  |  |
|------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-TF | A 60 P | 300 x 2,8 x 25,4                                                                  | 10000 02648                                                                       | stock                                                                             |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 60 P | 300 x 2,8 x 30                                                                    | 10000 02649                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| PREMIUM-TF | A 60 P | 350 x 2,8 x 25,4                                                                  | 10000 02650                                                                       | stock                                                                             |  | 4.400                                                                               | 20 (2x10)                                                                           |



A = Aluminium oxide



2025

ABRASIVE WHEELS



### FLANGES FOR TM WHEELS

Kit of 2 flanges for TM wheels (please see pages 25, 27, 37, 38, 39, 55, 57, 61, 62)



10000 99100



stock



1

### FLANGES FOR TM WHEELS COMBINED TO FLEX MACHINES

Kit of 2 flanges for TM wheels (please see pages 25, 27, 37, 38, 39, 55, 57, 61, 62)



10000 99125



stock



1



### REDUCTION BUSHING FOR TF WHEELS (do not use with wheels to 100 m/s)

|                      |      |       |       |      |       |      |    |    |       |      |    |    |    |    |
|----------------------|------|-------|-------|------|-------|------|----|----|-------|------|----|----|----|----|
| External diameter mm | 25,4 | 25,4  | 30    | 30   | 40    | 40   | 40 | 40 | 40    | 50   | 50 | 50 | 50 | 50 |
| Internal diameter mm | 16   | 22,23 | 22,23 | 25,4 | 22,23 | 25,4 | 30 | 32 | 22,23 | 25,4 | 30 | 32 | 32 | 40 |

# PREMIUM-SAIT-tre



Reinforced discs

Type 29



A

METAL - INOX - ALU

Reinforced disc with convex profile, ideal for grinding as well as finishing. High performance, high stock removal, reduced vibrations.

## APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS ALLOYS

|                  |        |  |  |  |  |  |  |
|------------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-SAIT-tre | A 36 N | 115 x 4,0 x 22,23                                                                 | 10000 86100                                                                       | W4                                                                                |  | 13.300                                                                              | 50 (5x10)                                                                           |
| PREMIUM-SAIT-tre | A 60 N | 115 x 4,0 x 22,23                                                                 | 10000 86101                                                                       | W4                                                                                |  | 13.300                                                                              | 50 (5x10)                                                                           |
| PREMIUM-SAIT-tre | A 36 N | 125 x 4,0 x 22,23                                                                 | 10000 86102                                                                       | stock                                                                             |  | 12.250                                                                              | 50 (5x10)                                                                           |
| PREMIUM-SAIT-tre | A 60 N | 125 x 4,0 x 22,23                                                                 | 10000 86103                                                                       | W4                                                                                |  | 12.250                                                                              | 50 (5x10)                                                                           |



A = Aluminium oxide



2025

ABRASIVE WHEELS

49

# PREMIUM-SAITRIS

Reinforced convex discs.  
Use only with the SAITRIS PAD backing pad



METAL - INOX - ALU

## A

High stock removal. Long life. Low clogging. Low heat generation.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

|                 |        |  |  |  |  |  |  |
|-----------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PREMIUM-SAITRIS | A 36 N | 115 x 4,0 x 22,23                                                                 | 10000 86008                                                                       | W4                                                                                |  | 13.300                                                                              | 50 (2x25)                                                                           |
| PREMIUM-SAITRIS | A 36 N | 125 x 4,0 x 22,23                                                                 | 10000 86011                                                                       | W4                                                                                |  | 12.250                                                                              | 50 (2x25)                                                                           |
| PREMIUM-SAITRIS | A 60 N | 125 x 4,0 x 22,23                                                                 | 10000 86012                                                                       | W4                                                                                |  | 12.250                                                                              | 50 (2x25)                                                                           |
| PREMIUM-SAITRIS | A 36 N | 180 x 4,0 x 22,23                                                                 | 10000 86001                                                                       | W4                                                                                |  | 8.500                                                                               | 50 (2x25)                                                                           |



STONE - PIETRA - MATERIAUX - PIEDRA

## C

High stock removal. Low clogging.

### APPLICATIONS

- GRANITES
- MARBLE
- CONCRETE

|                 |         |  |  |  |  |  |  |
|-----------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PREMIUM-SAITRIS | C 36 N  | 180 x 3,5 x 22,23                                                                   | 10000 86004                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (2x25)                                                                             |
| PREMIUM-SAITRIS | C 60 N  | 180 x 3,5 x 22,23                                                                   | 10000 86005                                                                         | stock                                                                               |  | 8.500                                                                                 | 50 (2x25)                                                                             |
| PREMIUM-SAITRIS | C 100 N | 180 x 3,5 x 22,23                                                                   | 10000 86006                                                                         | stock                                                                               |  | 8.500                                                                                 | 50 (2x25)                                                                             |
| PREMIUM-SAITRIS | C 180 N | 180 x 3,5 x 22,23                                                                   | 10000 86007                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (2x25)                                                                             |

### NOTE

Two complete backing pads SAITRIS PAD are included in each unit of sale.

A = Aluminium oxide  
C = Silicon carbide



## SAITRIS PAD

Polymer backing pad.

Two backing pads SAITRIS PAD are included in every box of 50 pieces.

| Backing pad    | BACKING PAD | LOCKING NUT | DISC        |             |       |        |   |
|----------------|-------------|-------------|-------------|-------------|-------|--------|---|
| SAITRIS PAD 82 | ø 82        | -           | ø 115 - 125 | 10000 98606 | stock | 13.300 | 1 |

### Locking nut

|            |           |             |             |       |   |
|------------|-----------|-------------|-------------|-------|---|
| GHIERA M14 | M14       | ø 115 - 125 | 10000 99110 | stock | 1 |
| GHIERA 5/8 | 5/8" UNC. | ø 115 - 125 | 10000 99112 | stock | 1 |

### Complete backing pad with locking nut

|                         |      |           |             |             |       |        |   |
|-------------------------|------|-----------|-------------|-------------|-------|--------|---|
| SAITRIS PAD 82 M14      | ø 82 | M14       | ø 115 - 125 | 10000 98607 | stock | 13.300 | 1 |
| SAITRIS PAD 82 5/8 UNC. | ø 82 | 5/8" UNC. | ø 115 - 125 | 10000 98613 | W4    | 13.300 | 1 |

| Backing pad     | BACKING PAD | LOCKING NUT | DISC  |             |       |       |   |
|-----------------|-------------|-------------|-------|-------------|-------|-------|---|
| SAITRIS PAD 130 | ø 130       | -           | ø 180 | 10000 98611 | stock | 8.600 | 1 |

### Locking nut

|            |     |       |             |       |   |
|------------|-----|-------|-------------|-------|---|
| GHIERA M14 | M14 | ø 180 | 10000 99109 | stock | 1 |
|------------|-----|-------|-------------|-------|---|

### Complete backing pad with locking nut

|                          |       |           |       |             |       |       |   |
|--------------------------|-------|-----------|-------|-------------|-------|-------|---|
| SAITRIS PAD 130 M14      | ø 130 | M14       | ø 180 | 10000 98610 | stock | 8.600 | 1 |
| SAITRIS PAD 130 5/8 UNC. | ø 130 | 5/8" UNC. | ø 180 | 10000 98612 | W4    | 8.600 | 1 |

#### NOTE

Two complete backing pads SAITRIS PAD are included in each unit of sale.

# EK WINNER-DS



Depressed centre grinding wheels  
for portable machines

 Type 27



METAL - INOX

## A 30 P

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS
- WELDS

|              |        |  |  |  |  |  |  |
|--------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| EK WINNER-DS | A 30 P | 115 x 6,0 x 22,23                                                                 | 10000 08003                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| EK WINNER-DS | A 30 P | 125 x 6,0 x 22,23                                                                 | 10000 08004                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| EK WINNER-DS | A 30 P | 180 x 6,5 x 22,23                                                                 | 10000 08000                                                                       | stock                                                                             |  | 8.500                                                                               | 50 (5x5) x 2                                                                        |
| EK WINNER-DS | A 30 P | 230 x 6,5 x 22,23                                                                 | 10000 08002                                                                       | stock                                                                             |  | 6.650                                                                               | 25 (5x5)                                                                            |

## A 30 M

METAL - INOX

General purpose. High stock removal.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS
- WELDS

|              |        |  |  |  |  |  |  |
|--------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EK WINNER-DS | A 30 M | 115 x 6,0 x 22,23                                                                   | 10000 08013                                                                         | stock                                                                               |  | 13.300                                                                                | 100 (10x10)                                                                           |
| EK WINNER-DS | A 30 M | 125 x 6,0 x 22,23                                                                   | 10000 08007                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| EK WINNER-DS | A 30 M | 230 x 6,5 x 22,23                                                                   | 10000 08009                                                                         | stock                                                                               |  | 6.650                                                                                 | 25 (5x5)                                                                              |

## A 36 N

METAL - INOX

General purpose. Wheel produced without addition of iron, chlorine and sulphur compounds. High stock removal.  
**SPECIAL FOR STAINLESS STEEL.**

### APPLICATIONS

- STEELS
- STAINLESS STEELS

|              |        |  |  |  |  |  |  |
|--------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EK WINNER-DS | A 36 N | 115 x 6,0 x 22,23                                                                   | 10000 08023                                                                         | stock                                                                               |  | 13.300                                                                                | 100 (10x10)                                                                           |
| EK WINNER-DS | A 36 N | 125 x 6,0 x 22,23                                                                   | 10000 08024                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| EK WINNER-DS | A 36 N | 150 x 6,5 x 22,23                                                                   | 10000 08026                                                                         | W4                                                                                  |  | 10.200                                                                                | 60 (4x15)                                                                             |
| EK WINNER-DS | A 36 N | 230 x 6,5 x 22,23                                                                   | 10000 08025                                                                         | stock                                                                               |  | 6.650                                                                                 | 25 (5x5)                                                                              |

## AC 30 N

METAL

Special purpose. High stock removal.

### APPLICATIONS

- CAST IRON
- STEELS

|              |         |  |  |  |  |  |  |
|--------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EK WINNER-DS | AC 30 N | 230 x 6,5 x 22,23                                                                   | 10000 08006                                                                         | stock                                                                               |  | 6.650                                                                                 | 25 (5x5)                                                                              |

A = Aluminium oxide  
C = Silicon carbide

# EK WINNER-DT



Depressed centre cutting wheels  
for portable machines

Type 42



## A 30 P PERFORMANCE

METAL - INOX

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

| EK WINNER-DT | A 30 P | 115 x 3,0 x 22,23 | 10000 08500 | stock |  | 13.300 | 100 (10x10) |
|--------------|--------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-DT | A 30 P | 125 x 3,0 x 22,23 | 10000 08501 | stock |  | 12.250 | 100 (10x10) |
| EK WINNER-DT | A 30 P | 180 x 3,2 x 22,23 | 10000 08506 | W4    |  | 8.500  | 50 (5x10)   |
| EK WINNER-DT | A 30 P | 230 x 3,2 x 22,23 | 10000 08507 | stock |  | 6.650  | 50 (5x10)   |

## A 30 N PERFORMANCE

METAL - INOX

General purpose. Fast cut. Long life.

### APPLICATIONS

- STEELS
- FERROUS METALS

| EK WINNER-DT | A 30 N | 230 x 3,2 x 22,23 | 10000 08509 | stock |  | 6.650 | 50 (5x10) |
|--------------|--------|-------------------|-------------|-------|--|-------|-----------|

## A 36 N PERFORMANCE

METAL - INOX

General purpose. Wheel produced without addition of iron, chlorine and sulphur compounds. Fast cut.

### APPLICATIONS

- STEELS
- STAINLESS STEELS

| EK WINNER-DT | A 36 N | 115 x 3,0 x 22,23 | 10000 08522 | stock |  | 13.300 | 100 (10x10) |
|--------------|--------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-DT | A 36 N | 125 x 3,0 x 22,23 | 10000 08523 | stock |  | 12.250 | 100 (10x10) |
| EK WINNER-DT | A 36 N | 150 x 3,0 x 22,23 | 10000 08528 | W4    |  | 10.200 | 100 (4x25)  |
| EK WINNER-DT | A 36 N | 230 x 3,2 x 22,23 | 10000 08510 | stock |  | 6.650  | 50 (5x10)   |

A = Aluminium oxide

# EK WINNER-DT



Depressed centre cutting wheels  
for portable machines

Type 42



## C 30 P

STONE

General purpose.

### APPLICATIONS

- BUILDING MATERIALS
- CAST IRON

|              |        |  |  |  |  |  |  |
|--------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| EK WINNER-DT | C 30 P | 115 x 3,0 x 22,23                                                                 | 10000 08513                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| EK WINNER-DT | C 30 P | 180 x 3,2 x 22,23                                                                 | 10000 08511                                                                       | W4                                                                                |  | 8.500                                                                               | 50 (5x10)                                                                           |
| EK WINNER-DT | C 30 P | 230 x 3,2 x 22,23                                                                 | 10000 08512                                                                       | stock                                                                             |  | 6.650                                                                               | 50 (5x10)                                                                           |

## C 30 N

STONE - GRANITO - GRES

General purpose for hard materials. Fast cut. Good life.

### APPLICATIONS

- GRANITES
- PORCELAIN STONEWARE
- BUILDING MATERIALS
- STONES
- CERAMICS

|              |        |  |  |  |  |  |  |
|--------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EK WINNER-DT | C 30 N | 230 x 3,2 x 22,23                                                                   | 10000 08514                                                                         | W4                                                                                  |  | 6.650                                                                                 | 50 (5x10)                                                                             |

C = Silicon carbide

# EK WINNER-TM



Flat cutting wheels  
for portable machines

— Type 41



## A 30 P PERFORMANCE

METAL - INOX

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

| EK WINNER-TM | A 30 P | 115 x 2,5 x 22,23 | 10000 09029 | stock |  | 13.300 | 100 (10x10) |
|--------------|--------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-TM | A 30 P | 125 x 2,5 x 22,23 | 10000 09031 | W4    |  | 12.250 | 100 (10x10) |
| EK WINNER-TM | A 30 P | 230 x 2,5 x 22,23 | 10000 09001 | stock |  | 6.650  | 50 (5x10)   |

## A 46 R PERFORMANCE

METAL - INOX - LONG LIFE

General purpose. Long life.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

| EK WINNER-TM | A 46 R | 115 x 1,6 x 22,23   | 10000 09006 | stock |  | 13.300 | 100 (5x20) |
|--------------|--------|---------------------|-------------|-------|--|--------|------------|
| EK WINNER-TM | A 46 R | 125 x 1,6 x 22,23   | 10000 09012 | stock |  | 12.250 | 100 (5x20) |
| EK WINNER-TM | A 46 R | 230 x 2,0 x 22,23 ★ | 10000 09037 | stock |  | 6.650  | 50 (5x10)  |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)



### TIN BOX PACKAGING

|              |        |                   |             |       |  |        |             |
|--------------|--------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-TM | A 46 R | 115 x 1,6 x 22,23 | 10000 09030 | stock |  | 13.300 | 200 (20x10) |
| EK WINNER-TM | A 46 R | 125 x 1,6 x 22,23 | 10000 09034 | stock |  | 12.250 | 200 (20x10) |

## A 46 P PERFORMANCE

METAL - INOX

General purpose. Wheel produced without addition of iron and sulphur compounds. Fast cut.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

| EK WINNER-TM | A 46 P | 115 x 1,6 x 22,23   | 10000 09028 | stock |  | 13.300 | 100 (5x20) |
|--------------|--------|---------------------|-------------|-------|--|--------|------------|
| EK WINNER-TM | A 46 P | 125 x 1,6 x 22,23   | 10000 09032 | stock |  | 12.250 | 100 (5x20) |
| EK WINNER-TM | A 46 P | 180 x 2,0 x 22,23 ★ | 10000 09008 | W4    |  | 8.500  | 50 (5x10)  |
| EK WINNER-TM | A 46 P | 230 x 2,0 x 22,23 ★ | 10000 09018 | stock |  | 6.650  | 50 (5x10)  |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide

# EK WINNER-TM



Flat cutting wheels  
for portable machines

Type 41



## A 24 P PERFORMANCE

METAL - INOX

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

|              |        |                   |             |    |  |       |           |
|--------------|--------|-------------------|-------------|----|--|-------|-----------|
|              |        |                   |             |    |  |       |           |
| EK WINNER-TM | A 24 P | 230 x 3,0 x 22,23 | 10000 09019 | W4 |  | 6.650 | 50 (5x10) |

## A 60 R PERFORMANCE

METAL - INOX - LONG LIFE

General purpose. Long life. Accurate finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|              |        |                   |             |       |  |        |            |
|--------------|--------|-------------------|-------------|-------|--|--------|------------|
|              |        |                   |             |       |  |        |            |
| EK WINNER-TM | A 60 R | 115 x 1,0 x 22,23 | 10000 09020 | stock |  | 13.300 | 100 (5x20) |
| EK WINNER-TM | A 60 R | 125 x 1,0 x 22,23 | 10000 09022 | stock |  | 12.250 | 100 (5x20) |



### TIN BOX PACKAGING

|              |        |                   |             |       |  |        |             |
|--------------|--------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-TM | A 60 R | 115 x 1,0 x 22,23 | 10000 09027 | stock |  | 13.300 | 200 (20x10) |
| EK WINNER-TM | A 60 R | 125 x 1,0 x 22,23 | 10000 09033 | stock |  | 12.250 | 200 (20x10) |

## A 60 P PERFORMANCE

METAL - INOX

General purpose. Wheel produced without addition of iron and sulphur compounds. Very fast cut. Accurate finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|              |        |                   |             |       |  |        |            |
|--------------|--------|-------------------|-------------|-------|--|--------|------------|
|              |        |                   |             |       |  |        |            |
| EK WINNER-TM | A 60 P | 115 x 1,0 x 22,23 | 10000 09016 | stock |  | 13.300 | 100 (5x20) |
| EK WINNER-TM | A 60 P | 125 x 1,0 x 22,23 | 10000 09017 | stock |  | 12.250 | 100 (5x20) |

A = Aluminium oxide

# EK WINNER-TM



Flat cutting wheels  
for portable machines

Type 41



## AC 46 P MULTI

METALLO - LEGNO - ALLUMINIO - PIASTRELLE - PLASTICA  
METAL - WOOD - ALUMINIUM - TILE - PVC

General purpose. Fast cut.

### APPLICATIONS

- METALS
- ALUMINIUM
- BUILDING MATERIALS
- TILES
- MARBLES
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- WOOD

| EK WINNER-TM | AC 46 P | 115 x 1,6 x 22,23   | 10000 09038 | stock |  | 13.300 | 100 (5x20) |
|--------------|---------|---------------------|-------------|-------|--|--------|------------|
| EK WINNER-TM | AC 46 P | 125 x 1,6 x 22,23   | 10000 09039 | stock |  | 12.250 | 100 (5x20) |
| EK WINNER-TM | AC 46 P | 230 x 2,0 x 22,23 ★ | 10000 09040 | stock |  | 6.650  | 50 (5x10)  |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)



### TIN BOX PACKAGING

|              |         |                   |             |       |  |        |             |
|--------------|---------|-------------------|-------------|-------|--|--------|-------------|
| EK WINNER-TM | AC 46 P | 115 x 1,6 x 22,23 | 10000 09035 | stock |  | 13.300 | 200 (20x10) |
| EK WINNER-TM | AC 46 P | 125 x 1,6 x 22,23 | 10000 09041 | stock |  | 12.250 | 200 (20x10) |

## C 46 P

STONE

General purpose. Fast cut.

### APPLICATIONS

- BUILDING MATERIALS
- TILES
- MARBLES
- STONES

| EK WINNER-TM | C 46 P | 230 x 2,0 x 22,23 ★ | 10000 09023 | stock |  | 6.650 | 50 (5x10) |
|--------------|--------|---------------------|-------------|-------|--|-------|-----------|

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide  
C = Silicon carbide



2025

ABRASIVE WHEELS

## EK WINNER-TM



Flat cutting wheels.  
To be used **ONLY** on fixed machines  
with manually guided work-piece.

Type 41



METAL - INOX

### A 30 P 80 M/S

General purpose.

#### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

|              |        |  |  |  |  |  |  |
|--------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| EK WINNER-TM | A 30 P | 300 x 3,5 x 20                                                                    | 10000 09003                                                                       | W4                                                                                |  | 5.100                                                                               | 20 (2x10)                                                                           |
| EK WINNER-TM | A 30 P | 300 x 3,5 x 22,23                                                                 | 10000 09013                                                                       | stock                                                                             |  | 5.100                                                                               | 30 (3x10)                                                                           |
| EK WINNER-TM | A 30 P | 300 x 3,5 x 25,4                                                                  | 10000 09014                                                                       | stock                                                                             |  | 5.100                                                                               | 30 (3x10)                                                                           |

## EK WINNER-TF



Cutting wheels for fixed machines  
with suitable clamping devices of the work-piece

Type 41



METAL - INOX

### A 30 P

General purpose.

#### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

|              |        |  |  |  |  |  |  |
|--------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EK WINNER-TF | A 30 P | 300 x 4,0 x 25,4                                                                    | 10000 09501                                                                         | stock                                                                               |  | 5.100                                                                                 | 20 (2x10)                                                                             |
| EK WINNER-TF | A 30 P | 300 x 4,0 x 30                                                                      | 10000 09502                                                                         | stock                                                                               |  | 5.100                                                                                 | 20 (2x10)                                                                             |
| EK WINNER-TF | A 30 P | 350 x 4,0 x 25,4                                                                    | 10000 09504                                                                         | W4                                                                                  |  | 4.400                                                                                 | 20 (2x10)                                                                             |

A = Aluminium oxide



METAL - INOX

### A 30 Q

General purpose.

#### APPLICATIONS

- STEELS
- WELDS
- CAST IRON
- NON-FERROUS METALS

|           |        |  |  |  |  |  |  |
|-----------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PLANET-DS | A 30 Q | Ø 100 x 6,0 x 16                                                                  | 10000 06009                                                                       | W4                                                                                |  | 15.300                                                                              | 100 (10x10)                                                                         |
| PLANET-DS | A 30 Q | Ø 115 x 6,0 x 22,23                                                               | 10000 06000                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| PLANET-DS | A 30 Q | Ø 115 x 6,0 x 22,23                                                               | 10000 06012                                                                       | stock                                                                             |  | 13.300                                                                              | 25 (5x5)                                                                            |
| PLANET-DS | A 30 Q | Ø 125 x 6,0 x 22,23                                                               | 10000 06004                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| PLANET-DS | A 30 Q | Ø 180 x 6,5 x 22,23                                                               | 10000 06017                                                                       | stock                                                                             |  | 8.500                                                                               | 50 (5x5) x 2                                                                        |
| PLANET-DS | A 30 Q | Ø 230 x 6,5 x 22,23                                                               | 10000 06018                                                                       | stock                                                                             |  | 6.650                                                                               | 25 (5x5)                                                                            |



METAL - INOX

### A 30 M

General purpose. High stock removal.

#### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

|           |        |  |  |  |  |  |  |
|-----------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PLANET-DS | A 30 M | Ø 115 x 6,0 x 22,23                                                                 | 10000 06013                                                                         | stock                                                                               |  | 13.300                                                                                | 100 (10x10)                                                                           |
| PLANET-DS | A 30 M | Ø 125 x 6,0 x 22,23                                                                 | 10000 06014                                                                         | stock                                                                               |  | 12.250                                                                                | 100 (10x10)                                                                           |
| PLANET-DS | A 30 M | Ø 180 x 6,5 x 22,23                                                                 | 10000 06015                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (5x5) x 2                                                                          |
| PLANET-DS | A 30 M | Ø 230 x 6,5 x 22,23                                                                 | 10000 06016                                                                         | stock                                                                               |  | 6.650                                                                                 | 25 (5x5)                                                                              |



STONE - PIETRA - GHISA - CAST IRON

### C 30 N

General purpose.

#### APPLICATIONS

- BUILDING MATERIALS
- HARD CAST IRON

|           |        |  |  |  |  |  |  |
|-----------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PLANET-DS | C 30 N | Ø 180 x 6,5 x 22,23                                                                 | 10000 06020                                                                         | W4                                                                                  |  | 8.500                                                                                 | 50 (5x5) x 2                                                                          |
| PLANET-DS | C 30 N | Ø 230 x 6,5 x 22,23                                                                 | 10000 06019                                                                         | W4                                                                                  |  | 6.650                                                                                 | 25 (5x5)                                                                              |

A = Aluminium oxide  
C = Silicon carbide

# PLANET-DT

Depressed centre cutting wheels  
for portable machines



Type 42



METAL - INOX

## A 30 Q

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

|           |        |  |  |  |  |  |  |
|-----------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PLANET-DT | A 30 Q | Ø 100 x 3,0 x 16                                                                  | 10000 06205                                                                       | W4                                                                                |  | 15.300                                                                              | 100 (10x10)                                                                         |
| PLANET-DT | A 30 Q | Ø 115 x 3,0 x 22,23                                                               | 10000 06200                                                                       | stock                                                                             |  | 13.300                                                                              | 100 (10x10)                                                                         |
| PLANET-DT | A 30 Q | Ø 115 x 3,0 x 22,23                                                               | 10000 06214                                                                       | stock                                                                             |  | 13.300                                                                              | 50 (5x10)                                                                           |
| PLANET-DT | A 30 Q | Ø 125 x 3,0 x 22,23                                                               | 10000 06206                                                                       | stock                                                                             |  | 12.250                                                                              | 100 (10x10)                                                                         |
| PLANET-DT | A 30 Q | Ø 150 x 3,0 x 22,23                                                               | 10000 06210                                                                       | W4                                                                                |  | 10.200                                                                              | 100 (4x25)                                                                          |
| PLANET-DT | A 30 Q | Ø 180 x 3,2 x 22,23                                                               | 10000 06209                                                                       | W4                                                                                |  | 8.500                                                                               | 50 (5x10)                                                                           |
| PLANET-DT | A 30 Q | Ø 230 x 3,2 x 22,23                                                               | 10000 06219                                                                       | stock                                                                             |  | 6.650                                                                               | 50 (5x10)                                                                           |
| PLANET-DT | A 30 Q | Ø 230 x 3,2 x 22,23                                                               | 10000 06220                                                                       | stock                                                                             |  | 6.650                                                                               | 25 (5x5)                                                                            |



## C 30 Q

General purpose.

### APPLICATIONS

- BUILDING MATERIALS
- HARD CAST IRON

PIETRA - MATERIAUX - STONE - STEIN - PIEDRA

|           |        |  |  |  |  |  |  |
|-----------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PLANET-DT | C 30 Q | Ø 115 x 3,0 x 22,23                                                                 | 10000 06202                                                                         | stock                                                                               |  | 13.300                                                                                | 100 (10x10)                                                                           |
| PLANET-DT | C 30 Q | Ø 115 x 3,0 x 22,23                                                                 | 10000 06215                                                                         | stock                                                                               |  | 13.300                                                                                | 50 (5x10)                                                                             |
| PLANET-DT | C 30 Q | Ø 230 x 3,2 x 22,23                                                                 | 10000 06221                                                                         | stock                                                                               |  | 6.650                                                                                 | 50 (5x10)                                                                             |
| PLANET-DT | C 30 Q | Ø 230 x 3,2 x 22,23                                                                 | 10000 06222                                                                         | stock                                                                               |  | 6.650                                                                                 | 25 (5x5)                                                                              |

A = Aluminium oxide  
C = Silicon carbide



METAL - INOX

### A 60 Q

General purpose.

#### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

| PLANET-TM | A 60 Q | Ø 115 x 1,0 x 22,23 | 10000 06302 | stock |  | 13.300 | 100 (5x20) |
|-----------|--------|---------------------|-------------|-------|--|--------|------------|
| PLANET-TM | A 60 Q | Ø 125 x 1,0 x 22,23 | 10000 06303 | stock |  | 12.250 | 100 (5x20) |

#### TIN BOX PACKAGING

|           |        |                     |             |       |  |        |             |
|-----------|--------|---------------------|-------------|-------|--|--------|-------------|
| PLANET-TM | A 60 Q | Ø 115 x 1,0 x 22,23 | 10000 06338 | stock |  | 13.300 | 200 (20x10) |
| PLANET-TM | A 60 Q | Ø 125 x 1,0 x 22,23 | 10000 06340 | stock |  | 12.250 | 200 (20x10) |



### A 46 Q

General purpose.

METAL - INOX

#### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

| PLANET-TM | A 46 Q | Ø 115 x 1,6 x 22,23   | 10000 06300 | stock |  | 13.300 | 100 (5x20) |
|-----------|--------|-----------------------|-------------|-------|--|--------|------------|
| PLANET-TM | A 46 Q | Ø 125 x 1,6 x 22,23   | 10000 06301 | stock |  | 12.250 | 100 (5x20) |
| PLANET-TM | A 46 Q | Ø 230 x 2,0 x 22,23 ★ | 10000 06310 | stock |  | 6.650  | 50 (5x10)  |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

#### TIN BOX PACKAGING

|           |        |                     |             |       |  |        |             |
|-----------|--------|---------------------|-------------|-------|--|--------|-------------|
| PLANET-TM | A 46 Q | Ø 115 x 1,6 x 22,23 | 10000 06339 | stock |  | 13.300 | 200 (20x10) |
| PLANET-TM | A 46 Q | Ø 125 x 1,6 x 22,23 | 10000 06341 | stock |  | 12.250 | 200 (20x10) |



### A 30 Q

General purpose.

METAL - INOX

#### APPLICATIONS

- STEELS
- CAST IRON

| PLANET-TM | A 30 Q | Ø 300 x 3,5 x 20 ♦    | 10000 06305 | W4 |  | 5.100 | 20 (2x10) |
|-----------|--------|-----------------------|-------------|----|--|-------|-----------|
| PLANET-TM | A 30 Q | Ø 300 x 3,5 x 22,23 ♦ | 10000 06306 | W4 |  | 5.100 | 20 (2x10) |

♦ To be used ONLY on fixed machines with manually guided work-piece.

A = Aluminium oxide

# PLANET-TM



Flat cutting wheels  
for portable machines

Type 41



## C 46 Q

General purpose.

### APPLICATIONS

- BUILDING MATERIALS
- HARD CAST IRON

STONE - PIETRA - GRANITO - GRES

| PLANET-TM | C 46 Q | Ø 115 x 1,6 x 22,23   | 10000 06313 | stock |  | 13.300 | 100 (5x20) |
|-----------|--------|-----------------------|-------------|-------|--|--------|------------|
| PLANET-TM | C 46 Q | Ø 230 x 2,0 x 22,23 ★ | 10000 06314 | stock |  | 6.650  | 50 (5x10)  |

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

# PLANET-TF



Cutting wheels for fixed machines, to be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece

Type 41



## A 46 Q

General purpose.

### APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

METAL - INOX

| PLANET-TF | A 46 Q | Ø 300 x 2,8 x 25,4 | 10000 06401 | stock |  | 5.100 | 20 (2x10) |
|-----------|--------|--------------------|-------------|-------|--|-------|-----------|
| PLANET-TF | A 46 Q | Ø 350 x 2,8 x 25,4 | 10000 06402 | stock |  | 4.400 | 20 (2x10) |
| PLANET-TF | A 46 Q | Ø 400 x 3,0 x 25,4 | 10000 06400 | W4    |  | 3.850 | 20 (2x10) |

A = Aluminium oxide  
C = Silicon carbide




## A 46 P - A 60 P

Aluminium oxide wheels for grinding operations.

### APPLICATIONS


- STEELS
- ALLOY STEELS
- CAST IRON
- NON-FERROUS METALS

|     |        | SHAPE | WHEEL         | SPINDLE       |             |       |  |                |                           |    |
|-----|--------|-------|---------------|---------------|-------------|-------|--|----------------|---------------------------|----|
|     |        |       | D X T<br>(mm) | S X L<br>(mm) |             |       |  |                | OVERHANG OF MANDREL $L_0$ |    |
|     |        |       |               |               |             |       |  | 0 < $L_0$ < 10 | 10 ≤ $L_0$ < 20           |    |
| V G | A 60 P | W 177 | 10 x 20       | 3 x 40        | 10000 85509 | stock |  | 26.500         | /                         | 25 |
| V G | A 60 P | W 196 | 16 x 25       | 6 x 40        | 10000 85510 | stock |  | 26.500         | 20.000                    | 25 |
| V G | A 46 P | W 204 | 20 x 20       | 6 x 40        | 10000 85511 | stock |  | 26.500         | 17.000                    | 25 |
| V G | A 46 P | W 208 | 20 x 50       | 6 x 40        | 10000 85513 | stock |  | 15.000         | 12.000                    | 25 |
| V G | A 46 P | W 221 | 25 x 40       | 6 x 40        | 10000 85515 | stock |  | 19.000         | 10.500                    | 25 |
| V G | A 46 P | W 230 | 30 x 30       | 6 x 40        | 10000 85517 | stock |  | 20.400         | 11.500                    | 25 |
| V G | A 46 P | W 238 | 40 x 40       | 6 x 40        | 10000 85519 | stock |  | 12.000         | 7.000                     | 25 |
| V G | A 46 P | A 1   | 20 x 65       | 6 x 40        | 10000 85500 | stock |  | 15.000         | 12.000                    | 25 |
| V G | A 46 P | A 2   | 25 x 30       | 6 x 40        | 10000 85501 | stock |  | 15.000         | 10.500                    | 25 |
| V G | A 46 P | A 4   | 30 x 30       | 6 x 40        | 10000 85502 | stock |  | 20.400         | 13.500                    | 25 |
| V G | A 46 P | A 11  | 21 x 45       | 6 x 40        | 10000 85504 | stock |  | 18.000         | 13.600                    | 25 |
| V G | A 46 P | A 14  | 18 x 25       | 6 x 40        | 10000 85512 | stock |  | 26.500         | 16.000                    | 25 |
| V G | A 46 P | A 21  | 25 x 25       | 6 x 40        | 10000 85505 | W4    |  | 26.500         | 16.000                    | 25 |
| V G | A 46 P | A 25  | 25            | 6 x 40        | 10000 85506 | W4    |  | 26.500         | 17.000                    | 25 |
| V G | A 60 P | B 52  | 10 x 20       | 3 x 30        | 10000 85507 | stock |  | 26.500         | /                         | 25 |
| V G | A 60 P | B 121 | 13            | 3 x 30        | 10000 85508 | W4    |  | 26.500         | /                         | 25 |



### IMPORTANT GUIDELINES:

the mandrel's overhang  $L_0$  must be as low as possible. The maximum operating speeds indicated above refer to mandrel's overhangs of 0 <  $L_0$  < 10 and of 10 ≤  $L_0$  < 20





## Carbide burrs

SAIT offers a wide range of metal burrs to meet every need.

If your work involves shaping and finishing, especially with compressed air tools, you will most likely be aware of the handy and robust tungsten carbide burr.

Used for working on a variety of materials, from steel to aluminium, bronze to cast iron, these points are commonly mounted on rotary pneumatic tools.

Being made of tungsten carbide, a material that is extremely hard (three times harder than steel) and can withstand high temperatures, these working tools can keep a cutting edge on the side and be used several times without losing effectiveness.

Their cutting capacity is far superior to that of ordinary steel grinding wheels and they are a high-performance alternative to the traditional options of cartridge rolls, conical sleeves and mounted points, offering supreme stock removal capabilities.

SAIT carries three different cuts of burr head, to effectively tackle all manner of challenges, including difficult and clogging materials such as aluminium.









# Carbide burrs

## Types of cut and burr shape

|                                                                                                   |                                                                                                    | ALUMINIUM,<br>PLASTIC                                                             | BRASS, COPPER,<br>CAST IRON, BRONZE                                               | NON-HARDENED<br>STEEL                                                               | HARDENED STEEL                                                                      | STAINLESS STEEL,<br>NIMONIC ALLOYS,<br>TITANIUM                                     |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>CUT 2</b><br> | Standard cut for all types of applications.                                                        |                                                                                   |  |  |  |  |
| <b>CUT 3</b><br> | Aluminium cut for fast removal on non-ferrous and soft materials, including plastic.               |  |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| <b>CUT 6</b><br> | Double cut for all types of materials and applications. It increases control and reduces chipping. |                                                                                   |  |  |  |  |

|                                                                                                       |                                     |                                                                                     |                                                                                                        |                                |                                                                                       |
|-------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|
| <b>A SHAPE</b><br>   | <b>CYLINDRICAL WITHOUT HEAD CUT</b> |    | <b>F SHAPE</b><br>   | <b>OGIVE WITH ROUND HEAD</b>   |    |
| <b>B SHAPE</b><br>  | <b>CYLINDRICAL WITH HEAD CUT</b>    |   | <b>G SHAPE</b><br>  | <b>OGIVE WITH POINTED HEAD</b> |   |
| <b>C SHAPE</b><br> | <b>CYLINDRICAL WITH ROUND HEAD</b>  |  | <b>H SHAPE</b><br> | <b>FLAME</b>                   |  |
| <b>D SHAPE</b><br> | <b>SPHERICAL</b>                    |  | <b>L SHAPE</b><br> | <b>TAPER WITH ROUND HEAD</b>   |  |
| <b>E SHAPE</b><br> | <b>DROP SHAPED</b>                  |  | <b>M SHAPE</b><br> | <b>TAPER</b>                   |  |

## Dimensions and description of the burr




- D1** Head diameter / cut
- L1** Head length / cut
- D2** Shank diameter
- L2** Total length of the burr

## Recommended operating speeds

All speeds in the table are expressed in 1.000 rpm.

|              |                            | ALUMINIUM,<br>PLASTIC |                               | BRASS, COPPER,<br>CAST IRON, BRONZE |                               | NON-HARDENED STEEL |                               | HARDENED STEEL, STAINLESS<br>STEEL, NIMONIC ALLOYS |                               |
|--------------|----------------------------|-----------------------|-------------------------------|-------------------------------------|-------------------------------|--------------------|-------------------------------|----------------------------------------------------|-------------------------------|
| Burr head ø  | Max.<br>operating<br>speed | Speed<br>range        | Recommended<br>start<br>speed | Speed<br>range                      | Recommended<br>start<br>speed | Speed<br>range     | Recommended<br>start<br>speed | Speed<br>range                                     | Recommended<br>start<br>speed |
| 3 mm (1/8")  | 100                        | 60-80                 | 65                            | 45-80                               | 65                            | 60-80              | 80                            | 60-80                                              | 80                            |
| 6 mm (1/4")  | 65                         | 15-60                 | 40                            | 22-60                               | 45                            | 45-60              | 50                            | 30-45                                              | 40                            |
| 10 mm (3/8") | 55                         | 10-50                 | 25                            | 15-40                               | 30                            | 30-40              | 30                            | 19-30                                              | 25                            |
| 12 mm (1/2") | 35                         | 7-30                  | 20                            | 11-30                               | 25                            | 22-30              | 25                            | 15-22                                              | 20                            |
| 16 mm (5/8") | 25                         | 6-20                  | 15                            | 9-20                                | 20                            | 18-20              | 20                            | 12-18                                              | 15                            |
| 20 mm (3/4") | 20                         | 5-17                  | 10                            | 8-17                                | 12                            | 15-17              | 15                            | 10-15                                              | 10                            |
| 25 mm (1")   | 15                         | 4-13                  | 8                             | 6-13                                | 10                            | 10-13              | 10                            | 7-11                                               | 8                             |

**CAUTION:** these are the recommended speeds for standard length burrs with a max. projection of 13 mm. The maximum recommended operating speed for longer shanks is 15.000 rpm.





## Carbide burrs



### CYLINDRICAL WITHOUT HEAD CUT

#### A SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 6,3                 | 12,7              | 3                 | 45              | 11000 75110 | W4    | 5 |
|       |       | ●     | 8                   | 19                | 6                 | 64              | 11000 75004 | stock | 5 |
|       | ●     |       | 9,5                 | 19                | 6                 | 64              | 11000 75005 | stock | 5 |
|       |       | ●     | 16                  | 25                | 6                 | 70              | 11000 75111 | W4    | 5 |



### CYLINDRICAL WITH HEAD CUT

#### B SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 14                | 3                 | 38              | 11000 75061 | stock | 5 |
| ●     |       | ●     | 6,3                 | 12,7              | 3                 | 55              | 11000 75112 | W4    | 5 |
|       |       | ●     | 6                   | 18                | 6                 | 50              | 11000 75062 | stock | 5 |
|       |       | ●     | 8                   | 19                | 6                 | 64              | 11000 75063 | stock | 5 |
|       | ●     |       | 9,5                 | 19                | 6                 | 64              | 11000 75095 | stock | 5 |
|       | ●     |       | 12,7                | 25                | 6                 | 70              | 11000 75113 | stock | 5 |
|       |       | ●     | 12,7                | 25                | 6                 | 70              | 11000 75064 | stock | 5 |
|       |       | ●     | 16                  | 25                | 6                 | 70              | 11000 75114 | W4    | 5 |




### CYLINDRICAL WITH ROUND HEAD

#### C SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 14                | 3                 | 38              | 11000 75010 | stock | 5 |
|       |       | ●     | 6,3                 | 12,7              | 3                 | 44              | 11000 75115 | W4    | 5 |
|       |       | ●     | 6                   | 18                | 6                 | 50              | 11000 75013 | stock | 5 |
|       |       | ●     | 8                   | 19                | 6                 | 63              | 11000 75014 | stock | 5 |
|       | ●     |       | 9,5                 | 19                | 6                 | 63              | 11000 75015 | stock | 5 |
|       |       | ●     | 9,5                 | 19                | 6                 | 63              | 11000 75016 | stock | 5 |
|       | ●     |       | 12,7                | 25                | 6                 | 70              | 11000 75017 | stock | 5 |
|       |       | ●     | 12,7                | 25                | 6                 | 70              | 11000 75018 | stock | 5 |
|       |       | ●     | 16                  | 25                | 6                 | 70              | 11000 75116 | W4    | 5 |



# Carbide burrs



## SPHERICAL

### D SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 2,5               | 3                 | 38              | 11000 75020 | stock | 5 |
|       |       |       | 6,3                 | 5                 | 3                 | 38              | 11000 75117 | W4    | 5 |
|       |       |       | 9,5                 | 8                 | 6                 | 54              | 11000 75097 | stock | 5 |
|       |       |       | 12,7                | 11                | 6                 | 56              | 11000 75028 | stock | 5 |
|       |       |       | 16                  | 14                | 6                 | 60              | 11000 75118 | W4    | 5 |



## DROP SHAPED

### E SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 5,5               | 3                 | 38              | 11000 75119 | stock | 5 |
|       |       |       | 6,3                 | 9,5               | 3                 | 42              | 11000 75120 | W4    | 5 |
|       |       |       | 6                   | 10                | 6                 | 50              | 11000 75121 | stock | 5 |
|       |       |       | 8                   | 15                | 6                 | 60              | 11000 75122 | W4    | 5 |
|       |       |       | 9,5                 | 16                | 6                 | 60              | 11000 75123 | stock | 5 |
|       |       |       | 12,7                | 22                | 6                 | 67              | 11000 75124 | stock | 5 |
|       |       |       | 16                  | 25                | 6                 | 70              | 11000 75125 | W4    | 5 |



## OGIVE WITH ROUND HEAD

### F SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 14                | 3                 | 38              | 11000 75031 | stock | 5 |
|       |       |       | 6,35                | 12,7              | 3                 | 45              | 11000 75126 | W4    | 5 |
|       |       |       | 6                   | 18                | 6                 | 50              | 11000 75078 | stock | 5 |
|       |       |       | 9,6                 | 19                | 6                 | 64              | 11000 75036 | stock | 5 |
|       |       |       | 12,7                | 25                | 6                 | 70              | 11000 75038 | stock | 5 |
|       |       |       | 12,7                | 25                | 6                 | 70              | 11000 75039 | stock | 5 |
|       |       |       | 16                  | 25                | 6                 | 70              | 11000 75127 | W4    | 5 |



## OGIVE WITH POINTED HEAD

### G SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 6,3                 | 12,7              | 3                 | 45              | 11000 75128 | W4    | 5 |
|       |       |       | 12,7                | 25                | 6                 | 70              | 11000 75046 | stock | 5 |
|       |       |       | 16                  | 25                | 6                 | 70              | 11000 75129 | W4    | 5 |



## Carbide burrs



### FLAME

#### H SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 6                 | 3                 | 38              | 11000 75130 | stock | 5 |
|       |       | ●     | 6                   | 13                | 3                 | 43              | 11000 75131 | W4    | 5 |
|       |       | ●     | 6                   | 14                | 6                 | 50              | 11000 75132 | W4    | 5 |
|       |       | ●     | 8                   | 19                | 6                 | 64              | 11000 75079 | stock | 5 |
|       |       | ●     | 10                  | 19                | 6                 | 65              | 11000 75133 | stock | 5 |
|       |       | ●     | 12,7                | 32                | 6                 | 77              | 11000 75134 | stock | 5 |
|       |       | ●     | 16                  | 36                | 6                 | 80              | 11000 75135 | W4    | 5 |



### TAPER WITH ROUND HEAD

#### L SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 14                | 3                 | 38              | 11000 75048 | stock | 5 |
|       |       | ●     | 6,35                | 15,8              | 3                 | 48              | 11000 75136 | W4    | 5 |
|       |       | ●     | 6                   | 18                | 6                 | 50              | 11000 75137 | W4    | 5 |
|       |       | ●     | 12,7                | 32                | 6                 | 77              | 11000 75055 | stock | 5 |
|       |       | ●     | 16                  | 33,3              | 6                 | 78              | 11000 75138 | W4    | 5 |



### TAPER

#### M SHAPE

| CUT 2 | CUT 3 | CUT 6 | Cutting diameter D1 | Cutting length L1 | Shank diameter D2 | Total length L2 |             |       |   |
|-------|-------|-------|---------------------|-------------------|-------------------|-----------------|-------------|-------|---|
|       |       |       | 3                   | 11                | 3                 | 38              | 11000 75080 | stock | 5 |
|       |       | ●     | 6,3                 | 12,7              | 3                 | 49              | 11000 75139 | W4    | 5 |
|       |       | ●     | 6                   | 20                | 6                 | 50              | 11000 75081 | stock | 5 |
|       |       | ●     | 8                   | 18                | 6                 | 64              | 11000 75140 | W4    | 5 |
|       |       | ●     | 9,5                 | 16                | 6                 | 64              | 11000 75141 | stock | 5 |
|       |       | ●     | 12,7                | 22                | 6                 | 71              | 11000 75142 | stock | 5 |
|       |       | ●     | 16                  | 25                | 6                 | 74              | 11000 75143 | W4    | 5 |



## ABRASIVE DISCS







# Abrasive discs

## Contents



**SAITDISC / POWERMAX**  
Fibre discs.

73



**SAITRON / SAITRON-FV**  
Semi-rigid discs on fibre and discs on fibreglass.

93



**SAIT LOCK-SX**  
Quick change cloth disc.

95



**SAITLAM / POWERMAX / PLANET**  
Flap discs.

97







# Abrasive fibre sanding discs

SAIT offers one of the most complete range of abrasive fibre discs for professional uses. The use of special backing made of high strength vulcanized fibre, of a complete range of high performance abrasives (ceramic abrasive, aluminium oxide, zirconia and silicon carbide) and advanced production technologies, guarantee excellent results in all sectors of application, even in the most demanding processes. The wide range of available grits (16 - 400) satisfies even the most sophisticated needs.


## How to read the product



### Shapes



### Bores




### Abrasives

- |          |                  |
|----------|------------------|
| <b>A</b> | Aluminium oxide  |
| <b>Z</b> | Zirconia         |
| <b>C</b> | Silicon carbide  |
| <b>S</b> | Ceramic abrasive |

### Adhesives

Synthetic resins

### Dimensions



### SAITDISC PATENTED PACKAGING

To ease assembly and use, products are available in an exclusive patented packaging that allows to preserve the perfect flatness of the discs.



# SAITDISC-D

## Abrasive fibre sanding discs - flat



### AO

Aluminium oxide abrasive disc with **open coating**. Excellent for removal of paints, lacquers and rust. Ideal for use on materials that clog.

#### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS
- METALS

#### PATENTED SAIT PACKAGING



|            |    |          |       | Round bore<br>WITHOUT SLOTS |       | Round bore<br>WITH 4 SLOTS |    |     |         |
|------------|----|----------|-------|-----------------------------|-------|----------------------------|----|-----|---------|
|            |    |          |       |                             |       |                            |    |     |         |
| SAITDISC-D | AO | 100 x 16 | P-24  | 10000 77556                 | W4    | 10000 78141                | W4 | 200 | (4x50)  |
| SAITDISC-D | AO | 100 x 16 | P-36  | 10000 77557                 | W4    | 10000 78142                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 100 x 16 | P-40  | 10000 77561                 | W4    | 10000 78143                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 100 x 16 | P-50  | 10000 77569                 | W4    | 10000 78145                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 100 x 16 | P-60  | 10000 77526                 | W4    | 10000 78146                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 100 x 16 | P-80  | 10000 77527                 | W4    | 10000 78147                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 100 x 16 | P-120 | 10000 77616                 | W4    | 10000 78152                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-16  | 10000 77065                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-24  | 10000 78628                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-36  | 10000 77087                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-40  | 10000 77226                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-50  | 10000 77231                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-60  | 10000 77255                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-80  | 10000 77258                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 115 x 22 | P-120 | 10000 77609                 | stock |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-16  | 10000 78519                 | W4    |                            |    | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-24  | 10000 77081                 | stock | 10000 78539                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-36  | 10000 77082                 | stock | 10000 77175                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-40  | 10000 77273                 | stock | 10000 77178                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-50  | 10000 77275                 | W4    | 10000 77181                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-60  | 10000 77281                 | stock | 10000 77185                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-80  | 10000 77283                 | stock | 10000 77189                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 125 x 22 | P-120 | 10000 77611                 | W4    | 10000 78072                | W4 | 200 | (2x100) |
| SAITDISC-D | AO | 180 x 22 | P-16  | 10000 77164                 | stock |                            |    | 100 | (2x50)  |
| SAITDISC-D | AO | 180 x 22 | P-24  | 10000 77167                 | stock |                            |    | 100 | (2x50)  |
| SAITDISC-D | AO | 180 x 22 | P-36  | 10000 77169                 | stock |                            |    | 100 | (1x100) |
| SAITDISC-D | AO | 180 x 22 | P-40  | 10000 77285                 | stock |                            |    | 100 | (1x100) |
| SAITDISC-D | AO | 180 x 22 | P-50  | 10000 77290                 | stock |                            |    | 100 | (1x100) |
| SAITDISC-D | AO | 180 x 22 | P-60  | 10000 77291                 | stock |                            |    | 100 | (1x100) |
| SAITDISC-D | AO | 180 x 22 | P-80  | 10000 77292                 | stock |                            |    | 100 | (1x100) |
| SAITDISC-D | AO | 180 x 22 | P-120 | 10000 77614                 | stock |                            |    | 100 | (1x100) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### AO

Aluminium oxide abrasive disc with **open coating**. Excellent for removal of paints, lacquers and rust. Ideal for use on materials that clog.

#### APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS
- METALS

#### SHRINK-WRAP PACKAGING



Round bore  
WITHOUT SLOTS

| SAITDISC-D | AO | <b>115 x 22</b> | P-16  | 10000 78321 | stock | 100 (4x25) |
|------------|----|-----------------|-------|-------------|-------|------------|
| SAITDISC-D | AO | 115 x 22        | P-24  | 10000 78322 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-36  | 10000 78323 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-40  | 10000 78324 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-50  | 10000 78325 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-60  | 10000 78326 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-80  | 10000 78327 | stock | 100 (4x25) |
| SAITDISC-D | AO | 115 x 22        | P-120 | 10000 78328 | stock | 100 (4x25) |
| SAITDISC-D | AO | <b>125 x 22</b> | P-16  | 10000 78329 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-24  | 10000 78330 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-36  | 10000 78331 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-40  | 10000 78332 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-50  | 10000 78333 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-60  | 10000 78334 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-80  | 10000 78335 | stock | 100 (4x25) |
| SAITDISC-D | AO | 125 x 22        | P-120 | 10000 78336 | stock | 100 (4x25) |
| SAITDISC-D | AO | <b>180 x 22</b> | P-16  | 10000 78337 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-24  | 10000 78338 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-36  | 10000 78339 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-40  | 10000 78340 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-50  | 10000 78341 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-60  | 10000 78342 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-80  | 10000 78343 | stock | 100 (4x25) |
| SAITDISC-D | AO | 180 x 22        | P-120 | 10000 78344 | stock | 100 (4x25) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

Aluminium oxide abrasive disc. Fast and aggressive. High abrasive power.

- STEELS
- NON-FERROUS METALS

**IMPORTANT GUIDELINES**  
Maximum speed rating is 80 m/s and must never be exceeded.  
The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-BS

Abrasive fibre sanding discs - semi-depressed centre



## 2A

Aluminium oxide abrasive disc. Fast and aggressive. High abrasive power. The semi-depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD pad.**

### APPLICATIONS

- STEELS
- NON-FERROUS METALS

 Round bore  
**WITHOUT SLOTS**

|             |    |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDISC-BS | 2A | <b>180 x 22</b>                                                                   | P-24                                                                              | 10000 82525                                                                       | stock                                                                              | 100 (2x50)                                                                          |
| SAITDISC-BS | 2A | 180 x 22                                                                          | P-36                                                                              | 10000 82526                                                                       | W4                                                                                 | 100 (1x100)                                                                         |
| SAITDISC-BS | 2A | 180 x 22                                                                          | P-50                                                                              | 10000 82527                                                                       | W4                                                                                 | 100 (1x100)                                                                         |
| SAITDISC-BS | 2A | 180 x 22                                                                          | P-60                                                                              | 10000 82528                                                                       | W4                                                                                 | 100 (1x100)                                                                         |
| SAITDISC-BS | 2A | 180 x 22                                                                          | P-80                                                                              | 10000 82529                                                                       | W4                                                                                 | 100 (1x100)                                                                         |

### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### 3A

Special aluminium oxide abrasive disc, with fillers that help reduce heat generation and clogging. Very fast disc, for accurate sanding and finishing operations. Low clogging and low heat generation. Cold cut on heavy duty applications.

#### APPLICATIONS

■ STAINLESS STEELS

|            |    |                                                                                   |                                                                                   |  Round bore<br>WITHOUT SLOTS |  Round bore<br>WITH 4 SLOTS |                                                                                    |                                                                                     |                                                                                     |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|            |    |  |  |                              |                             |  |  |  |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-36                                                                              | 10000 77295                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-50                                                                              | 10000 77850                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-60                                                                              | 10000 77296                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-80                                                                              | 10000 77297                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-100                                                                             | 10000 77965                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-120                                                                             | 10000 77298                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 100 x 16                                                                          | P-150                                                                             | 10000 78244                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 200 (2x100)                                                                         |
|            |    |                                                                                   |                                                                                   |                                                                                                               |                                                                                                              |                                                                                    |                                                                                     |                                                                                     |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-36                                                                              | 10000 77074                                                                                                   | W4                                                                                                           | 10000 77397                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-50                                                                              | 10000 77075                                                                                                   | W4                                                                                                           | 10000 77398                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-60                                                                              | 10000 77076                                                                                                   | stock                                                                                                        | 10000 77077                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-80                                                                              | 10000 77078                                                                                                   | stock                                                                                                        | 10000 77280                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-100                                                                             | 10000 77079                                                                                                   | W4                                                                                                           | 10000 77080                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-120                                                                             | 10000 77378                                                                                                   | stock                                                                                                        | 10000 77399                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-150                                                                             | 10000 77789                                                                                                   | W4                                                                                                           | 10000 77790                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-180                                                                             |                                                                                                               |                                                                                                              | 10000 77541                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 115 x 22                                                                          | P-220                                                                             |                                                                                                               |                                                                                                              | 10000 77542                                                                        | stock                                                                               | 200 (2x100)                                                                         |
|            |    |                                                                                   |                                                                                   |                                                                                                               |                                                                                                              |                                                                                    |                                                                                     |                                                                                     |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-36                                                                              | 10000 77132                                                                                                   | W4                                                                                                           | 10000 77282                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-50                                                                              | 10000 77133                                                                                                   | W4                                                                                                           | 10000 77134                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-60                                                                              | 10000 77135                                                                                                   | stock                                                                                                        | 10000 77136                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-80                                                                              | 10000 77137                                                                                                   | stock                                                                                                        | 10000 77138                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-100                                                                             |                                                                                                               |                                                                                                              | 10000 77140                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-120                                                                             | 10000 77827                                                                                                   | stock                                                                                                        | 10000 77279                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-150                                                                             |                                                                                                               |                                                                                                              | 10000 77812                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-180                                                                             |                                                                                                               |                                                                                                              | 10000 77543                                                                        | stock                                                                               | 200 (2x100)                                                                         |
| SAITDISC-D | 3A | 125 x 22                                                                          | P-220                                                                             |                                                                                                               |                                                                                                              | 10000 77555                                                                        | stock                                                                               | 200 (2x100)                                                                         |
|            |    |                                                                                   |                                                                                   |                                                                                                               |                                                                                                              |                                                                                    |                                                                                     |                                                                                     |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-36                                                                              | 10000 77235                                                                                                   | W4                                                                                                           | 10000 77237                                                                        | W4                                                                                  | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-50                                                                              | 10000 77238                                                                                                   | stock                                                                                                        | 10000 77240                                                                        | W4                                                                                  | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-60                                                                              | 10000 77241                                                                                                   | stock                                                                                                        | 10000 77243                                                                        | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-80                                                                              | 10000 77244                                                                                                   | stock                                                                                                        | 10000 77246                                                                        | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-100                                                                             | 10000 77247                                                                                                   | stock                                                                                                        | 10000 77249                                                                        | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-120                                                                             | 10000 77250                                                                                                   | stock                                                                                                        | 10000 77252                                                                        | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-150                                                                             | 10000 78247                                                                                                   | W4                                                                                                           |                                                                                    |                                                                                     | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-180                                                                             |                                                                                                               |                                                                                                              | 10000 77562                                                                        | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | 3A | 180 x 22                                                                          | P-220                                                                             |                                                                                                               |                                                                                                              | 10000 77563                                                                        | stock                                                                               | 100 (1x100)                                                                         |

# SAITDISC-B

## Abrasive fibre sanding discs - depressed centre



### 3A

Special aluminium oxide abrasive disc, with fillers that help reduce heat generation and clogging. Very fast disc, for accurate sanding and finishing operations. Low clogging and low heat generation. Cold cut on heavy duty applications. The depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD BZ pad.**

#### APPLICATIONS

■ STAINLESS STEELS

Round bore  
WITHOUT SLOTS

| SAITDISC-B | 3A | <b>180 x 22</b> | P-36  | 10000 82081 | stock | 100 (1x100) |
|------------|----|-----------------|-------|-------------|-------|-------------|
| SAITDISC-B | 3A | 180 x 22        | P-50  | 10000 82131 | W4    | 100 (1x100) |
| SAITDISC-B | 3A | 180 x 22        | P-60  | 10000 82082 | stock | 100 (1x100) |
| SAITDISC-B | 3A | 180 x 22        | P-80  | 10000 82083 | stock | 100 (1x100) |
| SAITDISC-B | 3A | 180 x 22        | P-100 | 10000 82101 | stock | 100 (1x100) |
| SAITDISC-B | 3A | 180 x 22        | P-120 | 10000 82084 | stock | 100 (1x100) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### AZ

Abrasive disc with aluminium oxide and zirconia mix. Long life. Very aggressive.

#### APPLICATIONS

- FERROUS METALS
- STEELS

#### PATENTED SAIT PACKAGING



Round bore  
**WITHOUT SLOTS**

|            |    |  |  |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDISC-D | AZ | <b>115 x 22</b>                                                                   | 24                                                                                | 10000 77763                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 115 x 22                                                                          | 36                                                                                | 10000 77764                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 115 x 22                                                                          | 50                                                                                | 10000 77766                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 115 x 22                                                                          | 60                                                                                | 10000 77767                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 115 x 22                                                                          | 80                                                                                | 10000 77768                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | <b>125 x 22</b>                                                                   | 24                                                                                | 10000 77770                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 125 x 22                                                                          | 36                                                                                | 10000 77771                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 125 x 22                                                                          | 50                                                                                | 10000 77773                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 125 x 22                                                                          | 60                                                                                | 10000 77774                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | 125 x 22                                                                          | 80                                                                                | 10000 77775                                                                       | W4                                                                                  | 200 (2x100)                                                                         |
| SAITDISC-D | AZ | <b>180 x 22</b>                                                                   | 24                                                                                | 10000 77777                                                                       | W4                                                                                  | 100 (2x50)                                                                          |
| SAITDISC-D | AZ | 180 x 22                                                                          | 36                                                                                | 10000 77778                                                                       | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | AZ | 180 x 22                                                                          | 50                                                                                | 10000 77781                                                                       | stock                                                                               | 100 (1x100)                                                                         |
| SAITDISC-D | AZ | 180 x 22                                                                          | 60                                                                                | 10000 77782                                                                       | W4                                                                                  | 100 (1x100)                                                                         |
| SAITDISC-D | AZ | 180 x 22                                                                          | 80                                                                                | 10000 77783                                                                       | W4                                                                                  | 100 (1x100)                                                                         |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SaitPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### AZ

Abrasive disc with aluminium oxide and zirconia mix. Long life. Very aggressive.

#### APPLICATIONS

- FERROUS METALS
- STEELS

#### SHRINK-WRAP PACKAGING



Round bore  
WITHOUT SLOTS

| SAITDISC-D | AZ | 115 x 22 | 24 | 10000 78301 | stock |  | 200 (8x25) |
|------------|----|----------|----|-------------|-------|--|------------|
| SAITDISC-D | AZ | 115 x 22 | 36 | 10000 78302 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 115 x 22 | 50 | 10000 78303 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 115 x 22 | 60 | 10000 78304 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 115 x 22 | 80 | 10000 78305 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 125 x 22 | 24 | 10000 78308 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 125 x 22 | 36 | 10000 78309 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 125 x 22 | 50 | 10000 78310 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 125 x 22 | 60 | 10000 78311 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 125 x 22 | 80 | 10000 78313 | stock |  | 200 (8x25) |
| SAITDISC-D | AZ | 180 x 22 | 24 | 10000 78315 | stock |  | 100 (4x25) |
| SAITDISC-D | AZ | 180 x 22 | 36 | 10000 78316 | stock |  | 100 (4x25) |
| SAITDISC-D | AZ | 180 x 22 | 50 | 10000 78317 | stock |  | 100 (4x25) |
| SAITDISC-D | AZ | 180 x 22 | 60 | 10000 78318 | stock |  | 100 (4x25) |
| SAITDISC-D | AZ | 180 x 22 | 80 | 10000 78319 | stock |  | 100 (4x25) |

# SAITDISC-BS

## Abrasive fibre sanding discs - semi-depressed centre



### AZ

Abrasive disc with aluminium oxide and zirconia mix. Long life. Very aggressive. The semi-depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD pad.**

#### APPLICATIONS

- FERROUS METALS
- STEELS

Round bore  
WITH 4 SLOTS

| SAITDISC-BS | AZ | 180 x 22 | 36 | 1000082524 | W4 |  | 100 (1x100) |
|-------------|----|----------|----|------------|----|--|-------------|

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### Z ZIRCON

Abrasive disc with high content of **zirconia**. High performance and high abrasive power.

#### APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON

|            |   |          |     | Round bore<br>WITHOUT SLOTS |       | Round bore<br>WITH 4 SLOTS |       |  |             |
|------------|---|----------|-----|-----------------------------|-------|----------------------------|-------|--|-------------|
|            |   |          |     |                             |       |                            |       |  |             |
| SAITDISC-D | Z | 115 x 22 | 24  | 10000 77924                 | stock | 10000 77929                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 115 x 22 | 36  | 10000 77913                 | stock | 10000 77930                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 115 x 22 | 50  | 10000 77915                 | W4    | 10000 77932                | W4    |  | 200 (2x100) |
| SAITDISC-D | Z | 115 x 22 | 60  | 10000 77972                 | stock | 10000 77966                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 115 x 22 | 80  | 10000 77973                 | stock | 10000 77967                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 115 x 22 | 120 |                             |       | 10000 78719                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 24  | 10000 77916                 | stock | 10000 77933                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 36  | 10000 77917                 | stock | 10000 77934                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 50  | 10000 77919                 | stock | 10000 77936                | W4    |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 60  | 10000 77974                 | stock | 10000 77968                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 80  | 10000 77975                 | stock | 10000 77969                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 125 x 22 | 120 |                             |       | 10000 78720                | stock |  | 200 (2x100) |
| SAITDISC-D | Z | 180 x 22 | 24  | 10000 77920                 | stock | 10000 77955                | stock |  | 100 (2x50)  |
| SAITDISC-D | Z | 180 x 22 | 36  | 10000 77921                 | stock | 10000 77941                | stock |  | 100 (1x100) |
| SAITDISC-D | Z | 180 x 22 | 50  | 10000 77923                 | W4    | 10000 77942                | W4    |  | 100 (1x100) |
| SAITDISC-D | Z | 180 x 22 | 60  | 10000 77962                 | stock | 10000 77964                | stock |  | 100 (1x100) |
| SAITDISC-D | Z | 180 x 22 | 80  | 10000 77957                 | W4    | 10000 77976                | W4    |  | 100 (1x100) |
| SAITDISC-D | Z | 180 x 22 | 120 |                             |       | 10000 78721                | stock |  | 100 (1x100) |



### 3Z ZIRCON

Abrasive disc with high content of **zirconia**. Top filled, to help reduce heat generation and clogging. High performance and high abrasive power. Low clogging and low heat generation. Cold cut on heavy duty applications.

#### APPLICATIONS

- STAINLESS STEELS

|            |    |          |    | Round bore<br>WITHOUT SLOTS |    | Round bore<br>WITH 4 SLOTS |    |  |             |
|------------|----|----------|----|-----------------------------|----|----------------------------|----|--|-------------|
|            |    |          |    |                             |    |                            |    |  |             |
| SAITDISC-D | 3Z | 115 x 22 | 36 |                             |    | 10000 78759                | W4 |  | 200 (2x100) |
| SAITDISC-D | 3Z | 125 x 22 | 36 |                             |    | 10000 78778                | W4 |  | 200 (2x100) |
| SAITDISC-D | 3Z | 180 x 22 | 36 | 10000 78716                 | W4 | 10000 78743                | W4 |  | 100 (1x100) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### 7S CERAMIC

Abrasive disc with high concentration of **ceramic** abrasive. High performance. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

#### APPLICATIONS

- FERROUS METALS
- STEELS

|            |    |                                                                                   |                                                                                   |  Round bore<br>WITHOUT SLOTS |                                                                                   |  Round bore<br>WITH 4 SLOTS |                                                                                     |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|
|            |    |  |  |                              |  |                             |  |  |  |                                                                                     |
| SAITDISC-D | 7S | <b>115 x 22</b>                                                                   | 24                                                                                |                                                                                                               |                                                                                   | 10000 78969                                                                                                  | W4                                                                                  |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 115 x 22                                                                          | 36                                                                                |                                                                                                               |                                                                                   | 10000 78785                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 115 x 22                                                                          | 50                                                                                |                                                                                                               |                                                                                   | 10000 78786                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 115 x 22                                                                          | 60                                                                                |                                                                                                               |                                                                                   | 10000 78787                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 115 x 22                                                                          | 80                                                                                |                                                                                                               |                                                                                   | 10000 78788                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 115 x 22                                                                          | 100                                                                               |                                                                                                               |                                                                                   | 10000 78789                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | <b>125 x 22</b>                                                                   | 24                                                                                |                                                                                                               |                                                                                   | 10000 78970                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 125 x 22                                                                          | 36                                                                                |                                                                                                               |                                                                                   | 10000 78790                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 125 x 22                                                                          | 50                                                                                |                                                                                                               |                                                                                   | 10000 78791                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 125 x 22                                                                          | 60                                                                                |                                                                                                               |                                                                                   | 10000 78792                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 125 x 22                                                                          | 80                                                                                |                                                                                                               |                                                                                   | 10000 78793                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | 125 x 22                                                                          | 100                                                                               |                                                                                                               |                                                                                   | 10000 78794                                                                                                  | stock                                                                               |  |  | 200 (2x100)                                                                         |
| SAITDISC-D | 7S | <b>180 x 22</b>                                                                   | 24                                                                                | 10000 78931                                                                                                   | W4                                                                                | 10000 78971                                                                                                  | stock                                                                               |  |  | 100 (2x50)                                                                          |
| SAITDISC-D | 7S | 180 x 22                                                                          | 36                                                                                | 10000 78762                                                                                                   | stock                                                                             | 10000 78795                                                                                                  | stock                                                                               |  |  | 100 (1x100)                                                                         |
| SAITDISC-D | 7S | 180 x 22                                                                          | 50                                                                                | 10000 78774                                                                                                   | W4                                                                                | 10000 78796                                                                                                  | stock                                                                               |  |  | 100 (1x100)                                                                         |
| SAITDISC-D | 7S | 180 x 22                                                                          | 60                                                                                | 10000 78763                                                                                                   | W4                                                                                | 10000 78797                                                                                                  | stock                                                                               |  |  | 100 (1x100)                                                                         |
| SAITDISC-D | 7S | 180 x 22                                                                          | 80                                                                                | 10000 78775                                                                                                   | W4                                                                                | 10000 78798                                                                                                  | stock                                                                               |  |  | 100 (1x100)                                                                         |
| SAITDISC-D | 7S | 180 x 22                                                                          | 100                                                                               | 10000 78776                                                                                                   | W4                                                                                | 10000 78799                                                                                                  | W4                                                                                  |  |  | 100 (1x100)                                                                         |


#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### 711 CERAMIC

Abrasive disc with 100% **ceramic** abrasive. High abrasive power and exceptional stock removal ability. Exceptional performance. The regeneration of the ceramic grit enables high stock removal in heavy duty applications. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

#### APPLICATIONS

- STEELS
- STAINLESS STEELS

#### PATENTED SAIT PACKAGING



Round bore  
WITHOUT SLOTS



Round bore  
WITH 4 SLOTS

| SAITDISC-D | 711 | 100 x 16 | 36+ |               |       | 10000 78085 ° | stock | 200 (2x100) |
|------------|-----|----------|-----|---------------|-------|---------------|-------|-------------|
| SAITDISC-D | 711 | 100 x 16 | 60+ |               |       | 10000 78087 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 115 x 22 | 36+ |               |       | 10000 77884 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 115 x 22 | 50+ |               |       | 10000 77300 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 115 x 22 | 60+ |               |       | 10000 77005 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 125 x 22 | 36+ |               |       | 10000 77886 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 125 x 22 | 50+ |               |       | 10000 77369 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 125 x 22 | 60+ |               |       | 10000 77980 ° | stock | 200 (2x100) |
| SAITDISC-D | 711 | 180 x 22 | 36+ | 10000 77890 ° | stock | 10000 77888 ° | stock | 100 (1x100) |
| SAITDISC-D | 711 | 180 x 22 | 50+ | 10000 77382 ° | stock | 10000 77373 ° | stock | 100 (1x100) |
| SAITDISC-D | 711 | 180 x 22 | 60+ | 10000 77022 ° | stock | 10000 77993 ° | stock | 100 (1x100) |

#### SHRINK-WRAP PACKAGING



Round bore  
WITH 4 SLOTS

| SAITDISC-D | 711 | 115 x 22 | 36+ | 10000 78362 ° | stock |  |  | 200 (8x25) |
|------------|-----|----------|-----|---------------|-------|--|--|------------|
| SAITDISC-D | 711 | 115 x 22 | 50+ | 10000 78363 ° | stock |  |  | 200 (8x25) |
| SAITDISC-D | 711 | 115 x 22 | 60+ | 10000 78365 ° | stock |  |  | 200 (8x25) |
| SAITDISC-D | 711 | 125 x 22 | 36+ | 10000 78368 ° | stock |  |  | 200 (8x25) |
| SAITDISC-D | 711 | 125 x 22 | 50+ | 10000 78369 ° | stock |  |  | 200 (8x25) |
| SAITDISC-D | 711 | 125 x 22 | 60+ | 10000 78370 ° | stock |  |  | 200 (8x25) |
| SAITDISC-D | 711 | 180 x 22 | 36+ | 10000 78373 ° | stock |  |  | 100 (4x25) |
| SAITDISC-D | 711 | 180 x 22 | 50+ | 10000 78374 ° | stock |  |  | 100 (4x25) |
| SAITDISC-D | 711 | 180 x 22 | 60+ | 10000 78375 ° | stock |  |  | 100 (4x25) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-D

## Abrasive fibre sanding discs - flat



### 9S EVOLUTION CERAMIC

Abrasive disc with **ceramic** abrasive. Top filled, to help reduce heat generation and clogging. Very high abrasive power and performance. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

#### APPLICATIONS

■ STAINLESS STEELS

|            |    |          |     | Round bore<br>WITHOUT SLOTS |       | Round bore<br>WITH 4 SLOTS |       |     |         |
|------------|----|----------|-----|-----------------------------|-------|----------------------------|-------|-----|---------|
|            |    |          |     |                             |       |                            |       |     |         |
| SAITDISC-D | 9S | 100 x 16 | 36  | 10000 77006                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 100 x 16 | 50  | 10000 77011                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 100 x 16 | 60  | 10000 77020                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 100 x 16 | 80  | 10000 77024                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 100 x 16 | 100 | 10000 77029                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 100 x 16 | 120 | 10000 77038                 | W4    |                            |       | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 24  |                             |       | 10000 77908                | W4    | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 36  |                             |       | 10000 78962                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 50  |                             |       | 10000 78963                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 60  |                             |       | 10000 78964                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 80  |                             |       | 10000 78965                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 100 |                             |       | 10000 78966                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 115 x 22 | 120 |                             |       | 10000 78967                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 24  |                             |       | 10000 77925                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 36  |                             |       | 10000 78957                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 50  |                             |       | 10000 78958                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 60  |                             |       | 10000 78959                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 80  |                             |       | 10000 78968                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 100 |                             |       | 10000 78960                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 125 x 22 | 120 |                             |       | 10000 78961                | stock | 200 | (2x100) |
| SAITDISC-D | 9S | 180 x 22 | 24  |                             |       | 10000 77041                | W4    | 100 | (2x50)  |
| SAITDISC-D | 9S | 180 x 22 | 36  | 10000 78932                 | stock | 10000 78951                | stock | 100 | (1x100) |
| SAITDISC-D | 9S | 180 x 22 | 50  | 10000 78933                 | stock | 10000 78952                | W4    | 100 | (1x100) |
| SAITDISC-D | 9S | 180 x 22 | 60  | 10000 78934                 | W4    | 10000 78953                | stock | 100 | (1x100) |
| SAITDISC-D | 9S | 180 x 22 | 80  | 10000 78935                 | W4    | 10000 78954                | stock | 100 | (1x100) |
| SAITDISC-D | 9S | 180 x 22 | 100 | 10000 78936                 | W4    | 10000 78955                | W4    | 100 | (1x100) |
| SAITDISC-D | 9S | 180 x 22 | 120 | 10000 78937                 | stock | 10000 78956                | stock | 100 | (1x100) |

#### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# POWERMAX-D

Abrasive fibre sanding discs - flat



## 7.3

Abrasive disc with 100% ceramic abrasive with advanced grain morphology. This feature optimises stock removal efficiency and improves adhesion to the backing, ensuring high performance and a significantly longer lifetime.

The regeneration of the ceramic grit enables high stock removal in heavy duty applications.

The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

### APPLICATIONS

- STEELS
- STAINLESS STEELS

|            |     |                 |     | Round bore<br>WITHOUT SLOTS |       | Round bore<br>WITH 4 SLOTS |       |             |
|------------|-----|-----------------|-----|-----------------------------|-------|----------------------------|-------|-------------|
|            |     |                 |     |                             |       |                            |       |             |
| POWERMAX-D | 7.3 | <b>115 x 22</b> | 36+ |                             |       | 10000 78379                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 115 x 22        | 50+ |                             |       | 10000 78380                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 115 x 22        | 60+ |                             |       | 10000 78381                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 115 x 22        | 80+ |                             |       | 10000 78382                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | <b>125 x 22</b> | 36+ |                             |       | 10000 78385                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 125 x 22        | 50+ |                             |       | 10000 78386                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 125 x 22        | 60+ |                             |       | 10000 78390                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | 125 x 22        | 80+ |                             |       | 10000 78391                | stock | 200 (2x100) |
| POWERMAX-D | 7.3 | <b>180 x 22</b> | 36+ | 10000 78393                 | stock | 10000 78413                | stock | 100 (1x100) |
| POWERMAX-D | 7.3 | 180 x 22        | 50+ | 10000 78397                 | stock | 10000 78414                | stock | 100 (1x100) |
| POWERMAX-D | 7.3 | 180 x 22        | 60+ | 10000 78400                 | stock | 10000 78415                | stock | 100 (1x100) |
| POWERMAX-D | 7.3 | 180 x 22        | 80+ | 10000 78404                 | stock | 10000 78416                | stock | 100 (1x100) |

### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.



### 9.3

Abrasive disc with 100% **ceramic** abrasive. Top-filled, to help reduce heat generation. High abrasive power and exceptional stock removal ability. Exceptional performance. The regeneration of the ceramic grit enables high stock removal. Cold cut on heavy duty applications. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

#### APPLICATIONS

■ STAINLESS STEELS



#### PATENTED SAIT PACKAGING

|            |     |          |      | Round bore<br>WITHOUT SLOTS |       | Round bore<br>WITH 4 SLOTS |       |  |             |
|------------|-----|----------|------|-----------------------------|-------|----------------------------|-------|--|-------------|
|            |     |          |      |                             |       |                            |       |  |             |
| POWERMAX-D | 9.3 | 100 x 16 | 36+  | 10000 78167                 | W4    | 10000 78156                | W4    |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 100 x 16 | 60+  | 10000 78168                 | W4    | 10000 78161                | W4    |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 100 x 16 | 80+  | 10000 78169                 | W4    | 10000 78163                | W4    |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 100 x 16 | 120+ | 10000 78170                 | W4    | 10000 78164                | W4    |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 115 x 22 | 36+  |                             |       | 10000 78171                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 115 x 22 | 50+  |                             |       | 10000 78172                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 115 x 22 | 60+  |                             |       | 10000 78174                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 115 x 22 | 80+  |                             |       | 10000 78175                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 115 x 22 | 120+ |                             |       | 10000 78177                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 125 x 22 | 36+  |                             |       | 10000 78178                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 125 x 22 | 50+  |                             |       | 10000 78179                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 125 x 22 | 60+  |                             |       | 10000 78180                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 125 x 22 | 80+  |                             |       | 10000 78181                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 125 x 22 | 120+ |                             |       | 10000 78182                | stock |  | 200 (2x100) |
| POWERMAX-D | 9.3 | 180 x 22 | 36+  | 10000 78183                 | stock | 10000 78189                | stock |  | 100 (1x100) |
| POWERMAX-D | 9.3 | 180 x 22 | 50+  | 10000 78184                 | W4    | 10000 78190                | stock |  | 100 (1x100) |
| POWERMAX-D | 9.3 | 180 x 22 | 60+  | 10000 78185                 | W4    | 10000 78191                | stock |  | 100 (1x100) |
| POWERMAX-D | 9.3 | 180 x 22 | 80+  | 10000 78187                 | stock | 10000 78192                | stock |  | 100 (1x100) |
| POWERMAX-D | 9.3 | 180 x 22 | 120+ | 10000 78188                 | stock | 10000 78194                | stock |  | 100 (1x100) |

#### SHRINK-WRAP PACKAGING



|            |     |          |      | Round bore<br>WITH 4 SLOTS |       |  |            |
|------------|-----|----------|------|----------------------------|-------|--|------------|
| POWERMAX-D | 9.3 | 115 x 22 | 36+  | 10000 78345                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 115 x 22 | 50+  | 10000 78346                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 115 x 22 | 60+  | 10000 78347                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 115 x 22 | 80+  | 10000 78348                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 115 x 22 | 120+ | 10000 78349                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 125 x 22 | 36+  | 10000 78350                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 125 x 22 | 50+  | 10000 78351                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 125 x 22 | 60+  | 10000 78354                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 125 x 22 | 80+  | 10000 78355                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 125 x 22 | 120+ | 10000 78356                | stock |  | 200 (8x25) |
| POWERMAX-D | 9.3 | 180 x 22 | 36+  | 10000 78357                | stock |  | 100 (4x25) |
| POWERMAX-D | 9.3 | 180 x 22 | 50+  | 10000 78358                | stock |  | 100 (4x25) |
| POWERMAX-D | 9.3 | 180 x 22 | 60+  | 10000 78359                | stock |  | 100 (4x25) |
| POWERMAX-D | 9.3 | 180 x 22 | 80+  | 10000 78360                | stock |  | 100 (4x25) |
| POWERMAX-D | 9.3 | 180 x 22 | 120+ | 10000 78361                | stock |  | 100 (4x25) |

# SAITDISC-D

## Abrasive fibre sanding discs - flat



C

**Silicon carbide** abrasive disc. Good life. High abrasive power. Very good finish.

### APPLICATIONS

- MARBLES
- BUILDING MATERIALS
- NON-FERROUS METALS
- STAINLESS STEELS



### PATENTED SAIT PACKAGING

Round bore  
**WITHOUT SLOTS**

| SAITDISC-D | C | <b>115 x 22</b> | P-24  | 10000 77025 | stock | 200 (2x100) |
|------------|---|-----------------|-------|-------------|-------|-------------|
| SAITDISC-D | C | 115 x 22        | P-36  | 10000 77027 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-60  | 10000 77866 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-80  | 10000 77276 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-120 | 10000 77278 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-150 | 10000 77355 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-180 | 10000 77867 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-220 | 10000 77356 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-320 | 10000 77868 | stock | 200 (2x100) |
| SAITDISC-D | C | 115 x 22        | P-400 | 10000 77909 | stock | 200 (2x100) |
| SAITDISC-D | C | <b>125 x 22</b> | P-24  | 10000 77349 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-36  | 10000 77085 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-60  | 10000 77088 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-80  | 10000 77090 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-120 | 10000 77091 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-150 | 10000 77093 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-180 | 10000 77095 | W4    | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-220 | 10000 77096 | stock | 200 (2x100) |
| SAITDISC-D | C | 125 x 22        | P-320 | 10000 77098 | stock | 200 (2x100) |



### SHRINK-WRAP PACKAGING

Round bore  
**WITHOUT SLOTS**

| SAITDISC-D | C | <b>115 x 22</b> | P-24  | 10000 78287 | stock | 200 (8x25) |
|------------|---|-----------------|-------|-------------|-------|------------|
| SAITDISC-D | C | 115 x 22        | P-36  | 10000 78290 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-50  | 10000 78291 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-60  | 10000 78293 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-80  | 10000 78294 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-120 | 10000 78295 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-150 | 10000 78296 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-180 | 10000 78297 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-220 | 10000 78298 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-320 | 10000 78299 | stock | 200 (8x25) |
| SAITDISC-D | C | 115 x 22        | P-400 | 10000 78300 | stock | 200 (8x25) |

### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

# SAITDISC-B

## Abrasive fibre sanding discs - depressed centre



C

**Silicon carbide** abrasive disc. Good life. High abrasive power. Very good finish. The depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD BZ pad.**

### APPLICATIONS

- MARBLES
- BUILDING MATERIALS
- NON-FERROUS METALS
- STAINLESS STEELS

Round bore  
WITHOUT SLOTS

| SAITDISC-B | C | 180 x 22 | P-16  | 10000 82015 | stock | 50 (2x25)  |
|------------|---|----------|-------|-------------|-------|------------|
| SAITDISC-B | C | 180 x 22 | P-24  | 10000 82017 | stock | 50 (2x25)  |
| SAITDISC-B | C | 180 x 22 | P-36  | 10000 82019 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-50  | 10000 82023 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-60  | 10000 82025 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-80  | 10000 82029 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-100 | 10000 82032 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-120 | 10000 82036 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-150 | 10000 82040 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-180 | 10000 82044 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-220 | 10000 82048 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-280 | 10000 82052 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-320 | 10000 82055 | stock | 100 (4x25) |
| SAITDISC-B | C | 180 x 22 | P-400 | 10000 82058 | stock | 100 (4x25) |

### IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.



## SAITPAD-DQ

Polymer backing pad. High flexibility, with cooling grooves. Suitable for working weld seams and flat surfaces. **Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.**



BACKING PAD

LOCKING NUT

DISC



|            |       |          |       |             |       |  |   |
|------------|-------|----------|-------|-------------|-------|--|---|
| SAITPAD-DQ | ø 110 | M 14     | ø 115 | 10000 99310 | stock |  | 1 |
| SAITPAD-DQ | ø 110 | 5/8" UNC | ø 115 | 10000 99313 | stock |  | 1 |
| SAITPAD-DQ | ø 120 | M 14     | ø 125 | 10000 99320 | stock |  | 1 |
| SAITPAD-DQ | ø 165 | M 14     | ø 180 | 10000 99315 | stock |  | 1 |
| SAITPAD-DQ | ø 165 | 5/8" UNC | ø 180 | 10000 99318 | stock |  | 1 |



BACKING PAD

LOCKING NUT

DISC



|            |       |      |       |             |       |  |   |
|------------|-------|------|-------|-------------|-------|--|---|
| SAITPAD-DQ | ø 112 | M 14 | ø 115 | 10000 99300 | stock |  | 1 |
| SAITPAD-DQ | ø 122 | M 14 | ø 125 | 10000 99301 | stock |  | 1 |
| SAITPAD-DQ | ø 172 | M 14 | ø 180 | 10000 99302 | stock |  | 1 |

## SAITPAD-DZ

Polymer backing pad, flat. Equipped with radial grooves to improve cooling.

**SAITPAD-DZ:** medium flexibility, suitable for operations that require more flexibility to adapt to surfaces.

**SAITPAD-DZ HARD:** product with high rigidity for discs with high stock removal capacity.

**Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.**



BACKING PAD

LOCKING NUT

DISC



|                 |       |          |       |             |       |  |   |
|-----------------|-------|----------|-------|-------------|-------|--|---|
| SAITPAD-DZ      | ø 100 | M 10     | ø 100 | 10000 99200 | stock |  | 1 |
| SAITPAD-DZ      | ø 170 | M 14     | ø 180 | 10000 99204 | stock |  | 1 |
| SAITPAD-DZ      | ø 170 | 5/8" UNC | ø 180 | 10000 99207 | stock |  | 1 |
| SAITPAD-DZ HARD | ø 110 | M 14     | ø 115 | 10000 99201 | stock |  | 1 |
| SAITPAD-DZ HARD | ø 110 | 5/8" UNC | ø 115 | 10000 99205 | W2    |  | 1 |
| SAITPAD-DZ HARD | ø 120 | M 14     | ø 125 | 10000 99202 | stock |  | 1 |
| SAITPAD-DZ HARD | ø 120 | 5/8" UNC | ø 125 | 10000 99206 | W2    |  | 1 |



BACKING PAD

LOCKING NUT

DISC



|            |       |      |       |             |       |  |   |
|------------|-------|------|-------|-------------|-------|--|---|
| SAITPAD-DZ | ø 173 | M 14 | ø 180 | 10000 99203 | stock |  | 1 |
|------------|-------|------|-------|-------------|-------|--|---|



## SAITPAD-BZ

Polymer backing pad, depressed centre.

**SAITPAD-BZ:** medium flexibility, suitable for working on flat and rounded surfaces.

**SAITPAD-BZ HARD:** suitable for operations that require rigidity and durability due to high working pressures, in particular calamine removal.

|                                                                                   |             |             |       |                                                                                   |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-------------|-------------|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | BACKING PAD | LOCKING NUT | DISC  |  |  |  |
| SAITPAD-BZ                                                                        | ø 168       | M 14        | ø 180 | 10000 99401                                                                       | W2                                                                                  | 1                                                                                   |

|                                                                                   |             |             |       |                                                                                   |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-------------|-------------|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | BACKING PAD | LOCKING NUT | DISC  |  |  |  |
| SAITPAD-BZ                                                                        | ø 170       | M 14        | ø 180 | 10000 99404                                                                       | stock                                                                               | 1                                                                                   |
| SAITPAD-BZ                                                                        | ø 170       | 5/8" UNC    | ø 180 | 10000 99407                                                                       | W2                                                                                  | 1                                                                                   |
| SAITPAD-BZ HARD                                                                   | ø 170       | M 14        | ø 180 | 10000 99400                                                                       | stock                                                                               | 1                                                                                   |

## SAITPAD-DH

Modular backing pad. Suitable for working weld seams and edges. The backing pad consists of several overlapped discs; it is possible to replace only the external disc when worn.

**SAITPAD-DH:** medium flexibility, formed by 3 discs, for average duty applications.

**SAITPAD-DH HARD:** made up of 4 discs, for high duty applications.

**Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.**

|                                                                                     |             |             |       |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------|-------------|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | BACKING PAD | LOCKING NUT | DISC  |  |  |  |
| SAITPAD-DH                                                                          | ø 170       | M 14        | ø 180 | 10000 98708                                                                         | stock                                                                                 | 1                                                                                     |
| SAITPAD-DH                                                                          | ø 170       | 5/8" UNC    | ø 180 | 10000 98711                                                                         | stock                                                                                 | 1                                                                                     |

|                                                                                     |             |             |       |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------|-------------|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | BACKING PAD | LOCKING NUT | DISC  |  |  |  |
| SAITPAD-DH HARD                                                                     | ø 170       | M 14        | ø 180 | 10000 98700                                                                         | stock                                                                                 | 1                                                                                     |



## SPARE PARTS

Fibre laminates for SAITPAD-DH

|  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ø 126 mm x 2                                                                      | 10000 98806                                                                       | stock                                                                             | 1                                                                                   |
| ø 152 mm x 1,5                                                                    | 10000 98807                                                                       | stock                                                                             | 1                                                                                   |
| ø 170 mm x 1                                                                      | 10000 98808                                                                       | stock                                                                             | 1                                                                                   |

Fibre laminates for SAITPAD-DH HARD

|  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ø 126 mm x 2                                                                      | 10000 98806                                                                       | stock                                                                             | 1                                                                                   |
| ø 152 mm x 1,5                                                                    | 10000 98807                                                                       | stock                                                                             | 1                                                                                   |
| ø 160 mm x 1,5                                                                    | 10000 98800                                                                       | stock                                                                             | 1                                                                                   |
| ø 170 mm x 1                                                                      | 10000 98809                                                                       | stock                                                                             | 1                                                                                   |

Ring for SAITPAD-DH and SAITPAD-DH HARD

|  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 10000 98901                                                                       | W4                                                                                | 1                                                                                   |

Bush for SAITPAD-DH and SAITPAD-DH HARD

|  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 10000 99000                                                                         | stock                                                                               | 1                                                                                     |

Locking nut M 14

|  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 10000 99119                                                                         | stock                                                                               | 1                                                                                     |

Locking nut 5/8" UNC

|  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 10000 99118                                                                         | W4                                                                                  | 1                                                                                     |



FIBRE DISCS COMPRESSION HOLDER

|         | DISC  |  |  |  |
|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 115 KIT | Ø 115 | 10000 98400                                                                         | stock                                                                               | 1                                                                                     |
| 125 KIT | Ø 125 | 10000 98401                                                                         | stock                                                                               | 1                                                                                     |
| 180 KIT | Ø 180 | 10000 98402                                                                         | stock                                                                               | 1                                                                                     |



## C SILICON CARBIDE

Discs made of a special fibre backing on which is firmly anchored a layer of silicon carbide abrasive, bonded together by synthetic resins, which are very durable and have high abrasive power.

### APPLICATIONS

- GRANITES
- MARBLES
- CERAMICS
- MANUFACTURED AGGREGATES
- CAST IRON
- NON-FERROUS ALLOYS
- FIBREGLASS
- PLASTIC MATERIALS

|           |   |  |  |  |  |  |  |
|-----------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITRON   | C | <b>115 x 22</b>                                                                   | 24                                                                                | 10000 96512                                                                       | stock                                                                             | 11.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 115 x 22                                                                          | 36                                                                                | 10000 96513                                                                       | stock                                                                             | 11.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 115 x 22                                                                          | 60                                                                                | 10000 96519                                                                       | stock                                                                             | 11.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 115 x 22                                                                          | 80                                                                                | 10000 96514                                                                       | stock                                                                             | 11.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 115 x 22                                                                          | 120                                                                               | 10000 96503                                                                       | stock                                                                             | 11.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | <b>125 x 22</b>                                                                   | 24                                                                                | 10000 96518                                                                       | stock                                                                             | 10.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 125 x 22                                                                          | 36                                                                                | 10000 96515                                                                       | stock                                                                             | 10.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 125 x 22                                                                          | 60                                                                                | 10000 96516                                                                       | stock                                                                             | 10.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 125 x 22                                                                          | 80                                                                                | 10000 96517                                                                       | stock                                                                             | 10.000                                                                              | 50 (5x10)                                                                           |
| SAITRON   | C | 125 x 22                                                                          | 120                                                                               | 10000 96500                                                                       | stock                                                                             | 10.000                                                                              | 50 (5x10)                                                                           |
| SAITRON-B | C | <b>180 x 22</b>                                                                   | 24                                                                                | 10000 96506                                                                       | stock                                                                             | 6.700                                                                               | 50 (5x10)                                                                           |
| SAITRON-B | C | 180 x 22                                                                          | 36                                                                                | 10000 96507                                                                       | stock                                                                             | 6.700                                                                               | 50 (5x10)                                                                           |
| SAITRON-B | C | 180 x 22                                                                          | 60                                                                                | 10000 96509                                                                       | stock                                                                             | 6.700                                                                               | 50 (5x10)                                                                           |
| SAITRON-B | C | 180 x 22                                                                          | 80                                                                                | 10000 96510                                                                       | stock                                                                             | 6.700                                                                               | 50 (5x10)                                                                           |
| SAITRON-B | C | 180 x 22                                                                          | 120                                                                               | 10000 96511                                                                       | stock                                                                             | 6.700                                                                               | 50 (5x10)                                                                           |

### IMPORTANT GUIDELINES

The SAITRON disc must be used **with the backing pad type**

**SAITPAD-DQ for ø 115 and ø 125**

**SAITPAD-BZ for ø 180**

(see pages 90, 91)

The most suitable angle to approach to the components is approximately 20°.

Do not flex the disc before the use.

The best performance for ø 180 is obtained operating with a speed between 4.500 and 6.000 r.p.m.



## C SILICON CARBIDE

Discs made of a fibreglass backing on which a layer of silicon carbide abrasive is applied, bonded together by synthetic resins, which are very durable and have high abrasive power.

**The disc can be used without a backing pad.**

### APPLICATIONS

- GRANITES
- MARBLES
- CERAMICS
- MANUFACTURED AGGREGATES
- CAST IRON
- NON-FERROUS ALLOYS
- FIBREGLASS
- PLASTIC MATERIALS

|            |   |  |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITRON-FV | C | <b>115 x 22</b>                                                                   | 24                                                                                | 10000 96605                                                                       | stock                                                                             | 13.300                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | 115 x 22                                                                          | 36                                                                                | 10000 96614                                                                       | stock                                                                             | 13.300                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | 115 x 22                                                                          | 60                                                                                | 10000 96615                                                                       | stock                                                                             | 13.300                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | <b>125 x 22</b>                                                                   | 24                                                                                | 10000 96616                                                                       | stock                                                                             | 12.250                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | 125 x 22                                                                          | 36                                                                                | 10000 96617                                                                       | stock                                                                             | 12.250                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | 125 x 22                                                                          | 60                                                                                | 10000 96618                                                                       | stock                                                                             | 12.250                                                                              | 50 (5x10)                                                                           |
| SAITRON-FV | C | <b>180 x 22</b>                                                                   | 24                                                                                | 10000 96610                                                                       | stock                                                                             | 8.500                                                                               | 50 (5x10)                                                                           |
| SAITRON-FV | C | 180 x 22                                                                          | 36                                                                                | 10000 96619                                                                       | stock                                                                             | 8.500                                                                               | 50 (5x10)                                                                           |
| SAITRON-FV | C | 180 x 22                                                                          | 60                                                                                | 10000 96620                                                                       | stock                                                                             | 8.500                                                                               | 50 (5x10)                                                                           |

### IMPORTANT GUIDELINES

The most suitable angle to approach to the components is approximately 20°. Do not flex the disc before the use.  
The best performance for ø 180 is obtained operating with a speed between 4.500 and 6.000 r.p.m.

# SAIT LOCK-SX

Quick-change abrasive cloth discs




## Z ZIRCONIA

The Sait Lock system is recommended for deburring, sanding, removal of weld marks, paint or rust and finishing operations of flat or hard-to-reach areas. R fitting. Filled. High performance. High abrasive power. Low heat generation and low clogging.

### APPLICATIONS

- STEELS
- CAST IRON
- FERROUS METALS

|              |   |  |  |  |  |  |
|--------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT LOCK-SX | Z | <b>ø 50</b>                                                                       | 36                                                                                | 10000 88015                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 50                                                                              | 40                                                                                | 10000 88016                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 50                                                                              | 60                                                                                | 10000 88017                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 50                                                                              | 80                                                                                | 10000 88018                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 50                                                                              | 120                                                                               | 10000 88019                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | <b>ø 75</b>                                                                       | 36                                                                                | 10000 88028                                                                       | W4                                                                                 | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 75                                                                              | 40                                                                                | 10000 88029                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 75                                                                              | 60                                                                                | 10000 88031                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 75                                                                              | 80                                                                                | 10000 88021                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-SX | Z | ø 75                                                                              | 120                                                                               | 10000 88020                                                                       | stock                                                                              | 50                                                                                  |



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting

## PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

|               |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PAD SAIT LOCK | ø 50                                                                                | 10000 99665                                                                         | stock                                                                                | 1                                                                                     |
| PAD SAIT LOCK | ø 75                                                                                | 10000 99614                                                                         | stock                                                                                | 1                                                                                     |




## 9S CERAMIC ABRASIVE

The Sait Lock system is recommended for deburring, sanding, removal of weld marks, paint or rust and finishing operations of flat or hard-to-reach areas. R fitting. Top-filled. High performance. High abrasive power. Low heat generation and low clogging.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- STEELS

|              |    |  |  |  |  |  |
|--------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT LOCK-SX | 9S | <b>ø 50</b>                                                                       | 36                                                                                | 10000 88010                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 50                                                                              | 40                                                                                | 10000 88011                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 50                                                                              | 60                                                                                | 10000 88012                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 50                                                                              | 80                                                                                | 10000 88013                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 50                                                                              | 120                                                                               | 10000 88014                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | <b>ø 75</b>                                                                       | 36                                                                                | 10000 88022                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 75                                                                              | 40                                                                                | 10000 88023                                                                       | W4                                                                                  | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 75                                                                              | 60                                                                                | 10000 88025                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 75                                                                              | 80                                                                                | 10000 88026                                                                       | W4                                                                                  | 50                                                                                  |
| SAIT LOCK-SX | 9S | ø 75                                                                              | 120                                                                               | 10000 88027                                                                       | stock                                                                               | 50                                                                                  |



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting

## PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

|               |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PAD SAIT LOCK | ø 50                                                                                | 10000 99665                                                                         | stock                                                                                | 1                                                                                     |
| PAD SAIT LOCK | ø 75                                                                                | 10000 99614                                                                         | stock                                                                                | 1                                                                                     |



## Abrasive flap discs

Complete range of flap discs, suitable for all requirements, divided into five performance classes:



### POWER MAX CERAMIC

TOP range discs with ceramic abrasive, top filled. The extremely high abrasive power and the exceptional stock removal rate - thanks to the renewal of the ceramic grain - guarantee extremely high performance.



### Winner

High performance discs with good stock removal and excellent finish.



### CERAMIC

High performance range thanks to the presence of the ceramic abrasive, ideal for heavy roughing operation. Professional use, long life.



### PLANET

General purpose discs.



### Premium

Discs designed with geometry suitable for developing maximum yield even in heavy-duty conditions. Excellent removal and finish. Professional use, long life.

## How to read the product

SAITLAM-TE

Product line

S

Product specification  
(abrasive)

115 x 22,23

Dimensions  
(diameter x bore)

40

Grit

## Abrasives

**A** Aluminium oxide  
**Z** Zirconia

**C** Silicon carbide  
**S** Ceramic abrasive

## Backings



Fibre glass




Polymer

## Shapes



Flat shape with flat backing




Conical shape with flat backing



Conical shape with conical backing

## Dimensions




d = 16 - 22,23 mm - M14  
D = 100 ÷ 180 mm



# Abrasive flap discs

## OUR PRODUCT RANGE

| FIBRE GLASS BACKING        |                                                                                                                                                                |                                                                                                                                                                              |                                                                                                                                                                                  | POLYMER BACKING                                                                                                                                      |                                                                                                                                                                        |                                                                                                                                                       |                                                                                                                                                        |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POWERMAX</b><br>CERAMIC | <b>POWERMAX-UP</b><br><br>(Polycotton)<br><b>S</b><br>Ø 115-125<br>99         | <b>POWERMAX-PK</b><br><br>(Polycotton)<br><b>S</b><br>Ø 115-125-180<br>99                   |                                                                                                                                                                                  |                                                                                                                                                      |                                                                                                                                                                        |                                                                                                                                                       |                                                                                                                                                        |
|                            | <b>SAITLAM-TE</b><br><br>(Polycotton)<br><b>S</b><br>Ø 115-125<br>100         |                                                                                                                                                                              |                                                                                                                                                                                  | <b>SAITLAM-PE</b><br><br>(Polycotton)<br><b>S</b><br>Ø 115<br>100   |                                                                                                                                                                        |                                                                                                                                                       |                                                                                                                                                        |
| <b>Premium</b>             | <b>SAITLAM-UP</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115-125-180<br>101   | <b>SAITLAM-UK</b><br><br>(Cotton/Polycotton)<br><b>3A - Z</b><br>Ø 100-115-125<br>101-102 | <b>SAITLAM-PK</b><br><br>(Cotton/Polycotton)<br><b>3A - Z</b><br>Ø 100-115-125-180<br>102-103 | <b>SAITLAM-DP</b><br><br>(Cotton)<br><b>3A</b><br>Ø 115<br>103    | <b>SAITLAM-SP</b><br><br>(Cotton/Polycotton)<br><b>3A - Z</b><br>Ø 115-180<br>104 | <b>SAITLAM-W</b><br><br>(Cotton)<br><b>Z</b><br>Ø 115-125<br>105 | <b>SAITLAM-ZK</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 180<br>106 |
|                            | <b>SAITLAM-FU</b><br><br>(Cotton)<br><b>A - Z</b><br>Ø 115-125-180<br>107   | <b>SAITLAM-DOUBLE</b><br><br>(Cotton)<br><b>Z - C</b><br>Ø 180<br>108                     | <b>SAITLAM-FK</b><br><br>(Cotton)<br><b>Z</b><br>Ø 115-125<br>109                             | <b>SAITLAM-SL</b><br><br>(Cotton)<br><b>Z - C</b><br>Ø 115<br>110 | <b>SAITLAM-PN</b><br><br>(Cotton)<br><b>A - Z - C</b><br>Ø 115<br>111-112         |                                                                                                                                                       |                                                                                                                                                        |
| <b>PLANET</b>              | <b>PLANET-VENUS</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115-125-180<br>113 | <b>PLANET-XL</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115-125<br>113                      | <b>PLANET-MARS</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115-125-180<br>114                    | <b>PLANET-ONE</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115<br>115 | <b>PLANET-TWO</b><br><br>(Polycotton)<br><b>Z</b><br>Ø 115<br>115                 |                                                                                                                                                       |                                                                                                                                                        |

# POWERMAX-UP

Abrasive flap discs - flat



CERAMIC



FIBRE GLASS BACKING



## S CERAMIC ABRASIVE

Polycotton cloth with ceramic abrasive, top-filled. Very high abrasive power and exceptional stock removal due to the renewal of the ceramic grain. Extremely high performance. Cool cut in heavy-duty applications. Professional use, long life. Low heating and good finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

|             |   |  |  |  |  |  |  |  |
|-------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| POWERMAX-UP | S | 115 x 22,23                                                                       | 40                                                                                | 10000 48621                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| POWERMAX-UP | S | 115 x 22,23                                                                       | 60                                                                                | 10000 48635                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| POWERMAX-UP | S | 115 x 22,23                                                                       | 80                                                                                | 10000 48636                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| POWERMAX-UP | S | 125 x 22,23                                                                       | 40                                                                                | 10000 48637                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| POWERMAX-UP | S | 125 x 22,23                                                                       | 60                                                                                | 10000 48643                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| POWERMAX-UP | S | 125 x 22,23                                                                       | 80                                                                                | 10000 48642                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |

# POWERMAX-PK

Abrasive flap discs - conical



CERAMIC



FIBRE GLASS BACKING



## S CERAMIC ABRASIVE

Polycotton cloth with ceramic abrasive, top-filled. Very high abrasive power and exceptional stock removal due to the renewal of the ceramic grain. Extremely high performance. Cool cut in heavy-duty applications. Professional use, long life. Low heating and good finish.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

|             |   |  |  |  |  |  |  |  |
|-------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| POWERMAX-PK | S | 115 x 22,23                                                                         | 40                                                                                  | 10000 49167                                                                         | stock                                                                               | 13.300                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 115 x 22,23                                                                         | 60                                                                                  | 10000 49168                                                                         | stock                                                                               | 13.300                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 115 x 22,23                                                                         | 80                                                                                  | 10000 49169                                                                         | stock                                                                               | 13.300                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 125 x 22,23                                                                         | 40                                                                                  | 10000 49170                                                                         | stock                                                                               | 12.200                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 125 x 22,23                                                                         | 60                                                                                  | 10000 49171                                                                         | stock                                                                               | 12.200                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 125 x 22,23                                                                         | 80                                                                                  | 10000 49172                                                                         | stock                                                                               | 12.200                                                                                |  | 20                                                                                    |
| POWERMAX-PK | S | 180 x 22,23                                                                         | 40                                                                                  | 10000 49173                                                                         | stock                                                                               | 8.500                                                                                 |  | 10                                                                                    |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-TE CERAMIC

## Abrasive flap discs - flat

 FIBRE GLASS BACKING



### S CERAMIC ABRASIVE

"Special" polycotton cloth with ceramic abrasive. Professional use, long life. Use with power tools recommended.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS



|            |   |  |  |           |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SAITLAM-TE | S | 115 x 22,23                                                                       | 40                                                                                | LONG LIFE | 10000 48500                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-TE | S | 115 x 22,23                                                                       | 60                                                                                | LONG LIFE | 10000 48501                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-TE | S | 115 x 22,23                                                                       | 80                                                                                | LONG LIFE | 10000 48502                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-TE | S | 125 x 22,23                                                                       | 40                                                                                | LONG LIFE | 10000 48503                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-TE | S | 125 x 22,23                                                                       | 60                                                                                | LONG LIFE | 10000 48504                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-TE | S | 125 x 22,23                                                                       | 80                                                                                | LONG LIFE | 10000 48505                                                                       | W4                                                                                  |  | 20                                                                                  |

# SAITLAM-PE CERAMIC

## Abrasive flap discs - flat

 POLYMER BACKING



### S CERAMIC ABRASIVE

Ceramic abrasive cloth. Professional use, long life. Use with power tools recommended.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS



|            |   |  |  |           |  |  |  |  |
|------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITLAM-PE | S | 115 x 22,23                                                                         | 40                                                                                  | LONG LIFE | 10000 49100                                                                         | stock                                                                                 |  | 20                                                                                    |
| SAITLAM-PE | S | 115 x 22,23                                                                         | 60                                                                                  | LONG LIFE | 10000 49101                                                                         | stock                                                                                 |  | 20                                                                                    |
| SAITLAM-PE | S | 115 x 22,23                                                                         | 80                                                                                  | LONG LIFE | 10000 49102                                                                         | W4                                                                                    |  | 20                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-UP *Premium*

Abrasive flap discs - flat



FIBRE GLASS BACKING



## Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.


### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITLAM-UP | Z | <b>115 x 22,23</b> | 40  | 10000 48600 | stock | 13.300 | 20 |
|------------|---|--------------------|-----|-------------|-------|--------|----|
| SAITLAM-UP | Z | 115 x 22,23        | 50  | 10000 48601 | W4    | 13.300 | 20 |
| SAITLAM-UP | Z | 115 x 22,23        | 60  | 10000 48602 | stock | 13.300 | 20 |
| SAITLAM-UP | Z | 115 x 22,23        | 80  | 10000 48603 | stock | 13.300 | 20 |
| SAITLAM-UP | Z | 115 x 22,23        | 120 | 10000 48604 | stock | 13.300 | 20 |
| SAITLAM-UP | Z | <b>125 x 22,23</b> | 40  | 10000 48605 | stock | 12.200 | 20 |
| SAITLAM-UP | Z | 125 x 22,23        | 60  | 10000 48607 | W4    | 12.200 | 20 |
| SAITLAM-UP | Z | 125 x 22,23        | 80  | 10000 48608 | W4    | 12.200 | 20 |
| SAITLAM-UP | Z | 125 x 22,23        | 120 | 10000 48609 | W4    | 12.200 | 20 |
| SAITLAM-UP | Z | <b>180 x 22,23</b> | 40  | 10000 48630 | stock | 8.500  | 10 |
| SAITLAM-UP | Z | 180 x 22,23        | 60  | 10000 48632 | stock | 8.500  | 10 |
| SAITLAM-UP | Z | 180 x 22,23        | 80  | 10000 48633 | W4    | 8.500  | 10 |

# SAITLAM-UK *Premium*

Abrasive flap discs - conical



FIBRE GLASS BACKING



## Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITLAM-UK | Z | <b>115 x 22,23</b> | 40  | 10000 48700 | stock | 13.300 | 20 |
|------------|---|--------------------|-----|-------------|-------|--------|----|
| SAITLAM-UK | Z | 115 x 22,23        | 60  | 10000 48702 | stock | 13.300 | 20 |
| SAITLAM-UK | Z | 115 x 22,23        | 80  | 10000 48703 | W4    | 13.300 | 20 |
| SAITLAM-UK | Z | 115 x 22,23        | 120 | 10000 48704 | W4    | 13.300 | 20 |
| SAITLAM-UK | Z | <b>125 x 22,23</b> | 40  | 10000 48705 | stock | 12.200 | 20 |
| SAITLAM-UK | Z | 125 x 22,23        | 60  | 10000 48707 | stock | 12.200 | 20 |
| SAITLAM-UK | Z | 125 x 22,23        | 80  | 10000 48708 | W4    | 12.200 | 20 |
| SAITLAM-UK | Z | 125 x 22,23        | 120 | 10000 48709 | W4    | 12.200 | 20 |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

## SAITLAM-UK *Premium*

Abrasive flap discs - conical



FIBRE GLASS BACKING



### 3A *EVOLUTION* ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Professional use, long life. Low heat generation and exceptional finish.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |    |  |  |  |  |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SAITLAM-UK | 3A | 115 x 22,23                                                                       | 40                                                                                | 10000 48725                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-UK | 3A | 115 x 22,23                                                                       | 60                                                                                | 10000 48726                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-UK | 3A | 115 x 22,23                                                                       | 80                                                                                | 10000 48727                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-UK | 3A | 125 x 22,23                                                                       | 40                                                                                | 10000 48728                                                                       | W4                                                                                | 12.200                                                                              |  | 20                                                                                  |
| SAITLAM-UK | 3A | 125 x 22,23                                                                       | 60                                                                                | 10000 48729                                                                       | W4                                                                                | 12.200                                                                              |  | 20                                                                                  |

## SAITLAM-PK *Premium*

Abrasive flap discs - conical



FIBRE GLASS BACKING



### 3A *EVOLUTION* ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Professional use, long life. Low heat generation and exceptional finish.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |    |  |  |  |  |  |  |  |
|------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITLAM-PK | 3A | 180 x 22,23                                                                         | 40                                                                                  | 10000 49164                                                                         | W4                                                                                  | 8.500                                                                                 |  | 10                                                                                    |
| SAITLAM-PK | 3A | 180 x 22,23                                                                         | 60                                                                                  | 10000 49165                                                                         | stock                                                                               | 8.500                                                                                 |  | 10                                                                                    |
| SAITLAM-PK | 3A | 180 x 22,23                                                                         | 80                                                                                  | 10000 49166                                                                         | W4                                                                                  | 8.500                                                                                 |  | 10                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-PK *Premium*

## Abrasive flap discs - conical



FIBRE GLASS BACKING



### Z ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITLAM-PK | Z | <b>100 x 16</b>    | 40  | 10000 49161 | stock | 15.300 |  | 10 |
|------------|---|--------------------|-----|-------------|-------|--------|--|----|
| SAITLAM-PK | Z | 100 x 16           | 60  | 10000 49162 | stock | 15.300 |  | 10 |
| SAITLAM-PK | Z | 100 x 16           | 80  | 10000 49163 | stock | 15.300 |  | 10 |
| SAITLAM-PK | Z | <b>115 x 22,23</b> | 40  | 10000 49150 | stock | 13.300 |  | 20 |
| SAITLAM-PK | Z | 115 x 22,23        | 60  | 10000 49151 | stock | 13.300 |  | 20 |
| SAITLAM-PK | Z | 115 x 22,23        | 80  | 10000 49152 | stock | 13.300 |  | 20 |
| SAITLAM-PK | Z | 115 x 22,23        | 120 | 10000 49153 | W4    | 13.300 |  | 20 |
| SAITLAM-PK | Z | <b>125 x 22,23</b> | 40  | 10000 49154 | W4    | 12.200 |  | 20 |
| SAITLAM-PK | Z | 125 x 22,23        | 60  | 10000 49155 | stock | 12.200 |  | 20 |
| SAITLAM-PK | Z | 125 x 22,23        | 80  | 10000 49156 | W4    | 12.200 |  | 20 |
| SAITLAM-PK | Z | 125 x 22,23        | 120 | 10000 49157 | W4    | 12.200 |  | 20 |
| SAITLAM-PK | Z | <b>180 x 22,23</b> | 40  | 10000 49158 | stock | 8.500  |  | 10 |
| SAITLAM-PK | Z | 180 x 22,23        | 60  | 10000 49159 | stock | 8.500  |  | 10 |
| SAITLAM-PK | Z | 180 x 22,23        | 80  | 10000 49160 | W4    | 8.500  |  | 10 |

# SAITLAM-DP *Premium*

## Abrasive flap discs - flat



POLYMER BACKING



### 3A ALUMINIUM OXIDE, FILLED

Double flap. Aluminium oxide cloth with cooling additive. Low heat generation and exceptional finish.

#### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

| SAITLAM-DP | 3A | <b>115 x 22,23</b> | 40  | <b>INOX</b> | 10000 49009 | stock | 20 |
|------------|----|--------------------|-----|-------------|-------------|-------|----|
| SAITLAM-DP | 3A | 115 x 22,23        | 60  | <b>INOX</b> | 10000 49010 | stock | 20 |
| SAITLAM-DP | 3A | 115 x 22,23        | 80  | <b>INOX</b> | 10000 49011 | stock | 20 |
| SAITLAM-DP | 3A | 115 x 22,23        | 120 | <b>INOX</b> | 10000 49019 | stock | 20 |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-SP *Premium*

## Abrasive flap discs - flat

 POLYMER BACKING



### 3A ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Low heat generation and exceptional finish.

#### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

|            |    |  |  |      |  |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SAITLAM-SP | 3A | 115 x 22,23                                                                       | 40                                                                                | INOX | 10000 48834                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-SP | 3A | 115 x 22,23                                                                       | 60                                                                                | INOX | 10000 48836                                                                       | stock                                                                               |  | 20                                                                                  |
| SAITLAM-SP | 3A | 115 x 22,23                                                                       | 80                                                                                | INOX | 10000 48837                                                                       | stock                                                                               |  | 20                                                                                  |



### Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |  |  |
|------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 40                                                                                  |  | 10000 49200                                                                         | stock                                                                                |  | 20                                                                                    |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 60                                                                                  |  | 10000 49202                                                                         | stock                                                                                |  | 20                                                                                    |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 80                                                                                  |  | 10000 49203                                                                         | stock                                                                                |  | 20                                                                                    |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 120                                                                                 |  | 10000 49204                                                                         | stock                                                                                |  | 20                                                                                    |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 40                                                                                  |  | 10000 49205                                                                         | stock                                                                                |  | 100                                                                                   |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 60                                                                                  |  | 10000 49207                                                                         | stock                                                                                |  | 100                                                                                   |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 80                                                                                  |  | 10000 49208                                                                         | stock                                                                                |  | 100                                                                                   |
| SAITLAM-SP | Z | 115 x 22,23                                                                         | 120                                                                                 |  | 10000 49209                                                                         | W4                                                                                   |  | 100                                                                                   |
| SAITLAM-SP | Z | 180 x 22,23                                                                         | 36                                                                                  |  | 10000 49213                                                                         | stock                                                                                |  | 10                                                                                    |
| SAITLAM-SP | Z | 180 x 22,23                                                                         | 40                                                                                  |  | 10000 49210                                                                         | stock                                                                                |  | 10                                                                                    |
| SAITLAM-SP | Z | 180 x 22,23                                                                         | 60                                                                                  |  | 10000 49211                                                                         | W4                                                                                   |  | 10                                                                                    |
| SAITLAM-SP | Z | 180 x 22,23                                                                         | 80                                                                                  |  | 10000 49212                                                                         | W4                                                                                   |  | 10                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-W Premium

Abrasive flap discs - flat



POLYMER BACKING WITH M14 CONNECTION



## Z ZIRCONIA

Zirconia cloth. Professional use, long life. Use with power tools recommended.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITLAM-W | Z | <b>115 M 14</b> | 40  | 10000 96900 | stock | 11.000 |  | 20  |
|-----------|---|-----------------|-----|-------------|-------|--------|--|-----|
| SAITLAM-W | Z | 115 M 14        | 50  | 10000 96901 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | 115 M 14        | 60  | 10000 96902 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | 115 M 14        | 80  | 10000 96903 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | 115 M 14        | 120 | 10000 96904 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | <b>115 M 14</b> | 40  | 10000 96910 | stock | 11.000 |  | 100 |
| SAITLAM-W | Z | 115 M 14        | 60  | 10000 96912 | stock | 11.000 |  | 100 |
| SAITLAM-W | Z | 115 M 14        | 80  | 10000 96913 | stock | 11.000 |  | 100 |
| SAITLAM-W | Z | <b>125 M 14</b> | 40  | 10000 96905 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | 125 M 14        | 60  | 10000 96907 | stock | 11.000 |  | 20  |
| SAITLAM-W | Z | 125 M 14        | 80  | 10000 96908 | W4    | 11.000 |  | 20  |



### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-ZK *Premium*

Abrasive flap discs - conical



## Z *EVOLUTION* ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

- APPLICATIONS**
- STEELS AND ALLOY STEELS
  - STAINLESS STEELS
  - NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-ZK | Z | <b>180 x 22,23</b>                                                                | 40                                                                                | 10000 49300                                                                       | stock                                                                              | 10                                                                                  |
| SAITLAM-ZK | Z | 180 x 22,23                                                                       | 60                                                                                | 10000 49301                                                                       | W4                                                                                 | 10                                                                                  |

**IMPORTANT GUIDELINES**  
 The maximum speed marked on each product must never be exceeded.

# SAITLAM-FU *Winner*

## Abrasive flap discs - flat

 FIBRE GLASS BACKING



### A ALUMINIUM OXIDE

Aluminium oxide cloth.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-FU | A | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 48210                                                                       | stock                                                                             | 13.300                                                                              | 20                                                                                  |
| SAITLAM-FU | A | 115 x 22,23                                                                       | 60                                                                                | 10000 48211                                                                       | W4                                                                                | 13.300                                                                              | 20                                                                                  |



### Z ZIRCONIA

Zirconia cloth. Long life.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |  |
|------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITLAM-FU | Z | <b>115 x 22,23</b>                                                                  | 40                                                                                  | 10000 48200                                                                         | stock                                                                               | 13.300                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 50                                                                                  | 10000 48201                                                                         | W4                                                                                  | 13.300                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 60                                                                                  | 10000 48202                                                                         | stock                                                                               | 13.300                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 80                                                                                  | 10000 48203                                                                         | stock                                                                               | 13.300                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 120                                                                                 | 10000 48204                                                                         | stock                                                                               | 13.300                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | <b>115 x 22,23</b>                                                                  | 40                                                                                  | 10000 48206                                                                         | stock                                                                               | 13.300                                                                                | 100                                                                                   |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 60                                                                                  | 10000 48207                                                                         | stock                                                                               | 13.300                                                                                | 100                                                                                   |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 80                                                                                  | 10000 48208                                                                         | stock                                                                               | 13.300                                                                                | 100                                                                                   |
| SAITLAM-FU | Z | 115 x 22,23                                                                         | 120                                                                                 | 10000 48209                                                                         | stock                                                                               | 13.300                                                                                | 100                                                                                   |
| SAITLAM-FU | Z | <b>125 x 22,23</b>                                                                  | 40                                                                                  | 10000 48213                                                                         | stock                                                                               | 12.200                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 125 x 22,23                                                                         | 60                                                                                  | 10000 48215                                                                         | stock                                                                               | 12.200                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 125 x 22,23                                                                         | 80                                                                                  | 10000 48216                                                                         | stock                                                                               | 12.200                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | 125 x 22,23                                                                         | 120                                                                                 | 10000 48217                                                                         | stock                                                                               | 12.200                                                                                | 20                                                                                    |
| SAITLAM-FU | Z | <b>180 x 22,23</b>                                                                  | 40                                                                                  | 10000 48218                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-FU | Z | 180 x 22,23                                                                         | 60                                                                                  | 10000 48220                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-FU | Z | 180 x 22,23                                                                         | 80                                                                                  | 10000 48221                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-FU | Z | 180 x 22,23                                                                         | 120                                                                                 | 10000 48222                                                                         | W4                                                                                  | 8.500                                                                                 | 10                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-DOUBLE *Winner*

## Abrasive flap discs - flat

 FIBRE GLASS BACKING



### Z ZIRCONIA

Double flap. Zirconia cloth. Long life.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|                |   |  |  |  |  |  |  |
|----------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-DOUBLE | Z | 180 x 22,23                                                                       | 36                                                                                | 10000 49400                                                                       | stock                                                                             | 8.500                                                                               | 10                                                                                  |



### C SILICON CARBIDE

Double flap. Silicon carbide cloth.

#### APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS


|                |   |  |  |  |  |  |  |
|----------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITLAM-DOUBLE | C | 180 x 22,23                                                                         | 60                                                                                  | 10000 49405                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-DOUBLE | C | 180 x 22,23                                                                         | 80                                                                                  | 10000 49401                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-DOUBLE | C | 180 x 22,23                                                                         | 120                                                                                 | 10000 49402                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-DOUBLE | C | 180 x 22,23                                                                         | 220                                                                                 | 10000 49403                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |
| SAITLAM-DOUBLE | C | 180 x 22,23                                                                         | 320                                                                                 | 10000 49404                                                                         | stock                                                                               | 8.500                                                                                 | 10                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-FK *Winner*

## Abrasive flap discs - conical



FIBRE GLASS BACKING



## Z ZIRCONIA

Zirconia cloth. Long life.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SAITLAM-FK | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 96705                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 96706                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 96707                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 96708                                                                       | stock                                                                             | 13.300                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | <b>125 x 22,23</b>                                                                | 40                                                                                | 10000 96700                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 125 x 22,23                                                                       | 50                                                                                | 10000 96701                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 125 x 22,23                                                                       | 60                                                                                | 10000 96702                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 125 x 22,23                                                                       | 80                                                                                | 10000 96703                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |
| SAITLAM-FK | Z | 125 x 22,23                                                                       | 120                                                                               | 10000 96704                                                                       | stock                                                                             | 12.200                                                                              |  | 20                                                                                  |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-SL *Winner*

## Abrasive flap discs - flat

 POLYMER BACKING



## Z ZIRCONIA

Double flap. Zirconia cloth. Long life.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-SL | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 49000                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 50                                                                                | 10000 49001                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 49002                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 49003                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 49004                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-SL | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 49005                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 49006                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 49007                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-SL | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 49008                                                                       | stock                                                                              | 100                                                                                 |



## C SILICON CARBIDE

Double flap. Silicon carbide cloth.

### APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITLAM-SL | C | <b>115 x 22,23</b>                                                                  | 120                                                                                 | 10000 49021                                                                         | stock                                                                                | 20                                                                                    |
| SAITLAM-SL | C | 115 x 22,23                                                                         | 220                                                                                 | 10000 49012                                                                         | stock                                                                                | 20                                                                                    |
| SAITLAM-SL | C | 115 x 22,23                                                                         | 320                                                                                 | 10000 49013                                                                         | stock                                                                                | 20                                                                                    |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

## Abrasive flap discs - flat

 POLYMER BACKING



### A ALUMINIUM OXIDE

Aluminium oxide cloth.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-PN | A | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 48800                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 50                                                                                | 10000 48801                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 60                                                                                | 10000 48802                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 80                                                                                | 10000 48803                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 120                                                                               | 10000 48804                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | A | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 48831                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 60                                                                                | 10000 48832                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 80                                                                                | 10000 48833                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | A | 115 x 22,23                                                                       | 120                                                                               | 10000 48835                                                                       | stock                                                                              | 100                                                                                 |



### C SILICON CARBIDE

Silicon carbide cloth.

#### APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITLAM-PN | C | <b>115 x 22,23</b>                                                                  | 40                                                                                  | 10000 48820                                                                         | stock                                                                                | 20                                                                                    |
| SAITLAM-PN | C | 115 x 22,23                                                                         | 60                                                                                  | 10000 48821                                                                         | stock                                                                                | 20                                                                                    |
| SAITLAM-PN | C | 115 x 22,23                                                                         | 80                                                                                  | 10000 48822                                                                         | stock                                                                                | 20                                                                                    |
| SAITLAM-PN | C | 115 x 22,23                                                                         | 120                                                                                 | 10000 48823                                                                         | stock                                                                                | 20                                                                                    |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAM-PN *Winner*

## Abrasive flap discs - flat

 POLYMER BACKING



### Z ZIRCONIA

Zirconia cloth. Long life.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |   |  |  |  |  |  |
|------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITLAM-PN | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 48805                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 50                                                                                | 10000 48806                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 48807                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 48808                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 100                                                                               | 10000 48825                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 48809                                                                       | stock                                                                              | 20                                                                                  |
| SAITLAM-PN | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 48827                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 48828                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 48829                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 100                                                                               | 10000 48810                                                                       | stock                                                                              | 100                                                                                 |
| SAITLAM-PN | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 48830                                                                       | stock                                                                              | 100                                                                                 |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# PLANET-VENUS

Abrasive flap discs - flat



FIBRE GLASS BACKING



## Z ZIRCONIA

General purpose.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PLANET-VENUS | Z | 115 x 22,23 | 40             | stock | 10000 41501 | 40 | 10000 41500 | 100 |
|--------------|---|-------------|----------------|-------|-------------|----|-------------|-----|
| PLANET-VENUS | Z | 115 x 22,23 | 60             | stock | 10000 41506 | 40 | 10000 41502 | 100 |
| PLANET-VENUS | Z | 115 x 22,23 | 80             | stock | 10000 41510 | 40 | 10000 41503 | 100 |
| PLANET-VENUS | Z | 115 x 22,23 | 100 <b>NEW</b> | stock | 10000 41521 | 40 |             |     |
| PLANET-VENUS | Z | 115 x 22,23 | 120            | stock | 10000 41511 | 40 | 10000 41504 | 100 |
| PLANET-VENUS | Z | 125 x 22,23 | 40             | stock |             |    | 10000 41505 | 100 |
| PLANET-VENUS | Z | 125 x 22,23 | 60             | W4    |             |    | 10000 41507 | 100 |
| PLANET-VENUS | Z | 125 x 22,23 | 80             | W4    |             |    | 10000 41508 | 100 |
| PLANET-VENUS | Z | 125 x 22,23 | 120            | W4    |             |    | 10000 41509 | 100 |
| PLANET-VENUS | Z | 180 x 22,23 | 40             | stock |             |    | 10000 41513 | 10  |
| PLANET-VENUS | Z | 180 x 22,23 | 60             | stock |             |    | 10000 41514 | 10  |
| PLANET-VENUS | Z | 180 x 22,23 | 80             | stock |             |    | 10000 41515 | 10  |

# PLANET-XL **NEW**

Abrasive flap discs - flat



FIBRE GLASS BACKING



## Z ZIRCONIA

Disc with high number of flaps in planar orientation with high-thickness geometry. Excellent stock removal. Long life.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

| PLANET-XL | Z | 115 x 22,23 | 40  | stock | 10000 41512 | 20 |
|-----------|---|-------------|-----|-------|-------------|----|
| PLANET-XL | Z | 115 x 22,23 | 60  | stock | 10000 41516 | 20 |
| PLANET-XL | Z | 115 x 22,23 | 80  | stock | 10000 41517 | 20 |
| PLANET-XL | Z | 115 x 22,23 | 120 | stock | 10000 41522 | 20 |
| PLANET-XL | Z | 125 x 22,23 | 40  | stock | 10000 41518 | 20 |
| PLANET-XL | Z | 125 x 22,23 | 60  | stock | 10000 41519 | 20 |
| PLANET-XL | Z | 125 x 22,23 | 80  | stock | 10000 41520 | 20 |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.



FIBRE GLASS BACKING



### Z ZIRCONIA

General purpose.

#### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|             |   |  |  |  |  |  |
|-------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PLANET-MARS | Z | <b>115 x 22,23</b>                                                                | 40                                                                                | 10000 41600                                                                       | stock                                                                               | 100                                                                                 |
| PLANET-MARS | Z | 115 x 22,23                                                                       | 60                                                                                | 10000 41602                                                                       | stock                                                                               | 100                                                                                 |
| PLANET-MARS | Z | 115 x 22,23                                                                       | 80                                                                                | 10000 41603                                                                       | stock                                                                               | 100                                                                                 |
| PLANET-MARS | Z | 115 x 22,23                                                                       | 120                                                                               | 10000 41604                                                                       | stock                                                                               | 100                                                                                 |
| PLANET-MARS | Z | <b>125 x 22,23</b>                                                                | 40                                                                                | 10000 41605                                                                       | stock                                                                               | 100                                                                                 |
| PLANET-MARS | Z | 125 x 22,23                                                                       | 60                                                                                | 10000 41606                                                                       | W4                                                                                  | 100                                                                                 |
| PLANET-MARS | Z | 125 x 22,23                                                                       | 80                                                                                | 10000 41607                                                                       | W4                                                                                  | 100                                                                                 |
| PLANET-MARS | Z | 125 x 22,23                                                                       | 120                                                                               | 10000 41608                                                                       | W4                                                                                  | 100                                                                                 |
| PLANET-MARS | Z | <b>180 x 22,23</b>                                                                | 40                                                                                | 10000 41619                                                                       | stock                                                                               | 10                                                                                  |
| PLANET-MARS | Z | 180 x 22,23                                                                       | 60                                                                                | 10000 41620                                                                       | stock                                                                               | 10                                                                                  |
| PLANET-MARS | Z | 180 x 22,23                                                                       | 80                                                                                | 10000 41621                                                                       | stock                                                                               | 10                                                                                  |

#### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# PLANET-ONE

Abrasive flap discs - flat



POLYMER BACKING



## Z ZIRCONIA

General purpose.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PLANET-ONE | Z | <b>115 x 22,23</b> | 40  | 10000 41300 | stock | 40 |
|------------|---|--------------------|-----|-------------|-------|----|
| PLANET-ONE | Z | 115 x 22,23        | 60  | 10000 41302 | stock | 40 |
| PLANET-ONE | Z | 115 x 22,23        | 80  | 10000 41303 | stock | 40 |
| PLANET-ONE | Z | 115 x 22,23        | 100 | 10000 41323 | stock | 40 |
| PLANET-ONE | Z | 115 x 22,23        | 120 | 10000 41304 | stock | 40 |

# PLANET-TWO

Abrasive double flap discs - flat



POLYMER BACKING



## Z ZIRCONIA

General purpose.

### APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| PLANET-TWO | Z | <b>115 x 22,23</b> | 40             | 10000 41400 | stock | 40 |
|------------|---|--------------------|----------------|-------------|-------|----|
| PLANET-TWO | Z | 115 x 22,23        | 60             | 10000 41402 | stock | 40 |
| PLANET-TWO | Z | 115 x 22,23        | 80             | 10000 41403 | stock | 40 |
| PLANET-TWO | Z | 115 x 22,23        | 100 <b>NEW</b> | 10000 41401 | stock | 40 |
| PLANET-TWO | Z | 115 x 22,23        | 120            | 10000 41404 | stock | 40 |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

## ABRASIVE CLOTH PRODUCTS







# Abrasive cloth products

## Contents



**SAITOR-G**  
Shaft mounted flap wheels.

121



**SAITEX-N**  
Belts.

136



**SAITOR-F**  
Flap wheels with flange.

124



**SAITEX-NL**  
Wide belts.

141



**SAITEX-RI**  
Industrial rolls.

127



**SAITEX-MN**  
Standard sleeves.

142



**SAITEX-RE**  
Shop rolls.

132



**SAITEX-MR**  
Interlined sleeves.

145



**SAITEX-RM**  
Mini-rolls.

133



**SAITEX-S**  
Sheets.

148



**SAITEX-NC**  
Short belts.


134





## Abrasive cloth products


### How to read the product



|                      |                                                                          |                                                                                                     |                                                             |                                                                    |
|----------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Product lines</b> | <b>SAITOR</b><br><b>SAITEX</b>                                           | Abrasive flap wheel<br>Abrasive cloth                                                               |                                                             |                                                                    |
| <b>Shapes</b>        | <b>G</b><br><b>F</b><br><b>RI</b><br><b>RE</b><br><b>RM</b><br><b>NC</b> | Shaft mounted wheel<br>Wheel with flange<br>Industrial roll<br>Shop roll<br>Mini-roll<br>Short belt | <b>N</b><br><b>NL</b><br><b>MN</b><br><b>MR</b><br><b>S</b> | Belt<br>Wide belt<br>Standard sleeve<br>Interlined sleeve<br>Sheet |
| <b>Abrasives</b>     | <b>A</b><br><b>AG</b><br><b>Z</b>                                        | Aluminium oxide<br>Agglomerate aluminium oxide<br>Zirconia                                          | <b>C</b><br><b>S</b>                                        | Silicon carbide<br>Ceramic abrasive                                |
| <b>Adhesives</b>     | Synthetic resins                                                         |                                                                                                     |                                                             |                                                                    |

### Abrasive cloth backings

|                |                                                                                                                                |
|----------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>H cloth</b> | Very heavy polyester cloth, sturdy and resistant, suitable for grinding and fettling operations. Water resistant.              |
| <b>X cloth</b> | Heavy cotton or polycotton cloth, sturdy and resistant, suitable for fettling, deburring and finishing operations.             |
| <b>J cloth</b> | Flexible cotton or polycotton cloth, suitable for cleaning, polishing and finishing operations.                                |
| <b>F cloth</b> | Very flexible cotton or polycotton cloth, suitable for cleaning, polishing and finishing operations of contoured components.   |
| <b>W cloth</b> | Waterproof cotton cloth, sturdy and resistant, suitable for fettling, deburring, cleaning, finishing and polishing operations. |





## Abrasive cloth products

| Products                              | Width         | Lenght       | Diameter    | Height     |
|---------------------------------------|---------------|--------------|-------------|------------|
| <b>SAITEX-RI</b><br>Industrial roll   | 38 ÷ 300 mm   | 25 ÷ 50 m    |             |            |
| <b>SAITEX-RE</b><br>Shop roll         | 25 ÷ 50 mm    | 25 ÷ 50 m    |             |            |
| <b>SAITEX-RM</b><br>Mini-roll         | 115 mm        | 5 m          |             |            |
| <b>SAITEX-NC</b><br>Short belt        | 30 ÷ 110 mm   | 533 ÷ 620 mm |             |            |
| <b>SAITEX-N</b><br>Belt               | 20 ÷ 350 mm   | On request   |             |            |
| <b>SAITEX-NL</b><br>Wide belt         | 400 ÷ 1500 mm | On request   |             |            |
| <b>SAITEX-MN</b><br>Standard sleeve   |               |              | 30 ÷ 200 mm | 30 ÷ 60 mm |
| <b>SAITEX-MR</b><br>Interlined sleeve |               |              | 10 ÷ 45 mm  | 10 ÷ 30 mm |
| <b>SAITEX-S</b><br>Sheet              | 230 mm        | 280 mm       |             |            |

# SAITOR-G

## Abrasive shaft mounted flap wheels




### A ALUMINIUM OXIDE

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITOR-G | A | <b>20 x 10 x 6</b> | P-60  | 10000 74020 | stock | 25.000 | 20 (2x10) |
|----------|---|--------------------|-------|-------------|-------|--------|-----------|
| SAITOR-G | A | 20 x 10 x 6        | P-80  | 10000 74045 | stock | 25.000 | 20 (2x10) |
| SAITOR-G | A | 20 x 10 x 6        | P-120 | 10000 74046 | stock | 25.000 | 20 (2x10) |
| SAITOR-G | A | <b>30 x 10 x 6</b> | P-60  | 10000 74008 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 10 x 6        | P-80  | 10000 74010 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 10 x 6        | P-120 | 10000 74012 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 10 x 6        | P-180 | 10000 74014 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 10 x 6        | P-240 | 10000 74016 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | <b>30 x 20 x 6</b> | P-60  | 10000 74254 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 20 x 6        | P-80  | 10000 74268 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | 30 x 20 x 6        | P-120 | 10000 74255 | stock | 19.000 | 20 (2x10) |
| SAITOR-G | A | <b>40 x 15 x 6</b> | P-40  | 10000 74027 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 15 x 6        | P-60  | 10000 74028 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 15 x 6        | P-80  | 10000 74029 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 15 x 6        | P-120 | 10000 74030 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 15 x 6        | P-180 | 10000 74031 | W4    | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 15 x 6        | P-240 | 10000 74032 | W4    | 15.000 | 20 (2x10) |
| SAITOR-G | A | <b>40 x 20 x 6</b> | P-60  | 10000 74033 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 20 x 6        | P-80  | 10000 74035 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | 40 x 20 x 6        | P-120 | 10000 74037 | stock | 15.000 | 20 (2x10) |
| SAITOR-G | A | <b>50 x 20 x 6</b> | P-40  | 10000 74052 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 20 x 6        | P-60  | 10000 74053 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 20 x 6        | P-80  | 10000 74055 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 20 x 6        | P-120 | 10000 74057 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 20 x 6        | P-180 | 10000 74059 | W4    | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 20 x 6        | P-240 | 10000 74060 | W4    | 12.000 | 20 (2x10) |
| SAITOR-G | A | <b>50 x 30 x 6</b> | P-60  | 10000 74269 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 30 x 6        | P-80  | 10000 74270 | stock | 12.000 | 20 (2x10) |
| SAITOR-G | A | 50 x 30 x 6        | P-120 | 10000 74271 | stock | 12.000 | 20 (2x10) |



#### SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.  
Maximum speed is relative to max overhang S = 5 mm.

# SAITOR-G

## Abrasive shaft mounted flap wheels




### A ALUMINIUM OXIDE

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITOR-G | A | <b>60 x 15 x 6</b> | P-60  | 10000 74068 | stock | 9.000 | 20 (2x10) |
|----------|---|--------------------|-------|-------------|-------|-------|-----------|
| SAITOR-G | A | 60 x 15 x 6        | P-80  | 10000 74069 | W4    | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 15 x 6        | P-120 | 10000 74070 | W4    | 9.000 | 20 (2x10) |
| SAITOR-G | A | <b>60 x 20 x 6</b> | P-40  | 10000 74076 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 20 x 6        | P-60  | 10000 74077 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 20 x 6        | P-80  | 10000 74078 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 20 x 6        | P-120 | 10000 74080 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 20 x 6        | P-240 | 10000 74083 | W4    | 9.000 | 20 (2x10) |
| SAITOR-G | A | <b>60 x 30 x 6</b> | P-40  | 10000 74089 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 30 x 6        | P-60  | 10000 74090 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 30 x 6        | P-80  | 10000 74092 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 30 x 6        | P-120 | 10000 74094 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 30 x 6        | P-180 | 10000 74096 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 30 x 6        | P-240 | 10000 74097 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | <b>60 x 40 x 6</b> | P-40  | 10000 74099 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 40 x 6        | P-60  | 10000 74100 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 40 x 6        | P-80  | 10000 74101 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | 60 x 40 x 6        | P-120 | 10000 74103 | stock | 9.000 | 20 (2x10) |
| SAITOR-G | A | <b>80 x 30 x 6</b> | P-40  | 10000 74128 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 30 x 6        | P-60  | 10000 74129 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 30 x 6        | P-80  | 10000 74130 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 30 x 6        | P-120 | 10000 74131 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 30 x 6        | P-240 | 10000 74133 | W4    | 6.000 | 20 (2x10) |
| SAITOR-G | A | <b>80 x 40 x 6</b> | P-40  | 10000 74134 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 40 x 6        | P-60  | 10000 74135 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 40 x 6        | P-80  | 10000 74136 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 40 x 6        | P-120 | 10000 74137 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | <b>80 x 50 x 6</b> | P-40  | 10000 74140 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 50 x 6        | P-60  | 10000 74141 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 50 x 6        | P-80  | 10000 74142 | stock | 6.000 | 20 (2x10) |
| SAITOR-G | A | 80 x 50 x 6        | P-120 | 10000 74143 | W4    | 6.000 | 20 (2x10) |



#### SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.  
Maximum speed is relative to max overhang S = 5 mm.

# SAITOR-G

## Abrasive shaft mounted flap wheels



### 3A ALUMINIUM OXIDE, FILLED

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS


| SAITOR-G | 3A | 60 x 30 x 6 | P-60  | 10000 74283 | stock | 9.000 |  | 20 (2x10) |
|----------|----|-------------|-------|-------------|-------|-------|--|-----------|
| SAITOR-G | 3A | 60 x 30 x 6 | P-80  | 10000 74284 | stock | 9.000 |  | 20 (2x10) |
| SAITOR-G | 3A | 60 x 30 x 6 | P-120 | 10000 74285 | stock | 9.000 |  | 20 (2x10) |

### C SILICON CARBIDE

#### APPLICATIONS

- MARBLES
- CERAMICS
- STONES
- CAST IRON
- NON-FERROUS METALS
- WOOD
- LEATHER
- GLASSES
- PLASTIC MATERIALS

| SAITOR-G | C | 60 x 20 x 6 | P-40  | 10000 74232 | stock | 9.000 |  | 20 (2x10) |
|----------|---|-------------|-------|-------------|-------|-------|--|-----------|
| SAITOR-G | C | 60 x 20 x 6 | P-60  | 10000 74073 | stock | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 20 x 6 | P-80  | 10000 74074 | W4    | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 20 x 6 | P-120 | 10000 74075 | stock | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 30 x 6 | P-40  | 10000 74233 | stock | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 30 x 6 | P-60  | 10000 74229 | stock | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 30 x 6 | P-80  | 10000 74230 | W4    | 9.000 |  | 20 (2x10) |
| SAITOR-G | C | 60 x 30 x 6 | P-120 | 10000 74231 | stock | 9.000 |  | 20 (2x10) |



#### SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.  
Maximum speed is relative to max overhang S = 5 mm.

# SAITOR-F

## Abrasive flap wheels with flange




### A ALUMINIUM OXIDE

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS
- PLASTIC MATERIALS

|                                                       |   |  |  |  |  |  |  |
|-------------------------------------------------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITOR-F                                              | A | <b>100 x 30 x 26</b>                                                              | P-60                                                                              | 10000 72002                                                                       | stock                                                                             | 8.500                                                                               | 10                                                                                  |
| SAITOR-F                                              | A | 100 x 30 x 26                                                                     | P-80                                                                              | 10000 72004                                                                       | W5                                                                                | 8.500                                                                               | 10                                                                                  |
| SAITOR-F                                              | A | 100 x 30 x 26                                                                     | P-120                                                                             | 10000 72008                                                                       | W5                                                                                | 8.500                                                                               | 10                                                                                  |
| (A = ø 100 mm, B = 30 mm, C = ø 26 mm, D = ø 49 mm)   |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>100 x 50 x 26</b>                                                              | P-60                                                                              | 10000 72016                                                                       | stock                                                                             | 8.500                                                                               | 10                                                                                  |
| (A = ø 100 mm, B = 50 mm, C = ø 26 mm, D = ø 49 mm)   |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>100 x 100 x 19,1 C<sup>(1)</sup></b>                                           | P-40                                                                              | 10000 72022                                                                       | stock                                                                             | 8.500                                                                               | 6                                                                                   |
| SAITOR-F                                              | A | 100 x 100 x 19,1 C <sup>(1)</sup>                                                 | P-60                                                                              | 10000 72023                                                                       | W5                                                                                | 8.500                                                                               | 6                                                                                   |
| SAITOR-F                                              | A | 100 x 100 x 19,1 C <sup>(1)</sup>                                                 | P-80                                                                              | 10000 72024                                                                       | stock                                                                             | 8.500                                                                               | 6                                                                                   |
| SAITOR-F                                              | A | 100 x 100 x 19,1 C <sup>(1)</sup>                                                 | P-120                                                                             | 10000 72093                                                                       | stock                                                                             | 8.500                                                                               | 6                                                                                   |
| (A = ø 100 mm, B = 100 mm, <sup>(1)</sup> C = spline) |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>125 x 20 M 14</b>                                                              | P-40                                                                              | 10000 72195                                                                       | stock                                                                             | 10.000                                                                              | 3                                                                                   |
| SAITOR-F                                              | A | 125 x 20 M 14                                                                     | P-60                                                                              | 10000 72114                                                                       | stock                                                                             | 10.000                                                                              | 3                                                                                   |
| SAITOR-F                                              | A | 125 x 20 M 14                                                                     | P-80                                                                              | 10000 72193                                                                       | stock                                                                             | 10.000                                                                              | 3                                                                                   |
| SAITOR-F                                              | A | 125 x 20 M 14                                                                     | P-120                                                                             | 10000 72194                                                                       | stock                                                                             | 10.000                                                                              | 3                                                                                   |
| (A = ø 125 mm, B = 20 mmspline)                       |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>165 x 30 x 54</b>                                                              | P-40                                                                              | 10000 72046                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-60                                                                              | 10000 72048                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-80                                                                              | 10000 72049                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-120                                                                             | 10000 72051                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-180                                                                             | 10000 72053                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-220                                                                             | 10000 72054                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-240                                                                             | 10000 72055                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 30 x 54                                                                     | P-320                                                                             | 10000 72056                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| (A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)   |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>165 x 50 x 54</b>                                                              | P-40                                                                              | 10000 72065                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-50                                                                              | 10000 72066                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-60                                                                              | 10000 72067                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-80                                                                              | 10000 72068                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-100                                                                             | 10000 72069                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-120                                                                             | 10000 72070                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-150                                                                             | 10000 72071                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-180                                                                             | 10000 72072                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-220                                                                             | 10000 72073                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-240                                                                             | 10000 72074                                                                       | stock                                                                             | 5.200                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 165 x 50 x 54                                                                     | P-320                                                                             | 10000 72075                                                                       | W5                                                                                | 5.200                                                                               | 5                                                                                   |
| (A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)   |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>200 x 50 x 54</b>                                                              | P-50                                                                              | 10000 72082                                                                       | stock                                                                             | 3.350                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 200 x 50 x 54                                                                     | P-60                                                                              | 10000 72083                                                                       | W5                                                                                | 3.350                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 200 x 50 x 54                                                                     | P-80                                                                              | 10000 72084                                                                       | stock                                                                             | 3.350                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 200 x 50 x 54                                                                     | P-120                                                                             | 10000 72086                                                                       | stock                                                                             | 3.350                                                                               | 5                                                                                   |
| SAITOR-F                                              | A | 200 x 50 x 54                                                                     | P-220                                                                             | 10000 72089                                                                       | W5                                                                                | 3.350                                                                               | 5                                                                                   |
| (A = ø 200 mm, B = 50 mm, C = ø 54 mm, D = ø 82 mm)   |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| SAITOR-F                                              | A | <b>250 x 30 x 100</b>                                                             | P-60                                                                              | 10000 72125                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| SAITOR-F                                              | A | 250 x 30 x 100                                                                    | P-150                                                                             | 10000 72152                                                                       | W5                                                                                | 2.650                                                                               | 3                                                                                   |
| SAITOR-F                                              | A | 250 x 30 x 100                                                                    | P-180                                                                             | 10000 72154                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| (A = ø 250 mm, B = 30 mm, C = ø 100 mm, D = ø 144 mm) |   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |



# SAITOR-F

## Abrasive flap wheels with flange



### A ALUMINIUM OXIDE

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS
- PLASTIC MATERIALS

|          |   |  |  |  |  |  |  |
|----------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITOR-F | A | <b>250 x 50 x 100</b>                                                             | P-50                                                                              | 10000 72136                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-60                                                                              | 10000 72151                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-80                                                                              | 10000 72166                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-100                                                                             | 10000 72167                                                                       | W5                                                                                | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-120                                                                             | 10000 72180                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-220                                                                             | 10000 72189                                                                       | W5                                                                                | 2.650                                                                               | 3                                                                                   |
| SAITOR-F | A | 250 x 50 x 100                                                                    | P-320                                                                             | 10000 72191                                                                       | stock                                                                             | 2.650                                                                               | 3                                                                                   |

(A = ø 250 mm, B = 50 mm, C = ø 100 mm, D = ø 144 mm)

|          |   |                       |       |             |       |       |   |
|----------|---|-----------------------|-------|-------------|-------|-------|---|
| SAITOR-F | A | <b>300 x 50 x 104</b> | P-60  | 10000 72116 | stock | 2.250 | 3 |
| SAITOR-F | A | 300 x 50 x 104        | P-80  | 10000 72117 | stock | 2.250 | 3 |
| SAITOR-F | A | 300 x 50 x 104        | P-120 | 10000 72119 | stock | 2.250 | 3 |
| SAITOR-F | A | 300 x 50 x 104        | P-150 | 10000 72120 | W5    | 2.250 | 3 |
| SAITOR-F | A | 300 x 50 x 104        | P-220 | 10000 72122 | W5    | 2.250 | 3 |

(A = ø 300 mm, B = 50 mm, C = ø 104 mm, D = ø 159 mm)

|          |   |                       |       |             |       |       |   |
|----------|---|-----------------------|-------|-------------|-------|-------|---|
| SAITOR-F | A | <b>300 x 75 x 104</b> | P-50  | 10000 72126 | stock | 2.250 | 3 |
| SAITOR-F | A | 300 x 75 x 104        | P-120 | 10000 72130 | W5    | 2.250 | 3 |

(A = ø 300 mm, B = 75 mm, C = ø 104 mm, D = ø 159 mm)

### 3A ALUMINIUM OXIDE, FILLED

#### APPLICATIONS


- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

|          |    |  |  |  |  |  |  |
|----------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITOR-F | 3A | <b>165 x 30 x 54</b>                                                                | P-60                                                                                | 10000 72058                                                                         | stock                                                                               | 5.200                                                                                 | 5                                                                                     |
| SAITOR-F | 3A | 165 x 30 x 54                                                                       | P-80                                                                                | 10000 72059                                                                         | stock                                                                               | 5.200                                                                                 | 5                                                                                     |
| SAITOR-F | 3A | 165 x 30 x 54                                                                       | P-120                                                                               | 10000 72061                                                                         | stock                                                                               | 5.200                                                                                 | 5                                                                                     |

(A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)

|          |    |                      |       |             |       |       |   |
|----------|----|----------------------|-------|-------------|-------|-------|---|
| SAITOR-F | 3A | <b>165 x 50 x 54</b> | P-60  | 10000 72077 | stock | 5.200 | 5 |
| SAITOR-F | 3A | 165 x 50 x 54        | P-80  | 10000 72078 | stock | 5.200 | 5 |
| SAITOR-F | 3A | 165 x 50 x 54        | P-120 | 10000 72080 | W5    | 5.200 | 5 |

(A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)



# SAITOR-F

## Abrasive flap wheels with flange



### AZ ALUMINIUM OXIDE AND ZIRCONIA

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

| SAITOR-F | AZ | 165 x 50 x 54 | 40 | 10000 72155 | W5 | 5.200 |  | 5 |
|----------|----|---------------|----|-------------|----|-------|--|---|

(A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)


### C SILICON CARBIDE

#### APPLICATIONS

- MARBLES
- CERAMICS
- STONES
- NON-FERROUS METALS
- GLASSES
- PLASTIC MATERIALS

| SAITOR-F | C | 165 x 30 x 54 | P-40  | 10000 72037 | stock | 5.200 |  | 5 |
|----------|---|---------------|-------|-------------|-------|-------|--|---|
| SAITOR-F | C | 165 x 30 x 54 | P-60  | 10000 72038 | stock | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-80  | 10000 72039 | stock | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-120 | 10000 72041 | stock | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-150 | 10000 72042 | stock | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-180 | 10000 72043 | W5    | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-220 | 10000 72044 | stock | 5.200 |  | 5 |
| SAITOR-F | C | 165 x 30 x 54 | P-320 | 10000 72045 | stock | 5.200 |  | 5 |


(A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)



## Accessories for flap wheels with flange

#### FLANGES

| Ø FLAP WHEELS MM | Ø BORE MM | MAX AVAILABLE BORE MM | Ø COUPLING MM |             |       |   |
|------------------|-----------|-----------------------|---------------|-------------|-------|---|
| 100              | 14        | 16                    | 26            | 10000 98309 | stock | 2 |
| 165 - 200        | 14        | 32                    | 54            | 10000 98311 | stock | 2 |
| 250              | 20        | 40                    | 134           | 10000 98302 | stock | 2 |
| 300              | 20        | 40                    | 150           | 10000 98314 | stock | 2 |





**A-F** 

Full resin bonded aluminium oxide cloth, polycotton F Flex backing, open coating. Specific for hand operations on flat and shaped surfaces. Dry use. Low clogging. High flexibility. Very good resistance.

**APPLICATIONS**

- STEELS
- NON-FERROUS METALS
- WOOD
- LEATHER

|           |     |  |  |  |  |  |
|-----------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RI | A-F | <b>115 x 25 m</b>                                                                 | P-36                                                                              | 10000 16608                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-40                                                                              | 10000 16441                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-50                                                                              | 10000 16442                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-60                                                                              | 10000 16268                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-80                                                                              | 10000 16269                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-100                                                                             | 10000 16270                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-120                                                                             | 10000 16298                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-150                                                                             | 10000 16302                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-180                                                                             | 10000 16337                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-220                                                                             | 10000 16339                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-240                                                                             | 10000 16347                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-320                                                                             | 10000 16429                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 25 m                                                                        | P-400                                                                             | 10000 16432                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | <b>115 x 50 m</b>                                                                 | P-36                                                                              | 10000 16609                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-40                                                                              | 10000 16454                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-50                                                                              | 10000 16458                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-60                                                                              | 10000 16479                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-80                                                                              | 10000 16483                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-100                                                                             | 10000 16494                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-120                                                                             | 10000 16496                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-150                                                                             | 10000 16506                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-180                                                                             | 10000 16508                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-220                                                                             | 10000 16509                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-240                                                                             | 10000 16558                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-320                                                                             | 10000 16561                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | A-F | 115 x 50 m                                                                        | P-400                                                                             | 10000 16567                                                                       | stock                                                                              | 1                                                                                   |



## DA-F

Flexible full resin bonded aluminium oxide cloth, open coating. For hand operations.

### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RI | DA-F | <b>100 x 50 m</b>                                                                 | P-60                                                                              | 10000 16188                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-80                                                                              | 10000 16191                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-100                                                                             | 10000 16194                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-120                                                                             | 10000 16197                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-150                                                                             | 10000 16200                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-180                                                                             | 10000 16203                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-220                                                                             | 10000 16206                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-240                                                                             | 10000 16209                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-320                                                                             | 10000 16212                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 100 x 50 m                                                                        | P-400                                                                             | 10000 16215                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | <b>115 x 50 m</b>                                                                 | P-60                                                                              | 10000 16599                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 115 x 50 m                                                                        | P-80                                                                              | 10000 16601                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 115 x 50 m                                                                        | P-100                                                                             | 10000 16602                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 115 x 50 m                                                                        | P-120                                                                             | 10000 16603                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 115 x 50 m                                                                        | P-220                                                                             | 10000 16604                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | 115 x 50 m                                                                        | P-400                                                                             | 10000 16605                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | DA-F | <b>120 x 50 m</b>                                                                 | P-36                                                                              | 10000 16271                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-40                                                                              | 10000 16245                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-50                                                                              | 10000 16186                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-60                                                                              | 10000 16189                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-80                                                                              | 10000 16192                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-100                                                                             | 10000 16195                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-120                                                                             | 10000 16198                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-150                                                                             | 10000 16201                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-180                                                                             | 10000 16204                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-220                                                                             | 10000 16207                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-240                                                                             | 10000 16210                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-320                                                                             | 10000 16213                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | DA-F | 120 x 50 m                                                                        | P-400                                                                             | 10000 16216                                                                       | stock                                                                              | 1                                                                                   |



## EA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand and mechanical operations.

### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RI | EA-F | <b>38 x 50 m</b>                                                                  | P-50                                                                              | 10000 16842                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-60                                                                              | 10000 16856                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-80                                                                              | 10000 16812                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-100                                                                             | 10000 16839                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-120                                                                             | 10000 16813                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-150                                                                             | 10000 16843                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-180                                                                             | 10000 16814                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-220                                                                             | 10000 16815                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-240                                                                             | 10000 16875                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-280                                                                             | 10000 16840                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-320                                                                             | 10000 16841                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | 38 x 50 m                                                                         | P-400                                                                             | 10000 16876                                                                       | W4                                                                                 | 4                                                                                   |
| SAITEX-RI | EA-F | <b>50 x 50 m</b>                                                                  | P-40                                                                              | 10000 16240                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-50                                                                              | 10000 16266                                                                       | W4                                                                                 | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-60                                                                              | 10000 16241                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-80                                                                              | 10000 16242                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-100                                                                             | 10000 16288                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-120                                                                             | 10000 16264                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-150                                                                             | 10000 16289                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-180                                                                             | 10000 16290                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-220                                                                             | 10000 16243                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-240                                                                             | 10000 16291                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-280                                                                             | 10000 16596                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-320                                                                             | 10000 16292                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | 50 x 50 m                                                                         | P-400                                                                             | 10000 16293                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | EA-F | <b>100 x 50 m</b>                                                                 | P-60                                                                              | 10000 16028                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-80                                                                              | 10000 16029                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-100                                                                             | 10000 16030                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-120                                                                             | 10000 16031                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-150                                                                             | 10000 16032                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-180                                                                             | 10000 16033                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-220                                                                             | 10000 16034                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-240                                                                             | 10000 16035                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-280                                                                             | 10000 16597                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-320                                                                             | 10000 16036                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | 100 x 50 m                                                                        | P-400                                                                             | 10000 16037                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | EA-F | <b>120 x 50 m</b>                                                                 | P-36                                                                              | 10000 16074                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-40                                                                              | 10000 16075                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-50                                                                              | 10000 16076                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-60                                                                              | 10000 16077                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-80                                                                              | 10000 16078                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-100                                                                             | 10000 16079                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-120                                                                             | 10000 16080                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-150                                                                             | 10000 16081                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-180                                                                             | 10000 16082                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-220                                                                             | 10000 16083                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-240                                                                             | 10000 16084                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-280                                                                             | 10000 16598                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-320                                                                             | 10000 16085                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | EA-F | 120 x 50 m                                                                        | P-400                                                                             | 10000 16086                                                                       | stock                                                                              | 1                                                                                   |



### KA-F

Full resin bonded aluminium oxide cloth. High flexibility.

#### APPLICATIONS

- STEELS                      ▲ WOOD
- NON-FERROUS METALS    ▲ LEATHER

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RI | KA-F | <b>50 x 50 m</b>                                                                  | P-60                                                                              | 10000 16001                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-80                                                                              | 10000 16002                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-100                                                                             | 10000 16003                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-120                                                                             | 10000 16004                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-150                                                                             | 10000 16005                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-180                                                                             | 10000 16006                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-220                                                                             | 10000 16007                                                                       | stock                                                                              | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-240                                                                             | 10000 16008                                                                       | W4                                                                                 | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-320                                                                             | 10000 16010                                                                       | W4                                                                                 | 2                                                                                   |
| SAITEX-RI | KA-F | 50 x 50 m                                                                         | P-400                                                                             | 10000 16011                                                                       | W4                                                                                 | 2                                                                                   |
| SAITEX-RI | KA-F | <b>120 x 50 m</b>                                                                 | P-60                                                                              | 10000 16087                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-80                                                                              | 10000 16088                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-100                                                                             | 10000 16089                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-120                                                                             | 10000 16090                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-150                                                                             | 10000 16091                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-180                                                                             | 10000 16092                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-220                                                                             | 10000 16093                                                                       | stock                                                                              | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-240                                                                             | 10000 16094                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-280                                                                             | 10000 16095                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-320                                                                             | 10000 16096                                                                       | W4                                                                                 | 1                                                                                   |
| SAITEX-RI | KA-F | 120 x 50 m                                                                        | P-400                                                                             | 10000 16097                                                                       | W4                                                                                 | 1                                                                                   |

### AZ-X

Full resin bonded abrasive polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

#### APPLICATIONS

- STEELS                      ■ NON-FERROUS METALS
- ALLOY STEELS            ■ WOODEN FLOOR

|           |      |  |  |  |  |  |
|-----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-RI | AZ-X | <b>205 x 50 m</b>                                                                   | 24                                                                                  | 10000 17075                                                                         | W4                                                                                   | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 36                                                                                  | 10000 16809                                                                         | stock                                                                                | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 40                                                                                  | 10000 16810                                                                         | W4                                                                                   | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 50                                                                                  | 10000 16811                                                                         | W4                                                                                   | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 60                                                                                  | 10000 16816                                                                         | stock                                                                                | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 80                                                                                  | 10000 16817                                                                         | stock                                                                                | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 100                                                                                 | 10000 16818                                                                         | W4                                                                                   | 1                                                                                     |
| SAITEX-RI | AZ-X | 205 x 50 m                                                                          | 120                                                                                 | 10000 16819                                                                         | W4                                                                                   | 1                                                                                     |

### CX-F

Full resin bonded silicon carbide cloth. High flexibility. Suitable for operations with medium-light duty applications.

#### APPLICATIONS

- NON-FERROUS METALS

|           |      |  |  |  |  |  |
|-----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-RI | CX-F | <b>120 x 50 m</b>                                                                   | P-60                                                                                | 10000 16639                                                                         | stock                                                                                | 1                                                                                     |
| SAITEX-RI | CX-F | 120 x 50 m                                                                          | P-80                                                                                | 10000 16640                                                                         | W4                                                                                   | 1                                                                                     |
| SAITEX-RI | CX-F | 120 x 50 m                                                                          | P-120                                                                               | 10000 16641                                                                         | W4                                                                                   | 1                                                                                     |

- main applications
- ▲ possible use

# SAITEX-RI 300 x 50 m

## Industrial abrasive cloth rolls



| PRODUCTS | AVAILABLE GRITS |    |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
|----------|-----------------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|          | 24              | 36 | 40 | 50 | 60 | 80 | 100 | 120 | 150 | 180 | 220 | 240 | 280 | 320 | 360 | 400 | 500 | 600 |
| A-F      |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     | •   |
| DA-F     |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| MA-F     |                 |    | •  |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| EA-F     |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   | •   | •   | •   | •   |     | •   |     | •   |
| EA-S     |                 |    |    |    |    |    |     | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| KA-F     |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   | •   | •   | •   |     | •   |     |     |
| KA-J     |                 |    | •  |    | •  | •  | •   | •   |     | •   |     |     |     |     |     |     |     |     |
| 2A-F     |                 |    |    |    |    | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   | •   | •   |
| 1A-J     |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| AO-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| LA-X     |                 |    | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| TA-X     |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| 1A-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| 2A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| 3A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| 2A-H     | •               | •  | •  |    | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| AP-H     |                 |    |    |    |    |    |     |     |     | •   | •   | •   |     | •   |     | •   |     |     |
| AZ-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| Z-X      |                 | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| ZH-X     |                 | •  | •  |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
| Z-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| 5Z-H     | •               | •  | •  |    | •  |    |     |     |     |     |     |     |     |     |     |     |     |     |
| 7S-H     | •               | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| 9SH-X    |                 | •  | •  | •  | •  | •  |     |     |     |     |     |     |     |     |     |     |     |     |
| 9S-H     | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| 9S-J     |                 |    |    |    |    | •  |     | •   |     | •   | •   | •   |     | •   |     |     |     |     |
| C-J      |                 |    |    |    |    |    |     |     | •   | •   | •   | •   |     | •   | •   |     |     |     |
| CX-F     |                 |    | •  |    | •  | •  | •   | •   |     |     |     |     |     | •   |     |     |     |     |
| C-W      |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| CW-W     |                 |    |    |    |    |    |     |     |     |     |     | o   |     |     |     |     |     |     |
| C-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| AG-H     |                 |    |    |    |    | •  |     | •   |     | •   |     | •   |     | •   |     | •   |     | •   |

### Cloth for flap wheels

|      |  |   |   |   |   |   |   |   |  |  |  |  |  |  |  |  |  |  |
|------|--|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|
| RA-X |  |   | • | • | • | • |   | • |  |  |  |  |  |  |  |  |  |  |
| AZ-H |  |   | • | • | • | • | • | • |  |  |  |  |  |  |  |  |  |  |
| PZ-H |  |   | • | • | • | • |   | • |  |  |  |  |  |  |  |  |  |  |
| LZ-X |  | • | • | • | • | • | • | • |  |  |  |  |  |  |  |  |  |  |
| PS-H |  |   | • |   | • | • |   |   |  |  |  |  |  |  |  |  |  |  |

|                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
| 300 mm                                                                              | W4                                                                                  | 1                                                                                     |



## DA-F

Full resin bonded aluminium oxide cloth, open coating. For hand operations.

### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RE | DA-F | <b>38 x 25 m</b>                                                                  | P-40                                                                              | 10000 24152                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-60                                                                              | 10000 24174                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-80                                                                              | 10000 24153                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-100                                                                             | 10000 24154                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-120                                                                             | 10000 24155                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-150                                                                             | 10000 24156                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-180                                                                             | 10000 24157                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-220                                                                             | 10000 24158                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-240                                                                             | 10000 24159                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-320                                                                             | 10000 24160                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 25 m                                                                         | P-400                                                                             | 10000 24161                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | <b>50 x 25 m</b>                                                                  | P-40                                                                              | 10000 24091                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-60                                                                              | 10000 24059                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-80                                                                              | 10000 24056                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-100                                                                             | 10000 24053                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-120                                                                             | 10000 24050                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-150                                                                             | 10000 24047                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-180                                                                             | 10000 24044                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-220                                                                             | 10000 24041                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-240                                                                             | 10000 24038                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-320                                                                             | 10000 24035                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | 50 x 25 m                                                                         | P-400                                                                             | 10000 24032                                                                       | stock                                                                              | 5                                                                                   |
| SAITEX-RE | DA-F | <b>25 x 50 m</b>                                                                  | P-60                                                                              | 10000 24117                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-80                                                                              | 10000 24118                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-100                                                                             | 10000 24150                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-120                                                                             | 10000 24119                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-150                                                                             | 10000 24120                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-180                                                                             | 10000 24121                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-220                                                                             | 10000 24122                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-240                                                                             | 10000 24123                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-320                                                                             | 10000 24124                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 25 x 50 m                                                                         | P-400                                                                             | 10000 24125                                                                       | W4                                                                                 | 5                                                                                   |

# SAITEX-RE

## Abrasive cloth shop rolls



### DA-F

Full resin bonded aluminium oxide cloth, open coating. For hand operations.

#### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-RE | DA-F | <b>38 x 50 m</b>                                                                  | P-60                                                                              | 10000 24163                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-80                                                                              | 10000 24164                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-100                                                                             | 10000 24165                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-120                                                                             | 10000 24166                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-150                                                                             | 10000 24167                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-180                                                                             | 10000 24168                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-220                                                                             | 10000 24169                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-240                                                                             | 10000 24170                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-320                                                                             | 10000 24171                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | 38 x 50 m                                                                         | P-400                                                                             | 10000 24172                                                                       | W4                                                                                 | 5                                                                                   |
| SAITEX-RE | DA-F | <b>50 x 50 m</b>                                                                  | P-60                                                                              | 10000 24140                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-80                                                                              | 10000 24141                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-100                                                                             | 10000 24142                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-120                                                                             | 10000 24143                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-150                                                                             | 10000 24144                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-180                                                                             | 10000 24145                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-220                                                                             | 10000 24146                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-240                                                                             | 10000 24147                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-320                                                                             | 10000 24148                                                                       | stock                                                                              | 3                                                                                   |
| SAITEX-RE | DA-F | 50 x 50 m                                                                         | P-400                                                                             | 10000 24149                                                                       | stock                                                                              | 3                                                                                   |

# SAITEX-RM

## Abrasive cloth mini-rolls



### MA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand operations.

#### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

|           |      |  |  |  |  |  |
|-----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-RM | MA-F | <b>115 x 5 m</b>                                                                    | P-40                                                                                | 10000 94501                                                                         | stock                                                                                | 10 (2x5)                                                                              |
| SAITEX-RM | MA-F | 115 x 5 m                                                                           | P-60                                                                                | 10000 94502                                                                         | stock                                                                                | 10 (2x5)                                                                              |
| SAITEX-RM | MA-F | 115 x 5 m                                                                           | P-80                                                                                | 10000 94503                                                                         | stock                                                                                | 10 (1x10)                                                                             |
| SAITEX-RM | MA-F | 115 x 5 m                                                                           | P-100                                                                               | 10000 94504                                                                         | stock                                                                                | 10 (1x10)                                                                             |
| SAITEX-RM | MA-F | 115 x 5 m                                                                           | P-120                                                                               | 10000 94505                                                                         | stock                                                                                | 10 (1x10)                                                                             |
| SAITEX-RM | MA-F | 115 x 5 m                                                                           | P-150                                                                               | 10000 94506                                                                         | stock                                                                                | 10 (1x10)                                                                             |

- main applications
- ▲ possible use





## A-X

Full resin bonded aluminium oxide cloth. Short belts are produced with specific abrasive cloth, type of joint and dimensions in order to be used on portable sanders.

### APPLICATIONS

- WOOD
- STEELS
- NON-FERROUS METALS
- ▲ LEATHER

|           |     |  |  |  |  |  |
|-----------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-NC | A-X | <b>30 x 533</b>                                                                   | P-40                                                                              | 10000 28000                                                                       | stock                                                                              | 20 (4x5)                                                                            |
| SAITEX-NC | A-X | 30 x 533                                                                          | P-60                                                                              | 10000 28001                                                                       | stock                                                                              | 20 (4x5)                                                                            |
| SAITEX-NC | A-X | 30 x 533                                                                          | P-80                                                                              | 10000 28002                                                                       | stock                                                                              | 20 (4x5)                                                                            |
| SAITEX-NC | A-X | 30 x 533                                                                          | P-120                                                                             | 10000 28003                                                                       | W4                                                                                 | 20 (4x5)                                                                            |
| SAITEX-NC | A-X | <b>65 x 410</b>                                                                   | P-40                                                                              | 10000 28008                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 65 x 410                                                                          | P-60                                                                              | 10000 28009                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 65 x 410                                                                          | P-80                                                                              | 10000 28010                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 65 x 410                                                                          | P-100                                                                             | 10000 28050                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 65 x 410                                                                          | P-120                                                                             | 10000 28011                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>75 x 457</b>                                                                   | P-40                                                                              | 10000 28024                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 457                                                                          | P-60                                                                              | 10000 28031                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 457                                                                          | P-80                                                                              | 10000 28046                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 457                                                                          | P-100                                                                             | 10000 28048                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 457                                                                          | P-120                                                                             | 10000 28055                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>75 x 533</b>                                                                   | P-40                                                                              | 10000 28019                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 533                                                                          | P-60                                                                              | 10000 28020                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 533                                                                          | P-80                                                                              | 10000 28021                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 533                                                                          | P-100                                                                             | 10000 28053                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 75 x 533                                                                          | P-120                                                                             | 10000 28022                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>100 x 560</b>                                                                  | P-40                                                                              | 10000 28025                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 560                                                                         | P-60                                                                              | 10000 28026                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 560                                                                         | P-80                                                                              | 10000 28027                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 560                                                                         | P-100                                                                             | 10000 28054                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 560                                                                         | P-120                                                                             | 10000 28028                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>100 x 610</b>                                                                  | P-40                                                                              | 10000 28033                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 610                                                                         | P-60                                                                              | 10000 28034                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 610                                                                         | P-80                                                                              | 10000 28035                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 610                                                                         | P-100                                                                             | 10000 28056                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 610                                                                         | P-120                                                                             | 10000 28036                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>100 x 620</b>                                                                  | P-40                                                                              | 10000 28037                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 620                                                                         | P-60                                                                              | 10000 28038                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 620                                                                         | P-80                                                                              | 10000 28039                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 100 x 620                                                                         | P-100                                                                             | 10000 28057                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | <b>110 x 620</b>                                                                  | P-40                                                                              | 10000 28041                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 110 x 620                                                                         | P-60                                                                              | 10000 28042                                                                       | W4                                                                                 | 20 (2x10)                                                                           |
| SAITEX-NC | A-X | 110 x 620                                                                         | P-80                                                                              | 10000 28043                                                                       | W4                                                                                 | 20 (2x10)                                                                           |



## KA-J

Full resin bonded aluminium oxide cloth, polycotton J backing, open coating. Dry use.  
The open coating reduces and limits clogging, even with clogging materials.  
Low clogging. Good flexibility. Very good resistance.

### APPLICATIONS

- WOOD
- NON-FERROUS METALS
- ALUMINIUM

|           |      |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-NC | KA-J | <b>75 x 533</b>                                                                   | P-40                                                                              | 10000 28005                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 75 x 533                                                                          | P-60                                                                              | 10000 28006                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 75 x 533                                                                          | P-80                                                                              | 10000 28007                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 75 x 533                                                                          | P-100                                                                             | 10000 28016                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 75 x 533                                                                          | P-120                                                                             | 10000 28017                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | <b>100 x 610</b>                                                                  | P-40                                                                              | 10000 28018                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 100 x 610                                                                         | P-60                                                                              | 10000 28023                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 100 x 610                                                                         | P-80                                                                              | 10000 28029                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 100 x 610                                                                         | P-100                                                                             | 10000 28030                                                                       | stock                                                                              | 20 (2x10)                                                                           |
| SAITEX-NC | KA-J | 100 x 610                                                                         | P-120                                                                             | 10000 28032                                                                       | stock                                                                              | 20 (2x10)                                                                           |



## A-X BLISTER PACKAGING

Full resin bonded aluminium oxide cloth. Short belts are produced with specific abrasive cloth, type of joint and dimensions in order to be used on portable sanders.

### APPLICATIONS

- WOOD
- STEELS
- NON-FERROUS METALS
- ▲ LEATHER

|           |     |  |  |  |  |  |
|-----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-NC | A-X | <b>75 x 457</b>                                                                     | P-40                                                                                | 10000 28047                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 457                                                                            | P-60                                                                                | 10000 28059                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 457                                                                            | P-80                                                                                | 10000 28060                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 457                                                                            | P-100                                                                               | 10000 28061                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 457                                                                            | P-120                                                                               | 10000 28062                                                                         | W4                                                                                   | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | <b>75 x 533</b>                                                                     | P-40                                                                                | 10000 28063                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 533                                                                            | P-60                                                                                | 10000 28064                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 533                                                                            | P-80                                                                                | 10000 28065                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 533                                                                            | P-100                                                                               | 10000 28066                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 75 x 533                                                                            | P-120                                                                               | 10000 28067                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | <b>100 x 610</b>                                                                    | P-40                                                                                | 10000 28068                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 100 x 610                                                                           | P-60                                                                                | 10000 28069                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 100 x 610                                                                           | P-80                                                                                | 10000 28070                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 100 x 610                                                                           | P-100                                                                               | 10000 28071                                                                         | stock                                                                                | 15 (5x3)                                                                              |
| SAITEX-NC | A-X | 100 x 610                                                                           | P-120                                                                               | 10000 28072                                                                         | stock                                                                                | 15 (5x3)                                                                              |

- main applications
- ▲ possible use



**TABLE A**

| PRODUCTS | AVAILABLE GRITS |    |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
|----------|-----------------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|          | 24              | 36 | 40 | 50 | 60 | 80 | 100 | 120 | 150 | 180 | 220 | 240 | 280 | 320 | 360 | 400 | 500 | 600 |
| EA-F *   |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   | •   | •   | •   |     | •   |     | •   |
| EA-S *   |                 |    |    |    |    |    |     | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| KA-F     |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   | •   | •   | •   |     | •   |     |     |
| KA-J     |                 |    | •  |    | •  | •  | •   | •   |     | •   |     |     |     |     |     |     |     |     |
| 2A-F     |                 |    |    |    |    | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   | •   | •   |
| 1A-J     |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| AO-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| LA-X     |                 |    | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| TA-X     |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| 1A-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| 2A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| 3A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| 2A-H     | •               | •  | •  |    | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| AP-H     |                 |    |    |    |    |    |     |     |     | •   | •   | •   |     | •   |     | •   |     |     |
| AZ-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| Z-X      |                 | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| ZH-X     |                 | •  | •  |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
| Z-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| 5Z-H     | •               | •  | •  |    | •  |    |     |     |     |     |     |     |     |     |     |     |     |     |
| 7S-H     | •               | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| 9SH-X    |                 | •  | •  | •  | •  | •  |     |     |     |     |     |     |     |     |     |     |     |     |
| 9S-H     | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| 9S-J     |                 |    |    |    |    | •  |     | •   |     | •   | •   | •   |     | •   |     |     |     |     |
| C-J      |                 |    |    |    |    |    |     |     | •   | •   | •   | •   |     | •   | •   |     |     |     |
| CX-F     |                 |    | •  |    | •  | •  | •   | •   |     |     |     |     |     | •   |     |     |     |     |
| C-W      |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| CW-W     |                 |    |    |    |    |    |     |     |     |     |     | o   |     |     |     |     |     |     |
| C-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| AG-H     |                 |    |    |    |    | •  |     | •   |     | •   |     | •   |     | •   |     | •   |     | •   |

\* EA-F and EA-S products can be converted into belts only for medium to light duty applications.  
Belts not available with TS joint.

#### TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.








**TABLE B**

| WIDTH MM |  |  | UNIT OF SALE |         |
|----------|--|--|--------------|---------|
|          |  |  | LENGTH MM    |         |
|          |  |  | < 5.000      | > 5.000 |
| 20       |  |  | 150          | 75      |
| 25       |  |  | 120          | 60      |
| 30       |  |  | 100          | 50      |
| 35       |  |  | 80           | 40      |
| 40       |  |  | 70           | 35      |
| 50       |  |  | 60           | 30      |
| 55       |  |  | 60           | 30      |
| 60       |  |  | 50           | 25      |
| 70       |  |  | 40           | 20      |
| 75       |  |  | 40           | 20      |
| 80       |  |  | 30           | 15      |
| 90       |  |  | 30           | 15      |
| 100      |  |  | 30           | 15      |
| 120      |  |  | 20           | 10      |
| 125      |  |  | 20           | 10      |
| 140      |  |  | 20           | 10      |
| 150      |  |  | 20           | 10      |
| 180      |  |  | 20           | 10      |
| 200      |  |  | 10           | 5       |
| 240      |  |  | 10           | 5       |
| 350      |  |  | 10           | 5       |


## JOINTS

| <b>N</b>                 | <b>NS</b>                | <b>TS</b>                       | <b>TT</b>            | <b>ZZ</b>              |
|--------------------------|--------------------------|---------------------------------|----------------------|------------------------|
| Normal overlapping joint | Overlapping skived joint | Overlapping double skived joint | Butt joint with tape | Finger joint with tape |



# SAITEX-N

## Abrasive cloth belts - Z Z joint



### AO-X

Full resin bonded aluminium oxide cloth, extra open coating. Excellent durability. Low clogging. High performance.

#### APPLICATIONS

■ WOODEN FLOOR

| SAITEX-N | AO-X | <b>200 x 750</b> | P-24  | 10000 37033 | W2 | 10 |
|----------|------|------------------|-------|-------------|----|----|
| SAITEX-N | AO-X | 200 x 750        | P-36  | 10000 37034 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-40  | 10000 37035 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-50  | 10000 37036 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-60  | 10000 37037 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-80  | 10000 37038 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-100 | 10000 37039 | W2 | 10 |
| SAITEX-N | AO-X | 200 x 750        | P-120 | 10000 37040 | W2 | 10 |

### AZ-X

Full resin bonded polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

#### APPLICATIONS

■ WOODEN FLOOR

| SAITEX-N | AZ-X | <b>200 x 750</b> | 36  | 10000 37041 | stock | 10 |
|----------|------|------------------|-----|-------------|-------|----|
| SAITEX-N | AZ-X | 200 x 750        | 40  | 10000 37042 | W2    | 10 |
| SAITEX-N | AZ-X | 200 x 750        | 50  | 10000 37043 | W2    | 10 |
| SAITEX-N | AZ-X | 200 x 750        | 60  | 10000 37044 | stock | 10 |
| SAITEX-N | AZ-X | 200 x 750        | 80  | 10000 37045 | stock | 10 |
| SAITEX-N | AZ-X | 200 x 750        | 100 | 10000 37046 | stock | 10 |
| SAITEX-N | AZ-X | 200 x 750        | 120 | 10000 37047 | W2    | 10 |

### 5Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Low clogging. Water resistant.

#### APPLICATIONS

■ WOODEN FLOOR


| SAITEX-N | 5Z-H | <b>200 x 750</b> | 24 | 10000 37048 | W2 | 10 |
|----------|------|------------------|----|-------------|----|----|
| SAITEX-N | 5Z-H | 200 x 750        | 36 | 10000 37049 | W2 | 10 |
| SAITEX-N | 5Z-H | 200 x 750        | 40 | 10000 37050 | W2 | 10 |
| SAITEX-N | 5Z-H | 200 x 750        | 60 | 10000 37052 | W2 | 10 |

#### NOTE

To order the products listed above, use the product code ONLY.

# SAITEX-N

## Abrasive cloth belts - Z Z joint



### Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Water resistant.

#### APPLICATIONS

■ WOODEN FLOOR

|          |     |  |  |  |  |  |
|----------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-N | Z-H | <b>200 x 750</b>                                                                  | 80                                                                                | 10000 37053                                                                       | W2                                                                                 | 10                                                                                  |
| SAITEX-N | Z-H | 200 x 750                                                                         | 100                                                                               | 10000 37054                                                                       | W2                                                                                 | 10                                                                                  |
| SAITEX-N | Z-H | 200 x 750                                                                         | 120                                                                               | 10000 37055                                                                       | W2                                                                                 | 10                                                                                  |

### 7S-H

Full resin bonded ceramic abrasive cloth, polyester backing, for operations in heavy duty applications. High durability. Water resistant.

#### APPLICATIONS

■ WOODEN FLOOR


|          |      |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-N | 7S-H | <b>200 x 750</b>                                                                    | 36                                                                                  | 10000 37116                                                                         | W2                                                                                   | 10                                                                                    |
| SAITEX-N | 7S-H | 200 x 750                                                                           | 40                                                                                  | 10000 37117                                                                         | W2                                                                                   | 10                                                                                    |
| SAITEX-N | 7S-H | 200 x 750                                                                           | 60                                                                                  | 10000 37118                                                                         | W2                                                                                   | 10                                                                                    |
| SAITEX-N | 7S-H | 200 x 750                                                                           | 80                                                                                  | 10000 37120                                                                         | W2                                                                                   | 10                                                                                    |
| SAITEX-N | 7S-H | 200 x 750                                                                           | 120                                                                                 | 10000 37122                                                                         | W2                                                                                   | 10                                                                                    |

#### NOTE

To order the products listed above, use the product code ONLY.

# SAITEX-N

## Abrasive cloth belts - T T joint



### AZ-X

Full resin bonded abrasive polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

#### APPLICATIONS

■ METALS

| SAITEX-N | AZ-X | <b>120 x 1500</b> | 40 | 10000 37064 | stock | 10 |
|----------|------|-------------------|----|-------------|-------|----|
| SAITEX-N | AZ-X | 120 x 1500        | 60 | 10000 37065 | stock | 10 |
| SAITEX-N | AZ-X | 120 x 1500        | 80 | 10000 37066 | stock | 10 |

### Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Water resistant.

#### APPLICATIONS

■ STEELS  
 ■ ALLOY STEELS  
 ■ STAINLESS STEELS  
 ■ NON-FERROUS METALS  
 ■ LEATHER  
 ▲ CAST IRON

| SAITEX-N | Z-H | <b>50 x 2000</b>  | 36 | 1000 225206 | W2 | 12 |
|----------|-----|-------------------|----|-------------|----|----|
| SAITEX-N | Z-H | 50 x 2000         | 40 | 1000 206141 | W2 | 12 |
| SAITEX-N | Z-H | 50 x 2000         | 60 | 1000 204228 | W2 | 12 |
| SAITEX-N | Z-H | 50 x 2000         | 80 | 1000 204018 | W2 | 12 |
| SAITEX-N | Z-H | <b>75 x 2000</b>  | 36 | 1000 205209 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2000         | 40 | 1000 205141 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2000         | 60 | 1000 205208 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2000         | 80 | 1000 212456 | W2 | 12 |
| SAITEX-N | Z-H | <b>75 x 2500</b>  | 36 | 1000 218449 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2500         | 40 | 1000 215826 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2500         | 60 | 1000 211719 | W2 | 12 |
| SAITEX-N | Z-H | 75 x 2500         | 80 | 1000 203414 | W2 | 12 |
| SAITEX-N | Z-H | <b>150 x 2000</b> | 36 | 1000 208689 | W2 | 12 |
| SAITEX-N | Z-H | 150 x 2000        | 40 | 1000 212773 | W2 | 12 |
| SAITEX-N | Z-H | 150 x 2000        | 60 | 1000 218053 | W2 | 12 |
| SAITEX-N | Z-H | 150 x 2000        | 80 | 1000 204091 | W2 | 12 |

■ main applications  
 ▲ possible use

#### NOTE

To order the products listed above, use the product code ONLY.



**TABLE A**

| PRODUCTS | AVAILABLE GRITS |    |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
|----------|-----------------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|          | 24              | 36 | 40 | 50 | 60 | 80 | 100 | 120 | 150 | 180 | 220 | 240 | 280 | 320 | 360 | 400 | 500 | 600 |
| AO-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| 1A-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| 2A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   | •   |     | •   |     | •   |     |     |
| 3A-X     |                 | •  | •  |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| 2A-H     | •               | •  | •  |    | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| AP-H     |                 |    |    |    |    |    |     |     |     | •   | •   | •   |     | •   |     | •   |     |     |
| AZ-X     | •               | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| Z-X      |                 | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| ZH-X     |                 | •  | •  |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |
| Z-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| 5Z-H     | •               | •  | •  |    | •  |    |     |     |     |     |     |     |     |     |     |     |     |     |
| 7S-H     | •               | •  | •  |    | •  | •  |     | •   |     |     |     |     |     |     |     |     |     |     |
| 9SH-X    |                 | •  | •  | •  | •  | •  |     |     |     |     |     |     |     |     |     |     |     |     |
| 9S-H     | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| C-W      |                 |    |    |    | •  | •  | •   | •   | •   | •   | •   |     |     |     |     |     |     |     |
| CW-W     |                 |    |    |    |    |    |     |     |     |     |     | o   |     |     |     |     |     |     |
| C-H      | •               | •  | •  | •  | •  | •  | •   | •   |     |     |     |     |     |     |     |     |     |     |
| CH-T*    |                 | •  | •  | •  | •  | •  | •   | •   | •   | •   |     |     |     |     |     |     |     |     |
| AG-H     |                 |    |    |    |    | •  |     | •   |     | •   |     | •   |     | •   |     | •   |     | •   |

\* Segmented / double-jointed belts available on request

**TECHNIQUE OF USE**

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

**TABLE B**

| WIDTH MM | UNIT OF SALE |                     |
|----------|--------------|---------------------|
|          | GRITS        |                     |
|          | 24-36-40-50  | 60-80-100 AND FINER |
| 400      | 4            | 5                   |
| 450      | 4            | 5                   |
| 500      | 4            | 5                   |
| 550      | 4            | 5                   |
| 600      | 4            | 5                   |
| 650      | 4            | 5                   |
| 700      | 4            | 5                   |
| 750      | 4            | 5                   |
| 800      | 4            | 5                   |
| 850      | 4            | 5                   |
| 1000     | 4            | 5                   |
| 1150     | 4            | 5                   |
| 1300     | 4            | 5                   |
| 1450     | 4            | 5                   |
| 1500     | 4            | 5                   |

**NOTE**  
CW-W: maximum width 1430 mm.

**JOINTS**

**N**


Normal overlapping joint

**NS**

Overlapping skived joint

**TT**

Butt joint with tape



# SAITEX-MN

## Standard abrasive cloth sleeves




### 1A-X

Full resin bonded aluminium oxide cloth. High durability.

#### APPLICATIONS

- STEELS
- WOOD
- LEATHER
- ▲ ALLOY STEELS
- ▲ NON-FERROUS METALS

|           |      | Ø x H    |  |  |  |  |
|-----------|------|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-MN | 1A-X | 45 x 30  | P-40                                                                              | 10000 39500                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 45 x 30  | P-50                                                                              | 10000 39501                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 45 x 30  | P-60                                                                              | 10000 39502                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 45 x 30  | P-80                                                                              | 10000 39503                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 30  | P-36                                                                              | 10000 39505                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 30  | P-40                                                                              | 10000 39506                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 30  | P-50                                                                              | 10000 39507                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 30  | P-60                                                                              | 10000 39508                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 30  | P-80                                                                              | 10000 39509                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | 1A-X | 60 x 50  | P-36                                                                              | 10000 39511                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 60 x 50  | P-40                                                                              | 10000 39512                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 60 x 50  | P-60                                                                              | 10000 39513                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 60 x 50  | P-80                                                                              | 10000 39514                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 90 x 35  | P-60                                                                              | 10000 39520                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 90 x 35  | P-80                                                                              | 10000 39521                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-24                                                                              | 10000 39539                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-40                                                                              | 10000 39541                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-50                                                                              | 10000 39542                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-60                                                                              | 10000 39543                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-80                                                                              | 10000 39544                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-100                                                                             | 10000 39545                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-120                                                                             | 10000 39546                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 140 x 35 | P-150                                                                             | 10000 39547                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-40                                                                              | 10000 39549                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-50                                                                              | 10000 39550                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-60                                                                              | 10000 39551                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-80                                                                              | 10000 39552                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-100                                                                             | 10000 39553                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-120                                                                             | 10000 39554                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 1A-X | 200 x 50 | P-150                                                                             | 10000 39555                                                                       | W2                                                                                 | 100                                                                                 |



- main applications
- ▲ possible use

# SAITEX-MN

## Standard abrasive cloth sleeves




### Z-H

Full resin bonded zirconia cloth, polyester backing. Water resistant.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER
- ▲ CAST IRON

|           |     | Ø x H           |  |  |  |  |
|-----------|-----|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-MN | Z-H | <b>45 x 30</b>  | 36                                                                                | 10000 39579                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 45 x 30         | 40                                                                                | 10000 39580                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 45 x 30         | 50                                                                                | 10000 39581                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 45 x 30         | 60                                                                                | 10000 39582                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 45 x 30         | 80                                                                                | 10000 39583                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | <b>60 x 30</b>  | 36                                                                                | 10000 39584                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 60 x 30         | 40                                                                                | 10000 39585                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 60 x 30         | 50                                                                                | 10000 39776                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 60 x 30         | 60                                                                                | 10000 39586                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | 60 x 30         | 80                                                                                | 10000 39587                                                                       | W2                                                                                 | 300                                                                                 |
| SAITEX-MN | Z-H | <b>60 x 50</b>  | 36                                                                                | 10000 39566                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 60 x 50         | 40                                                                                | 10000 39609                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 60 x 50         | 50                                                                                | 10000 39589                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 60 x 50         | 60                                                                                | 10000 39590                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 60 x 50         | 80                                                                                | 10000 39591                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | <b>90 x 35</b>  | 40                                                                                | 10000 39561                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 90 x 35         | 60                                                                                | 10000 39593                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | 90 x 35         | 80                                                                                | 10000 39652                                                                       | W2                                                                                 | 200                                                                                 |
| SAITEX-MN | Z-H | <b>100 x 60</b> | 40                                                                                | 10000 39594                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 100 x 60        | 50                                                                                | 10000 39592                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 100 x 60        | 60                                                                                | 10000 39595                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 100 x 60        | 80                                                                                | 10000 39596                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | <b>200 x 50</b> | 36                                                                                | 10000 39603                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 200 x 50        | 40                                                                                | 10000 39604                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 200 x 50        | 50                                                                                | 10000 39558                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 200 x 50        | 60                                                                                | 10000 39606                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | Z-H | 200 x 50        | 80                                                                                | 10000 39607                                                                       | W2                                                                                 | 100                                                                                 |



- main applications
- ▲ possible use

# SAITEX-MN

## Standard abrasive cloth sleeves




### 5Z-H

Full resin bonded zirconia cloth, polyester backing. Water resistant.

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER

|           |      | Ø x H           |  |  |  |  |
|-----------|------|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-MN | 5Z-H | <b>140 x 35</b> | 24                                                                                | 10000 39627                                                                       | stock                                                                              | 100                                                                                 |
| SAITEX-MN | 5Z-H | 140 x 35        | 36                                                                                | 10000 39628                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 5Z-H | 140 x 35        | 40                                                                                | 10000 39629                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 5Z-H | 140 x 35        | 60                                                                                | 10000 39631                                                                       | W2                                                                                 | 100                                                                                 |
| SAITEX-MN | 5Z-H | 140 x 35        | 80                                                                                | 10000 39516                                                                       | W2                                                                                 | 100                                                                                 |



- main applications
- ▲ possible use

# SAITEX-MR

## Interlined abrasive cloth sleeves




### Z-X

Full resin bonded zirconia cloth. For operations in heavy duty applications.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER
- ▲ CAST IRON

|           |     | Ø x H          |  |  |  |  |
|-----------|-----|----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-MR | Z-X | <b>10 x 10</b> | 80                                                                                | 10000 38088                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 10 x 10        | 120                                                                               | 10000 38234                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | <b>10 x 20</b> | 80                                                                                | 10000 38089                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 10 x 20        | 120                                                                               | 10000 38235                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | <b>15 x 30</b> | 50                                                                                | 10000 38093                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 15 x 30        | 60                                                                                | 10000 38092                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 15 x 30        | 80                                                                                | 10000 38091                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 15 x 30        | 120                                                                               | 10000 38237                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | <b>22 x 20</b> | 50                                                                                | 10000 38096                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 22 x 20        | 60                                                                                | 10000 38095                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 22 x 20        | 80                                                                                | 10000 38094                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | 22 x 20        | 120                                                                               | 10000 38238                                                                       | W4                                                                                 | 200 (2x100)                                                                         |
| SAITEX-MR | Z-X | <b>30 x 20</b> | 40                                                                                | 10000 38100                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 20        | 60                                                                                | 10000 38098                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 20        | 80                                                                                | 10000 38097                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | <b>30 x 30</b> | 40                                                                                | 10000 38084                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 30        | 50                                                                                | 10000 38102                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 30        | 60                                                                                | 10000 38085                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 30        | 80                                                                                | 10000 38101                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 30 x 30        | 120                                                                               | 10000 38240                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | <b>45 x 30</b> | 40                                                                                | 10000 38086                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 45 x 30        | 50                                                                                | 10000 38104                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 45 x 30        | 60                                                                                | 10000 38087                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 45 x 30        | 80                                                                                | 10000 38103                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | Z-X | 45 x 30        | 120                                                                               | 10000 38241                                                                       | stock                                                                              | 200 (4x50)                                                                          |



- main applications
- ▲ possible use

# SAITEX-MR

## Interlined abrasive cloth sleeves



### 3A-X

Full resin bonded special aluminium oxide cloth, filled.

#### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ▲ NON-FERROUS METALS

|           |      | Ø x H          |  |  |  |  |
|-----------|------|----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-MR | 3A-X | <b>10 x 20</b> | P-80                                                                              | 10000 38215                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | 10 x 20        | P-120                                                                             | 10000 38216                                                                       | W4                                                                                 | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | <b>15 x 30</b> | P-60                                                                              | 10000 38220                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | 15 x 30        | P-80                                                                              | 10000 38194                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | 15 x 30        | P-120                                                                             | 10000 38221                                                                       | W4                                                                                 | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | <b>22 x 20</b> | P-60                                                                              | 10000 38133                                                                       | W4                                                                                 | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | 22 x 20        | P-80                                                                              | 10000 38196                                                                       | stock                                                                              | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | 22 x 20        | P-120                                                                             | 10000 38197                                                                       | W4                                                                                 | 200 (2x100)                                                                         |
| SAITEX-MR | 3A-X | <b>30 x 30</b> | P-40                                                                              | 10000 38069                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | 30 x 30        | P-60                                                                              | 10000 38127                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | 30 x 30        | P-80                                                                              | 10000 38190                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | <b>45 x 30</b> | P-40                                                                              | 10000 38183                                                                       | stock                                                                              | 200 (4x50)                                                                          |
| SAITEX-MR | 3A-X | 45 x 30        | P-60                                                                              | 10000 38134                                                                       | stock                                                                              | 200 (4x50)                                                                          |


### 9S-J

Full resin bonded polycotton cloth with ceramic abrasive, **top-filled**, for operations in light duty applications. Low heat generation. Good flexibility.

#### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

|           |      | Ø x H          |  |  |  |  |
|-----------|------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-MR | 9S-J | <b>22 x 20</b> | 80                                                                                  | 10000 38004                                                                         | W4                                                                                   | 200 (2x100)                                                                           |
| SAITEX-MR | 9S-J | 22 x 20        | 120                                                                                 | 10000 38006                                                                         | W4                                                                                   | 200 (2x100)                                                                           |



- main applications
- ▲ possible use



## R/G

Sleeve holders with dynamic expansion, with spindle.

|     |               |  |  |  |  |
|-----|---------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| R/G | SLEEVE HOLDER | 10 x 10 x 6                                                                       | 10000 98013                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 10 x 20 x 6                                                                       | 10000 98014                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 15 x 30 x 6                                                                       | 10000 98016                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 22 x 20 x 6                                                                       | 10000 98017                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 30 x 20 x 6                                                                       | 10000 98018                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 30 x 30 x 6                                                                       | 10000 98019                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 45 x 30 x 6                                                                       | 10000 98020                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 60 x 30 x 6                                                                       | 10000 98021                                                                       | stock                                                                              | 1                                                                                   |
| R/G | SLEEVE HOLDER | 60 x 50 x 6                                                                       | 10000 98022                                                                       | stock                                                                              | 1                                                                                   |



## R/F

Sleeve holders with dynamic expansion, with bore.

|     |               |  |  |  |  |
|-----|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| R/F | SLEEVE HOLDER | 90 x 35 x 30                                                                        | 10000 98107                                                                         | stock                                                                                | 1                                                                                     |
| R/F | SLEEVE HOLDER | 100 x 60 x 35                                                                       | 10000 98108                                                                         | stock                                                                                | 1                                                                                     |
| R/F | SLEEVE HOLDER | 140 x 35 x 30                                                                       | 10000 98109                                                                         | stock                                                                                | 1                                                                                     |
| R/F | SLEEVE HOLDER | 200 x 50 x 50                                                                       | 10000 98110                                                                         | stock                                                                                | 1                                                                                     |



**A-F** 

Full resin bonded aluminium oxide cloth, polycotton F Flex backing, open coating. Specific for hand operations on flat and shaped surfaces. Dry use. Low clogging. High flexibility. Very good resistance.

**APPLICATIONS**

- STEELS
- NON-FERROUS METALS
- WOOD
- LEATHER

|          |     |  |  |  |  |  |
|----------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-S | A-F | <b>230 x 280</b>                                                                  | P-36                                                                              | 10000 44053                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-40                                                                              | 10000 44051                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-50                                                                              | 10000 44052                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-60                                                                              | 10000 44033                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-80                                                                              | 10000 44035                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-100                                                                             | 10000 44037                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-120                                                                             | 10000 44039                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-150                                                                             | 10000 44041                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-180                                                                             | 10000 44043                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-220                                                                             | 10000 44045                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-240                                                                             | 10000 44047                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-320                                                                             | 10000 44048                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-400                                                                             | 10000 44049                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | A-F | 230 x 280                                                                         | P-600                                                                             | 10000 44050                                                                       | stock                                                                              | 100 (4x25)                                                                          |



## DA-F

Full resin bonded aluminium oxide flexible cloth, open coating. For hand operations.

### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

|          |      |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITEX-S | DA-F | <b>230 x 280</b>                                                                  | P-36                                                                              | 10000 44063                                                                       | W4                                                                                 | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-40                                                                              | 10000 44060                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-50                                                                              | 10000 44046                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-60                                                                              | 10000 44044                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-80                                                                              | 10000 44042                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-100                                                                             | 10000 44040                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-120                                                                             | 10000 44038                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-150                                                                             | 10000 44036                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-180                                                                             | 10000 44034                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-220                                                                             | 10000 44032                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-240                                                                             | 10000 44030                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-320                                                                             | 10000 44028                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| SAITEX-S | DA-F | 230 x 280                                                                         | P-400                                                                             | 10000 44026                                                                       | stock                                                                              | 100 (4x25)                                                                          |

## EA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand operations.

### APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

|          |      |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITEX-S | EA-F | <b>230 x 280</b>                                                                    | P-36                                                                                | 10000 44001                                                                         | W4                                                                                   | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-40                                                                                | 10000 44002                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-50                                                                                | 10000 44003                                                                         | W4                                                                                   | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-60                                                                                | 10000 44004                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-80                                                                                | 10000 44005                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-100                                                                               | 10000 44006                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-120                                                                               | 10000 44007                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-150                                                                               | 10000 44008                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-180                                                                               | 10000 44009                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-220                                                                               | 10000 44010                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-240                                                                               | 10000 44011                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-280                                                                               | 10000 44082                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-320                                                                               | 10000 44012                                                                         | stock                                                                                | 100 (4x25)                                                                            |
| SAITEX-S | EA-F | 230 x 280                                                                           | P-400                                                                               | 10000 44013                                                                         | stock                                                                                | 100 (4x25)                                                                            |

**ABRASIVE PAPER, NET, FILM PRODUCTS**







# Abrasive paper, net, film products

## Contents



**SAITAC-RI**  
Industrial paper rolls.

155



**SAITAC-RP**  
Paper rolls for leather working.

163



**SAITAC RI-SOF**  
Industrial paper rolls with foam.

164



**SAITAC RI-VEL**  
Hook & loop paper rolls.

167



**SAITAC-RM / SAITAC RM-VEL**  
Paper and hook & loop paper mini-rolls.

169



**FREE DUST R-VEL**  
Hook & loop abrasive net rolls.

172



**SAITAC-N**  
Paper belts.

173



**SAITAC-NL / SAITAC-NL 5**  
Paper wide belts.

175



**SAITAC-S**  
Paper sheets.

177



**SAITAC-B**  
Paper strips.

185



**SAITAC B-VEL / AEROMAX B-VEL**  
Hook & loop paper strips.

185



**SAITAC D-VEL / AEROMAX D-VEL**  
Hook & loop paper discs.

189



**FREE DUST D-VEL**  
Hook & loop abrasive net discs.

205  
217



**FINEFLEX D-VEL**  
Hook & loop discs on film.

206



**FINEFLEX S-VEL**  
Hook & loop sheets on film.

207



**FILM D-VEL**  
Hook & loop discs on film.

208



**SC D-VEL SOF**  
Hook & loop paper foam discs.

209



**FOAM D-VEL**  
Hook & loop structured discs.

210



**SAITAC D-VEL / FREE DUST D-VEL**  
Hook & loop discs for "Giraffe" wall and ceiling sanders.

214



**SAITAC T-VEL**  
Hook & loop paper triangles.

214



**SAITEX D-VEL**  
Hook & loop cloth discs.

223



Accessories for hook & loop discs.

225



**SAITEX-DF / SAITAC-DF**  
Cloth and paper double face discs.

229




**SAIT SCREEN-D**  
Abrasive net discs.

230



## Abrasive paper, net, film products


### How to read the product



|                      |                                                                         |                                                                                      |                                                           |                                                        |
|----------------------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------|
| <b>Product lines</b> | <b>SAITAC</b><br><b>AEROMAX</b><br><b>FREE DUST</b><br><b>FINEFLEX</b>  | Abrasive paper<br>Abrasive paper<br>Abrasive net<br>Polymer film                     | <b>FILM</b><br><b>FOAM</b><br><b>SAIT SCREEN</b>          | PET film<br>Fabric on sponge<br>Abrasive net           |
| <b>Shapes</b>        | <b>RI / R</b><br><b>RP</b><br><b>RM</b><br><b>N</b><br><b>NL / NL 5</b> | Industrial roll / Roll<br>Roll for leather working<br>Mini-roll<br>Belt<br>Wide belt | <b>S</b><br><b>B</b><br><b>D</b><br><b>T</b><br><b>DF</b> | Sheet<br>Strip<br>Disc<br>Triangle<br>Double face disc |
| <b>Backings</b>      | <b>VEL</b><br><b>SOF</b>                                                | Hook & loop velour applied on the back<br>Flexible foam applied on the back          |                                                           |                                                        |
| <b>Abrasives</b>     | <b>A</b><br><b>Z</b>                                                    | Aluminium oxide<br>Zirconia                                                          | <b>C</b><br><b>S</b>                                      | Silicon carbide<br>Ceramic abrasive                    |
| <b>Adhesives</b>     | Synthetic resins                                                        |                                                                                      |                                                           |                                                        |

### Abrasive paper backings

|          |                                                                       |
|----------|-----------------------------------------------------------------------|
| <b>B</b> | Light paper for hand and orbital sanding operations (90 ÷ 115 g/m²).  |
| <b>C</b> | Light paper for hand and orbital sanding operations (115 ÷ 130 g/m²). |
| <b>D</b> | Medium paper for orbital sanding operations (150 ÷ 200 g/m²).         |
| <b>E</b> | Heavy paper for mechanical operations (225 ÷ 250 g/m²).               |
| <b>F</b> | Heavy paper for mechanical operations (250 ÷ 300 g/m²).               |
| <b>G</b> | Very heavy paper for mechanical operations (400 ÷ 450 g/m²).          |






## Abrasive paper products

| Products                            | Width         | Lenght     |
|-------------------------------------|---------------|------------|
| <b>SAITAC-RI</b><br>Industrial roll | 95 ÷ 205 mm   | 50 ÷ 100 m |
| <b>SAITAC-RM</b><br>Mini-roll       | 115 mm        | 5 m        |
| <b>SAITAC-N</b><br>Belt             | 20 ÷ 350 mm   | On request |
| <b>SAITAC-NL</b><br>Wide belt       | 400 ÷ 1500 mm | On request |
| <b>SAITAC-S</b><br>Sheet            | 230 mm        | 280 mm     |





## AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

| SAITAC-RI | AR-C | <b>115 x 100 m</b> | P-80   | 10000 56819 | stock | <b>106,00</b> | 1 |
|-----------|------|--------------------|--------|-------------|-------|---------------|---|
| SAITAC-RI | AR-C | 115 x 100 m        | P-100  | 10000 53148 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-120  | 10000 53169 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-150  | 10000 53170 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-180  | 10000 53171 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-220  | 10000 53173 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-240  | 10000 53175 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-280  | 10000 53178 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-320  | 10000 53182 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-360  | 10000 53715 | W4    | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-400  | 10000 53199 | stock | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-500  | 10000 53716 | W4    | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-600  | 10000 53717 | W4    | <b>95,10</b>  | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-800  | 10000 53718 | W4    | <b>100,00</b> | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-1000 | 10000 53719 | W4    | <b>100,00</b> | 1 |
| SAITAC-RI | AR-C | 115 x 100 m        | P-1200 | 10000 53720 | W4    | <b>100,00</b> | 1 |

## AW-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. Very high flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

| SAITAC-RI | AW-C | <b>115 x 100 m</b> | P-100  | 10000 53226 | stock | <b>109,00</b> | 1 |
|-----------|------|--------------------|--------|-------------|-------|---------------|---|
| SAITAC-RI | AW-C | 115 x 100 m        | P-120  | 10000 59875 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-150  | 10000 59876 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-180  | 10000 59877 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-220  | 10000 56768 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-240  | 10000 59878 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-280  | 10000 53227 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-320  | 10000 59879 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-400  | 10000 53232 | stock | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-500  | 10000 53233 | W4    | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-600  | 10000 53234 | W4    | <b>109,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-800  | 10000 53235 | W4    | <b>115,00</b> | 1 |
| SAITAC-RI | AW-C | 115 x 100 m        | P-1200 | 10000 53290 | W4    | <b>115,00</b> | 1 |



## AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

|           |      |  |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RI | AW-D | <b>95 x 50 m</b>                                                                  | P-40                                                                              | 10000 53157                                                                       | W4                                                                                 | <b>79,90</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | 95 x 50 m                                                                         | P-60                                                                              | 10000 53143                                                                       | W4                                                                                 | <b>62,65</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | 95 x 50 m                                                                         | P-80                                                                              | 10000 53144                                                                       | W4                                                                                 | <b>54,00</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | 95 x 50 m                                                                         | P-100                                                                             | 10000 53282                                                                       | W4                                                                                 | <b>48,60</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | 95 x 50 m                                                                         | P-120                                                                             | 10000 53283                                                                       | W4                                                                                 | <b>48,60</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | 95 x 50 m                                                                         | P-150                                                                             | 10000 54226                                                                       | W4                                                                                 | <b>48,60</b>                                                                        | 2                                                                                   |
| SAITAC-RI | AW-D | <b>115 x 50 m</b>                                                                 | P-40                                                                              | 10000 53291                                                                       | stock                                                                              | <b>96,75</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-50                                                                              | 10000 53292                                                                       | stock                                                                              | <b>86,30</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-60                                                                              | 10000 56818                                                                       | stock                                                                              | <b>75,80</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-80                                                                              | 10000 55356                                                                       | stock                                                                              | <b>65,35</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-100                                                                             | 10000 53293                                                                       | stock                                                                              | <b>58,80</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-120                                                                             | 10000 59977                                                                       | stock                                                                              | <b>58,80</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-150                                                                             | 10000 53294                                                                       | stock                                                                              | <b>58,80</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-180                                                                             | 10000 53022                                                                       | stock                                                                              | <b>58,80</b>                                                                        | 1                                                                                   |
| SAITAC-RI | AW-D | 115 x 50 m                                                                        | P-220                                                                             | 10000 53023                                                                       | stock                                                                              | <b>58,80</b>                                                                        | 1                                                                                   |



## A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

| SAITAC-RI | A-D | <b>115 x 50 m</b> | P-40  | 10000 53001 | stock | <b>81,95</b> | 1 |
|-----------|-----|-------------------|-------|-------------|-------|--------------|---|
| SAITAC-RI | A-D | 115 x 50 m        | P-60  | 10000 53012 | stock | <b>64,25</b> | 1 |
| SAITAC-RI | A-D | 115 x 50 m        | P-80  | 10000 53013 | stock | <b>55,35</b> | 1 |
| SAITAC-RI | A-D | 115 x 50 m        | P-100 | 10000 53015 | stock | <b>49,85</b> | 1 |
| SAITAC-RI | A-D | 115 x 50 m        | P-120 | 10000 53016 | stock | <b>49,85</b> | 1 |
| SAITAC-RI | A-D | 115 x 50 m        | P-150 | 10000 53017 | stock | <b>49,85</b> | 1 |
| SAITAC-RI | A-D | 115 x 50 m        | P-180 | 10000 53024 | stock | <b>49,85</b> | 1 |

## AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.


### APPLICATIONS

- WOOD
- PAINTED WOOD
- PLASTIC MATERIALS
- FILLERS

| SAITAC-RI | AY-D | <b>115 x 50 m</b> | P-40  | 10000 53155 | W4    | <b>77,90</b> | 1 |
|-----------|------|-------------------|-------|-------------|-------|--------------|---|
| SAITAC-RI | AY-D | 115 x 50 m        | P-60  | 10000 53118 | stock | <b>61,10</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-80  | 10000 53156 | stock | <b>52,65</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-100 | 10000 53180 | W4    | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-120 | 10000 53160 | stock | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-150 | 10000 53161 | stock | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-180 | 10000 53158 | stock | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-220 | 10000 53174 | stock | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-240 | 10000 53176 | W4    | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-320 | 10000 53177 | W4    | <b>47,40</b> | 1 |
| SAITAC-RI | AY-D | 115 x 50 m        | P-400 | 10000 53179 | W4    | <b>47,40</b> | 1 |

# SAITAC-RI

## Industrial abrasive paper rolls



### 5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|           |    |  |  |  |  |  |  |
|-----------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RI | 5G | <b>115 x 100 m</b>                                                                | 120                                                                               | 10000 53063                                                                       | W4                                                                                 | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 150                                                                               | 10000 53064                                                                       | W4                                                                                 | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 180                                                                               | 10000 53081                                                                       | stock                                                                              | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 220                                                                               | 10000 53124                                                                       | stock                                                                              | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 240                                                                               | 10000 53125                                                                       | stock                                                                              | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 280                                                                               | 10000 53126                                                                       | W4                                                                                 | <b>115,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | 5G | 115 x 100 m                                                                       | 320                                                                               | 10000 53127                                                                       | stock                                                                              | <b>115,00</b>                                                                       | 1                                                                                   |

### 6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood industry and automotive. Dry use. Low clogging. Very high flexibility.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|           |    |  |  |  |  |  |  |
|-----------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RI | 6A | <b>115 x 100 m</b>                                                                  | 120                                                                                 | 10000 53034                                                                         | W4                                                                                   | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 150                                                                                 | 10000 53040                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 180                                                                                 | 10000 53025                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 220                                                                                 | 10000 53030                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 240                                                                                 | 10000 53031                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 280                                                                                 | 10000 53032                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 320                                                                                 | 10000 53033                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 400                                                                                 | 10000 53039                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | 6A | 115 x 100 m                                                                         | 600                                                                                 | 10000 53037                                                                         | stock                                                                                | <b>115,00</b>                                                                         | 1                                                                                     |

# SAITAC-RI

## Industrial abrasive paper rolls



### 3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry. Dry use. High flexibility. Low clogging.

#### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

| SAITAC-RI | 3S | <b>115 x 100 m</b> | P-80  | 10000 53301 | W4    | <b>135,00</b> | 1 |
|-----------|----|--------------------|-------|-------------|-------|---------------|---|
| SAITAC-RI | 3S | 115 x 100 m        | P-100 | 10000 53302 | W4    | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-120 | 10000 53303 | W4    | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-150 | 10000 53312 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-180 | 10000 53313 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-220 | 10000 53314 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-240 | 10000 53315 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-280 | 10000 53316 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-320 | 10000 57056 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-400 | 10000 53317 | stock | <b>122,00</b> | 1 |
| SAITAC-RI | 3S | 115 x 100 m        | P-600 | 10000 53321 | W4    | <b>122,00</b> | 1 |

### 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

| SAITAC-RI | 4S | <b>115 x 100 m</b> | 80  | 10000 53255 | stock | <b>132,00</b> | 1 |
|-----------|----|--------------------|-----|-------------|-------|---------------|---|
| SAITAC-RI | 4S | 115 x 100 m        | 100 | 10000 53256 | W4    | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 120 | 10000 53257 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 150 | 10000 53258 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 180 | 10000 53259 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 220 | 10000 53260 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 240 | 10000 53261 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 280 | 10000 53262 | W4    | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 320 | 10000 53263 | stock | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 360 | 10000 53264 | W4    | <b>118,00</b> | 1 |
| SAITAC-RI | 4S | 115 x 100 m        | 400 | 10000 53265 | W4    | <b>118,00</b> | 1 |



## A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and mechanical operations.

### APPLICATIONS

- WOOD
- WOODEN FLOOR
- PLASTIC MATERIALS
- LEATHER

| SAITAC-RI | A-E | <b>120 x 50 m</b> | P-40  | 10000 56981 | stock | <b>115,00</b> | 1 |
|-----------|-----|-------------------|-------|-------------|-------|---------------|---|
| SAITAC-RI | A-E | 120 x 50 m        | P-50  | 10000 56982 | stock | <b>103,00</b> | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-60  | 10000 56456 | stock | <b>90,10</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-80  | 10000 56457 | stock | <b>77,65</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-100 | 10000 56458 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-120 | 10000 56459 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-150 | 10000 53009 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-180 | 10000 53010 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-220 | 10000 53011 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-240 | 10000 53014 | stock | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-280 | 10000 53721 | W4    | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-320 | 10000 53722 | W4    | <b>69,90</b>  | 1 |
| SAITAC-RI | A-E | 120 x 50 m        | P-400 | 10000 53041 | W4    | <b>69,90</b>  | 1 |

## AO-F EVOLUTION

Full resin bonded aluminium oxide paper, antistatic, F weight backing, extra open coating. For mechanical operations.

### APPLICATIONS

- WOOD

| SAITAC-RI | AO-F | <b>120 x 50 m</b> | P-40  | 10000 55075 | stock | <b>121,00</b> | 1 |
|-----------|------|-------------------|-------|-------------|-------|---------------|---|
| SAITAC-RI | AO-F | 120 x 50 m        | P-60  | 10000 53026 | stock | <b>94,50</b>  | 1 |
| SAITAC-RI | AO-F | 120 x 50 m        | P-80  | 10000 53027 | stock | <b>81,45</b>  | 1 |
| SAITAC-RI | AO-F | 120 x 50 m        | P-100 | 10000 53028 | stock | <b>73,30</b>  | 1 |
| SAITAC-RI | AO-F | 120 x 50 m        | P-120 | 10000 53029 | stock | <b>73,30</b>  | 1 |
| SAITAC-RI | AO-F | 120 x 50 m        | P-150 | 10000 54224 | stock | <b>73,30</b>  | 1 |
| SAITAC-RI | AO-F | 120 x 50 m        | P-180 | 10000 54688 | W4    | <b>73,30</b>  | 1 |



## A-F

Full resin bonded aluminium oxide paper, antistatic, F weight backing, closed coating. For mechanical operations.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- STEELS

| SAITAC-RI | A-F | <b>120 x 50 m</b> | P-36  | 10000 53514 | W4    | <b>145,00</b> | 1 |
|-----------|-----|-------------------|-------|-------------|-------|---------------|---|
| SAITAC-RI | A-F | 120 x 50 m        | P-40  | 10000 53003 | stock | <b>130,00</b> | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-50  | 10000 53004 | W4    | <b>116,00</b> | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-60  | 10000 53005 | stock | <b>102,00</b> | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-80  | 10000 53006 | stock | <b>88,10</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-100 | 10000 53007 | stock | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-120 | 10000 53008 | stock | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-150 | 10000 54101 | stock | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-180 | 10000 54731 | stock | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-220 | 10000 54732 | W4    | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-240 | 10000 54733 | W4    | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-320 | 10000 54734 | W4    | <b>79,30</b>  | 1 |
| SAITAC-RI | A-F | 120 x 50 m        | P-400 | 10000 54873 | W4    | <b>79,30</b>  | 1 |

## 6C

Full resin bonded silicon carbide paper with anti-clogging additive, B weight backing - with latex - closed coating. For dry hand operations. Low clogging. Very high flexibility.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS

| SAITAC-RI | 6C | <b>115 x 100 m</b> | P-150 | 10000 53864 | W4    | <b>120,00</b> | 1 |
|-----------|----|--------------------|-------|-------------|-------|---------------|---|
| SAITAC-RI | 6C | 115 x 100 m        | P-180 | 10000 53865 | stock | <b>120,00</b> | 1 |
| SAITAC-RI | 6C | 115 x 100 m        | P-220 | 10000 53866 | stock | <b>120,00</b> | 1 |
| SAITAC-RI | 6C | 115 x 100 m        | P-240 | 10000 53867 | stock | <b>120,00</b> | 1 |
| SAITAC-RI | 6C | 115 x 100 m        | P-320 | 10000 53870 | stock | <b>120,00</b> | 1 |
| SAITAC-RI | 6C | 115 x 100 m        | P-400 | 10000 53871 | W4    | <b>120,00</b> | 1 |



## CW-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility.

### APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES

|           |      |  |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RI | CW-C | <b>115 x 100 m</b>                                                                | P-80                                                                              | 10000 53330                                                                       | W4                                                                                 | <b>135,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-100                                                                             | 10000 53331                                                                       | W4                                                                                 | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-120                                                                             | 10000 53332                                                                       | W4                                                                                 | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-150                                                                             | 10000 53333                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-180                                                                             | 10000 53334                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-220                                                                             | 10000 53335                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-240                                                                             | 10000 53336                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-280                                                                             | 10000 53337                                                                       | W4                                                                                 | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-320                                                                             | 10000 53338                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-400                                                                             | 10000 53339                                                                       | stock                                                                              | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-500                                                                             | 10000 53340                                                                       | W4                                                                                 | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-600                                                                             | 10000 53341                                                                       | W4                                                                                 | <b>122,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-800                                                                             | 10000 53342                                                                       | W4                                                                                 | <b>128,00</b>                                                                       | 1                                                                                   |
| SAITAC-RI | CW-C | 115 x 100 m                                                                       | P-1200                                                                            | 10000 53344                                                                       | W4                                                                                 | <b>128,00</b>                                                                       | 1                                                                                   |

## C-F

Full resin bonded silicon carbide paper, antistatic, F weight backing, closed coating. For mechanical operations.

### APPLICATIONS

- RAW WOODS
- PAINTED WOODS
- WOODEN FLOOR
- PLASTIC MATERIALS
- MARBLE
- STONES

|           |     |  |  |  |  |  |  |
|-----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RI | C-F | <b>205 x 50 m</b>                                                                   | P-24                                                                                | 10000 54640                                                                         | W4                                                                                   | <b>286,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-36                                                                                | 10000 53452                                                                         | W4                                                                                   | <b>262,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-40                                                                                | 10000 53478                                                                         | W4                                                                                   | <b>235,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-60                                                                                | 10000 53455                                                                         | stock                                                                                | <b>184,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-80                                                                                | 10000 53458                                                                         | stock                                                                                | <b>159,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-100                                                                               | 10000 53456                                                                         | stock                                                                                | <b>143,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-120                                                                               | 10000 53457                                                                         | W4                                                                                   | <b>143,00</b>                                                                         | 1                                                                                     |
| SAITAC-RI | C-F | 205 x 50 m                                                                          | P-150                                                                               | 10000 54167                                                                         | W4                                                                                   | <b>143,00</b>                                                                         | 1                                                                                     |

# SAITAC-RP

## Abrasive paper rolls for leather working



### AP-E

Full resin bonded aluminium oxide paper, E weight backing, closed coating. For dry mechanical operations. Excellent finish.

#### APPLICATIONS

■ LEATHER

|           |      |  |  |  |  |  PER LINEAR METER |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RP | AP-E | <b>610 x 50 m</b>                                                                 | P-150                                                                             | 10000 26549 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-180                                                                             | 10000 26545 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-220                                                                             | 10000 26540 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-240                                                                             | 10000 26541 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-280                                                                             | 10000 26544 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-320                                                                             | 10000 26542 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-400                                                                             | 10000 26543 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-500                                                                             | 10000 26546 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-600                                                                             | 10000 26547 °                                                                     | W4                                                                                 | <b>7,01</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-800                                                                             | 10000 26548 °                                                                     | W4                                                                                 | <b>7,39</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-900                                                                             | 10000 26513 °                                                                     | W4                                                                                 | <b>7,39</b>                                                                                          | 2                                                                                   |
| SAITAC-RP | AP-E | 610 x 50 m                                                                        | P-1000                                                                            | 10000 26550 °                                                                     | W4                                                                                 | <b>7,39</b>                                                                                          | 2                                                                                   |

### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and mechanical operations.

#### APPLICATIONS

■ LEATHER

|           |     |  |  |  |  |  PER LINEAR METER |  |
|-----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RP | A-E | <b>610 x 50 m</b>                                                                   | P-60                                                                                | 10000 26520                                                                         | W4                                                                                   | <b>9,57</b>                                                                                            | 1                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-80                                                                                | 10000 26521                                                                         | W4                                                                                   | <b>8,28</b>                                                                                            | 1                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-100                                                                               | 10000 26522                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 1                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-120                                                                               | 10000 26523                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 1                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-150                                                                               | 10000 26524                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-180                                                                               | 10000 26525                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-220                                                                               | 10000 26526                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-240                                                                               | 10000 26527                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-320                                                                               | 10000 26537                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | A-E | 610 x 50 m                                                                          | P-400                                                                               | 10000 26539                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |

### 2S-E

Full resin bonded aluminium oxide paper with anti-clogging additive, E weight backing, open coating. For dry mechanical operations.

#### APPLICATIONS

■ LEATHER

|           |      |  |  |  |  |  PER LINEAR METER |  |
|-----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RP | 2S-E | <b>610 x 50 m</b>                                                                   | P-150                                                                               | 10000 26507                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-180                                                                               | 10000 26508                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-220                                                                               | 10000 26509                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-240                                                                               | 10000 26510                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-280                                                                               | 10000 26511                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-320                                                                               | 10000 26512                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-400                                                                               | 10000 26514                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-500                                                                               | 10000 26515                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-600                                                                               | 10000 26516                                                                         | W4                                                                                   | <b>7,45</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-800                                                                               | 10000 26517                                                                         | W4                                                                                   | <b>7,85</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-1000                                                                              | 10000 26518                                                                         | W4                                                                                   | <b>7,85</b>                                                                                            | 2                                                                                     |
| SAITAC-RP | 2S-E | 610 x 50 m                                                                          | P-1200                                                                              | 10000 26519                                                                         | W4                                                                                   | <b>7,85</b>                                                                                            | 2                                                                                     |

# SAITAC RI-SOF

## Industrial abrasive paper rolls with foam



### 3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in wood industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

#### PRECUT

|               |    |  |  |  |  |  |  |
|---------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 3S | <b>115 x 25 m</b>                                                                 | 150                                                                               | 10000 94027                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 180                                                                               | 10000 94028                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 220                                                                               | 10000 94029                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 240                                                                               | 10000 94030                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 280                                                                               | 10000 94031                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 320                                                                               | 10000 94032                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 3S | 115 x 25 m                                                                        | 400                                                                               | 10000 94033                                                                       | stock                                                                              | <b>59,32</b>                                                                        | 1                                                                                   |

### 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|               |    |  |  |  |  |  |  |
|---------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 4S | <b>115 x 25 m</b>                                                                   | 150                                                                                 | 10000 94017                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 180                                                                                 | 10000 94018                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 220                                                                                 | 10000 94019                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 240                                                                                 | 10000 94020                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 280                                                                                 | 10000 94021                                                                         | W4                                                                                   | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 320                                                                                 | 10000 94022                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 360                                                                                 | 10000 94025                                                                         | W4                                                                                   | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 400                                                                                 | 10000 94023                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 500                                                                                 | 10000 94024                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 4S | 115 x 25 m                                                                          | 600                                                                                 | 10000 94026                                                                         | stock                                                                                | <b>56,54</b>                                                                          | 1                                                                                     |

# SAITAC RI-SOF

## Industrial abrasive paper rolls with foam



### 5G G-SOFT

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|               |    |  |  |  |  |  |  |
|---------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 5G | <b>115 x 25 m</b>                                                                 | 80                                                                                | 10000 94007                                                                       | stock                                                                              | <b>54,22</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 120                                                                               | 10000 94000                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 150                                                                               | 10000 94001                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 180                                                                               | 10000 94002                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 220                                                                               | 10000 94003                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 240                                                                               | 10000 94004                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 320                                                                               | 10000 94005                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 400                                                                               | 10000 94009                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 500                                                                               | 10000 94012                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 600                                                                               | 10000 94042                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                        | 800                                                                               | 10000 94043                                                                       | stock                                                                              | <b>51,39</b>                                                                        | 1                                                                                   |

#### PRECUT

|               |    |  |  |  |  |  |  |
|---------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 5G | <b>115 x 25 m</b>                                                                   | 80                                                                                  | 10000 94008                                                                         | stock                                                                                | <b>56,97</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 120                                                                                 | 10000 94148                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 150                                                                                 | 10000 94149                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 180                                                                                 | 10000 94150                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 220                                                                                 | 10000 94151                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 240                                                                                 | 10000 94152                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 280                                                                                 | 10000 94158                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 320                                                                                 | 10000 94153                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 360                                                                                 | 10000 94040                                                                         | W4                                                                                   | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 400                                                                                 | 10000 94154                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 500                                                                                 | 10000 94155                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 600                                                                                 | 10000 94156                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 800                                                                                 | 10000 94157                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 5G | 115 x 25 m                                                                          | 1000                                                                                | 10000 94159                                                                         | stock                                                                                | <b>54,14</b>                                                                          | 1                                                                                     |

# SAITAC RI-SOF

## Industrial abrasive paper rolls with foam



### 6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Low clogging. Very high flexibility.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

#### PRECUT

|               |    |  |  |  |  |  |  |
|---------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 6A | <b>115 x 25 m</b>                                                                 | 120                                                                               | 10000 94094                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 150                                                                               | 10000 94072                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 180                                                                               | 10000 94073                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 220                                                                               | 10000 94074                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 240                                                                               | 10000 94075                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 280                                                                               | 10000 94076                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 320                                                                               | 10000 94077                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 400                                                                               | 10000 94078                                                                       | stock                                                                              | <b>54,14</b>                                                                        | 1                                                                                   |
| SAITAC RI-SOF | 6A | 115 x 25 m                                                                        | 600                                                                               | 10000 94080                                                                       | W4                                                                                 | <b>54,14</b>                                                                        | 1                                                                                   |

### 6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in automotive and nautical industry. Dry use. Low clogging. Very high flexibility.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

#### PRECUT

|               |    |  |  |  |  |  |  |
|---------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC RI-SOF | 6S | <b>115 x 25 m</b>                                                                   | 220                                                                                 | 10000 94114                                                                         | stock                                                                                | <b>63,59</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 6S | 115 x 25 m                                                                          | 320                                                                                 | 10000 94116                                                                         | stock                                                                                | <b>63,59</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 6S | 115 x 25 m                                                                          | 400                                                                                 | 10000 94117                                                                         | stock                                                                                | <b>63,59</b>                                                                          | 1                                                                                     |
| SAITAC RI-SOF | 6S | 115 x 25 m                                                                          | 500                                                                                 | 10000 94118                                                                         | stock                                                                                | <b>63,59</b>                                                                          | 1                                                                                     |

# SAITAC RI-VEL

## Hook & loop industrial abrasive paper rolls



### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations. High flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

| SAITAC RI-VEL | AW-D | <b>70 x 25 m</b>  | 40  | 10000 93024 | stock | <b>45,39</b> | 2 |
|---------------|------|-------------------|-----|-------------|-------|--------------|---|
| SAITAC RI-VEL | AW-D | 70 x 25 m         | 60  | 10000 93000 | stock | <b>42,96</b> | 2 |
| SAITAC RI-VEL | AW-D | 70 x 25 m         | 80  | 10000 93001 | stock | <b>40,22</b> | 2 |
| SAITAC RI-VEL | AW-D | 70 x 25 m         | 100 | 10000 93002 | stock | <b>38,29</b> | 2 |
| SAITAC RI-VEL | AW-D | 70 x 25 m         | 120 | 10000 93003 | stock | <b>38,29</b> | 2 |
| SAITAC RI-VEL | AW-D | 70 x 25 m         | 150 | 10000 93004 | stock | <b>38,29</b> | 2 |
| SAITAC RI-VEL | AW-D | <b>81 x 25 m</b>  | 40  | 10000 93026 | stock | <b>50,77</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 60  | 10000 93027 | stock | <b>48,24</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 80  | 10000 93028 | stock | <b>45,07</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 100 | 10000 93029 | stock | <b>42,54</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 120 | 10000 93030 | stock | <b>42,54</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 150 | 10000 93031 | stock | <b>42,54</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 180 | 10000 93032 | W4    | <b>42,54</b> | 2 |
| SAITAC RI-VEL | AW-D | 81 x 25 m         | 220 | 10000 93033 | stock | <b>42,54</b> | 2 |
| SAITAC RI-VEL | AW-D | <b>115 x 25 m</b> | 40  | 10000 93025 | stock | <b>70,28</b> | 1 |
| SAITAC RI-VEL | AW-D | 115 x 25 m        | 60  | 10000 93005 | stock | <b>66,57</b> | 1 |
| SAITAC RI-VEL | AW-D | 115 x 25 m        | 80  | 10000 93006 | stock | <b>62,31</b> | 1 |
| SAITAC RI-VEL | AW-D | 115 x 25 m        | 100 | 10000 93007 | stock | <b>59,45</b> | 1 |
| SAITAC RI-VEL | AW-D | 115 x 25 m        | 120 | 10000 93008 | stock | <b>59,45</b> | 1 |
| SAITAC RI-VEL | AW-D | 115 x 25 m        | 150 | 10000 93009 | stock | <b>59,45</b> | 1 |

### 5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

| SAITAC RI-VEL | 5G | <b>115 x 25 m</b> | 120 | 10000 93034 | W4    | <b>59,34</b> | 1 |
|---------------|----|-------------------|-----|-------------|-------|--------------|---|
| SAITAC RI-VEL | 5G | 115 x 25 m        | 180 | 10000 93036 | stock | <b>59,34</b> | 1 |
| SAITAC RI-VEL | 5G | 115 x 25 m        | 220 | 10000 93039 | stock | <b>59,34</b> | 1 |
| SAITAC RI-VEL | 5G | 115 x 25 m        | 240 | 10000 93045 | stock | <b>59,34</b> | 1 |
| SAITAC RI-VEL | 5G | 115 x 25 m        | 320 | 10000 93046 | stock | <b>59,34</b> | 1 |

# SAITAC RI-VEL

## Hook & loop industrial abrasive paper rolls



### 3S


Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in wood industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

|               |    |  |  |  |  |  |  |
|---------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC RI-VEL | 3S | <b>70 x 25 m</b>                                                                  | 180                                                                               | 10000 93011                                                                       | stock                                                                              | <b>38,28</b>                                                                        | 2                                                                                   |
| SAITAC RI-VEL | 3S | 70 x 25 m                                                                         | 220                                                                               | 10000 93012                                                                       | stock                                                                              | <b>38,28</b>                                                                        | 2                                                                                   |
| SAITAC RI-VEL | 3S | 70 x 25 m                                                                         | 240                                                                               | 10000 93013                                                                       | stock                                                                              | <b>38,28</b>                                                                        | 2                                                                                   |
| SAITAC RI-VEL | 3S | <b>115 x 25 m</b>                                                                 | 150                                                                               | 10000 93017                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 180                                                                               | 10000 93018                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 220                                                                               | 10000 93019                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 240                                                                               | 10000 93020                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 280                                                                               | 10000 93021                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 320                                                                               | 10000 93022                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |
| SAITAC RI-VEL | 3S | 115 x 25 m                                                                        | 400                                                                               | 10000 93023                                                                       | stock                                                                              | <b>59,34</b>                                                                        | 1                                                                                   |

## Accessories



### SAITVEL-TP

Hand sanding block with self-gripping.

|            |  |  |  |  |  |
|------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITVEL-TP | <b>70 x 125 mm</b>                                                                  | 10000 99551                                                                         | stock                                                                               | <b>14,57</b>                                                                          | 2 (2x1)                                                                               |

# SAITAC-RM

## Abrasive paper mini-rolls



### AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

#### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS
- METALS

|           |      |  |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RM | AR-C | <b>115 x 5 m</b>                                                                  | P-180                                                                             | 10000 86606                                                                       | stock                                                                              | <b>6,32</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AR-C | 115 x 5 m                                                                         | P-220                                                                             | 10000 86607                                                                       | stock                                                                              | <b>6,32</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AR-C | 115 x 5 m                                                                         | P-240                                                                             | 10000 86668                                                                       | W4                                                                                 | <b>6,32</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AR-C | 115 x 5 m                                                                         | P-320                                                                             | 10000 86669                                                                       | W4                                                                                 | <b>6,32</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AR-C | 115 x 5 m                                                                         | P-400                                                                             | 10000 86670                                                                       | W4                                                                                 | <b>6,32</b>                                                                         | 10 (1x10)                                                                           |

### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- METALS
- PAINTS
- PLASTIC MATERIALS

|           |      |  |  |  |  |  |  |
|-----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RM | AW-D | <b>115 x 5 m</b>                                                                    | P-40                                                                                | 10000 86600                                                                         | stock                                                                                | <b>9,56</b>                                                                           | 10 (2x5)                                                                              |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-60                                                                                | 10000 86601                                                                         | stock                                                                                | <b>7,97</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-80                                                                                | 10000 86602                                                                         | stock                                                                                | <b>7,07</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-100                                                                               | 10000 86604                                                                         | stock                                                                                | <b>6,40</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-120                                                                               | 10000 86603                                                                         | stock                                                                                | <b>6,40</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-150                                                                               | 10000 86605                                                                         | stock                                                                                | <b>6,40</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-180                                                                               | 10000 86666                                                                         | stock                                                                                | <b>6,40</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | AW-D | 115 x 5 m                                                                           | P-220                                                                               | 10000 86667                                                                         | stock                                                                                | <b>6,40</b>                                                                           | 10 (1x10)                                                                             |

### A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

|           |     |  |  |  |  |  |  |
|-----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RM | A-D | <b>115 x 5 m</b>                                                                    | P-40                                                                                | 10000 86631                                                                         | stock                                                                                | <b>8,42</b>                                                                           | 10 (2x5)                                                                              |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-60                                                                                | 10000 86632                                                                         | stock                                                                                | <b>7,03</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-80                                                                                | 10000 86633                                                                         | stock                                                                                | <b>6,25</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-100                                                                               | 10000 86634                                                                         | stock                                                                                | <b>5,65</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-120                                                                               | 10000 86635                                                                         | stock                                                                                | <b>5,65</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-150                                                                               | 10000 86636                                                                         | stock                                                                                | <b>5,65</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-D | 115 x 5 m                                                                           | P-180                                                                               | 10000 86665                                                                         | stock                                                                                | <b>5,65</b>                                                                           | 10 (1x10)                                                                             |

# SAITAC-RM

## Abrasive paper mini-rolls



### AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

|           |      |  |  |  |  |  |  |
|-----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RM | AY-D | <b>115 x 5 m</b>                                                                  | P-40                                                                              | 10000 86648                                                                       | stock                                                                              | <b>7,85</b>                                                                         | 10 (2x5)                                                                            |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-60                                                                              | 10000 86649                                                                       | stock                                                                              | <b>6,50</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-80                                                                              | 10000 86650                                                                       | stock                                                                              | <b>5,78</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-100                                                                             | 10000 86550                                                                       | W4                                                                                 | <b>5,21</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-120                                                                             | 10000 86652                                                                       | stock                                                                              | <b>5,21</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-150                                                                             | 10000 86660                                                                       | stock                                                                              | <b>5,21</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | AY-D | 115 x 5 m                                                                         | P-180                                                                             | 10000 86661                                                                       | stock                                                                              | <b>5,21</b>                                                                         | 10 (1x10)                                                                           |



### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and orbital sanding operations. Dry use.

#### APPLICATIONS

- WOOD
- FILLERS
- PRIMING

|           |     |  |  |  |  |  |  |
|-----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-RM | A-E | <b>115 x 5 m</b>                                                                    | P-40                                                                                | 10000 86608                                                                         | stock                                                                                | <b>10,60</b>                                                                          | 10 (2x5)                                                                              |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-60                                                                                | 10000 86609                                                                         | stock                                                                                | <b>8,93</b>                                                                           | 10 (2x5)                                                                              |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-80                                                                                | 10000 86610                                                                         | stock                                                                                | <b>7,84</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-100                                                                               | 10000 86611                                                                         | stock                                                                                | <b>7,12</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-120                                                                               | 10000 86612                                                                         | stock                                                                                | <b>7,12</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-150                                                                               | 10000 86613                                                                         | stock                                                                                | <b>7,12</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-180                                                                               | 10000 86614                                                                         | stock                                                                                | <b>7,12</b>                                                                           | 10 (1x10)                                                                             |
| SAITAC-RM | A-E | 115 x 5 m                                                                           | P-220                                                                               | 10000 86629                                                                         | stock                                                                                | <b>7,12</b>                                                                           | 10 (1x10)                                                                             |

## SAITAC-RM

Abrasive paper mini-rolls



### 6C

Full resin bonded silicon carbide paper with anti-clogging additive, B weight backing - with latex - closed coating. For hand and orbital sanding operations. Dry use. Low clogging. Very high flexibility.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS

|           |    |  |  |  |  |  |  |
|-----------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-RM | 6C | <b>115 x 5 m</b>                                                                  | P-180                                                                             | 10000 86672                                                                       | stock                                                                              | <b>7,01</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | 6C | 115 x 5 m                                                                         | P-220                                                                             | 10000 86673                                                                       | stock                                                                              | <b>7,01</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | 6C | 115 x 5 m                                                                         | P-240                                                                             | 10000 86621                                                                       | stock                                                                              | <b>7,01</b>                                                                         | 10 (1x10)                                                                           |
| SAITAC-RM | 6C | 115 x 5 m                                                                         | P-320                                                                             | 10000 86622                                                                       | stock                                                                              | <b>7,01</b>                                                                         | 10 (1x10)                                                                           |

## SAITAC RM-VEL

Hook & loop abrasive paper mini-rolls



### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS
- METALS

|               |      |  |  |  |  |  |  |
|---------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC RM-VEL | AW-D | <b>115 x 5 m</b>                                                                    | 40                                                                                  | 10000 87500                                                                         | stock                                                                                | <b>17,00</b>                                                                          | 10 (2x5)                                                                              |
| SAITAC RM-VEL | AW-D | 115 x 5 m                                                                           | 60                                                                                  | 10000 87501                                                                         | stock                                                                                | <b>16,02</b>                                                                          | 10 (2x5)                                                                              |
| SAITAC RM-VEL | AW-D | 115 x 5 m                                                                           | 80                                                                                  | 10000 87502                                                                         | stock                                                                                | <b>14,78</b>                                                                          | 10 (1x10)                                                                             |
| SAITAC RM-VEL | AW-D | 115 x 5 m                                                                           | 100                                                                                 | 10000 87504                                                                         | stock                                                                                | <b>13,73</b>                                                                          | 10 (1x10)                                                                             |
| SAITAC RM-VEL | AW-D | 115 x 5 m                                                                           | 120                                                                                 | 10000 87503                                                                         | stock                                                                                | <b>13,73</b>                                                                          | 10 (1x10)                                                                             |
| SAITAC RM-VEL | AW-D | 115 x 5 m                                                                           | 150                                                                                 | 10000 87505                                                                         | stock                                                                                | <b>13,73</b>                                                                          | 10 (1x10)                                                                             |

# FREE DUST R-VEL

## Hook & loop abrasive net rolls



A

Hook & loop nylon net rolls covered with aluminium oxide abrasive. Extremely low clogging. Excellent finish. Excellent dust extraction.

### APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- DRYWALL
- COMPOSITE MATERIALS
- GEL-COAT

|                 |   |  |  |  |  |  |  |
|-----------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| FREE DUST R-VEL | A | <b>115 x 10 m</b>                                                                 | 120                                                                               | 10000 71601 °                                                                     | stock                                                                               | <b>77,11</b>                                                                        | 1                                                                                   |
| FREE DUST R-VEL | A | 115 x 10 m                                                                        | 150                                                                               | 10000 71602 °                                                                     | stock                                                                               | <b>77,11</b>                                                                        | 1                                                                                   |

AA 



Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable roll in all weather conditions. Flexible and very tear-resistant abrasive net.

### APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

|                 |    |  |  |  |  |  |  |
|-----------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| FREE DUST R-VEL | AA | <b>115 x 10 m</b>                                                                   | 80                                                                                  | 10000 71603                                                                         | stock                                                                                 | <b>74,39</b>                                                                          | 1                                                                                     |
| FREE DUST R-VEL | AA | 115 x 10 m                                                                          | 120                                                                                 | 10000 71604                                                                         | stock                                                                                 | <b>67,25</b>                                                                          | 1                                                                                     |
| FREE DUST R-VEL | AA | 115 x 10 m                                                                          | 150                                                                                 | 10000 71605                                                                         | stock                                                                                 | <b>67,25</b>                                                                          | 1                                                                                     |



## A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- LEATHER

|          |     |  |  |  |  |  |  |
|----------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-N | A-E | <b>120 x 7800</b>                                                                 | P-60                                                                              | 10000 27000                                                                       | stock                                                                              | <b>16,28</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 7800                                                                        | P-80                                                                              | 10000 27002                                                                       | stock                                                                              | <b>14,36</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 7800                                                                        | P-100                                                                             | 10000 27004                                                                       | stock                                                                              | <b>13,16</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 7800                                                                        | P-120                                                                             | 10000 27006                                                                       | W4                                                                                 | <b>13,16</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | <b>120 x 8000</b>                                                                 | P-60                                                                              | 10000 27016                                                                       | W4                                                                                 | <b>16,64</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 8000                                                                        | P-80                                                                              | 10000 27018                                                                       | stock                                                                              | <b>14,67</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 8000                                                                        | P-100                                                                             | 10000 27020                                                                       | W4                                                                                 | <b>13,44</b>                                                                        | 10                                                                                  |
| SAITAC-N | A-E | 120 x 8000                                                                        | P-120                                                                             | 10000 27022                                                                       | W4                                                                                 | <b>13,44</b>                                                                        | 10                                                                                  |

## AO-F *EVOLUTION*

Full resin bonded aluminium oxide paper, antistatic, F weight backing, extra open coating.

### APPLICATIONS

- WOOD
- RESINOUS WOOD

|          |      |  |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-N | AO-F | <b>120 x 7800</b>                                                                   | P-60                                                                                | 10000 27012                                                                         | stock                                                                                | <b>16,11</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 7800                                                                          | P-80                                                                                | 10000 27013                                                                         | stock                                                                                | <b>14,20</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 7800                                                                          | P-100                                                                               | 10000 27014                                                                         | stock                                                                                | <b>13,01</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 7800                                                                          | P-120                                                                               | 10000 27015                                                                         | stock                                                                                | <b>13,01</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | <b>120 x 8000</b>                                                                   | P-60                                                                                | 10000 27028                                                                         | stock                                                                                | <b>16,47</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 8000                                                                          | P-80                                                                                | 10000 27029                                                                         | stock                                                                                | <b>14,51</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 8000                                                                          | P-100                                                                               | 10000 27030                                                                         | stock                                                                                | <b>13,29</b>                                                                          | 10                                                                                    |
| SAITAC-N | AO-F | 120 x 8000                                                                          | P-120                                                                               | 10000 27031                                                                         | W4                                                                                   | <b>13,29</b>                                                                          | 10                                                                                    |

## A-F

Full resin bonded aluminium oxide paper, antistatic, F weight backing, closed coating.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- STEELS
- SHEETS METAL WORK

|          |     |  |  |  |  |  |  |
|----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-N | A-F | <b>120 x 7800</b>                                                                   | P-60                                                                                | 10000 27001                                                                         | stock                                                                                | <b>17,24</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 7800                                                                          | P-80                                                                                | 10000 27003                                                                         | stock                                                                                | <b>15,17</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 7800                                                                          | P-100                                                                               | 10000 27005                                                                         | stock                                                                                | <b>13,89</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 7800                                                                          | P-120                                                                               | 10000 27007                                                                         | W4                                                                                   | <b>13,89</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | <b>120 x 8000</b>                                                                   | P-60                                                                                | 10000 27017                                                                         | stock                                                                                | <b>17,63</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 8000                                                                          | P-80                                                                                | 10000 27019                                                                         | stock                                                                                | <b>15,51</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 8000                                                                          | P-100                                                                               | 10000 27021                                                                         | stock                                                                                | <b>14,18</b>                                                                          | 10                                                                                    |
| SAITAC-N | A-F | 120 x 8000                                                                          | P-120                                                                               | 10000 27023                                                                         | W4                                                                                   | <b>14,18</b>                                                                          | 10                                                                                    |



**TABLE A**

| PRODUCTS | COEFFICIENTS AVAILABLE GRITS |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|----------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|          | 24                           | 36    | 40    | 50    | 60    | 80    | 100   | 120   | 150   | 180   | 220   | 240   | 280   | 320   | 360   | 400   | 500   | 600   | 800   | 900   |
| 4S-D     |                              |       |       |       |       |       |       |       | 0,093 | 0,093 | 0,093 | 0,093 | 0,093 | 0,093 |       |       |       |       |       |       |
| AP-E     |                              |       |       |       |       |       |       |       | 0,084 | 0,084 | 0,084 | 0,084 | 0,084 | 0,084 |       | 0,084 | 0,084 | 0,084 | 0,722 | 0,722 |
| 2S-E     |                              |       |       |       |       |       |       |       | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,779 | 0,779 |
| AE-D     |                              |       |       |       |       | 0,720 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 |       | 0,648 |       |       |       |       |
| A-E      |                              |       | 1,214 | 1,082 | 0,951 | 0,820 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 |       | 0,738 |       |       |       |       |
| AO-F     |                              |       | 1,273 |       | 0,998 | 0,860 | 0,774 | 0,774 | 0,774 | 0,774 |       | 0,774 |       | 0,774 |       | 0,774 |       |       |       |       |
| AN-F     |                              |       |       |       | 1,056 | 0,910 | 0,819 | 0,819 | 0,819 | 0,819 | 0,819 |       |       |       |       |       |       |       |       |       |
| A-F      |                              | 1,935 | 1,376 | 1,228 | 1,079 | 0,930 | 0,837 | 0,837 | 0,837 | 0,837 | 0,837 | 0,837 |       | 0,837 |       | 0,837 |       |       |       |       |
| Z-F      |                              |       | 1,954 |       | 1,931 | 1,320 | 1,122 | 1,122 |       |       |       |       |       |       |       |       |       |       |       |       |
| ZF-F     |                              |       |       |       |       | 1,080 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 |       | 0,972 | 0,972 | 0,972 | 1,026 |       |
| SH-F     |                              |       | 2,575 |       | 2,018 | 1,740 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| S-F      |                              |       |       |       |       |       |       | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 |       | 1,314 |       |       |       |       |
| 3C-D     |                              |       |       |       |       |       |       |       |       |       |       | 0,783 | 0,783 | 0,783 |       | 0,783 | 0,783 | 0,783 |       |       |
| C-E      |                              |       |       |       |       |       |       |       |       | 0,909 | 0,909 | 0,909 | 0,909 | 0,909 |       | 0,909 | 0,909 | 0,909 | 0,960 |       |
| C-F      | 1,036                        | 1,083 | 1,510 |       | 1,183 | 1,020 | 0,918 | 0,918 | 0,918 |       |       |       |       |       |       |       |       |       |       |       |
| C-G      |                              |       |       |       |       | 1,170 | 1,053 | 1,053 | 1,053 | 1,053 |       |       |       |       |       |       |       |       |       |       |

**TABLE B**

| WIDTH MM | BASE PRICE PER LINEAR METER | JOINT | UNIT OF SALE |         |
|----------|-----------------------------|-------|--------------|---------|
|          |                             |       | LENGTH MM    |         |
|          | €                           | €     | < 5.000      | > 5.000 |
| 50       | 0,782                       | 0,984 | 60           | 60      |
| 75       | 1,170                       | 1,475 | 50           | 25      |
| 100      | 1,560                       | 1,970 | 30           | 15      |
| 115      | 1,800                       | 2,260 | 30           | 15      |
| 120      | 1,880                       | 2,360 | 20           | 10      |
| 125      | 1,960                       | 2,460 | 20           | 10      |
| 140      | 2,190                       | 2,750 | 20           | 10      |
| 150      | 2,350                       | 2,950 | 20           | 10      |
| 200      | 3,130                       | 3,930 | 10           | 5       |
| 300      | 4,690                       | 5,900 | 10           | 5       |

**PRICE CALCULATION OF THE BELT**

The price of a belt is obtained as follows:

- 1) multiply its length in meters by the base price per linear meter corresponding to the desired width (TABLE B)
- 2) multiply the obtained result by the coefficient corresponding to the type of paper and grit chosen (TABLE A)
- 3) finally add the price of the joint (TABLE B)  
e.g.: belt 150x3200 mm AO-F grit 100  
(3,2m x 2,350€ x 0,774) + 2,950€ = 8,77€  
Belts with length < 3.000 mm have a further 5% increase (both on the price of the paper and on the price of the joint). For belts with length ≥ 11.000 mm ask an offer to our sales dept.



**JOINTS**

**N**

Normal overlapping joint  
Base price of joint

**NS**

Overlapping skived joint  
Base price of joint + 10%



**TECHNIQUE OF USE**

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.



**TABLE A**

| PRODUCTS | COEFFICIENTS AVAILABLE GRITS |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|----------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|          | 24                           | 36    | 40    | 50    | 60    | 80    | 100   | 120   | 150   | 180   | 220   | 240   | 280   | 320   | 360   | 400   |
| AP-E     |                              |       |       |       |       |       |       |       | 0,684 | 0,684 | 0,684 | 0,684 | 0,684 | 0,684 |       | 0,684 |
| 2S-E     |                              |       |       |       |       |       |       |       | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 |
| AE-D     |                              |       |       |       |       | 0,720 | 0,048 | 0,048 | 0,048 | 0,048 | 0,048 | 0,048 | 0,048 | 0,048 |       | 0,048 |
| A-E      |                              |       |       |       | 0,951 | 0,920 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 |       | 0,738 |
| AO-F     |                              |       | 1,273 |       | 0,998 | 0,960 | 0,774 | 0,774 | 0,774 | 0,774 |       | 0,774 |       | 0,774 |       | 0,774 |
| AN-F     |                              |       |       |       | 1,056 | 0,910 | 0,819 | 0,819 | 0,819 | 0,819 | 0,819 |       |       |       |       |       |
| A-F      |                              | 1,935 | 1,376 | 1,228 | 1,079 | 0,930 | 0,837 | 0,837 | 0,837 | 0,837 | 0,837 |       | 0,837 |       | 0,837 |       |
| Z-F      |                              |       | 1,954 |       | 1,931 | 1,320 | 1,122 | 1,122 |       |       |       |       |       |       |       |       |
| ZF-F     |                              |       |       |       | 1,080 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 1,026 |
| SH-F     |                              |       | 2,975 |       | 2,018 | 1,740 |       |       |       |       |       |       |       |       |       |       |
| S-F      |                              |       |       |       |       |       |       | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 |       | 1,314 |
| 3C-D     |                              |       |       |       |       |       |       |       |       |       | 0,783 |       | 0,783 |       | 0,783 | 0,783 |
| C-E      |                              |       |       |       |       |       |       |       | 0,909 | 0,909 | 0,909 |       | 0,909 |       | 0,909 | 0,909 |
| C-F      | 1,836                        | 1,083 | 1,910 |       | 1,183 | 1,020 | 0,918 | 0,918 | 0,918 |       |       |       |       |       |       |       |
| C-G      |                              |       |       |       |       | 1,170 | 1,053 | 1,053 | 1,053 | 1,053 |       |       |       |       |       |       |

#### TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

**TABLE B**

| WIDTH MM | BASE PRICE PER LINEAR METER | JOINT | UNIT OF SALE |
|----------|-----------------------------|-------|--------------|
|          | €                           | €     |              |
| 800      | 13,45                       | 6,30  | 10           |
| 850      | 14,29                       | 6,69  | 10           |
| 900      | 15,13                       | 7,08  | 10           |
| 950      | 15,97                       | 7,48  | 10           |
| 1000     | 16,81                       | 7,87  | 10           |
| 1100     | 18,49                       | 8,66  | 10           |
| 1120     | 18,83                       | 8,81  | 10           |
| 1150     | 19,33                       | 9,05  | 10           |
| 1200     | 20,17                       | 9,44  | 10           |
| 1250     | 21,01                       | 9,84  | 10           |
| 1300     | 21,85                       | 10,23 | 10           |
| 1350     | 22,69                       | 10,62 | 10           |
| 1400     | 23,54                       | 11,02 | 10           |
| 1420     | 23,87                       | 11,18 | 10           |
| 1460     | 24,54                       | 11,49 | 10           |
| 1500     | 25,22                       | 11,81 | 10           |

#### PRICE CALCULATION OF THE BELT

The price of a belt is obtained as follows:

- multiply its length in meters by the base price per linear meter corresponding to the desired width (TABLE B)
- multiply the obtained result by the coefficient corresponding to the type of paper and grit chosen (TABLE A)
- finally add the price of the joint (TABLE B)  
e.g.: belt 1350x2620 mm Z-F grit 60  
(2,62m x 22,69€ x 1,566) + 10,62€ = 104,00€

#### NOTE

Maximum width 1400 mm for:

- AP-E all grits
- 2S-E all grits
- AE-D all grits
- A-E grits 80 ÷ 400
- AO-F grits 80 ÷ 400
- AN-F grits 80 ÷ 220
- 3C-D all grits

#### JOINTS

**N**

Normal overlapping joint  
Base price of joint

**NS**

Overlapping skived joint  
Base price of joint







TABLE A

| PRODUCTS | COEFFICIENTS BY GRAITS |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|----------|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|          | 24                     | 36    | 40    | 50    | 60    | 80    | 100   | 120   | 150   | 180   | 220   | 240   | 280   | 320   | 360   | 400   | 500   | 600   | 800   |
| AP-E     |                        |       |       |       |       |       |       |       | 0,684 | 0,684 | 0,684 | 0,684 | 0,684 | 0,684 |       | 0,684 | 0,684 | 0,684 | 0,722 |
| 2S-E     |                        |       |       |       |       |       |       |       | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,779 |
| AE-D     |                        |       |       |       |       | 0,720 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 | 0,648 |       | 0,648 |       |       |       |
| A-E      |                        |       |       |       | 0,951 | 0,820 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 | 0,738 |       | 0,738 |       |       |       |
| AO-F     |                        |       | 1,273 |       | 0,998 | 0,860 | 0,774 | 0,774 | 0,774 | 0,774 |       | 0,774 |       | 0,774 |       | 0,774 |       |       |       |
| AN-F     |                        |       |       |       | 1,056 | 0,910 | 0,819 | 0,819 | 0,819 | 0,819 | 0,819 |       |       |       |       |       |       |       |       |
| A-F      |                        | 1,935 | 1,376 | 1,228 | 1,079 | 0,930 | 0,837 | 0,837 | 0,837 | 0,837 | 0,837 | 0,837 |       | 0,837 |       | 0,837 |       |       |       |
| Z-F      |                        |       | 1,954 |       | 1,931 | 1,320 | 1,122 | 1,122 |       |       |       |       |       |       |       |       |       |       |       |
| ZF-F     |                        |       |       |       | 1,080 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 | 0,972 |       | 0,972 | 0,972 | 0,972 | 1,026 |
| SH-F     |                        |       | 2,575 |       | 2,018 | 1,740 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| S-F      |                        |       |       |       |       |       | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 | 1,314 |       | 1,314 |       |       |       |
| 3C-D     |                        |       |       |       |       |       |       |       |       |       |       | 0,783 | 0,783 |       |       | 0,783 | 0,783 | 0,783 |       |
| C-E      |                        |       |       |       |       |       |       |       | 0,909 | 0,909 | 0,909 |       |       |       |       | 0,909 | 0,909 | 0,909 | 0,960 |
| C-F      | 1,936                  | 1,683 | 1,510 |       | 1,183 | 1,020 | 0,918 | 0,918 | 0,918 |       |       |       |       |       |       |       |       |       |       |
| C-G      |                        |       |       |       |       | 1,170 | 1,053 | 1,053 | 1,053 | 1,053 |       |       |       |       |       |       |       |       |       |

### TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

TABLE B

| WIDTH MM | BASE PRICE PER LINEAR METER | JOINT | UNIT OF SALE |
|----------|-----------------------------|-------|--------------|
|          | €                           | €     |              |
| 800      | 13,92                       | 6,46  | 5            |
| 850      | 14,79                       | 6,87  | 5            |
| 900      | 15,66                       | 7,27  | 5            |
| 950      | 16,53                       | 7,68  | 5            |
| 1000     | 17,40                       | 8,08  | 5            |
| 1100     | 19,14                       | 8,89  | 5            |
| 1120     | 19,48                       | 9,05  | 5            |
| 1150     | 20,01                       | 9,29  | 5            |
| 1200     | 20,88                       | 9,70  | 5            |
| 1250     | 21,74                       | 10,10 | 5            |
| 1300     | 22,61                       | 10,50 | 5            |
| 1350     | 23,48                       | 10,91 | 5            |
| 1400     | 24,35                       | 11,31 | 5            |
| 1420     | 24,70                       | 11,47 | 5            |
| 1460     | 25,40                       | 11,80 | 5            |
| 1500     | 26,09                       | 12,12 | 5            |

### PRICE CALCULATION OF THE BELT

The price of a belt is obtained as follows:

- multiply its length in meters by the base price per linear meter corresponding to the desired width (TABLE B)
  - multiply the obtained result by the coefficient corresponding to the type of paper and grit chosen (TABLE A)
  - finally add the price of the joint (TABLE B)
- e.g.: belt 1300x2620 mm 2S-E grit 320  
 $(2,62m \times 22,61€ \times 0,738) + 10,50€ = 54,22€$

### NOTE

Maximum width 1400 mm for:

- AP-E all grits
- 2S-E all grits
- AE-D all grits
- A-E grits 80 ÷ 400
- AO-F grits 80 ÷ 400
- AN-F grits 80 ÷ 220
- 3C-D all grits



### JOINTS

N

Normal overlapping joint  
Base price of joint

NS

Overlapping skived joint  
Base price of joint



# SAITAC-S

## Abrasive paper sheets



### AB-C

Full resin bonded aluminium oxide white paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

#### APPLICATIONS

- PAINTS
- FILLERS
- PRIMING

| SAITAC-S | AB-C | <b>230 x 280</b> | 60  | 10000 68156 | W4 | <b>0,771</b> | 200 (2x100) |
|----------|------|------------------|-----|-------------|----|--------------|-------------|
| SAITAC-S | AB-C | 230 x 280        | 80  | 10000 68239 | W4 | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 100 | 10000 68245 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 120 | 10000 68240 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 150 | 10000 68241 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 180 | 10000 68242 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 220 | 10000 68243 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 320 | 10000 68244 | W4 | <b>0,598</b> | 200 (2x100) |
| SAITAC-S | AB-C | 230 x 280        | 400 | 10000 68248 | W4 | <b>0,598</b> | 200 (2x100) |

### AW-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. Very high flexibility.

#### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

| SAITAC-S | AW-C | <b>230 x 280</b> | P-100  | 10000 68012 | stock | <b>0,664</b> | 200 (2x100) |
|----------|------|------------------|--------|-------------|-------|--------------|-------------|
| SAITAC-S | AW-C | 230 x 280        | P-120  | 10000 68013 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-150  | 10000 68014 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-180  | 10000 68015 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-220  | 10000 68016 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-240  | 10000 68017 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-280  | 10000 68064 | W4    | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-320  | 10000 68018 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-400  | 10000 68041 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-500  | 10000 68042 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-600  | 10000 68061 | stock | <b>0,664</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-800  | 10000 68062 | stock | <b>0,701</b> | 200 (2x100) |
| SAITAC-S | AW-C | 230 x 280        | P-1200 | 10000 68063 | stock | <b>0,701</b> | 200 (2x100) |



## AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

|          |      |  |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | AR-C | <b>230 x 280</b>                                                                  | P-60                                                                              | 10000 68119                                                                       | stock                                                                              | <b>0,746</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-80                                                                              | 10000 68121                                                                       | stock                                                                              | <b>0,643</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-100                                                                             | 10000 68122                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-120                                                                             | 10000 68123                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-150                                                                             | 10000 68124                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-180                                                                             | 10000 68125                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-220                                                                             | 10000 68126                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-240                                                                             | 10000 68127                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-280                                                                             | 10000 68128                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-320                                                                             | 10000 68129                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-360                                                                             | 10000 68120                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-400                                                                             | 10000 68130                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-500                                                                             | 10000 68133                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-600                                                                             | 10000 68134                                                                       | stock                                                                              | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-800                                                                             | 10000 68136                                                                       | stock                                                                              | <b>0,611</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-1000                                                                            | 10000 68137                                                                       | stock                                                                              | <b>0,611</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-1200                                                                            | 10000 68138                                                                       | stock                                                                              | <b>0,611</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AR-C | <b>230 x 280</b>                                                                  | P-60                                                                              | 10000 68250                                                                       | W4                                                                                 | <b>0,806</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-80                                                                              | 10000 68251                                                                       | W4                                                                                 | <b>0,695</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-100                                                                             | 10000 68252                                                                       | W4                                                                                 | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-120                                                                             | 10000 68253                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-150                                                                             | 10000 68254                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-180                                                                             | 10000 68255                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-220                                                                             | 10000 68256                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-240                                                                             | 10000 68257                                                                       | W4                                                                                 | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-320                                                                             | 10000 68259                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-400                                                                             | 10000 68261                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-600                                                                             | 10000 68263                                                                       | stock                                                                              | <b>0,625</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-800                                                                             | 10000 68264                                                                       | stock                                                                              | <b>0,660</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-1000                                                                            | 10000 68265                                                                       | W4                                                                                 | <b>0,660</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | AR-C | 230 x 280                                                                         | P-1200                                                                            | 10000 68266                                                                       | W4                                                                                 | <b>0,660</b>                                                                        | 100 (4x25)                                                                          |



## AN-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, black colour. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- FILLERS
- LACQUERS
- PLASTIC MATERIALS
- MARBLE

|          |      |  |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | AN-C | <b>230 x 280</b>                                                                  | P-60                                                                              | 10000 68303                                                                       | W4                                                                                 | <b>0,746</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-80                                                                              | 10000 68304                                                                       | W4                                                                                 | <b>0,643</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-100                                                                             | 10000 68305                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-120                                                                             | 10000 68306                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-150                                                                             | 10000 68307                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-180                                                                             | 10000 68308                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-220                                                                             | 10000 68379                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-240                                                                             | 10000 68403                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-320                                                                             | 10000 68407                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-360                                                                             | 10000 68408                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-400                                                                             | 10000 68409                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-600                                                                             | 10000 68411                                                                       | W4                                                                                 | <b>0,579</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-800                                                                             | 10000 68412                                                                       | W4                                                                                 | <b>0,611</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AN-C | 230 x 280                                                                         | P-1200                                                                            | 10000 68414                                                                       | W4                                                                                 | <b>0,611</b>                                                                        | 200 (2x100)                                                                         |



## AG-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

|          |      |  |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | AG-D | <b>230 x 280</b>                                                                  | P-40                                                                              | 10000 68335 °                                                                     | stock                                                                              | <b>1,080</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AG-D | 230 x 280                                                                         | P-60                                                                              | 10000 68319 °                                                                     | stock                                                                              | <b>0,844</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AG-D | 230 x 280                                                                         | P-80                                                                              | 10000 68320 °                                                                     | stock                                                                              | <b>0,727</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AG-D | 230 x 280                                                                         | P-100                                                                             | 10000 68321 °                                                                     | stock                                                                              | <b>0,655</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AG-D | 230 x 280                                                                         | P-120                                                                             | 10000 68322 °                                                                     | stock                                                                              | <b>0,655</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AG-D | 230 x 280                                                                         | P-150                                                                             | 10000 68323 °                                                                     | stock                                                                              | <b>0,655</b>                                                                        | 200 (2x100)                                                                         |

## AG-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. High flexibility.

### APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

|          |      |  |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-S | AG-C | <b>230 x 280</b>                                                                    | P-150                                                                               | 10000 68157                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-180                                                                               | 10000 68324                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-220                                                                               | 10000 68325                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-240                                                                               | 10000 68326                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-280                                                                               | 10000 68327                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-320                                                                               | 10000 68328                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-400                                                                               | 10000 68329                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-500                                                                               | 10000 68330                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-600                                                                               | 10000 68331                                                                         | stock                                                                                | <b>0,588</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-800                                                                               | 10000 68332                                                                         | W4                                                                                   | <b>0,621</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-1000                                                                              | 1000500078                                                                          | W4                                                                                   | <b>0,621</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AG-C | 230 x 280                                                                           | P-1200                                                                              | 10000 68334                                                                         | W4                                                                                   | <b>0,621</b>                                                                          | 200 (2x100)                                                                           |

# SAITAC-S

## Abrasive paper sheets



### AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

#### APPLICATIONS

- WOOD
- PAINTED WOOD
- PLASTIC MATERIALS

|          |      |  |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | AY-D | <b>230 x 280</b>                                                                  | P-80                                                                              | 10000 68368                                                                       | W4                                                                                 | <b>0,612</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-100                                                                             | 10000 68175                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-120                                                                             | 10000 68369                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-150                                                                             | 10000 68370                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-180                                                                             | 10000 68371                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-220                                                                             | 10000 68404                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-240                                                                             | 10000 68400                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-320                                                                             | 10000 68402                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | AY-D | 230 x 280                                                                         | P-400                                                                             | 10000 68401                                                                       | W4                                                                                 | <b>0,550</b>                                                                        | 200 (2x100)                                                                         |


### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet uses. Good flexibility.

#### APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

|          |      |  |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-S | AW-D | <b>230 x 280</b>                                                                    | P-40                                                                                | 10000 68019                                                                         | stock                                                                                | <b>1,120</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-50                                                                                | 10000 68034                                                                         | stock                                                                                | <b>1,000</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-60                                                                                | 10000 68020                                                                         | stock                                                                                | <b>0,881</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-80                                                                                | 10000 68021                                                                         | stock                                                                                | <b>0,759</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-100                                                                               | 10000 68044                                                                         | stock                                                                                | <b>0,683</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-120                                                                               | 10000 68043                                                                         | stock                                                                                | <b>0,683</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-150                                                                               | 10000 68095                                                                         | stock                                                                                | <b>0,683</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-180                                                                               | 10000 68199                                                                         | stock                                                                                | <b>0,683</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | AW-D | 230 x 280                                                                           | P-220                                                                               | 10000 68200                                                                         | W4                                                                                   | <b>0,683</b>                                                                          | 200 (2x100)                                                                           |



## 3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry. Dry use. High flexibility. Low clogging.

### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

|          |    |  |  |  |  |  |  |
|----------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | 3S | <b>230 x 280</b>                                                                  | P-80                                                                              | 10000 68109                                                                       | W4                                                                                 | <b>0,822</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-100                                                                             | 10000 68107                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-120                                                                             | 10000 68108                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-150                                                                             | 10000 68086                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-180                                                                             | 10000 68087                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-220                                                                             | 10000 68088                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-240                                                                             | 10000 68093                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-320                                                                             | 10000 68091                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 3S | 230 x 280                                                                         | P-400                                                                             | 10000 68092                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |

## 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|          |    |  |  |  |  |  |  |
|----------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-S | 4S | <b>230 x 280</b>                                                                    | 80                                                                                  | 10000 68001                                                                         | W4                                                                                   | <b>0,801</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 100                                                                                 | 10000 68002                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 120                                                                                 | 10000 68003                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 150                                                                                 | 10000 68007                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 180                                                                                 | 10000 68008                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 220                                                                                 | 10000 68009                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 240                                                                                 | 10000 68010                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 320                                                                                 | 10000 68011                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 360                                                                                 | 10000 68032                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 400                                                                                 | 10000 68029                                                                         | stock                                                                                | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | 4S | 230 x 280                                                                           | 500                                                                                 | 10000 68030                                                                         | W4                                                                                   | <b>0,721</b>                                                                          | 200 (2x100)                                                                           |

# SAITAC-S

## Abrasive paper sheets



### 6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood and automotive. Dry use. Low clogging. Very high flexibility.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|          |    |  |  |  |  |  |  |
|----------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | 6A | <b>230 x 280</b>                                                                  | 150                                                                               | 10000 68246                                                                       | W4                                                                                 | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 180                                                                               | 10000 68230                                                                       | stock                                                                              | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 220                                                                               | 10000 68231                                                                       | W4                                                                                 | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 240                                                                               | 10000 68232                                                                       | stock                                                                              | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 280                                                                               | 10000 68233                                                                       | W4                                                                                 | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 320                                                                               | 10000 68234                                                                       | stock                                                                              | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | 6A | 230 x 280                                                                         | 400                                                                               | 10000 68235                                                                       | W4                                                                                 | <b>0,702</b>                                                                        | 200 (2x100)                                                                         |

### CB-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility and plasticity. High resistance to water.

#### APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES
- PAINTS
- PRIMING

|          |      |  |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-S | CB-C | <b>230 x 280</b>                                                                    | P-220                                                                               | 10000 68377                                                                         | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-240                                                                               | 1000500079                                                                          | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-320                                                                               | 10000 68380                                                                         | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-400                                                                               | 10000 68381                                                                         | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-500                                                                               | 10000 68382                                                                         | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-600                                                                               | 10000 68383                                                                         | stock                                                                                | <b>0,693</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-800                                                                               | 10000 68384                                                                         | stock                                                                                | <b>0,731</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-1200                                                                              | 10000 68386                                                                         | stock                                                                                | <b>0,731</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-1500                                                                              | 10000 68387                                                                         | stock                                                                                | <b>0,885</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-2000                                                                              | 10000 68388                                                                         | stock                                                                                | <b>0,885</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-2500                                                                              | 10000 68054                                                                         | stock                                                                                | <b>0,885</b>                                                                          | 200 (2x100)                                                                           |
| SAITAC-S | CB-C | 230 x 280                                                                           | P-3000                                                                              | 10000 68055                                                                         | stock                                                                                | <b>0,885</b>                                                                          | 200 (2x100)                                                                           |



## CW-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility.

### APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES
- PAINTS
- PRIMING

|          |      |  |  |  |  |  |  |
|----------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITAC-S | CW-C | <b>230 x 280</b>                                                                  | P-60                                                                              | 10000 68006                                                                       | stock                                                                              | <b>0,954</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-80                                                                              | 10000 68135                                                                       | stock                                                                              | <b>0,822</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-100                                                                             | 10000 68131                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-120                                                                             | 10000 68132                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-150                                                                             | 10000 68022                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-180                                                                             | 10000 68023                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-220                                                                             | 10000 68024                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-240                                                                             | 10000 68025                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-280                                                                             | 10000 68035                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-320                                                                             | 10000 68026                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-360                                                                             | 10000 68176                                                                       | W4                                                                                 | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-400                                                                             | 10000 68027                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-500                                                                             | 10000 68033                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-600                                                                             | 10000 68037                                                                       | stock                                                                              | <b>0,740</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-800                                                                             | 10000 68038                                                                       | stock                                                                              | <b>0,781</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-1000                                                                            | 10000 68155                                                                       | stock                                                                              | <b>0,781</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-1200                                                                            | 10000 68040                                                                       | stock                                                                              | <b>0,781</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-1500                                                                            | 10000 68036                                                                       | stock                                                                              | <b>0,946</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-2000                                                                            | 10000 68039                                                                       | stock                                                                              | <b>0,946</b>                                                                        | 200 (2x100)                                                                         |
| SAITAC-S | CW-C | <b>230 x 280</b>                                                                  | P-80                                                                              | 10000 68267                                                                       | stock                                                                              | <b>0,888</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-100                                                                             | 10000 68268                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-120                                                                             | 10000 68269                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-150                                                                             | 10000 68270                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-180                                                                             | 10000 68271                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-220                                                                             | 10000 68272                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-240                                                                             | 10000 68273                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-280                                                                             | 10000 68274                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-320                                                                             | 10000 68275                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-400                                                                             | 10000 68276                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-500                                                                             | 10000 68277                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-600                                                                             | 10000 68278                                                                       | stock                                                                              | <b>0,799</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-800                                                                             | 10000 68279                                                                       | stock                                                                              | <b>0,844</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-1000                                                                            | 10000 68280                                                                       | stock                                                                              | <b>0,844</b>                                                                        | 100 (4x25)                                                                          |
| SAITAC-S | CW-C | 230 x 280                                                                         | P-1200                                                                            | 10000 68281                                                                       | stock                                                                              | <b>0,844</b>                                                                        | 100 (4x25)                                                                          |

## CW-C SUPER MICROGRITS

|          |      |  |  |  |  |  |  |
|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITAC-S | CW-C | <b>140 x 230</b>                                                                    | P-1500                                                                              | 10000 68152                                                                         | stock                                                                                | <b>0,515</b>                                                                          | 200 (4x50)                                                                            |
| SAITAC-S | CW-C | 140 x 230                                                                           | P-2000                                                                              | 10000 68154                                                                         | stock                                                                                | <b>0,515</b>                                                                          | 200 (4x50)                                                                            |

## SAITAC-B

Abrasive paper strips



### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry orbital sanding operations.

#### APPLICATIONS

- FILLERS
- PRIMING



10 HOLES

| SAITAC-B | AW-D | 115 x 280 F 10 | P-40  | 10000 86700 | stock | 200 |
|----------|------|----------------|-------|-------------|-------|-----|
| SAITAC-B | AW-D | 115 x 280 F 10 | P-60  | 10000 86701 | W4    | 200 |
| SAITAC-B | AW-D | 115 x 280 F 10 | P-80  | 10000 86702 | W4    | 200 |
| SAITAC-B | AW-D | 115 x 280 F 10 | P-120 | 10000 86708 | stock | 200 |

## SAITAC B-VEL

Hook & loop abrasive paper strips



### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry orbital sanding operations.

#### APPLICATIONS

- FILLERS
- PRIMING



8 HOLES

| SAITAC B-VEL | AW-D | 81 x 133 F 8 | 60 | 10000 86879 | W4 | 400 (8x50) |
|--------------|------|--------------|----|-------------|----|------------|

### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry orbital sanding operations.

#### APPLICATIONS

- FILLERS
- PRIMING



14 HOLES

| SAITAC B-VEL | A-E | 70 x 420 F 14 | 40 | 10000 86828 | W4 | 200 (4x50) |
|--------------|-----|---------------|----|-------------|----|------------|
| SAITAC B-VEL | A-E | 70 x 420 F 14 | 60 | 10000 86829 | W4 | 200 (4x50) |
| SAITAC B-VEL | A-E | 70 x 420 F 14 | 80 | 10000 86830 | W4 | 200 (4x50) |

# SAITAC B-VEL

## Hook & loop abrasive paper strips



### 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### WITHOUT HOLES

|              |    |                 |     |             |       |  |             |
|--------------|----|-----------------|-----|-------------|-------|--|-------------|
| SAITAC B-VEL | 4S | <b>70 x 125</b> | 80  | 10000 87602 | W4    |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 70 x 125        | 100 | 10000 87603 | W4    |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 70 x 125        | 120 | 10000 87604 | stock |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 70 x 125        | 150 | 10000 87605 | stock |  | 800 (8x100) |
| SAITAC B-VEL | 4S | 70 x 125        | 180 | 10000 87606 | stock |  | 800 (8x100) |
| SAITAC B-VEL | 4S | 70 x 125        | 240 | 10000 87608 | stock |  | 800 (8x100) |
| SAITAC B-VEL | 4S | 70 x 125        | 320 | 10000 87609 | W4    |  | 800 (8x100) |

#### 8 HOLES

|              |    |                     |     |             |       |  |             |
|--------------|----|---------------------|-----|-------------|-------|--|-------------|
| SAITAC B-VEL | 4S | <b>81 x 133 F 8</b> | 80  | 10000 86880 | W4    |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 81 x 133 F 8        | 100 | 10000 86881 | stock |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 81 x 133 F 8        | 120 | 10000 86882 | stock |  | 400 (8x50)  |
| SAITAC B-VEL | 4S | 81 x 133 F 8        | 150 | 10000 86840 | W4    |  | 800 (8x100) |
| SAITAC B-VEL | 4S | 81 x 133 F 8        | 180 | 10000 86841 | W4    |  | 800 (8x100) |
| SAITAC B-VEL | 4S | 81 x 133 F 8        | 240 | 10000 87619 | W4    |  | 800 (8x100) |

#### 10 HOLES

|              |    |                       |     |             |       |  |            |
|--------------|----|-----------------------|-----|-------------|-------|--|------------|
| SAITAC B-VEL | 4S | <b>115 x 230 F 10</b> | 80  | 10000 86819 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 100 | 10000 86820 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 120 | 10000 86821 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 150 | 10000 86822 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 180 | 10000 86823 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 220 | 10000 86824 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 240 | 10000 86825 | stock |  | 200 (4x50) |
| SAITAC B-VEL | 4S | 115 x 230 F 10        | 320 | 10000 86827 | W4    |  | 200 (4x50) |

# AEROMAX B-VEL

## Hook & loop abrasive paper strips




6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

### APPLICATIONS


- PAINTS
- PRIMING
- FILLERS
- LACQUERS



**Aeromax**

MICROPERFORATED

| AEROMAX B-VEL | 6S | <b>70 x 125 F M</b> | 80  | 10000 87625 | stock | 100 (2x50)  |
|---------------|----|---------------------|-----|-------------|-------|-------------|
| AEROMAX B-VEL | 6S | 70 x 125 F M        | 120 | 10000 87626 | stock | 100 (2x50)  |
| AEROMAX B-VEL | 6S | 70 x 125 F M        | 180 | 10000 87628 | stock | 200 (2x100) |



**Aeromax**

MICROPERFORATED

The strip is precut in the middle, in order to obtain both dimensions

| AEROMAX B-VEL | 6S | <b>70 x 396 F M</b> | 60  | 10000 87631 | stock | 100 (2x50)  |
|---------------|----|---------------------|-----|-------------|-------|-------------|
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 80  | 10000 87632 | stock | 100 (2x50)  |
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 120 | 10000 87633 | stock | 100 (2x50)  |
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 150 | 10000 87634 | stock | 100 (2x50)  |
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 180 | 10000 87635 | stock | 200 (2x100) |
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 240 | 10000 87636 | stock | 200 (2x100) |
| AEROMAX B-VEL | 6S | 70 x 396 F M        | 320 | 10000 87637 | stock | 200 (2x100) |

# AEROMAX B-VEL / SAITAC B-VEL

Hook & loop abrasive paper strips



## 5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry and automotive. Dry use. Very low clogging. Long life.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



**Aeromax**

MICROPERFORATED

| AEROMAX B-VEL | 5G | <b>70 x 125 F M</b> | 60  | 10000 87675 | stock | 100 (2x50) |
|---------------|----|---------------------|-----|-------------|-------|------------|
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 80  | 10000 87676 | stock | 100 (2x50) |
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 120 | 10000 87677 | W4    | 100 (2x50) |
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 150 | 10000 87678 | W4    | 100 (2x50) |
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 180 | 10000 87679 | stock | 100 (2x50) |
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 240 | 10000 87680 | stock | 100 (2x50) |
| AEROMAX B-VEL | 5G | 70 x 125 F M        | 320 | 10000 87681 | stock | 100 (2x50) |



14 HOLES

| SAITAC B-VEL | 5G | <b>70 x 420 F 14</b> | 120 | 10000 87550 | W4 | 100 (2x50) |
|--------------|----|----------------------|-----|-------------|----|------------|
| SAITAC B-VEL | 5G | 70 x 420 F 14        | 180 | 10000 87551 | W4 | 100 (2x50) |
| SAITAC B-VEL | 5G | 70 x 420 F 14        | 240 | 10000 87552 | W4 | 100 (2x50) |
| SAITAC B-VEL | 5G | 70 x 420 F 14        | 320 | 10000 87553 | W4 | 100 (2x50) |

## Accessories

### SAITVEL-TP

Hand sanding blocks with self gripping.



| SAITVEL-TP | 70 x 125 F M  | F-MICRO | 10000 99554 | stock | 1 |
|------------|---------------|---------|-------------|-------|---|
| SAITVEL-TP | 70 x 198 F M  | F-MICRO | 10000 99555 | stock | 1 |
| SAITVEL-TP | 70 x 396 F M  | F-MICRO | 10000 99556 | stock | 1 |
| SAITVEL-TP | 115 x 230 F M | F-MICRO | 10000 99557 | stock | 1 |

## SELECTION GUIDE

|                      |                                                                                     | PRODUCTS |    |    |    |    |    |    |    |    |     |     |     |      |            |     |      |      |
|----------------------|-------------------------------------------------------------------------------------|----------|----|----|----|----|----|----|----|----|-----|-----|-----|------|------------|-----|------|------|
| DIAMETERS / HOLES    |                                                                                     | AW-D     | 3S | 4S | 4V | 5G | 5S | 6A | XS | 6S | SOF | A-E | A-D | AY-D | C-E<br>C-F | Z-F | ZF-F | SH-F |
| Ø 77 N F             |    |          |    |    |    |    |    |    |    | •  |     |     |     |      |            |     |      |      |
| Ø 115 N F            |    |          |    |    |    |    |    |    |    |    |     | •   |     |      | •          | •   | •    | •    |
| Ø 120/125/127 N F    |    | •        | •  | •  |    |    |    | •  |    | •  |     | •   |     |      | •          | •   | •    | •    |
| Ø 127 F 8            |    | •        | •  | •  |    |    | •  |    |    | •  |     | •   |     |      |            |     |      |      |
| Ø 150 N F            |    | •        | •  | •  | •  | •  |    |    |    | •  |     | •   |     |      | •          | •   | •    | •    |
| Ø 150 F 6            |   | •        | •  |    |    |    |    |    |    |    |     |     |     |      |            |     |      |      |
| Ø 150 F 7            |  |          |    | •  |    | •  |    |    |    |    |     | •   |     |      |            | •   |      |      |
| Ø 150 F 8+1          |  | •        | •  | •  |    |    |    |    |    |    |     | •   |     |      |            | •   |      |      |
| Ø 150 F 15           |  | •        |    | •  | •  | •  | •  | •  | •  | •  | •   | •   |     |      |            |     |      |      |
| Ø 150<br>F M AEROMAX |  |          |    |    |    |    |    |    | •  | •  |     |     |     |      |            |     |      |      |
| Ø 180 N F            |  |          |    |    |    |    |    |    |    |    |     |     |     |      | •          |     |      |      |
| Ø 203 F 8            |  |          |    | •  |    |    |    |    |    |    |     | •   |     |      |            | •   |      |      |
| Ø 225 N F            |  |          |    |    |    |    |    |    |    |    |     | •   |     |      | •          |     |      |      |
| Ø 225 F 16           |  |          |    |    |    |    |    |    |    |    |     | •   |     |      |            |     |      |      |
| Ø 225 F 19           |  |          |    |    |    |    |    |    |    |    |     |     | •   |      |            |     |      |      |
| Ø 225 F M/T N        |  |          |    |    |    |    |    |    |    |    |     |     | •   | •    |            |     |      |      |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations with random orbital sanders.

#### APPLICATIONS

- RAW WOOD
- PRIMING
- FILLERS
- STEELS
- STAINLESS STEELS



#### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 120</b> | 40  | 10000 90092 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 120        | 60  | 10000 91536 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 120        | 80  | 10000 91537 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 120        | 100 | 10000 91538 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 120        | 120 | 10000 91539 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 120        | 150 | 10000 91540 | stock |  | 200 (4x50) |



#### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 127</b> | 40  | 10000 90321 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127        | 60  | 10000 90967 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127        | 80  | 10000 90968 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127        | 100 | 10000 90324 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127        | 120 | 10000 90325 | stock |  | 200 (4x50) |



#### 8 HOLES

|              |      |                  |     |             |       |  |            |
|--------------|------|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 127 F 8</b> | 40  | 10000 90264 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127 F 8        | 60  | 10000 90969 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127 F 8        | 80  | 10000 90970 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127 F 8        | 100 | 10000 90768 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 127 F 8        | 120 | 10000 90769 | stock |  | 200 (4x50) |



## AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations with random orbital sanders.

### APPLICATIONS

- RAW WOOD
- PRIMING
- FILLERS
- STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 150</b> | 40  | 10000 90000 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150        | 60  | 10000 90971 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150        | 80  | 10000 90972 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150        | 100 | 10000 90973 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150        | 120 | 10000 90974 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150        | 150 | 10000 90976 | stock |  | 200 (4x50) |

### 6 HOLES

|              |      |                  |     |             |       |  |            |
|--------------|------|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 150 F 6</b> | 40  | 10000 90023 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 6        | 60  | 10000 90977 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 6        | 80  | 10000 90978 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 6        | 100 | 10000 90979 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 6        | 120 | 10000 90980 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 6        | 150 | 10000 90981 | stock |  | 200 (4x50) |

### 8+1 HOLES

|              |      |                    |     |             |       |  |            |
|--------------|------|--------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 150 F 8+1</b> | 40  | 10000 90028 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 8+1        | 60  | 10000 90982 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 8+1        | 80  | 10000 90983 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 8+1        | 100 | 10000 90984 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 8+1        | 120 | 10000 90985 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 8+1        | 150 | 10000 90986 | stock |  | 200 (4x50) |

### 15 HOLES

|              |      |                   |     |             |       |  |            |
|--------------|------|-------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | AW-D | <b>Ø 150 F 15</b> | 40  | 10000 90824 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 15        | 60  | 10000 90825 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 15        | 80  | 10000 90821 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 15        | 100 | 10000 90822 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 15        | 120 | 10000 90823 | stock |  | 200 (4x50) |
| SAITAC D-VEL | AW-D | Ø 150 F 15        | 150 | 10000 90826 | stock |  | 200 (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- METALS



#### WITHOUT HOLES

|              |    |              |     |             |       |  |             |
|--------------|----|--------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 3S | <b>Ø 127</b> | 80  | 10000 90386 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127        | 100 | 10000 90387 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127        | 120 | 10000 90388 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127        | 150 | 10000 90389 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127        | 180 | 10000 90390 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127        | 220 | 10000 90391 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127        | 320 | 10000 90392 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127        | 400 | 10000 90393 | stock |  | 200 (2x100) |



#### 8 HOLES

|              |    |                  |     |             |       |  |             |
|--------------|----|------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 3S | <b>Ø 127 F 8</b> | 80  | 10000 90987 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 100 | 10000 90988 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 120 | 10000 90989 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 150 | 10000 90990 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 180 | 10000 90991 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 220 | 10000 90992 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 320 | 10000 90993 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 127 F 8        | 400 | 10000 90994 | stock |  | 200 (2x100) |



#### WITHOUT HOLES

|              |    |              |     |             |       |  |             |
|--------------|----|--------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 3S | <b>Ø 150</b> | 80  | 10000 90995 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150        | 100 | 10000 90996 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150        | 120 | 10000 90997 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150        | 150 | 10000 90998 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 180 | 10000 90999 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 220 | 10000 91000 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 240 | 10000 91001 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 280 | 10000 91002 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 320 | 10000 91003 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 400 | 10000 91004 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150        | 600 | 10000 91006 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry. Dry use. Low clogging.

### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- METALS



### 6 HOLES

|              |    |                  |     |             |       |  |             |
|--------------|----|------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 3S | <b>Ø 150 F 6</b> | 80  | 10000 91007 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 100 | 10000 91008 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 120 | 10000 91009 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 150 | 10000 91010 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 180 | 10000 91011 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 220 | 10000 91012 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 240 | 10000 91013 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 280 | 10000 91014 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 320 | 10000 91015 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 6        | 400 | 10000 91016 | stock |  | 200 (2x100) |



### 8+1 HOLES

|              |    |                    |     |             |       |  |             |
|--------------|----|--------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 3S | <b>Ø 150 F 8+1</b> | 80  | 10000 91019 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 100 | 10000 91020 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 120 | 10000 91021 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 150 | 10000 91022 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 180 | 10000 91023 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 220 | 10000 91024 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 240 | 10000 91025 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 280 | 10000 91026 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 320 | 10000 91027 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 3S | Ø 150 F 8+1        | 400 | 10000 91028 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### WITHOUT HOLES

|              |    |              |     |             |       |  |             |
|--------------|----|--------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 127</b> | 80  | 10000 90394 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127        | 100 | 10000 90395 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127        | 120 | 10000 90396 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127        | 150 | 10000 90397 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 180 | 10000 90398 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 220 | 10000 90399 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 240 | 10000 90401 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 280 | 10000 90402 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 320 | 10000 90405 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 400 | 10000 90424 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127        | 500 | 10000 90440 | W4    |  | 200 (2x100) |



#### 8 HOLES

|              |    |                  |     |             |       |  |             |
|--------------|----|------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 127 F 8</b> | 80  | 10000 90448 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 100 | 10000 90449 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 120 | 10000 90450 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 150 | 10000 90454 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 180 | 10000 90455 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 220 | 10000 90492 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 240 | 10000 90493 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 280 | 10000 90501 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 320 | 10000 90502 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 360 | 10000 90503 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 400 | 10000 90504 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 127 F 8        | 500 | 10000 90505 | W4    |  | 200 (2x100) |



#### WITHOUT HOLES

|              |    |              |     |             |       |  |             |
|--------------|----|--------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 150</b> | 60  | 10000 91236 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150        | 80  | 10000 90935 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150        | 100 | 10000 90936 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150        | 120 | 10000 90937 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150        | 150 | 10000 90938 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 180 | 10000 90939 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 220 | 10000 90940 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 240 | 10000 90941 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 280 | 10000 90942 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 320 | 10000 90943 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 400 | 10000 90945 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 500 | 10000 90946 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150        | 600 | 10000 90947 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### 7 HOLES

|              |    |                  |     |             |       |  |             |
|--------------|----|------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 150 F 7</b> | 80  | 10000 90836 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 100 | 10000 90841 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 120 | 10000 90852 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 150 | 10000 90855 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 180 | 10000 90856 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 220 | 10000 90869 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 240 | 10000 90870 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 280 | 10000 90871 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 320 | 10000 90872 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 400 | 10000 90874 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 7        | 600 | 10000 90879 | stock |  | 200 (2x100) |



#### 8+1 HOLES

|              |    |                    |     |             |       |  |             |
|--------------|----|--------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 150 F 8+1</b> | 80  | 10000 90908 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 100 | 10000 90909 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 120 | 10000 90910 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 150 | 10000 90911 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 180 | 10000 90912 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 220 | 10000 90913 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 240 | 10000 90914 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 280 | 10000 90915 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 320 | 10000 90916 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 400 | 10000 90918 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 500 | 10000 90919 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 8+1        | 600 | 10000 90920 | W4    |  | 200 (2x100) |



#### 15 HOLES

|              |    |                   |     |             |       |  |             |
|--------------|----|-------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 4S | <b>Ø 150 F 15</b> | 60  | 10000 91237 | W4    |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 80  | 10000 90921 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 100 | 10000 90922 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 120 | 10000 90923 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 150 | 10000 90924 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 180 | 10000 90925 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 220 | 10000 90926 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 240 | 10000 90927 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 280 | 10000 90928 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 320 | 10000 90929 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 360 | 10000 90930 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 4S | Ø 150 F 15        | 400 | 10000 90931 | stock |  | 200 (2x100) |



#### 8 HOLES

|              |    |                  |     |             |       |  |            |
|--------------|----|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | 4S | <b>Ø 203 F 8</b> | 180 | 10000 90291 | stock |  | 200 (4x50) |
| SAITAC D-VEL | 4S | Ø 203 F 8        | 240 | 10000 90296 | W4    |  | 200 (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 4V

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging. Accurate finish.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### WITHOUT HOLES

|              |    |              |      |             |       |  |     |        |
|--------------|----|--------------|------|-------------|-------|--|-----|--------|
| SAITAC D-VEL | 4V | <b>Ø 150</b> | 800  | 10000 90516 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150        | 1000 | 10000 90518 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150        | 1200 | 10000 90517 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150        | 1500 | 10000 90582 | stock |  | 200 | (4x50) |




#### 15 HOLES

|              |    |                   |      |             |       |  |     |        |
|--------------|----|-------------------|------|-------------|-------|--|-----|--------|
| SAITAC D-VEL | 4V | <b>Ø 150 F 15</b> | 800  | 10000 90763 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150 F 15        | 1000 | 10000 90764 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150 F 15        | 1200 | 10000 90765 | stock |  | 200 | (4x50) |
| SAITAC D-VEL | 4V | Ø 150 F 15        | 1500 | 10000 90766 | stock |  | 200 | (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 5S

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### 8 HOLES

|              |    |                  |     |             |    |  |             |
|--------------|----|------------------|-----|-------------|----|--|-------------|
| SAITAC D-VEL | 5S | <b>Ø 127 F 8</b> | 80  | 10000 91633 | W4 |  | 200 (4x50)  |
| SAITAC D-VEL | 5S | Ø 127 F 8        | 120 | 10000 91634 | W4 |  | 200 (4x50)  |
| SAITAC D-VEL | 5S | Ø 127 F 8        | 180 | 10000 91635 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 127 F 8        | 240 | 10000 91636 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 127 F 8        | 320 | 10000 91637 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 127 F 8        | 400 | 10000 91638 | W4 |  | 200 (2x100) |



#### 15 HOLES

|              |    |                   |     |             |       |  |             |
|--------------|----|-------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 5S | <b>Ø 150 F 15</b> | 80  | 10000 91541 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 100 | 10000 91542 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 120 | 10000 91543 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 150 | 10000 91544 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 180 | 10000 91545 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 220 | 10000 91546 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 240 | 10000 91547 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 320 | 10000 91548 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 400 | 10000 91549 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 500 | 10000 91550 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 600 | 10000 91551 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5S | Ø 150 F 15        | 800 | 10000 91552 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### WITHOUT HOLES

|              |    |              |     |             |       |  |             |
|--------------|----|--------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 5G | <b>Ø 150</b> | 40  | 10000 90056 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150        | 60  | 10000 90269 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150        | 80  | 10000 90779 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150        | 120 | 10000 90699 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150        | 150 | 10000 90737 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 180 | 10000 90738 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 220 | 10000 90770 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 240 | 10000 90771 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 320 | 10000 90772 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 400 | 10000 90773 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 500 | 10000 90774 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150        | 600 | 10000 90777 | stock |  | 200 (2x100) |



#### 7 HOLES

|              |    |                  |     |             |       |  |             |
|--------------|----|------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 5G | <b>Ø 150 F 7</b> | 40  | 10000 90171 | W4    |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 60  | 10000 90270 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 80  | 10000 90811 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 120 | 10000 90337 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 150 | 10000 90338 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 180 | 10000 90340 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 220 | 10000 90346 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 240 | 10000 90347 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 320 | 10000 90348 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 400 | 10000 90351 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 500 | 10000 90352 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 600 | 10000 90353 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 7        | 800 | 10000 90789 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



#### 15 HOLES

|              |    |                   |      |             |       |  |             |
|--------------|----|-------------------|------|-------------|-------|--|-------------|
| SAITAC D-VEL | 5G | <b>Ø 150 F 15</b> | 40   | 10000 90176 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 60   | 10000 90271 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 80   | 10000 90781 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 100  | 10000 90511 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 120  | 10000 91427 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 150  | 10000 90333 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 180  | 10000 90334 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 220  | 10000 90335 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 240  | 10000 91428 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 280  | 10000 90473 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 320  | 10000 91429 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 360  | 10000 90085 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 400  | 10000 91430 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 500  | 10000 90327 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 600  | 10000 90336 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 800  | 10000 90788 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 1000 | 10000 90576 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 5G | Ø 150 F 15        | 1200 | 10000 90579 | stock |  | 200 (2x100) |

#### NOTE

17 holes are available on request.

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### 6A

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Low clogging.

#### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- ALUMINIUM
- STEELS
- STAINLESS STEELS



#### WITHOUT HOLES

|              |    |              |     |             |    |  |             |
|--------------|----|--------------|-----|-------------|----|--|-------------|
| SAITAC D-VEL | 6A | <b>Ø 127</b> | 80  | 10000 90004 | W4 |  | 200 (4x50)  |
| SAITAC D-VEL | 6A | Ø 127        | 120 | 10000 90007 | W4 |  | 200 (4x50)  |
| SAITAC D-VEL | 6A | Ø 127        | 150 | 10000 90008 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 127        | 180 | 10000 90009 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 127        | 220 | 10000 90017 | W4 |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 127        | 320 | 10000 90020 | W4 |  | 200 (2x100) |



#### 15 HOLES

|              |    |                   |     |             |       |  |             |
|--------------|----|-------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 6A | <b>Ø 150 F 15</b> | 80  | 10000 91197 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 120 | 10000 91198 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 150 | 10000 91199 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 180 | 10000 91200 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 220 | 10000 91201 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 240 | 10000 91202 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 320 | 10000 91203 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 400 | 10000 91204 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6A | Ø 150 F 15        | 600 | 10000 91420 | stock |  | 200 (2x100) |

# SAITAC D-VEL / AEROMAX D-VEL

Hook & loop abrasive paper discs



**XS** **NEW**

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For dry operations with random orbital sanders in automotive. Extremely low clogging. Suitable for roughing, finishing and matting operations.

## APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- LACQUERS
- CATAPHORESIS



15 HOLES

|              |    |                   |     |             |       |  |             |
|--------------|----|-------------------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | XS | <b>Ø 150 F 15</b> | 60  | 10000 91641 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | XS | Ø 150 F 15        | 80  | 10000 91642 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | XS | Ø 150 F 15        | 120 | 10000 91625 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | XS | Ø 150 F 15        | 150 | 10000 91686 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 180 | 10000 91643 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 240 | 10000 91626 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 320 | 10000 91627 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 400 | 10000 91628 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 500 | 10000 91644 | stock |  | 200 (2x100) |
| SAITAC D-VEL | XS | Ø 150 F 15        | 600 | 10000 91687 | stock |  | 200 (2x100) |



**Aeromax**

|               |    |                  |     |             |       |  |             |
|---------------|----|------------------|-----|-------------|-------|--|-------------|
| AEROMAX D-VEL | XS | <b>Ø 150 F M</b> | 60  | 10000 91645 | stock |  | 200 (4x50)  |
| AEROMAX D-VEL | XS | Ø 150 F M        | 80  | 10000 91646 | stock |  | 200 (4x50)  |
| AEROMAX D-VEL | XS | Ø 150 F M        | 120 | 10000 91629 | stock |  | 200 (4x50)  |
| AEROMAX D-VEL | XS | Ø 150 F M        | 150 | 10000 91688 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 180 | 10000 91647 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 240 | 10000 91630 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 320 | 10000 91631 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 400 | 10000 91632 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 500 | 10000 91648 | stock |  | 200 (2x100) |
| AEROMAX D-VEL | XS | Ø 150 F M        | 600 | 10000 91689 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |    |      |      |             |       |  |            |
|--------------|----|------|------|-------------|-------|--|------------|
| SAITAC D-VEL | 6S | Ø 77 | 150  | 10000 91205 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 180  | 10000 91206 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 220  | 10000 91207 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 240  | 10000 91208 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 320  | 10000 91210 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 400  | 10000 91211 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 500  | 10000 91212 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 600  | 10000 91213 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 800  | 10000 91214 | stock |  | 400 (8x50) |
| SAITAC D-VEL | 6S | Ø 77 | 1200 | 10000 90385 | W4    |  | 400 (8x50) |



### WITHOUT HOLES

|              |    |       |               |             |       |  |             |
|--------------|----|-------|---------------|-------------|-------|--|-------------|
| SAITAC D-VEL | 6S | Ø 127 | 60 <b>NEW</b> | 10000 91622 | W4    |  | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 127 | 80            | 10000 91157 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 127 | 120           | 10000 91158 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 127 | 150           | 10000 91215 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 180           | 10000 91151 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 220           | 10000 91216 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 240           | 10000 91217 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 320           | 10000 91150 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 400           | 10000 91188 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 500           | 10000 91442 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 600           | 10000 90948 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 | 800           | 10000 91443 | W4    |  | 200 (2x100) |



### 8 HOLES

|              |    |           |     |             |       |  |             |
|--------------|----|-----------|-----|-------------|-------|--|-------------|
| SAITAC D-VEL | 6S | Ø 127 F 8 | 120 | 10000 91123 | stock |  | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 150 | 10000 91124 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 180 | 10000 91125 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 220 | 10000 91126 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 240 | 10000 91127 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 280 | 10000 91128 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 320 | 10000 91129 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 400 | 10000 91130 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 500 | 10000 91131 | W4    |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 600 | 10000 91132 | stock |  | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 127 F 8 | 800 | 10000 91133 | stock |  | 200 (2x100) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |    |       |      |             |       |             |
|--------------|----|-------|------|-------------|-------|-------------|
| SAITAC D-VEL | 6S | Ø 150 | 60   | 10000 91239 | W4    | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 | 80   | 10000 91144 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 | 100  | 10000 91230 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 | 120  | 10000 91145 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 | 150  | 10000 91104 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 180  | 10000 91110 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 220  | 10000 91219 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 240  | 10000 91083 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 280  | 10000 91220 | W4    | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 320  | 10000 91146 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 400  | 10000 91084 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 500  | 10000 91111 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 600  | 10000 91142 | W4    | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 800  | 10000 91143 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 | 1200 | 10000 91223 | stock | 200 (2x100) |

### 15 HOLES

|              |    |            |      |             |       |             |
|--------------|----|------------|------|-------------|-------|-------------|
| SAITAC D-VEL | 6S | Ø 150 F 15 | 60   | 10000 91221 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 80   | 10000 91085 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 100  | 10000 91238 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 120  | 10000 91086 | stock | 200 (4x50)  |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 150  | 10000 91087 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 180  | 10000 91088 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 220  | 10000 91089 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 240  | 10000 91090 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 280  | 10000 91091 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 320  | 10000 91092 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 400  | 10000 91093 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 500  | 10000 91094 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 600  | 10000 91138 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 800  | 10000 91139 | stock | 200 (2x100) |
| SAITAC D-VEL | 6S | Ø 150 F 15 | 1200 | 10000 91224 | stock | 200 (2x100) |

### NOTE

17 holes are available on request.

# AEROMAX D-VEL

## Microperforated hook & loop abrasive paper discs



### 6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

#### APPLICATIONS


- PAINTS
- PRIMING
- FILLERS
- LACQUERS

|  |  |  |  |  |  |             |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 60                                                                                | 10000 91222                                                                        | stock                                                                               | 200 (4x50)  |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 80                                                                                | 10000 91060                                                                        | stock                                                                               | 200 (4x50)  |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 120                                                                               | 10000 91061                                                                        | stock                                                                               | 200 (4x50)  |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 150                                                                               | 10000 91062                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 180                                                                               | 10000 91063                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 220                                                                               | 10000 91064                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 240                                                                               | 10000 91065                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 280                                                                               | 10000 91095                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 320                                                                               | 10000 91066                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 400                                                                               | 10000 91067                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 500                                                                               | 10000 91072                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 600                                                                               | 10000 91140                                                                        | stock                                                                               | 200 (2x100) |
| AEROMAX D-VEL                                                                     | 6S                                                                                | Ø 150 F M                                                                         | 800                                                                               | 10000 91141                                                                        | stock                                                                               | 200 (2x100) |

Use with **PAD-VEL AEROMAX** backing pads (page 226).

# FREE DUST D-VEL

## Hook and loop abrasive net discs



### A

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent finish. Excellent dust extraction. Can be used with any backing pad and any hole pattern (recommended 15 holes). The use of a backing pad protection is recommended to extend the life of the backing pad.

#### APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- PLASTERBOARD
- WOOD
- PAINTED WOOD
- MDF

| FREE DUST D-VEL | A | <b>Ø 150</b> | 80  | 10000 71500 | stock | 200 (4x50) |
|-----------------|---|--------------|-----|-------------|-------|------------|
| FREE DUST D-VEL | A | Ø 150        | 100 | 10000 71501 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 120 | 10000 71502 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 150 | 10000 71503 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 180 | 10000 71504 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 240 | 10000 71505 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 320 | 10000 71506 | stock | 200 (4x50) |
| FREE DUST D-VEL | A | Ø 150        | 400 | 10000 71507 | stock | 200 (4x50) |

### AA

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net. Can be used with any backing pad and any hole pattern. The use of a backing pad protection is recommended to extend the life of the backing pad.

#### APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

| FREE DUST D-VEL | AA | <b>Ø 125</b> | 80  | 10000 71525 | stock | 200 (4x50) |
|-----------------|----|--------------|-----|-------------|-------|------------|
| FREE DUST D-VEL | AA | Ø 125        | 100 | 10000 71526 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 120 | 10000 71527 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 150 | 10000 71528 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 180 | 10000 71529 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 220 | 10000 71534 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 240 | 10000 71531 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 320 | 10000 71532 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 125        | 400 | 10000 71533 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | <b>Ø 150</b> | 80  | 10000 71508 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 100 | 10000 71509 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 120 | 10000 71510 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 150 | 10000 71511 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 180 | 10000 71512 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 220 | 10000 71523 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 240 | 10000 71513 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 320 | 10000 71514 | stock | 200 (4x50) |
| FREE DUST D-VEL | AA | Ø 150        | 400 | 10000 71515 | stock | 200 (4x50) |

# FINEFLEX D-VEL

## Hook and loop discs on film



## FF

Extra-flexible polymer film for the removal of painting defects and for super-finishing. The disc combines a high cutting capacity with an excellent and uniform finish without scratches. Dry use.

### APPLICATIONS

- PAINTS
- LACQUERS
- CLEARCOAT



### WITHOUT HOLES

|                |    |             |      |              |             |       |  |           |
|----------------|----|-------------|------|--------------|-------------|-------|--|-----------|
| FINEFLEX D-VEL | FF | <b>Ø 77</b> | 400  | Turquoise    | 10000 87908 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 600  | Bluish-green | 10000 87909 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 800  | Cream        | 10000 87910 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 1200 | Light brown  | 10000 87911 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 1500 | Lilac        | 10000 87912 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 2000 | Pearl grey   | 10000 87913 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 2500 | Aquamarine   | 10000 87914 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 77        | 3000 | Grey         | 10000 87915 | stock |  | 50 (5x10) |



### 15 HOLES

|                |    |                   |      |              |             |       |  |           |
|----------------|----|-------------------|------|--------------|-------------|-------|--|-----------|
| FINEFLEX D-VEL | FF | <b>Ø 150 F 15</b> | 400  | Turquoise    | 10000 87905 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 600  | Bluish-green | 10000 87906 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 800  | Cream        | 10000 87907 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 1200 | Light brown  | 10000 87871 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 1500 | Lilac        | 10000 87872 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 2000 | Pearl grey   | 10000 87873 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 2500 | Aquamarine   | 10000 87875 | stock |  | 50 (5x10) |
| FINEFLEX D-VEL | FF | Ø 150 F 15        | 3000 | Grey         | 10000 87874 | stock |  | 50 (5x10) |

For the DV-FINEFLEX adapters, see page 227

# FINEFLEX S-VEL

Hook and loop abrasive sheets on film



## FF

Extra-flexible polymer film for the removal of painting defects and for super-finishing. The sheet combines a high cutting capacity with an excellent and uniform finish without scratches. Dry use.

### APPLICATIONS

- PAINTS
- LACQUERS
- CLEARCOAT

|                |    |  |  |              |  |  |  |  |
|----------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| FINEFLEX S-VEL | FF | <b>85 x 130</b>                                                                   | 400                                                                               | Turquoise    | 10000 88152                                                                        | stock                                                                               |  | 50 (5x10)                                                                           |
| FINEFLEX S-VEL | FF | 85 x 130                                                                          | 600                                                                               | Bluish-green | 10000 88153                                                                        | stock                                                                               |  | 50 (5x10)                                                                           |
| FINEFLEX S-VEL | FF | 85 x 130                                                                          | 800                                                                               | Cream        | 10000 88154                                                                        | stock                                                                               |  | 50 (5x10)                                                                           |
| FINEFLEX S-VEL | FF | 85 x 130                                                                          | 1200                                                                              | Light brown  | 10000 88150                                                                        | stock                                                                               |  | 50 (5x10)                                                                           |
| FINEFLEX S-VEL | FF | 85 x 130                                                                          | 1500                                                                              | Lilac        | 10000 88151                                                                        | stock                                                                               |  | 50 (5x10)                                                                           |

## Accessories



## SAITPAD MICRO

HARD/SOFT double-sided pad for FINEFLEX S-VEL sheets. The pad has been designed for a comfortable grip that enables an excellent finish and avoids excessive scoring.

|               |  |             |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITPAD MICRO | <b>82 x 127</b>                                                                     | SOFT / HARD | 10000 99630                                                                         | stock                                                                                |  | 2                                                                                     |

# FILM D-VEL

## Hook and loop discs on film



## A-F

Extremely smooth PET film, which ensures a uniform and perfectly flat distribution of the abrasive.

### APPLICATIONS

- PREPARATION FOR SURFACE FINISH WITH FILLERS, PRIMING AND PAINTS
- REMOVAL OF PRIMING AND PAINTS
- POLYESTER AND ACRYLIC PAINTS
- METAL FINISH
- SANDING OF COMPOSITE MATERIALS



### WITHOUT HOLES

|            |     |              |      |             |       |  |            |
|------------|-----|--------------|------|-------------|-------|--|------------|
| FILM D-VEL | A-F | <b>Ø 150</b> | 80   | 10000 87894 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 120  | 10000 87892 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 150  | 10000 87895 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 180  | 10000 87893 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 240  | 10000 87896 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 320  | 10000 87850 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 600  | 10000 87853 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 800  | 10000 87854 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 1000 | 10000 87855 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 1200 | 10000 87856 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 1500 | 10000 87857 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150        | 2000 | 10000 87858 | stock |  | 100 (2x50) |



### 15 HOLES

|            |     |                   |      |             |       |  |            |
|------------|-----|-------------------|------|-------------|-------|--|------------|
| FILM D-VEL | A-F | <b>Ø 150 F 15</b> | 80   | 10000 87876 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 120  | 10000 87877 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 150  | 10000 87878 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 180  | 10000 87879 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 240  | 10000 87880 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 320  | 10000 87859 | W4    |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 400  | 10000 87860 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 500  | 10000 87861 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 600  | 10000 87862 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 800  | 10000 87863 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 1000 | 10000 87864 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 1200 | 10000 87865 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 1500 | 10000 87866 | stock |  | 100 (2x50) |
| FILM D-VEL | A-F | Ø 150 F 15        | 2000 | 10000 87867 | stock |  | 100 (2x50) |

# SC D-VEL SOF

## Hook & loop abrasive paper foam discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging. High stock removal.

### APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS




15 HOLES

|              |    |                   |      |             |       |  |            |
|--------------|----|-------------------|------|-------------|-------|--|------------|
| SC D-VEL SOF | 6S | <b>Ø 150 F 15</b> | 320  | 10000 97674 | stock |  | 100 (5x20) |
| SC D-VEL SOF | 6S | Ø 150 F 15        | 400  | 10000 97675 | stock |  | 100 (5x20) |
| SC D-VEL SOF | 6S | Ø 150 F 15        | 500  | 10000 97676 | stock |  | 100 (5x20) |
| SC D-VEL SOF | 6S | Ø 150 F 15        | 600  | 10000 97677 | stock |  | 100 (5x20) |
| SC D-VEL SOF | 6S | Ø 150 F 15        | 800  | 10000 97678 | stock |  | 100 (5x20) |
| SC D-VEL SOF | 6S | Ø 150 F 15        | 1200 | 10000 97679 | stock |  | 100 (5x20) |

# FOAM D-VEL

## Hook & loop structured discs



### A

Fabric on hook & loop sponge (5 mm thick) with aluminium oxide. Constant, perfect and high quality finish, light and fast stock removal, fast sanding, long life. Working on profiled surfaces such as round edges, contour lines, concave and convex shapes. For wet use (recommended) and/or dry use.

#### APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS

| FOAM D-VEL | A | <b>Ø 77</b>  | 600             | 10000 87809 | stock | 10 (1x10) |
|------------|---|--------------|-----------------|-------------|-------|-----------|
| FOAM D-VEL | A | Ø 77         | 800             | 10000 87814 | stock | 10 (1x10) |
| FOAM D-VEL | A | Ø 77         | 1000            | 10000 87815 | stock | 10 (1x10) |
| FOAM D-VEL | A | Ø 77         | 1500            | 10000 87816 | stock | 10 (1x10) |
| FOAM D-VEL | A | Ø 77         | 2000            | 10000 87817 | stock | 10 (1x10) |
| FOAM D-VEL | A | Ø 77         | 3000            | 10000 87818 | stock | 10 (1x10) |
| FOAM D-VEL | A | Ø 77         | 5000            | 10000 87819 | stock | 10 (1x10) |
| FOAM D-VEL | A | <b>Ø 150</b> | 600             | 10000 87806 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 800             | 10000 87807 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 1000            | 10000 87808 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 1500            | 10000 87810 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 2000            | 10000 87811 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 3000            | 10000 87812 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 4000 <b>NEW</b> | 10000 87828 | stock | 20 (2x10) |
| FOAM D-VEL | A | Ø 150        | 5000            | 10000 87813 | stock | 20 (2x10) |

### C

Fabric on hook & loop sponge (5 mm thick) with silicon carbide. Constant, perfect and high quality finish, light and fast stock removal, fast sanding, long life. Working on profiled surfaces such as round edges, contour lines, concave and convex shapes. For wet use (recommended) and/or dry use.


#### APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS

| FOAM D-VEL | C | <b>Ø 77</b>  | 2000 | 10000 87803 | stock | 10 (1x10) |
|------------|---|--------------|------|-------------|-------|-----------|
| FOAM D-VEL | C | Ø 77         | 3000 | 10000 87804 | stock | 10 (1x10) |
| FOAM D-VEL | C | Ø 77         | 4000 | 10000 87805 | stock | 10 (1x10) |
| FOAM D-VEL | C | <b>Ø 150</b> | 2000 | 10000 87800 | stock | 20 (2x10) |
| FOAM D-VEL | C | Ø 150        | 3000 | 10000 87801 | stock | 20 (2x10) |
| FOAM D-VEL | C | Ø 150        | 4000 | 10000 87802 | stock | 20 (2x10) |

# FOAM D-VEL

## Hook & loop discs for matting operations



### T-X **NEW**

Abrasive discs with an innovative structure specific for the matting process. Triangular-based pyramid structure made up of very fine abrasive grains.

Extremely uniform finish with very low roughness. Extremely high lifetime.

Application fields:

- preparation for clearcoating;
- preparation of shaped surfaces;
- removal of small imperfections;
- metal application - effective in polishing stainless steel.

Suitable for dry use, wet application is recommended to avoid overheating.

#### APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS AND STAINLESS STEELS

|            |     |  |  |  |  |  |
|------------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| FOAM D-VEL | T-X | <b>Ø 77</b>                                                                       | 1500                                                                              | 10000 87820                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 77                                                                              | 2000                                                                              | 10000 87821                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 77                                                                              | 3000                                                                              | 10000 87822                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 77                                                                              | 5000                                                                              | 10000 87823                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | <b>Ø 150</b>                                                                      | 1500                                                                              | 10000 87824                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 150                                                                             | 2000                                                                              | 10000 87825                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 150                                                                             | 3000                                                                              | 10000 87826                                                                       | stock                                                                              | 20 (1x20)                                                                           |
| FOAM D-VEL | T-X | Ø 150                                                                             | 5000                                                                              | 10000 87827                                                                       | stock                                                                              | 20 (1x20)                                                                           |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For operations with random orbital sanders and rotary sanding machines.

#### APPLICATIONS

- WOOD
- FILLERS
- STEELS
- METALS



#### WITHOUT HOLES

|              |     |              |     |             |       |  |            |
|--------------|-----|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 115</b> | 40  | 10000 90735 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 60  | 10000 90739 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 80  | 10000 90138 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 100 | 10000 90142 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 120 | 10000 90146 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 150 | 10000 90150 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 180 | 10000 90151 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 220 | 10000 90169 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 240 | 10000 90170 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 320 | 10000 90173 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 115        | 400 | 10000 90891 | stock |  | 200 (4x50) |

#### WITHOUT HOLES

|              |     |              |     |             |    |  |            |
|--------------|-----|--------------|-----|-------------|----|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 125</b> | 80  | 10000 90740 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 125        | 120 | 10000 90323 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 125        | 150 | 10000 90374 | W4 |  | 200 (4x50) |

#### 8 HOLES

|              |     |                  |     |             |       |  |            |
|--------------|-----|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 127 F 8</b> | 40  | 10000 90545 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 127 F 8        | 60  | 10000 90547 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 127 F 8        | 80  | 10000 90557 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 127 F 8        | 100 | 10000 90637 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 127 F 8        | 120 | 10000 90638 | stock |  | 200 (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For operations with random orbital sanders and rotary sanding machines.

#### APPLICATIONS

- WOOD
- FILLERS
- STEELS
- METALS



#### WITHOUT HOLES

|              |     |              |     |             |       |  |            |
|--------------|-----|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 150</b> | 40  | 10000 90460 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150        | 60  | 10000 90361 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150        | 80  | 10000 90362 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150        | 100 | 10000 90363 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150        | 120 | 10000 90364 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150        | 150 | 10000 90369 | stock |  | 200 (4x50) |

#### 7 HOLES

|              |     |                  |     |             |       |  |            |
|--------------|-----|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 150 F 7</b> | 40  | 10000 90705 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 60  | 10000 90706 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 80  | 10000 90707 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 100 | 10000 90708 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 120 | 10000 90709 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 150 | 10000 90710 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 180 | 10000 90975 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 220 | 10000 90639 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 240 | 10000 90640 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 320 | 10000 90655 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 7        | 400 | 10000 90657 | W4    |  | 200 (4x50) |

#### 8+1 HOLES

|              |     |                    |     |             |       |  |            |
|--------------|-----|--------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 150 F 8+1</b> | 40  | 10000 90451 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 8+1        | 60  | 10000 90427 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 8+1        | 80  | 10000 90428 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 8+1        | 100 | 10000 90429 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 8+1        | 120 | 10000 90430 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 150 F 8+1        | 150 | 10000 90452 | stock |  | 200 (4x50) |

#### 15 HOLES

|              |     |                   |     |             |       |  |            |
|--------------|-----|-------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 150 F 15</b> | 40  | 10000 91582 | stock |  | 100 (2x50) |
| SAITAC D-VEL | A-E | Ø 150 F 15        | 60  | 10000 91583 | stock |  | 100 (2x50) |
| SAITAC D-VEL | A-E | Ø 150 F 15        | 80  | 10000 91584 | stock |  | 100 (2x50) |
| SAITAC D-VEL | A-E | Ø 150 F 15        | 100 | 10000 91585 | stock |  | 100 (2x50) |
| SAITAC D-VEL | A-E | Ø 150 F 15        | 120 | 10000 91586 | stock |  | 100 (2x50) |
| SAITAC D-VEL | A-E | Ø 150 F 15        | 150 | 10000 91587 | stock |  | 100 (2x50) |

#### 8 HOLES

|              |     |                  |     |             |       |  |            |
|--------------|-----|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | <b>Ø 203 F 8</b> | 40  | 10000 90462 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 203 F 8        | 60  | 10000 90411 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 203 F 8        | 80  | 10000 90412 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 203 F 8        | 100 | 10000 90413 | stock |  | 200 (4x50) |
| SAITAC D-VEL | A-E | Ø 203 F 8        | 120 | 10000 90414 | stock |  | 200 (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

#### APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS



#### WITHOUT HOLES

|              |     |       |     |             |       |  |            |
|--------------|-----|-------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | Ø 225 | 40  | 10000 90463 | W4    |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 60  | 10000 90441 | W4    |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 80  | 10000 90442 | stock |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 100 | 10000 90443 | stock |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 120 | 10000 90444 | stock |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 150 | 10000 90445 | stock |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 180 | 10000 90447 | stock |  | 200 (8x25) |
| SAITAC D-VEL | A-E | Ø 225 | 220 | 10000 90446 | W4    |  | 200 (8x25) |



#### 16 HOLES

|              |     |            |     |             |       |  |            |
|--------------|-----|------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-E | Ø 225 F 16 | 40  | 10000 90683 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 60  | 10000 90646 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 80  | 10000 90684 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 100 | 10000 90685 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 120 | 10000 90647 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 150 | 10000 90648 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 180 | 10000 90679 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-E | Ø 225 F 16 | 220 | 10000 90649 | stock |  | 100 (4x25) |

# SAITAC T-VEL

## Hook & loop abrasive paper triangles



### A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

#### APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS




#### 12 HOLES

|              |     |                |     |             |    |  |            |
|--------------|-----|----------------|-----|-------------|----|--|------------|
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 80  | 10000 87706 | W4 |  | 100 (4x25) |
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 100 | 10000 87707 | W4 |  | 100 (4x25) |
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 120 | 10000 87708 | W4 |  | 100 (4x25) |
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 150 | 10000 87709 | W4 |  | 100 (4x25) |
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 180 | 10000 87710 | W4 |  | 100 (4x25) |
| SAITAC T-VEL | A-E | 290 x 290 F 12 | 220 | 10000 87711 | W4 |  | 100 (4x25) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

#### APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

#### WITH HOOK & LOOP VELOUR




#### 19 HOLES

|              |     |            |     |             |       |  |            |
|--------------|-----|------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-D | Ø 225 F 19 | 80  | 10000 90481 | W4    |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F 19 | 100 | 10000 90715 | W4    |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F 19 | 120 | 10000 90717 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F 19 | 150 | 10000 90484 | W4    |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F 19 | 180 | 10000 90487 | W4    |  | 100 (4x25) |

#### MULTIHOLE

|              |     |           |     |             |       |  |            |
|--------------|-----|-----------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | A-D | Ø 225 F M | 40  | 10000 90299 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 60  | 10000 90172 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 80  | 10000 90300 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 100 | 10000 90180 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 120 | 10000 90303 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 150 | 10000 90310 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 180 | 10000 90262 | stock |  | 100 (4x25) |
| SAITAC D-VEL | A-D | Ø 225 F M | 220 | 10000 90326 | stock |  | 100 (4x25) |



#### WITH HOOK & LOOP TNT




#### MULTIHOLE

|              |     |           |     |             |       |  |           |
|--------------|-----|-----------|-----|-------------|-------|--|-----------|
| SAITAC D-VEL | A-D | Ø 225 T N | 40  | 10000 90280 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 60  | 10000 90282 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 80  | 10000 90284 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 100 | 10000 90294 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 120 | 10000 90349 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 150 | 10000 90350 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 180 | 10000 90371 | stock |  | 50 (5x10) |
| SAITAC D-VEL | A-D | Ø 225 T N | 220 | 10000 90382 | stock |  | 50 (5x10) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

#### APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

WITH HOOK & LOOP TNT



#### MULTI HOLE

|              |      |           |                |             |       |  |           |
|--------------|------|-----------|----------------|-------------|-------|--|-----------|
| SAITAC D-VEL | AY-D | Ø 225 T N | 40             | 10000 91444 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 60             | 10000 91445 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 80             | 10000 90594 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 100            | 10000 90949 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 120            | 10000 90628 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 150            | 10000 90747 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 180            | 10000 90629 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 220            | 10000 91039 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 240 <b>NEW</b> | 10000 91581 | stock |  | 50 (5x10) |
| SAITAC D-VEL | AY-D | Ø 225 T N | 320 <b>NEW</b> | 10000 91702 | stock |  | 50 (5x10) |



### C-F

Full resin bonded silicon carbide paper, F weight backing, closed coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

#### APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

WITH HOOK & LOOP VELOUR



#### WITHOUT HOLES

|              |     |       |    |             |    |  |            |
|--------------|-----|-------|----|-------------|----|--|------------|
| SAITAC D-VEL | C-F | Ø 225 | 24 | 10000 90488 | W4 |  | 100 (4x25) |
|--------------|-----|-------|----|-------------|----|--|------------|

# FREE DUST D-VEL

## Hook and loop abrasive net discs



**AA** 

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net. For sanding of walls with "Giraffe" wall and ceiling sanders.

### APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

|                 |    |  |  |  |  |  |
|-----------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| FREE DUST D-VEL | AA | <b>Ø 225</b>                                                                      | 80                                                                                | 10000 71516                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 100                                                                               | 10000 71517                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 120                                                                               | 10000 71518                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 150                                                                               | 10000 71519                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 180                                                                               | 10000 71520                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 220                                                                               | 10000 71524                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 240                                                                               | 10000 71521                                                                       | stock                                                                              | 100 (4x25)                                                                          |
| FREE DUST D-VEL | AA | Ø 225                                                                             | 320                                                                               | 10000 71522                                                                       | stock                                                                              | 100 (4x25)                                                                          |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### C-E / C-F

Full resin bonded silicon carbide paper, E/F weight backing, closed coating. For dry operations with rotary sanding machines.

#### APPLICATIONS

- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- GLASS
- WOODEN FLOOR



#### WITHOUT HOLES

|              |     |              |      |             |       |  |            |
|--------------|-----|--------------|------|-------------|-------|--|------------|
| SAITAC D-VEL | C-F | <b>Ø 115</b> | 24   | 10000 90651 | stock |  | 200 (8x25) |
| SAITAC D-VEL | C-F | Ø 115        | 36   | 10000 90851 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 40   | 10000 90155 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 60   | 10000 90115 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 80   | 10000 90116 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 100  | 10000 90117 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 120  | 10000 90118 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 115        | 150  | 10000 90201 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 180  | 10000 90119 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 220  | 10000 90120 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 320  | 10000 90121 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 400  | 10000 90132 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 500  | 10000 90148 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 600  | 10000 90149 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 800  | 10000 90197 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 115        | 1200 | 10000 90204 | stock |  | 400 (8x50) |

#### WITHOUT HOLES

|              |     |              |      |             |       |  |            |
|--------------|-----|--------------|------|-------------|-------|--|------------|
| SAITAC D-VEL | C-F | <b>Ø 125</b> | 24   | 10000 90837 | stock |  | 200 (8x25) |
| SAITAC D-VEL | C-F | Ø 125        | 36   | 10000 90838 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 40   | 10000 90156 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 60   | 10000 90122 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 80   | 10000 90123 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 100  | 10000 90124 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 120  | 10000 90125 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-F | Ø 125        | 150  | 10000 90235 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 180  | 10000 90126 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 220  | 10000 90127 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 320  | 10000 90128 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 400  | 10000 90133 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 500  | 10000 90153 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 600  | 10000 90154 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 800  | 10000 90198 | stock |  | 400 (8x50) |
| SAITAC D-VEL | C-E | Ø 125        | 1200 | 10000 90320 | stock |  | 400 (8x50) |



## C-E / C-F

Full resin bonded silicon carbide paper, E/F weight backing, closed coating. For dry operations with rotary sanding machines.

### APPLICATIONS

- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- GLASS
- WOODEN FLOOR



### WITHOUT HOLES

|              |     |              |      |             |       |  |            |
|--------------|-----|--------------|------|-------------|-------|--|------------|
| SAITAC D-VEL | C-F | <b>Ø 150</b> | 24   | 10000 90002 | stock |  | 200 (8x25) |
| SAITAC D-VEL | C-F | Ø 150        | 36   | 10000 90536 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 40   | 10000 90305 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 60   | 10000 90306 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 80   | 10000 90307 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 100  | 10000 90308 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 120  | 10000 90309 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 150        | 150  | 10000 90367 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 180  | 10000 90319 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 220  | 10000 90317 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 320  | 10000 90312 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 400  | 10000 90313 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 500  | 10000 90314 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 600  | 10000 90315 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 800  | 10000 90316 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 150        | 1200 | 10000 90318 | stock |  | 200 (4x50) |

### WITHOUT HOLES

|              |     |              |      |             |       |  |            |
|--------------|-----|--------------|------|-------------|-------|--|------------|
| SAITAC D-VEL | C-F | <b>Ø 180</b> | 24   | 10000 90537 | stock |  | 200 (8x25) |
| SAITAC D-VEL | C-F | Ø 180        | 36   | 10000 90489 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 40   | 10000 90439 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 60   | 10000 90088 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 80   | 10000 90129 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 100  | 10000 90130 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 120  | 10000 90089 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-F | Ø 180        | 150  | 10000 90368 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 180  | 10000 90131 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 220  | 10000 90090 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 320  | 10000 90091 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 400  | 10000 90134 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 500  | 10000 90135 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 600  | 10000 90136 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 800  | 10000 90199 | stock |  | 200 (4x50) |
| SAITAC D-VEL | C-E | Ø 180        | 1200 | 10000 90203 | stock |  | 200 (4x50) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### Z-F

Full resin bonded zirconia paper, antistatic, F weight backing, closed coating. Aggressive and long life.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- RAW WOOD
- FIBREGLASS



#### WITHOUT HOLES

|              |     |              |     |             |       |  |            |
|--------------|-----|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 115</b> | 40  | 10000 90259 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 115        | 60  | 10000 90258 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 115        | 80  | 10000 90260 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 115        | 100 | 10000 90261 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 115        | 120 | 10000 90267 | stock |  | 400 (8x50) |

#### WITHOUT HOLES

|              |     |              |     |             |       |  |            |
|--------------|-----|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 127</b> | 40  | 10000 90494 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 127        | 60  | 10000 90495 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 127        | 80  | 10000 90496 | stock |  | 400 (8x50) |
| SAITAC D-VEL | Z-F | Ø 127        | 120 | 10000 90497 | stock |  | 400 (8x50) |

#### WITHOUT HOLES

|              |     |              |     |             |       |  |            |
|--------------|-----|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 150</b> | 40  | 10000 90159 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150        | 60  | 10000 90467 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150        | 80  | 10000 90468 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150        | 100 | 10000 90375 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150        | 120 | 10000 90469 | stock |  | 200 (4x50) |

#### 7 HOLES

|              |     |                  |     |             |       |  |            |
|--------------|-----|------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 150 F 7</b> | 40  | 10000 90700 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 7        | 60  | 10000 90701 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 7        | 80  | 10000 90702 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 7        | 100 | 10000 90703 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 7        | 120 | 10000 90704 | stock |  | 200 (4x50) |

#### 8+1 HOLES

|              |     |                    |     |             |       |  |            |
|--------------|-----|--------------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 150 F 8+1</b> | 40  | 10000 90552 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 8+1        | 60  | 10000 90512 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 8+1        | 80  | 10000 90514 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 8+1        | 100 | 10000 90553 | stock |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 150 F 8+1        | 120 | 10000 90554 | stock |  | 200 (4x50) |

#### 8 HOLES

|              |     |                  |     |             |    |  |            |
|--------------|-----|------------------|-----|-------------|----|--|------------|
| SAITAC D-VEL | Z-F | <b>Ø 203 F 8</b> | 40  | 10000 90725 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 203 F 8        | 60  | 10000 90726 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 203 F 8        | 80  | 10000 90727 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | Z-F | Ø 203 F 8        | 120 | 10000 90729 | W4 |  | 200 (4x50) |



## ZF-F

Full resin bonded paper with zirconia mix, antistatic, F weight backing, closed coating. For dry operations with rotary sanding machines. Low heat generation.

### APPLICATIONS

- STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | ZF-F | <b>Ø 115</b> | 180 | 10000 91426 | stock |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 115        | 220 | 10000 90896 | stock |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 115        | 240 | 10000 90438 | W4    |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 115        | 320 | 10000 90465 | stock |  | 200 (4x50) |

### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | ZF-F | <b>Ø 125</b> | 180 | 10000 90767 | stock |  | 400 (8x50) |
| SAITAC D-VEL | ZF-F | Ø 125        | 220 | 10000 90819 | stock |  | 400 (8x50) |
| SAITAC D-VEL | ZF-F | Ø 125        | 240 | 10000 90827 | stock |  | 400 (8x50) |
| SAITAC D-VEL | ZF-F | Ø 125        | 320 | 10000 90828 | stock |  | 400 (8x50) |

### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | ZF-F | <b>Ø 150</b> | 180 | 10000 90829 | stock |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 150        | 220 | 10000 90830 | stock |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 150        | 240 | 10000 90831 | stock |  | 200 (4x50) |
| SAITAC D-VEL | ZF-F | Ø 150        | 320 | 10000 90832 | stock |  | 200 (4x50) |



## SH-F

Full resin bonded ceramic abrasive paper, antistatic, semi-filled, F weight backing, closed coating. Excellent durability and performance. Low heat generation.

### APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |      |              |     |             |    |  |            |
|--------------|------|--------------|-----|-------------|----|--|------------|
| SAITAC D-VEL | SH-F | <b>Ø 115</b> | 40  | 10000 91446 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 115        | 60  | 10000 91447 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 115        | 80  | 10000 91448 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 115        | 120 | 10000 91449 | W4 |  | 200 (4x50) |

### WITHOUT HOLES


|              |      |              |     |             |    |  |            |
|--------------|------|--------------|-----|-------------|----|--|------------|
| SAITAC D-VEL | SH-F | <b>Ø 125</b> | 40  | 10000 91450 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 125        | 60  | 10000 91451 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 125        | 80  | 10000 91452 | W4 |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 125        | 120 | 10000 91453 | W4 |  | 200 (4x50) |

### WITHOUT HOLES

|              |      |              |     |             |       |  |            |
|--------------|------|--------------|-----|-------------|-------|--|------------|
| SAITAC D-VEL | SH-F | <b>Ø 150</b> | 40  | 10000 91454 | stock |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 150        | 60  | 10000 91455 | stock |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 150        | 80  | 10000 91456 | stock |  | 200 (4x50) |
| SAITAC D-VEL | SH-F | Ø 150        | 120 | 10000 91457 | stock |  | 200 (4x50) |

# SAITEX D-VEL

## Hook & loop abrasive cloth discs



### AZ-X

Full resin bonded polycotton cloth with aluminium oxide/zirconia mix. For dry operations with rotary sanding machines. Excellent performance. Excellent durability.

#### APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS



#### WITHOUT HOLES

|              |      |       |     |             |       |           |
|--------------|------|-------|-----|-------------|-------|-----------|
| SAITEX D-VEL | AZ-X | Ø 115 | 40  | 10000 97625 | W4    | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 115 | 60  | 10000 97627 | stock | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 115 | 80  | 10000 97628 | W4    | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 115 | 120 | 10000 97629 | stock | 50 (2x25) |

#### WITHOUT HOLES


|              |      |       |     |             |       |           |
|--------------|------|-------|-----|-------------|-------|-----------|
| SAITEX D-VEL | AZ-X | Ø 125 | 40  | 10000 97632 | stock | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 125 | 60  | 10000 97630 | stock | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 125 | 80  | 10000 97626 | stock | 50 (2x25) |
| SAITEX D-VEL | AZ-X | Ø 125 | 120 | 10000 97633 | stock | 50 (2x25) |

#### WITHOUT HOLES

|              |      |       |     |             |    |            |
|--------------|------|-------|-----|-------------|----|------------|
| SAITEX D-VEL | AZ-X | Ø 150 | 40  | 10000 97634 | W4 | 100 (4x25) |
| SAITEX D-VEL | AZ-X | Ø 150 | 60  | 10000 97635 | W4 | 100 (4x25) |
| SAITEX D-VEL | AZ-X | Ø 150 | 80  | 10000 97636 | W4 | 100 (4x25) |
| SAITEX D-VEL | AZ-X | Ø 150 | 120 | 10000 97637 | W4 | 100 (4x25) |

# SAITEX D-VEL

## Hook & loop abrasive cloth discs



9S-H

5Z-H

## 9S-H

Full resin bonded ceramic abrasive cloth, top filled, polyester backing. For dry operations with rotary sanding machines. Excellent durability. Low heat generation. Excellent performance.

### APPLICATIONS

- STEELS
- STAINLESS STEELS



### WITHOUT HOLES

|              |      |       |     |             |       |  |           |
|--------------|------|-------|-----|-------------|-------|--|-----------|
| SAITEX D-VEL | 9S-H | Ø 115 | 40  | 10000 97639 | W4    |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 115 | 60  | 10000 97640 | W4    |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 115 | 80  | 10000 97641 | stock |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 115 | 120 | 10000 97618 | stock |  | 50 (2x25) |



### WITHOUT HOLES

|              |      |       |     |             |       |  |           |
|--------------|------|-------|-----|-------------|-------|--|-----------|
| SAITEX D-VEL | 9S-H | Ø 125 | 40  | 10000 97619 | W4    |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 125 | 60  | 10000 97622 | W4    |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 125 | 80  | 10000 97623 | stock |  | 50 (2x25) |
| SAITEX D-VEL | 9S-H | Ø 125 | 120 | 10000 97624 | stock |  | 50 (2x25) |

## 5Z-H

Full resin bonded zirconia cloth, polyester backing, for operations in very heavy duty applications. High durability. Low clogging. Water resistant.

### APPLICATIONS

- WOODEN FLOOR
- WOOD



### WITH CENTRAL HOLE

|              |      |            |     |             |    |  |           |
|--------------|------|------------|-----|-------------|----|--|-----------|
| SAITEX D-VEL | 5Z-H | Ø 140 x 30 | 40  | 10000 97647 | W4 |  | 50 (2x25) |
| SAITEX D-VEL | 5Z-H | Ø 140 x 30 | 60  | 10000 97648 | W4 |  | 50 (2x25) |
| SAITEX D-VEL | 5Z-H | Ø 140 x 30 | 80  | 10000 97649 | W4 |  | 50 (2x25) |
| SAITEX D-VEL | 5Z-H | Ø 140 x 30 | 120 | 10000 97645 | W4 |  | 50 (2x25) |

**Accessories for hook & loop discs**



**SAITVEL-TP** *Aeromax* System Sanding Concepts


Hand tool for sanding flat as well as contoured surfaces, using 150 mm diameter discs. The microperforation system makes it suitable for discs with any number of holes.

- IT BENEFITS FROM:
- ① A COMFORTABLE ERGONOMIC GRIP
  - ② A FLAT ADAPTER 150 X 75 F MICRO
  - ③ A CONVEX ADAPTER 150 X 75 F MICRO
  - ④ A CONCAVE ADAPTER 150 X 75 F MICRO
  - ⑤ AN ADJUSTABLE EXTRACTION VALVE

|            |          |                          |             |       |   |
|------------|----------|--------------------------|-------------|-------|---|
|            |          |                          |             |       |   |
| SAITVEL-TP | 150 x 75 | HOLES<br>F M MICRO HOLES | 10000 99552 | stock | 1 |

**SAITVEL-TP**

Handblock with self-gripping for discs ø 150 mm.



|            |             |       |         |
|------------|-------------|-------|---------|
|            |             |       |         |
| SAITVEL-TP | 10000 99550 | stock | 2 (2x1) |

## Accessories for hook & loop discs



### PAD-VEL

Backing pad to be used on RANDOM ORBITAL SANDERS.

|                          |  | HOLES                        | THREAD                |  |  |  |  |  |
|--------------------------|-----------------------------------------------------------------------------------|------------------------------|-----------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PAD-VEL                  | Ø 77                                                                              | - / F 6                      | 5/16"                 | 10000 99659                                                                       | stock                                                                              |  | 12.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 127                                                                             | -                            | 5/16"                 | 10000 99611                                                                       | stock                                                                              |  | 8.200                                                                               | 1                                                                                   |
| PAD-VEL                  | Ø 127                                                                             | F 8                          | 5/16"                 | 10000 99612                                                                       | stock                                                                              |  | 8.200                                                                               | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | -                            | 5/16"                 | 10000 99607                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 6                          | 5/16"                 | 10000 99609                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 7                          | 5/16" - M8            | 10000 99623                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL SOFT             | Ø 150                                                                             | F 7                          | 5/16" - M8            | 10000 99624                                                                       | W4                                                                                 |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 8+1                        | 5/16" - M8            | 10000 99610                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 15                         | 5/16" - M8            | 10000 99635                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 15                         | B <sup>(1)</sup> - M8 | 10000 99649                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F 15                         | W <sup>(2)</sup> - M8 | 10000 99653                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL SOFT             | Ø 150                                                                             | F 15                         | 5/16" - M8            | 10000 99636                                                                       | W4                                                                                 |  | 11.000                                                                              | 1                                                                                   |
| PAD-VEL                  | Ø 150                                                                             | F M MULTIHOLE <sup>(3)</sup> | M8                    | 10000 99652                                                                       | stock                                                                              |  | 11.000                                                                              | 1                                                                                   |
| KIT ADATTATORE SKORPIO E |                                                                                   |                              |                       | 10000 99615                                                                       | stock                                                                              |  |                                                                                     | 1                                                                                   |

<sup>(1)</sup> BOSCH

<sup>(2)</sup> FESTO ROTEX

<sup>(3)</sup> Supplied with Sait machines



### PAD-VEL **Aeromax**

Microperforated backing pad for use on RANDOM ORBITAL SANDERS with Aeromax discs.

|              |  | HOLES           | THREAD                |  |  |  |  |  |
|--------------|-------------------------------------------------------------------------------------|-----------------|-----------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PAD-VEL      | Ø 150                                                                               | F M MICRO HOLES | 5/16" - M8            | 10000 99638                                                                         | stock                                                                                |  | 11.000                                                                                | 1                                                                                     |
| PAD-VEL      | Ø 150                                                                               | F M MICRO HOLES | B <sup>(1)</sup> - M8 | 10000 99648                                                                         | stock                                                                                |  | 11.000                                                                                | 1                                                                                     |
| PAD-VEL SOFT | Ø 150                                                                               | F M MICRO HOLES | 5/16" - M8            | 10000 99642                                                                         | stock                                                                                |  | 11.000                                                                                | 1                                                                                     |

<sup>(1)</sup> BOSCH

## Accessories for hook & loop discs



### BACKING PAD PROTECTION

The backing pad protection allows to reduce the wear of the backing pad without altering its hardness. To be used without a soft adapter.

|  | HOLES |  |  |  |  |
|-----------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Ø 77                                                                              | -     | 10000 99660                                                                       | stock                                                                             | 12.000                                                                              | 5                                                                                   |
| Ø 127                                                                             | F 8   | 10000 99629                                                                       | stock                                                                             | 8.200                                                                               | 5                                                                                   |
| Ø 150                                                                             | F 15  | 10000 99654                                                                       | stock                                                                             | 11.000                                                                              | 5                                                                                   |



### ADAPTER VEL

Soft adapter for hook & loop discs for random orbital sanders.

|                           |  | HOLES |  |  |  |  |
|---------------------------|-----------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ADATTATORE VEL SOFT       | Ø 150                                                                             | -     | 10000 99600                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SOFT       | Ø 150                                                                             | F 7   | 10000 99625                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SOFT       | Ø 150                                                                             | F 8+1 | 10000 99602                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SOFT       | Ø 150                                                                             | F 15  | 10000 99634                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SUPER SOFT | Ø 150                                                                             | F 7   | 10000 99626                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SUPER SOFT | Ø 150                                                                             | F 8+1 | 10000 99622                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE VEL SUPER SOFT | Ø 150                                                                             | F 15  | 10000 99633                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |
| ADATTATORE FINEFLEX D-VEL | Ø 77                                                                              | -     | 10000 99639                                                                       | stock                                                                             | 12.000                                                                              | 2                                                                                   |
| ADATTATORE FINEFLEX D-VEL | Ø 150                                                                             | F 15  | 10000 99666                                                                       | stock                                                                             | 11.000                                                                              | 3                                                                                   |



### PSA-VEL ADAPTER

Disc with one self-adhesive side and one side with self-gripping hook & loop system. It allows backing pads with smooth surface to be used for self-adhesive discs with all self-grip products in the SAITAC VEL series.

|         |  | HOLES |  |  |  |
|---------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PSA-VEL | Ø 150                                                                               | -     | 10000 99603                                                                         | stock                                                                                | 5                                                                                     |
| PSA-VEL | Ø 150                                                                               | F 6   | 10000 99616                                                                         | stock                                                                                | 5                                                                                     |
| PSA-VEL | Ø 150                                                                               | F 8+1 | 10000 99617                                                                         | stock                                                                                | 5                                                                                     |



### PAD-VEL

Backing pad to be used on ROTARY SANDING MACHINES.

#### PAD-VEL STANDARD

Pad with synthetic rubber cushion of medium hardness. Suitable for all major operations.

#### PAD-VEL SOFT

Pad with cushion in soft synthetic rubber. Suitable for working on shaped surfaces and for finishing operations with micro grits.

#### PAD-VEL HARD

Pad with high density synthetic rubber cushion. Improves the aggressivity of the abrasive disc, suitable for working on flat surfaces.

#### PAD-VEL EXTRA GRIP

Pad with cushion in natural rubber of reduced thickness and anchoring system with high resistance for heavy duty applications. Also suitable for use with Surface Conditioning Material discs.

#### PAD-VEL EXTRA HARD

Polymer backing pad without rubber cushion, allowing for heightened aggressiveness of the abrasive disc. Suitable for working on flat surfaces.

|                    |  | THREAD |  |  |  |  |  |
|--------------------|-----------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PAD-VEL            | Ø 115                                                                             | M14    | 10000 99606                                                                       | stock                                                                              |  | 10.000                                                                              | 1                                                                                   |
| PAD-VEL SOFT       | Ø 115                                                                             | M14    | 10000 99643                                                                       | stock                                                                              |  | 10.000                                                                              | 1                                                                                   |
| PAD-VEL HARD       | Ø 115                                                                             | M14    | 10000 99619                                                                       | stock                                                                              |  | 10.000                                                                              | 1                                                                                   |
| PAD-VEL EXTRA GRIP | Ø 115                                                                             | M14    | 10000 99628                                                                       | stock                                                                              |  | 10.000                                                                              | 1                                                                                   |
| PAD-VEL EXTRA HARD | Ø 115                                                                             | M14    | 10000 99647                                                                       | stock                                                                              |  | 10.000                                                                              | 1                                                                                   |
| PAD-VEL            | Ø 125                                                                             | M14    | 10000 99605                                                                       | stock                                                                              |  | 8.800                                                                               | 1                                                                                   |
| PAD-VEL SOFT       | Ø 125                                                                             | M14    | 10000 99644                                                                       | stock                                                                              |  | 8.800                                                                               | 1                                                                                   |
| PAD-VEL HARD       | Ø 125                                                                             | M14    | 10000 99620                                                                       | stock                                                                              |  | 8.800                                                                               | 1                                                                                   |
| PAD-VEL EXTRA GRIP | Ø 125                                                                             | M14    | 10000 99608                                                                       | stock                                                                              |  | 8.800                                                                               | 1                                                                                   |
| PAD-VEL            | Ø 150                                                                             | M14    | 10000 99613                                                                       | stock                                                                              |  | 6.400                                                                               | 1                                                                                   |
| PAD-VEL SOFT       | Ø 150                                                                             | M14    | 10000 99645                                                                       | stock                                                                              |  | 6.400                                                                               | 1                                                                                   |
| PAD-VEL HARD       | Ø 150                                                                             | M14    | 10000 99627                                                                       | stock                                                                              |  | 6.400                                                                               | 1                                                                                   |
| PAD-VEL EXTRA GRIP | Ø 150                                                                             | M14    | 10000 99631                                                                       | stock                                                                              |  | 6.400                                                                               | 1                                                                                   |
| PAD-VEL            | Ø 180                                                                             | M14    | 10000 99604                                                                       | stock                                                                              |  | 5.000                                                                               | 1                                                                                   |
| PAD-VEL SOFT       | Ø 180                                                                             | M14    | 10000 99646                                                                       | stock                                                                              |  | 5.000                                                                               | 1                                                                                   |
| PAD-VEL HARD       | Ø 180                                                                             | M14    | 10000 99618                                                                       | stock                                                                              |  | 5.000                                                                               | 1                                                                                   |
| PAD-VEL EXTRA GRIP | Ø 180                                                                             | M14    | 10000 99632                                                                       | stock                                                                              |  | 5.000                                                                               | 1                                                                                   |

# SAITEX-DF

## Abrasive cloth double face discs




### C-X

Full resin bonded silicon carbide cloth. Excellent durability.

#### APPLICATIONS

■ WOODEN FLOOR



|           |     |                    |    |             |       |          |
|-----------|-----|--------------------|----|-------------|-------|----------|
|           |     |                    |    |             |       |          |
| SAITEX-DF | C-X | <b>425 x 35 8T</b> | 16 | 10000 89401 | stock | 25 (5x5) |
| SAITEX-DF | C-X | 425 x 35 8T        | 24 | 10000 89402 | stock | 25 (5x5) |

# SAITAC-DF

## Abrasive paper double face discs




### C-F

Full resin bonded silicon carbide paper, F weight backing. For operations with rotary sanding machines. Good durability.

#### APPLICATIONS

■ WOODEN FLOOR



|           |     |                    |     |             |       |           |
|-----------|-----|--------------------|-----|-------------|-------|-----------|
|           |     |                    |     |             |       |           |
| SAITAC-DF | C-F | <b>400 x 25 8T</b> | 36  | 10000 89305 | W4    | 50 (5x10) |
| SAITAC-DF | C-F | 400 x 25 8T        | 60  | 10000 89306 | W4    | 50 (5x10) |
| SAITAC-DF | C-F | 400 x 25 8T        | 80  | 10000 89307 | W4    | 50 (5x10) |
| SAITAC-DF | C-F | 400 x 25 8T        | 120 | 10000 89308 | W4    | 50 (5x10) |
| SAITAC-DF | C-F | <b>425 x 35 8T</b> | 36  | 10000 89300 | stock | 50 (5x10) |
| SAITAC-DF | C-F | 425 x 35 8T        | 60  | 10000 89301 | stock | 50 (5x10) |
| SAITAC-DF | C-F | 425 x 35 8T        | 80  | 10000 89302 | stock | 50 (5x10) |
| SAITAC-DF | C-F | 425 x 35 8T        | 100 | 10000 89303 | stock | 50 (5x10) |
| SAITAC-DF | C-F | 425 x 35 8T        | 120 | 10000 89304 | stock | 50 (5x10) |

# SAITAC D-VEL

## Hook & loop abrasive paper discs



### C-F

Full resin bonded silicon carbide paper, F weight backing. For dry operations with rotary sanding machines.

#### APPLICATIONS

- WOODEN FLOOR
- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS




WITHOUT HOLES

| SAITAC D-VEL | C-F | <b>Ø 425</b> | 36  | 10000 90506 | stock | 40 (4x10) |
|--------------|-----|--------------|-----|-------------|-------|-----------|
| SAITAC D-VEL | C-F | Ø 425        | 60  | 10000 90507 | stock | 40 (4x10) |
| SAITAC D-VEL | C-F | Ø 425        | 80  | 10000 90508 | stock | 40 (4x10) |
| SAITAC D-VEL | C-F | Ø 425        | 100 | 10000 90509 | stock | 40 (4x10) |
| SAITAC D-VEL | C-F | Ø 425        | 120 | 10000 90510 | stock | 40 (4x10) |

# SAIT SCREEN-D

## Abrasive net discs



### C

Nylon net-discs covered with silicon carbide abrasive. Low clogging. Excellent finish.

#### APPLICATIONS

- WOODEN FLOOR

| SAIT SCREEN-D | C | <b>Ø 407</b> | 60  | 10000 60504 | stock | 20 (2x10) |
|---------------|---|--------------|-----|-------------|-------|-----------|
| SAIT SCREEN-D | C | Ø 407        | 80  | 10000 60507 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 100 | 10000 60510 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 120 | 10000 60511 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 150 | 10000 60513 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 180 | 10000 60514 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 220 | 10000 60515 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 320 | 10000 60516 | stock | 20 (2x10) |
| SAIT SCREEN-D | C | Ø 407        | 400 | 10000 60512 | stock | 20 (2x10) |



100



## NON-WOVEN PRODUCTS







# Non-woven products

## Contents



**SAITPOL S-TNT**  
Sheets.

236



**SAITPOL R-TNT**  
Rolls.

237



**SAITPOL D-VEL**  
Hook & loop discs.

237



**SAITPOL D-TNT**  
Discs.

238



**SAITPOL-G / SAITPOL-F**  
Wheels.

240



**SAITPOL-GT / SAITPOL-FT / SAITLAM-XP**  
Mixed wheels and flap discs.  
Flap discs in surface conditioning.

242



**SAITLAM-XP LUX**  
Felt flap discs.  
**SAITLAM INOX**  
Abrasive polishing compounds.

244



**SAITPOL-UT / SAITPOL-DU / SAIT LOCK-UT**  
UNITIZED discs.

245



**SAITPOL-FV / SAITPOL D-STRIP**  
STRIP discs.

247



**SURFACE CONDITIONING (SCM)**  
Quick-change discs, discs and belts.

248




**SAIT-FOAM / SAIT-BLOCK**  
Abrasive sponges.

251



# Non-woven products

## How to read the product



|                      |                  |                    |                   |                                |
|----------------------|------------------|--------------------|-------------------|--------------------------------|
| <b>Product lines</b> | <b>SAITPOL</b>   | Non-woven products | <b>SCM</b>        | Surface Conditioning           |
|                      | <b>SAITLAM</b>   | Flap disc          | <b>SAIT-FOAM</b>  | Soft synthetic abrasive sponge |
|                      | <b>SAIT LOCK</b> | Quick-change disc  | <b>SAIT-BLOCK</b> | Hard synthetic abrasive sponge |
|                      |                  |                    |                   |                                |

|               |           |                                          |                |                            |
|---------------|-----------|------------------------------------------|----------------|----------------------------|
| <b>Shapes</b> | <b>S</b>  | Sheet                                    | <b>F</b>       | Wheel                      |
|               | <b>R</b>  | Roll                                     | <b>FT</b>      | Wheel with mixed structure |
|               | <b>D</b>  | Disc                                     | <b>UT / DU</b> | Unitized disc              |
|               | <b>G</b>  | Shaft mounted wheel                      | <b>FV</b>      | Strip disc                 |
|               | <b>GT</b> | Shaft mounted wheel with mixed structure | <b>N</b>       | Belt                       |

|                  |          |                 |
|------------------|----------|-----------------|
| <b>Abrasives</b> | <b>A</b> | Aluminium oxide |
|                  | <b>C</b> | Silicon carbide |

|                  |                  |
|------------------|------------------|
| <b>Adhesives</b> | Synthetic resins |
|------------------|------------------|

|                 |                 |                                                          |
|-----------------|-----------------|----------------------------------------------------------|
| <b>Backings</b> | <b>TNT</b>      | Three-dimensional non woven abrasive material            |
|                 | <b>UNITIZED</b> | Three-dimensional abrasive material in compressed layers |
|                 | <b>STRIP</b>    | Rigid three-dimensional abrasive                         |
|                 | <b>SCM</b>      | Surface Conditioning Material with nylon backing         |
|                 | <b>VEL</b>      | Hook & loop velour applied on the back                   |



## SAITPOL S-TNT

Three-dimensional non-woven abrasive sheets. Suitable for hand and orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints. Accurate finish.

**FLEXLIGHT:** Thin and flexible non-woven material, ideal for cleaning or preparation of curved or edges surfaces, complex shapes and contours.

**LONG LIFE:** Special non-woven material, thick and extremely long-lasting.

**PLUS:** Special long-lasting non-woven material.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

|               |  |       | ABRASIVE |                                                                                     |                   |                  |  |  |  |  |
|---------------|-----------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------------------|------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SAITPOL S-TNT | <b>115 x 230</b>                                                                  | VF RF | A        |    | (Very Fine)       | <b>FLEXLIGHT</b> | 10000 99719                                                                         | stock                                                                               |  | 20 (2x10)                                                                           |
| SAITPOL S-TNT | 115 x 230                                                                         | UF GF | C        |    | (Ultra Fine)      | <b>FLEXLIGHT</b> | 10000 99717                                                                         | stock                                                                               |  | 20 (2x10)                                                                           |
| SAITPOL S-TNT | <b>120 x 280</b>                                                                  | CA    | A        |    | (Coarse)          |                  | 10000 99721                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | CC    | C        |    | (Coarse)          |                  | 10000 99724                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | GP    | A        |    | (General Purpose) |                  | 10000 99703                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | MA    | A        |   | (Medium)          |                  | 10000 99725                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | VF    | C        |  | (Very Fine)       |                  | 10000 99700                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | VF L  | C        |  | (Very Fine)       | <b>LONG LIFE</b> | 10000 99702                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | UF    | C        |  | (Ultra Fine)      |                  | 10000 99701                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 120 x 280                                                                         | UF S  | C        |  | (Ultra Fine)      |                  | 10000 99710                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | <b>120 x 280</b>                                                                  | VF P  | A        |  | (Very Fine)       | <b>PLUS</b>      | 10000 99715                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | <b>152 x 229</b>                                                                  | GP    | A        |  | (General Purpose) |                  | 10000 99709                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 152 x 229                                                                         | MA    | A        |  | (Medium)          |                  | 10000 99726                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 152 x 229                                                                         | VF    | C        |  | (Very Fine)       |                  | 10000 99707                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 152 x 229                                                                         | VF L  | C        |  | (Very Fine)       | <b>LONG LIFE</b> | 10000 99705                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 152 x 229                                                                         | UF    | C        |  | (Ultra Fine)      |                  | 10000 99706                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | 152 x 229                                                                         | UF S  | C        |  | (Ultra Fine)      |                  | 10000 99711                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |
| SAITPOL S-TNT | <b>152 x 229</b>                                                                  | VF P  | A        |  | (Very Fine)       | <b>PLUS</b>      | 10000 99716                                                                         | stock                                                                               |  | 40 (4x10)                                                                           |

### APPLICATIONS

- SPECIAL PRODUCT FOR SUPER FADING AND MATTING OPERATIONS IN CAR BODY SHOPS

|               |  |    | ABRASIVE |                                                                                     |              |  |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|----|----------|-------------------------------------------------------------------------------------|--------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITPOL S-TNT | <b>120 x 280</b>                                                                    | SA | A        |  | (Micro Fine) |  | 10000 99727                                                                           | stock                                                                                 |  | 40 (4x10)                                                                             |



## SAITPOL R-TNT

Three-dimensional non-woven abrasive rolls. Suitable for hand and orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints. Accurate finish.

**LONG LIFE:** Special non-woven material, thick and extremely long-lasting.

**PLUS:** Special long-lasting non-woven material.

**FLEX:** Special non-woven material with increased flexibility for curved surfaces.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

|               |            |               | ABRASIVE |  |                              |             |       |   |
|---------------|------------|---------------|----------|--|------------------------------|-------------|-------|---|
| SAITPOL R-TNT | 115 x 10 m | MA <b>NEW</b> | A        |  | (Medium)                     | 10000 99868 | stock | 1 |
| SAITPOL R-TNT | 115 x 10 m | VF            | C        |  | (Very Fine)                  | 10000 99713 | stock | 1 |
| SAITPOL R-TNT | 115 x 10 m | VF L          | C        |  | (Very Fine) <b>LONG LIFE</b> | 10000 99875 | stock | 1 |
| SAITPOL R-TNT | 115 x 10 m | UF S          | C        |  | (Ultra Fine)                 | 10000 99712 | stock | 1 |
| SAITPOL R-TNT | 115 x 10 m | VF P          | A        |  | (Very Fine) <b>PLUS</b>      | 10000 99865 | stock | 1 |

### APPLICATIONS

- SPECIAL PRODUCT FOR CAR BODY SHOPS

|               |            |      | ABRASIVE |  |                          |             |       |   |
|---------------|------------|------|----------|--|--------------------------|-------------|-------|---|
| SAITPOL R-TNT | 115 x 10 m | VF R | A        |  | (Very Fine) <b>FLEX</b>  | 10000 99863 | stock | 1 |
| SAITPOL R-TNT | 115 x 10 m | UF G | C        |  | (Ultra Fine) <b>FLEX</b> | 10000 99864 | stock | 1 |

## SAITPOL D-VEL

Hook & loop non-woven abrasive discs



## SAITPOL D-VEL

Three-dimensional non-woven abrasive discs. Suitable for orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

|               |       |    | ABRASIVE |  |              |             |       |           |
|---------------|-------|----|----------|--|--------------|-------------|-------|-----------|
| SAITPOL D-VEL | Ø 150 | MA | A        |  | (Medium)     | 10000 71453 | stock | 20 (2x10) |
| SAITPOL D-VEL | Ø 150 | VF | A        |  | (Very Fine)  | 10000 71451 | stock | 20 (2x10) |
| SAITPOL D-VEL | Ø 150 | UF | C        |  | (Ultra Fine) | 10000 71452 | stock | 20 (2x10) |



## SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs for glazing operations and metals flatting. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|               |  |     |             |  |  |  |  |  |
|---------------|-----------------------------------------------------------------------------------|-----|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITPOL D-TNT | <b>150 x 10 x 10</b>                                                              | MA  | (Medium)    | 10000 71000                                                                       | stock                                                                              |  | 3.100                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 150 x 10 x 10                                                                     | FA  | (Fine)      | 10000 71001                                                                       | stock                                                                              |  | 3.100                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 150 x 10 x 10                                                                     | VFA | (Very Fine) | 10000 71002                                                                       | stock                                                                              |  | 3.100                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | <b>200 x 10 x 20</b>                                                              | MA  | (Medium)    | 10000 71003                                                                       | stock                                                                              |  | 2.300                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 200 x 10 x 20                                                                     | FA  | (Fine)      | 10000 71004                                                                       | stock                                                                              |  | 2.300                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 200 x 10 x 20                                                                     | VFA | (Very Fine) | 10000 71005                                                                       | stock                                                                              |  | 2.300                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | <b>250 x 10 x 20</b>                                                              | MA  | (Medium)    | 10000 71011                                                                       | stock                                                                              |  | 1.800                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 250 x 10 x 20                                                                     | FA  | (Fine)      | 10000 71010                                                                       | stock                                                                              |  | 1.800                                                                               | 50 (2x25)                                                                           |
| SAITPOL D-TNT | 250 x 10 x 20                                                                     | VFA | (Very Fine) | 10000 71009                                                                       | stock                                                                              |  | 1.800                                                                               | 50 (2x25)                                                                           |



## SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs. Accurate finish.

### APPLICATIONS

- WOODEN FLOOR

|               |  |     |             |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|-----|-------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| SAITPOL D-TNT | <b>Ø 407</b>                                                                        | MA  | (Medium)    | 10000 71008                                                                         | stock                                                                                 |  | 15                                                                                    |
| SAITPOL D-TNT | Ø 407                                                                               | FA  | (Fine)      | 10000 71012                                                                         | stock                                                                                 |  | 15                                                                                    |
| SAITPOL D-TNT | Ø 407                                                                               | VFA | (Very Fine) | 10000 71013                                                                         | stock                                                                                 |  | 15                                                                                    |



## SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs.

### APPLICATIONS

white



**BN**

**BN**

- POLISHING
- SANDING WITH SAIT SCREEN-D DISCS
- DRY USE

red



**RS**

**RS**

- REGULAR MAINTENANCE FOR REMOVAL OF SCRATCHES AND IMPERFECTIONS
- DRY USE OR WITH SPECIAL SPRAYS CONTAINING A MINIMUM AMOUNT OF DETERGENT

green



**VR**

**VR**

- REMOVAL OF WAX LAYERS
- WET USE WITH MINIMUM AMOUNT OF WATER AND DEWAXER

black



**NR**

**NR**

- DEEP CLEANING FOR COMPLETE REMOVAL OF ALL WAX LAYERS
- WET USE WITH DETERGENT AND WATER



#### REMARK

Discs thickness = approx. 20 mm.

All discs have a precut central-hole, which allows them to be used with hook & loop pads or with threaded ring nut.

|               |  |    |  |  |  |
|---------------|-------------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITPOL D-TNT | <b>Ø 407</b>                                                                        | BN | 10000 71016                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 407                                                                               | RS | 10000 71018                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 407                                                                               | VR | 10000 71017                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 407                                                                               | NR | 10000 71019                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | <b>Ø 430</b>                                                                        | BN | 10000 71006                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 430                                                                               | RS | 10000 71014                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 430                                                                               | VR | 10000 71007                                                                         | stock                                                                                | 5                                                                                     |
| SAITPOL D-TNT | Ø 430                                                                               | NR | 10000 71015                                                                         | stock                                                                                | 5                                                                                     |



## SAITPOL-G ALUMINIUM OXIDE

Non-woven abrasive shaft mounted wheels for glazing operations and metals flatting. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|           |  |     |             |  |  |  |  |  |
|-----------|-----------------------------------------------------------------------------------|-----|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITPOL-G | <b>40 x 20 x 6</b>                                                                | MA  | (Medium)    | 10000 71200                                                                       | stock                                                                              |  | 14.000                                                                              | 20 (2x10)                                                                           |
| SAITPOL-G | 40 x 20 x 6                                                                       | FA  | (Fine)      | 10000 71201                                                                       | stock                                                                              |  | 14.000                                                                              | 20 (2x10)                                                                           |
| SAITPOL-G | <b>60 x 30 x 6</b>                                                                | MA  | (Medium)    | 10000 71202                                                                       | stock                                                                              |  | 9.500                                                                               | 20 (2x10)                                                                           |
| SAITPOL-G | 60 x 30 x 6                                                                       | FA  | (Fine)      | 10000 71203                                                                       | stock                                                                              |  | 9.500                                                                               | 20 (2x10)                                                                           |
| SAITPOL-G | 60 x 30 x 6                                                                       | VFA | (Very Fine) | 10000 71204                                                                       | stock                                                                              |  | 9.500                                                                               | 20 (2x10)                                                                           |
| SAITPOL-G | <b>80 x 40 x 6</b>                                                                | MA  | (Medium)    | 10000 71205                                                                       | stock                                                                              |  | 7.000                                                                               | 20 (2x10)                                                                           |
| SAITPOL-G | 80 x 40 x 6                                                                       | FA  | (Fine)      | 10000 71206                                                                       | stock                                                                              |  | 7.000                                                                               | 20 (2x10)                                                                           |

## SAITPOL-G CP ALUMINIUM OXIDE

Non-woven abrasive shaft mounted wheels (CP type), for glazing operations and metals flatting. **Particularly recommended for stainless steels.** Accurate finish.

### APPLICATIONS

- STAINLESS STEELS
- STEELS
- NON-FERROUS METALS

|           |  |    |   |          |  |  |  |  |  |
|-----------|-------------------------------------------------------------------------------------|----|---|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITPOL-G | <b>30 x 20 x 6</b>                                                                  | CP | M | (Medium) | 10000 71211                                                                         | stock                                                                                |  | 19.000                                                                                | 20 (2x10)                                                                             |
| SAITPOL-G | <b>30 x 30 x 6</b>                                                                  | CP | M | (Medium) | 10000 71212                                                                         | stock                                                                                |  | 19.000                                                                                | 20 (2x10)                                                                             |
| SAITPOL-G | <b>50 x 25 x 6</b>                                                                  | CP | M | (Medium) | 10000 71213                                                                         | stock                                                                                |  | 11.000                                                                                | 10 (2x5)                                                                              |
| SAITPOL-G | <b>60 x 30 x 6</b>                                                                  | CP | M | (Medium) | 10000 71214                                                                         | stock                                                                                |  | 9.500                                                                                 | 10 (2x5)                                                                              |
| SAITPOL-G | <b>80 x 30 x 6</b>                                                                  | CP | M | (Medium) | 10000 71215                                                                         | stock                                                                                |  | 7.000                                                                                 | 10 (2x5)                                                                              |
| SAITPOL-G | <b>80 x 50 x 6</b>                                                                  | CP | M | (Medium) | 10000 71216                                                                         | stock                                                                                |  | 7.000                                                                                 | 10 (2x5)                                                                              |



## SAITPOL-F ALUMINIUM OXIDE

Non-woven abrasive wheels for glazing operations and metals flatting. Accurate finish.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|           |  |     |             |  |  |  |  |  |
|-----------|-----------------------------------------------------------------------------------|-----|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITPOL-F | <b>110 x 50 x 19,1 C<sup>(1)</sup></b>                                            | MA  | (Medium)    | 10000 71116                                                                       | W4                                                                                |  | 5.730                                                                               | 10                                                                                  |
| SAITPOL-F | 110 x 50 x 19,1 C <sup>(1)</sup>                                                  | FA  | (Fine)      | 10000 71117                                                                       | stock                                                                             |  | 5.730                                                                               | 10                                                                                  |
| SAITPOL-F | 110 x 50 x 19,1 C <sup>(1)</sup>                                                  | VFA | (Very Fine) | 10000 71118                                                                       | W4                                                                                |  | 5.730                                                                               | 10                                                                                  |
| SAITPOL-F | <b>110 x 100 x 19,1 C<sup>(1)</sup></b>                                           | CA  | (Coarse)    | 10000 71112                                                                       | stock                                                                             |  | 5.730                                                                               | 6                                                                                   |
| SAITPOL-F | 110 x 100 x 19,1 C <sup>(1)</sup>                                                 | MA  | (Medium)    | 10000 71113                                                                       | stock                                                                             |  | 5.730                                                                               | 6                                                                                   |
| SAITPOL-F | 110 x 100 x 19,1 C <sup>(1)</sup>                                                 | FA  | (Fine)      | 10000 71114                                                                       | stock                                                                             |  | 5.730                                                                               | 6                                                                                   |
| SAITPOL-F | 110 x 100 x 19,1 C <sup>(1)</sup>                                                 | VFA | (Very Fine) | 10000 71115                                                                       | stock                                                                             |  | 5.730                                                                               | 6                                                                                   |
| SAITPOL-F | <b>200 x 50 x 76</b>                                                              | CA  | (Coarse)    | 10000 71121                                                                       | stock                                                                             |  | 2.850                                                                               | 5                                                                                   |
| SAITPOL-F | 200 x 50 x 76                                                                     | MA  | (Medium)    | 10000 71107                                                                       | stock                                                                             |  | 2.850                                                                               | 5                                                                                   |
| SAITPOL-F | 200 x 50 x 76                                                                     | FA  | (Very Fine) | 10000 71108                                                                       | stock                                                                             |  | 2.850                                                                               | 5                                                                                   |

<sup>(1)</sup> C = BORE

Flange for ø 200

|  |             |       |  |       |   |
|--|-------------|-------|--|-------|---|
|  | 10000 98301 | stock |  | 2.850 | 2 |
|--|-------------|-------|--|-------|---|

## SAITPOL-F CP ALUMINIUM OXIDE

Non-woven abrasive wheels (CP type), for glazing operations and metals flatting.

**Particularly recommended for stainless steels.** Accurate finish.

### APPLICATIONS

- STAINLESS STEELS
- STEELS
- NON-FERROUS METALS

|           |  |    |   |          |  |  |  |  |  |
|-----------|-------------------------------------------------------------------------------------|----|---|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITPOL-F | <b>100 x 100 x 19,1 C<sup>(1)</sup></b>                                             | CP | M | (Medium) | 10000 71124                                                                         | stock                                                                                |  | 5.730                                                                                 | 2                                                                                     |

<sup>(1)</sup> C = BORE



## SAITPOL-GT ALUMINIUM OXIDE

Shaft mounted flap wheels with mixed structure in cloth and non-woven abrasive, for glazing operations and metals flattening with stock removal.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |  |         |  |  |  |  |  |        |
|------------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|
| SAITPOL-GT | <b>40 x 20 x 6</b>                                                                | A 80/F  | 10000 71300                                                                       | stock                                                                             |  | 14.000                                                                              | 20                                                                                  | (2x10) |
| SAITPOL-GT | 40 x 20 x 6                                                                       | A 120/F | 10000 71301                                                                       | stock                                                                             |  | 14.000                                                                              | 20                                                                                  | (2x10) |
| SAITPOL-GT | <b>60 x 30 x 6</b>                                                                | A 60/F  | 10000 71307                                                                       | stock                                                                             |  | 9.500                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | 60 x 30 x 6                                                                       | A 80/F  | 10000 71302                                                                       | stock                                                                             |  | 9.500                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | 60 x 30 x 6                                                                       | A 120/F | 10000 71303                                                                       | stock                                                                             |  | 9.500                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | 60 x 30 x 6                                                                       | A 180/F | 10000 71304                                                                       | stock                                                                             |  | 9.500                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | <b>80 x 40 x 6</b>                                                                | A 60/F  | 10000 71311                                                                       | stock                                                                             |  | 7.000                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | 80 x 40 x 6                                                                       | A 80/F  | 10000 71305                                                                       | stock                                                                             |  | 7.000                                                                               | 20                                                                                  | (2x10) |
| SAITPOL-GT | 80 x 40 x 6                                                                       | A 120/F | 10000 71306                                                                       | stock                                                                             |  | 7.000                                                                               | 20                                                                                  | (2x10) |



## SAITPOL-FT ALUMINIUM OXIDE

Flap wheels with mixed structure in cloth and non-woven abrasive, for glazing operations and metals flattening with stock removal.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

|            |  |         |  |  |  |  |  |  |
|------------|-------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|
| SAITPOL-FT | <b>110 x 100 x 19,1 C<sup>(1)</sup></b>                                             | A 40/C  | 10000 71405                                                                         | stock                                                                               |  | 5.730                                                                                 | 6                                                                                     |  |
| SAITPOL-FT | 110 x 100 x 19,1 C <sup>(1)</sup>                                                   | A 60/M  | 10000 71406                                                                         | stock                                                                               |  | 5.730                                                                                 | 6                                                                                     |  |
| SAITPOL-FT | 110 x 100 x 19,1 C <sup>(1)</sup>                                                   | A 80/M  | 10000 71407                                                                         | stock                                                                               |  | 5.730                                                                                 | 6                                                                                     |  |
| SAITPOL-FT | 110 x 100 x 19,1 C <sup>(1)</sup>                                                   | A 120/F | 10000 71408                                                                         | stock                                                                               |  | 5.730                                                                                 | 6                                                                                     |  |
| SAITPOL-FT | 110 x 100 x 19,1 C <sup>(1)</sup>                                                   | A 180/F | 10000 71409                                                                         | stock                                                                               |  | 5.730                                                                                 | 6                                                                                     |  |

<sup>(1)</sup> C = BORE

## SAITLAM-XP

Mixed flap discs - conical



### SAITLAM-XP ALUMINIUM OXIDE

Mixed surface conditioning (SCM) and abrasive cloth flap discs. High stock removal, excellent finish.

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

| SAITLAM-XP | <b>115 x 22,23</b> | CO (60)  | INOX | 10000 96950 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
|------------|--------------------|----------|------|-------------|-------|--|--------|---------------|---|
| SAITLAM-XP | 115 x 22,23        | ME (80)  | INOX | 10000 96951 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
| SAITLAM-XP | 115 x 22,23        | VF (150) | INOX | 10000 96952 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
| SAITLAM-XP | <b>125 x 22,23</b> | CO (60)  | INOX | 10000 96953 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
| SAITLAM-XP | 125 x 22,23        | ME (80)  | INOX | 10000 96954 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
| SAITLAM-XP | 125 x 22,23        | VF (150) | INOX | 10000 96955 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |

## SAITLAM-XP Surface Conditioning

Flap discs in surface conditioning material - conical



NEW



### SAITLAM-XP ALUMINIUM OXIDE

Flap discs in surface conditioning.

Can be used directly on angle grinders without a backing pad, simplifying the operation and providing greater convenience.

The structure of the material allows a high finish without clogging.

The advantages of surface conditioning combine with the convenience of a flap disc, offering excellent performance on a wide range of materials and industrial applications.

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

| SAITLAM-XP SCM | <b>115 x 22,23</b> | CA  | (Coarse)    | 10000 96960 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |
|----------------|--------------------|-----|-------------|-------------|-------|--|--------|---------------|----------|
| SAITLAM-XP SCM | 115 x 22,23        | MA  | (Medium)    | 10000 96961 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |
| SAITLAM-XP SCM | 115 x 22,23        | VFA | (Very Fine) | 10000 96962 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |
| SAITLAM-XP SCM | <b>125 x 22,23</b> | CA  | (Coarse)    | 10000 96963 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |
| SAITLAM-XP SCM | 125 x 22,23        | MA  | (Medium)    | 10000 96964 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |
| SAITLAM-XP SCM | 125 x 22,23        | VFA | (Very Fine) | 10000 96965 | stock |  | 11.000 | 3.500 ÷ 5.000 | 10 (2x5) |

# SAITLAM-XP LUX

Felt flap discs



FIBRE GLASS BACKING



## SAITLAM-XP

Flap discs made of felt of pure cotton for mirror finishing of stainless steel to be used with polishing compound SAITLAB Inox. Can also be used on aluminium and non-ferrous metals.

### APPLICATIONS

- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS METALS

| SAITLAM-XP | 115 x 22,23 | LU | 10000 96956 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |
|------------|-------------|----|-------------|-------|--|--------|---------------|---|
| SAITLAM-XP | 125 x 22,23 | LU | 10000 96957 | stock |  | 11.000 | 3.500 ÷ 5.000 | 5 |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

# SAITLAB INOX

Abrasive polishing compounds



## SAITLAB INOX 500 CE

Abrasive compound fine grade for polishing and mirror finishing of stainless steel. To be used with SAITLAM XP-LUX. Bar of 500 g.

## SAITLAB INOX 500 BL

Abrasive compound medium grade for polishing and finishing of stainless steel. To be used with SAITLAM-XP LUX. Bar of 500 g.

| SAITLAB INOX 500 CE | 10000 70523 | stock |  | 6 |
|---------------------|-------------|-------|--|---|
| SAITLAB INOX 500 BL | 10000 70524 | stock |  | 6 |

# SAITPOL-UT

## UNITIZED discs

 FIBRE GLASS BACKING



## SAITPOL-UT

Unitized discs for use with angle grinders. Suitable for finishing operations, cleaning and removing signs of previous operations.

**2S F:** silicon carbide, soft density, fine grit, accurate finish and cleaning.

**3S F:** silicon carbide, medium/soft density, fine grit, accurate finish and cleaning.

**6A M:** aluminium oxide, medium/hard density, medium grit, long life for deburring of edges, very high performance.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- TITANIUM
- ALUMINIUM
- PLASTIC
- COMPOSITE MATERIALS

|            |  |      |  |  |  |  |  |  |
|------------|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITPOL-UT | <b>Ø 115 x 22,23</b>                                                              | 2S F | 10000 71550                                                                       | stock                                                                             |  | 10.000                                                                              | 6.000                                                                               | 5                                                                                   |
| SAITPOL-UT | Ø 115 x 22,23                                                                     | 3S F | 10000 71551                                                                       | stock                                                                             |  | 10.000                                                                              | 6.000                                                                               | 5                                                                                   |
| SAITPOL-UT | Ø 115 x 22,23                                                                     | 6A M | 10000 71552                                                                       | stock                                                                             |  | 10.000                                                                              | 6.000                                                                               | 5                                                                                   |
| SAITPOL-UT | <b>Ø 125 x 22,23</b>                                                              | 2S F | 10000 71553                                                                       | W4                                                                                |  | 8.500                                                                               | 6.000                                                                               | 5                                                                                   |
| SAITPOL-UT | Ø 125 x 22,23                                                                     | 3S F | 10000 71554                                                                       | W4                                                                                |  | 8.500                                                                               | 6.000                                                                               | 5                                                                                   |
| SAITPOL-UT | Ø 125 x 22,23                                                                     | 6A M | 10000 71555                                                                       | W4                                                                                |  | 8.500                                                                               | 6.000                                                                               | 5                                                                                   |

# SAITPOL-DU

## UNITIZED discs



## SAITPOL-DU

UNITIZED (TNT-compressed) discs for use on adjustable speed sanding machines suitable for working on corner welds. Suitable for finishing operations, cleaning small surface areas and corner welds.

**2A M:** aluminium oxide, soft density, medium grit. For general cleaning and finish.

**2S F:** silicon carbide, soft density, fine grit. It requires light working pressure for finish and fine polishing; it provides a clean and bright surface on stainless steel.

**6A M:** aluminium oxide, medium/hard density, medium grit. It is used with light working pressure for light grinding and finish; long life in edge processing and faster cut. It enables high stock removal while maintaining an accurate finish.

**6S F:** silicon carbide, medium/hard density, fine grit. It requires light working pressure for finish and polishing operations; it provides a clean and bright surface when working on stainless steel, softens tool marks from previous workings and removes minor surface imperfections.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

|            |  |      |  |  |  |  |  |  |
|------------|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITPOL-DU | <b>152 x 3,2 x 25,4</b>                                                             | 2A M | 10000 41251                                                                         | stock                                                                               |  | 5.000                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 3,2 x 25,4                                                                    | 2S F | 10000 41250                                                                         | stock                                                                               |  | 5.000                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 3,2 x 25,4                                                                    | 6A M | 10000 41252                                                                         | stock                                                                               |  | 7.500                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 3,2 x 25,4                                                                    | 6S F | 10000 41253                                                                         | stock                                                                               |  | 7.500                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | <b>152 x 6,4 x 25,4</b>                                                             | 2A M | 10000 41254                                                                         | stock                                                                               |  | 5.000                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 6,4 x 25,4                                                                    | 2S F | 10000 41255                                                                         | stock                                                                               |  | 5.000                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 6,4 x 25,4                                                                    | 6A M | 10000 41256                                                                         | stock                                                                               |  | 7.500                                                                                 | 3.200                                                                                 | 5                                                                                     |
| SAITPOL-DU | 152 x 6,4 x 25,4                                                                    | 6S F | 10000 41257                                                                         | stock                                                                               |  | 7.500                                                                                 | 3.200                                                                                 | 5                                                                                     |

### IMPORTANT GUIDELINES

The maximum speed marked on each product must ever be exceeded.



## SAIT LOCK-UT

Quick-change UNITIZED (TNT-compressed) discs. For glazing, finishing and removal of welding marks on both flat surfaces and hard-to-reach areas. R fitting. High performance. Low heat generation.

Suitable for finishing operations, cleaning small surface areas and corner welds.

**2A M:** aluminium oxide, soft density, medium grit. For general cleaning and finish.

**2S F:** silicon carbide, soft density, fine grit. It requires light working pressure for finish and fine polishing; it provides a clean and bright surface on stainless steel.


**6A M:** aluminium oxide, medium/hard density, medium grit. It is used with light working pressure for light grinding and finish; long life in edge processing and faster cut. It enables high stock removal while maintaining an accurate finish.

**6S F:** silicon carbide, medium/hard density, fine grit. It requires light working pressure for finish and polishing operations; it provides a clean and bright surface when working on stainless steel, softens tool marks from previous workings and removes minor surface imperfections.

### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

|              |  |      |  |  |  |
|--------------|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT LOCK-UT | <b>Ø 50</b>                                                                       | 2A M | 10000 49511                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 50                                                                              | 2S F | 10000 49512                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 50                                                                              | 6A M | 10000 49513                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 50                                                                              | 6S F | 10000 49514                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | <b>Ø 75</b>                                                                       | 2A M | 10000 49515                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 75                                                                              | 2S F | 10000 49516                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 75                                                                              | 6A M | 10000 49517                                                                       | stock                                                                              | 50                                                                                  |
| SAIT LOCK-UT | Ø 75                                                                              | 6S F | 10000 49518                                                                       | stock                                                                              | 50                                                                                  |



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



## PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

|               |  |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PAD SAIT LOCK | Ø 50                                                                                |  | 10000 99665                                                                         | stock                                                                                | 1                                                                                     |
| PAD SAIT LOCK | Ø 75                                                                                |  | 10000 99614                                                                         | stock                                                                                | 1                                                                                     |

# SAITPOL

## STRIP discs

 FIBRE GLASS BACKING



### SAITPOL-FV SILICON CARBIDE

Silicon carbide discs with three-dimensional rigid abrasive (strip), on fibre glass backing.

For use with angle grinders.

**RG:** standard strip material, black colour.

**RR:** strip material with high resistance and aggressivity, red colour.

#### APPLICATIONS

- REMOVAL OF RUST, SCALE, PAINTS, ADHESIVES
- CLEANING OF WELD SEAM AND SURFACES

|            |  |    |  |  |  |  |  |  |
|------------|-----------------------------------------------------------------------------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITPOL-FV | <b>Ø 115 x 22,23</b>                                                              | RG | 10000 71050                                                                       | stock                                                                             |  | 10.000                                                                              | 6.000 ÷ 8.500                                                                       | 10 (2x5)                                                                            |
| SAITPOL-FV | Ø 115 x 22,23                                                                     | RR | 10000 71051                                                                       | stock                                                                             |  | 10.000                                                                              | 6.000 ÷ 8.500                                                                       | 10 (2x5)                                                                            |
| SAITPOL-FV | <b>Ø 125 x 22,23</b>                                                              | RG | 10000 71053                                                                       | W4                                                                                |  | 9.000                                                                               | 5.000 ÷ 7.500                                                                       | 10 (2x5)                                                                            |
| SAITPOL-FV | Ø 125 x 22,23                                                                     | RR | 10000 71052                                                                       | W4                                                                                |  | 9.000                                                                               | 5.000 ÷ 7.500                                                                       | 10 (2x5)                                                                            |



### SAITPOL D-STRIP SILICON CARBIDE

Silicon carbide discs with three-dimensional rigid abrasive (strip). To be fitted with suitable arbor.

**RG:** standard strip material, black colour.


#### APPLICATIONS

- REMOVAL OF RUST, SCALE, PAINTS, ADHESIVES
- CLEANING OF WELD SEAM AND SURFACES

|                 |  |    |  |  |  |  |  |
|-----------------|-------------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITPOL D-STRIP | <b>100 x 13 x 10</b>                                                                | RG | 10000 71020                                                                         | stock                                                                               |  | 6.000                                                                                 | 10                                                                                    |
| SAITPOL D-STRIP | <b>150 x 13 x 10</b>                                                                | RG | 10000 71021                                                                         | stock                                                                               |  | 4.000                                                                                 | 10                                                                                    |

Arbor kit, spindle Ø 6 mm

|  |             |       |  |  |   |
|--|-------------|-------|--|--|---|
|  | 10000 98300 | stock |  |  | 1 |
|--|-------------|-------|--|--|---|



#### SAFETY REMARKS

The maximum speed marked on each disc must never be exceeded. Maximum speed stated at S = 5 mm spindle overhang.

# SAIT LOCK-SCM Surface Conditioning

## Quick-change abrasive discs




## SAIT LOCK-SCM ALUMINIUM OXIDE

Quick-change surface conditioning discs. For glazing, finishing and removal of welding marks on both flat surfaces and hard-to-reach areas. R fitting. High performance. Low heat generation. Low clogging.

### APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ALLUMINIUM
- STEELS

|               |  |     |             |  |  |  |
|---------------|-----------------------------------------------------------------------------------|-----|-------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT LOCK-SCM | <b>Ø 38</b>                                                                       | CA  | (Coarse)    | 10000 61000                                                                       | stock                                                                               | 100                                                                                 |
| SAIT LOCK-SCM | Ø 38                                                                              | MA  | (Medium)    | 10000 61001                                                                       | stock                                                                               | 100                                                                                 |
| SAIT LOCK-SCM | Ø 38                                                                              | VFA | (Very Fine) | 10000 61002                                                                       | W4                                                                                  | 100                                                                                 |
| SAIT LOCK-SCM | <b>Ø 50</b>                                                                       | CA  | (Coarse)    | 10000 61003                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SCM | Ø 50                                                                              | MA  | (Medium)    | 10000 61004                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SCM | Ø 50                                                                              | VFA | (Very Fine) | 10000 61005                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SCM | <b>Ø 75</b>                                                                       | CA  | (Coarse)    | 10000 61006                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SCM | Ø 75                                                                              | MA  | (Medium)    | 10000 61007                                                                       | stock                                                                               | 50                                                                                  |
| SAIT LOCK-SCM | Ø 75                                                                              | VFA | (Very Fine) | 10000 61008                                                                       | stock                                                                               | 50                                                                                  |



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



## PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

|               |  |  |  |  |
|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PAD SAIT LOCK | Ø 38                                                                                | 10000 99664                                                                         | stock                                                                                | 1                                                                                     |
| PAD SAIT LOCK | Ø 50                                                                                | 10000 99665                                                                         | stock                                                                                | 1                                                                                     |
| PAD SAIT LOCK | Ø 75                                                                                | 10000 99614                                                                         | stock                                                                                | 1                                                                                     |

# SCM-D Surface Conditioning

## Surface conditioning material abrasive discs



### SCM-D ALUMINIUM OXIDE

Hook & loop surface conditioning discs. To be used ONLY with the PAD-VEL EXTRA GRIP backings.

#### CA HD (Coarse - Heavy Duty):

- high cutting capacity and high stock removal
- extremely long life
- strong and stable product
- low clogging and low heat generation
- specific for removal of surface scratches
- specific for welds cleaning

#### CA (Coarse) / MA (Medium) / VFA (Very fine):

- high cutting capacity and high stock removal
- very long life
- low clogging and low heat generation
- constant and accurate finish
- specific for cleaning and glazing operations of surfaces

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

| SCM-D | Ø 115 | CA HD | (Coarse HD) | 10000 99900 | stock |  | 10.000 | 5.000 ÷ 7.000 | 20 (2x10) |
|-------|-------|-------|-------------|-------------|-------|--|--------|---------------|-----------|
| SCM-D | Ø 115 | CA    | (Coarse)    | 10000 99901 | stock |  | 10.000 | 5.000 ÷ 7.000 | 20 (2x10) |
| SCM-D | Ø 115 | MA    | (Medium)    | 10000 99902 | stock |  | 10.000 | 5.000 ÷ 7.000 | 20 (2x10) |
| SCM-D | Ø 115 | VFA   | (Very Fine) | 10000 99903 | stock |  | 10.000 | 5.000 ÷ 7.000 | 20 (2x10) |
| SCM-D | Ø 125 | CA HD | (Coarse HD) | 10000 99904 | stock |  | 8.800  | 4.500 ÷ 6.500 | 20 (2x10) |
| SCM-D | Ø 125 | CA    | (Coarse)    | 10000 99905 | stock |  | 8.800  | 4.500 ÷ 6.500 | 20 (2x10) |
| SCM-D | Ø 125 | MA    | (Medium)    | 10000 99906 | stock |  | 8.800  | 4.500 ÷ 6.500 | 20 (2x10) |
| SCM-D | Ø 125 | VFA   | (Very Fine) | 10000 99907 | stock |  | 8.800  | 4.500 ÷ 6.500 | 20 (2x10) |

#### IMPORTANT GUIDELINES

To be used ONLY with the PAD-VEL EXTRA GRIP (Ø 115 cod. 99628, Ø 125 cod. 99608, pag. 228).



### SCM-D ALUMINIUM OXIDE

Surface conditioning discs on **fibre backing**.

Ideal for first-step cleaning, sanding, fettling and finishing operations.

The fibre backing makes the discs more durable, fitting perfectly on irregular or contoured surfaces, without affecting or damaging the material. It also makes them suitable to be fitted on angle grinders with SAITPAD-DQ and SAITPAD-DZ HARD backing pads (see page 90).

- high cutting capacity and high stock removal
- extremely long life
- strong and stable product
- low clogging and low heat generation
- specific for removal of surface scratches
- specific for welds cleaning

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

| SCM-D | 125 x 22 | CA F | (Coarse) | 10000 99921 | W4 |  | 8.800 | 4.500 ÷ 6.500 | 20 (2x10) |
|-------|----------|------|----------|-------------|----|--|-------|---------------|-----------|
| SCM-D | 125 x 22 | MA F | (Medium) | 10000 99922 | W4 |  | 8.800 | 4.500 ÷ 6.500 | 20 (2x10) |

# SCM-N Surface Conditioning

## Surface conditioning material abrasive belts



### SCM-N ALUMINIUM OXIDE

Surface conditioning belts. For glazing and finishing operations of flat surfaces. High performance. Low heat generation. Low clogging.

#### APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

|       |  |     |             |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----|-------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SCM-N | <b>13 x 457</b>                                                                   | CA  | (Coarse)    | 10000 60600                                                                       | stock                                                                               | 10                                                                                  |
| SCM-N | 13 x 457                                                                          | MA  | (Medium)    | 10000 60604                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 457                                                                          | VFA | (Very Fine) | 10000 60608                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>13 x 520</b>                                                                   | CA  | (Coarse)    | 10000 60622                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 520                                                                          | MA  | (Medium)    | 10000 60626                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 520                                                                          | VFA | (Very Fine) | 10000 60630                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>13 x 533</b>                                                                   | CA  | (Coarse)    | 10000 60623                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 533                                                                          | MA  | (Medium)    | 10000 60627                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 533                                                                          | VFA | (Very Fine) | 10000 60631                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>13 x 610</b>                                                                   | CA  | (Coarse)    | 10000 60601                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 610                                                                          | MA  | (Medium)    | 10000 60605                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 13 x 610                                                                          | VFA | (Very Fine) | 10000 60609                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>20 x 480</b>                                                                   | CA  | (Coarse)    | 10000 60610                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 480                                                                          | MA  | (Medium)    | 10000 60614                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 480                                                                          | VFA | (Very Fine) | 10000 60618                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>20 x 520</b>                                                                   | CA  | (Coarse)    | 10000 60602                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 520                                                                          | MA  | (Medium)    | 10000 60606                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 520                                                                          | VFA | (Very Fine) | 10000 60634                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>20 x 815</b>                                                                   | CA  | (Coarse)    | 10000 60611                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 815                                                                          | MA  | (Medium)    | 10000 60615                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 20 x 815                                                                          | VFA | (Very Fine) | 10000 60619                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>30 x 533</b>                                                                   | CA  | (Coarse)    | 10000 60603                                                                       | stock                                                                               | 10                                                                                  |
| SCM-N | 30 x 533                                                                          | MA  | (Medium)    | 10000 60607                                                                       | stock                                                                               | 10                                                                                  |
| SCM-N | 30 x 533                                                                          | VFA | (Very Fine) | 10000 60635                                                                       | stock                                                                               | 10                                                                                  |
| SCM-N | <b>40 x 618</b>                                                                   | CA  | (Coarse)    | 10000 60624                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 40 x 618                                                                          | MA  | (Medium)    | 10000 60628                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 40 x 618                                                                          | VFA | (Very Fine) | 10000 60632                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | <b>40 x 815</b>                                                                   | CA  | (Coarse)    | 10000 60612                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 40 x 815                                                                          | MA  | (Medium)    | 10000 60616                                                                       | W4                                                                                  | 10                                                                                  |
| SCM-N | 40 x 815                                                                          | VFA | (Very Fine) | 10000 60620                                                                       | W4                                                                                  | 10                                                                                  |



## SAIT-FOAM 1 SIDE COATED

Abrasive on high-density soft synthetic sponge. Workings and finishing before painting profiles, edges and shaped pieces. Dry and wet use.

### APPLICATIONS

- PAINTS
- FILLERS
- WOOD
- PLASTIC MATERIALS

|           |  |     |     |  |  |  |
|-----------|-----------------------------------------------------------------------------------|-----|-----|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT-FOAM | <b>115 x 140 x 5</b>                                                              | MA  | 60  | 10000 92904                                                                       | stock                                                                              | 40                                                                                  |
| SAIT-FOAM | 115 x 140 x 5                                                                     | FA  | 120 | 10000 92905                                                                       | stock                                                                              | 40                                                                                  |
| SAIT-FOAM | 115 x 140 x 5                                                                     | SFA | 220 | 10000 92906                                                                       | stock                                                                              | 40                                                                                  |
| SAIT-FOAM | 115 x 140 x 5                                                                     | UFA | 400 | 10000 92907                                                                       | stock                                                                              | 40                                                                                  |
| SAIT-FOAM | 115 x 140 x 5                                                                     | MFA | 600 | 10000 92908                                                                       | stock                                                                              | 40                                                                                  |




## SAIT-FOAM 2 SIDES COATED

Silicon carbide abrasive on low density soft sponge. For finishing hand operations on profiles, edges and shaped workpieces.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

|           |  |    |     |  |  |  |
|-----------|-------------------------------------------------------------------------------------|----|-----|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAIT-FOAM | <b>120 x 98 x 13</b>                                                                | CC | 60  | 10000 92900                                                                         | stock                                                                                | 60                                                                                    |
| SAIT-FOAM | 120 x 98 x 13                                                                       | MC | 100 | 10000 92901                                                                         | stock                                                                                | 60                                                                                    |
| SAIT-FOAM | 120 x 98 x 13                                                                       | FC | 180 | 10000 92902                                                                         | stock                                                                                | 60                                                                                    |



## SAIT-FOAM 2 SIDES COATED

Aluminium oxide abrasive on high density soft sponge. For finishing hand operations on profiles, edges and shaped workpieces.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

|           |  |     |                   |  |  |  |
|-----------|-----------------------------------------------------------------------------------|-----|-------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT-FOAM | <b>120 x 98 x 13</b>                                                              | FA  | 400 (Fine)        | 10000 92903                                                                       | stock                                                                               | 40                                                                                  |
| SAIT-FOAM | 120 x 98 x 13                                                                     | SFA | 800 (Super Fine)  | 10000 92909                                                                       | stock                                                                               | 40                                                                                  |
| SAIT-FOAM | 120 x 98 x 13                                                                     | MFA | 1200 (Micro Fine) | 10000 92910                                                                       | stock                                                                               | 40                                                                                  |

# SAIT-BLOCK

Abrasive aluminium oxide blocks

## SAIT-BLOCK 4 SIDES COATED

Aluminium oxide abrasive on synthetic sponge. Hand rough shaping and finishing operations for easy access to 90° angles, profiles, edges and shaped workpieces. Low risk of clogging.

### APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

|            |  |     |     |  |  |  |
|------------|-------------------------------------------------------------------------------------|-----|-----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAIT-BLOCK | <b>100 x 70 x 26</b>                                                                | CA  | 36  | 10000 92800                                                                         | stock                                                                                 | 50                                                                                    |
| SAIT-BLOCK | 100 x 70 x 26                                                                       | MA  | 60  | 10000 92801                                                                         | stock                                                                                 | 50                                                                                    |
| SAIT-BLOCK | 100 x 70 x 26                                                                       | FA  | 100 | 10000 92802                                                                         | stock                                                                                 | 50                                                                                    |
| SAIT-BLOCK | 100 x 70 x 26                                                                       | SFA | 150 | 10000 92804                                                                         | stock                                                                                 | 50                                                                                    |
| SAIT-BLOCK | 100 x 70 x 26                                                                       | VFA | 180 | 10000 92803                                                                         | stock                                                                                 | 50                                                                                    |
| SAIT-BLOCK | 100 x 70 x 26                                                                       | UFA | 220 | 10000 92805                                                                         | stock                                                                                 | 50                                                                                    |

|            |  |     |     |  |  |  |
|------------|-------------------------------------------------------------------------------------|-----|-----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAIT-BLOCK | <b>115 x 88 x 26</b>                                                                | MA  | 60  | 10000 92806                                                                         | stock                                                                                 | 40                                                                                    |
| SAIT-BLOCK | 115 x 88 x 26                                                                       | FA  | 100 | 10000 92807                                                                         | stock                                                                                 | 40                                                                                    |
| SAIT-BLOCK | 115 x 88 x 26                                                                       | SFA | 150 | 10000 92808                                                                         | stock                                                                                 | 40                                                                                    |
| SAIT-BLOCK | 115 x 88 x 26                                                                       | VFA | 180 | 10000 92809                                                                         | stock                                                                                 | 40                                                                                    |



**DIAMOND TOOLS**







# Diamond tools

## Contents



Technical information.

257

### TURBO



Diamond cutting blades.

|             |       |     |
|-------------|-------|-----|
| SAITDIAM-TU | TREDI | 259 |
| SAITDIAM-TU | CP    | 259 |
| SAITDIAM-TU | CV    | 260 |
| SAITDIAM-TU | CC    | 260 |
| SAITDIAM-TU | CU    | 260 |

### CONTINUOUS RIM



Diamond cutting blades.

|             |    |     |
|-------------|----|-----|
| SAITDIAM-CT | JV | 262 |
| SAITDIAM-CT | GR | 262 |
| SAITDIAM-CT | JR | 262 |
| SAITDIAM-CT | QZ | 263 |
| SAITDIAM-CT | CR | 263 |
| SAITDIAM-CT | CS | 263 |

### LASER



Diamond cutting blades.

|             |       |     |
|-------------|-------|-----|
| SAITDIAM-LA | TREDI | 265 |
| SAITDIAM-LA | GT    | 265 |
| SAITDIAM-LA | LP    | 266 |
| SAITDIAM-LA | LV    | 266 |
| SAITDIAM-LA | LS    | 266 |
| SAITDIAM-LA | LU    | 267 |

### SINTERED SEGMENTS



Diamond cutting blades.

|             |    |     |
|-------------|----|-----|
| SAITDIAM-SE | SE | 267 |
|-------------|----|-----|

### SPECIALIST BLADES



Diamond cutting blades.

|             |    |     |
|-------------|----|-----|
| SAITDIAM-EB | ED | 268 |
| SAITDIAM-EB | UN | 269 |
| SAITDIAM-EB | VR | 269 |
| SAITDIAM-EB | GH | 270 |

### Ø mm 300 - 350 - 400 / LASER



Diamond cutting blades.

|             |    |     |
|-------------|----|-----|
| SAITDIAM-LA | AS | 271 |
| SAITDIAM-LA | GC | 271 |
| SAITDIAM-LA | PR | 272 |
| SAITDIAM-LA | SD | 272 |

### CUP WHEELS



Diamond cup wheels for dressing.

|             |  |     |
|-------------|--|-----|
| SAITDIAM-TA |  | 273 |
|-------------|--|-----|

### DRILLS



Diamond utensils for dry drilling.

|            |  |     |
|------------|--|-----|
| SAIT QUICK |  | 274 |
|------------|--|-----|

### HOOK & LOOP DISCS



Hook & loop diamond discs.

|                |        |     |
|----------------|--------|-----|
| SAITDIAM D-VEL | 100 D  | 277 |
| SAITDIAM D-VEL | 100 SD | 277 |
| SAITDIAM D-VEL | 100 W  | 278 |
| SAITDIAM PAD   |        | 278 |
| STARTER KIT    |        | 279 |
| 4 STEP KIT     |        | 280 |

### PLANET<sup>LINE</sup>



Diamond cutting blades.

|             |    |     |
|-------------|----|-----|
| PLANET-DIAM | BU | 281 |
| PLANET-DIAM | BC | 281 |
| PLANET-DIAM | BS | 281 |

VEL: with hook & loop velour





## Diamond tools

The SAITDIAM range of diamond tools consists of many families, each developed for very specific uses, in order to offer a valid support in the processing of modern construction.



### TOP

For professionals who are looking for maximum performance, even in the most demanding operations.



### SPECIAL

Products for special applications.



### PREMIUM

Excellent quality and performance for all professional uses.



### PLANET-DIAM

For general use in the building industry.



### UNIVERSAL

Quality, reliability and cost-efficiency for universal use.

### How to read the product



### Product lines

**SAITDIAM**  
**SAIT QUICK**


Diamond blade / Diamond wheel  
Diamond drill

**PLANET-DIAM** Diamond blade


### Types

**TU** Turbo  
**CT** Continuous rim  
**LA** Laser


**EB** Electroplated/brazed  
**TA** Cup  
**D-VEL** Hook & loop



Turbo



Continuous rim



Laser


### Safety standards prescribe:

- not to exceed, for any reason, the maximum speed indicated for every type of disc;
- not to use a diamond blade for grinding operations;
- a correct storage of the diamond blade in rooms with temperatures between 15°C and 30°C and relative humidity between 45% and 75%;
- to check the diamond blade before mounting it, to detect possible damages caused by handling and transport;
- a correct mounting of the diamond blade using suitable flanges;
- the use of the prescribed guards;
- the use of dust exhausters;
- not to use the disc prescribed for fixed machines with portable machines.

**Diamond blades improperly stored, used, mounted or damaged, are dangerous and can cause serious injuries to any person in the surroundings.**

**Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection.**

**The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.**



| MATERIAL                           | PRODUCTS     |              |              |              |              |
|------------------------------------|--------------|--------------|--------------|--------------|--------------|
|                                    | TREDI        | CP           | CV           | CC           | CU           |
| Concrete                           | Excellent    | Excellent    | Optimum      | Optimum      | Optimum      |
| Low density concrete (reinforced)  | Optimum      | Optimum      | Possible use | Optimum      | Possible use |
| High density concrete (reinforced) | Possible use | Possible use |              | Optimum      |              |
| Hard Granite and Porphyry          | Optimum      | Optimum      | Optimum      | Optimum      |              |
| Granite and Serizzo                | Optimum      | Optimum      | Optimum      | Optimum      | Possible use |
| Travertine                         | Optimum      | Optimum      | Optimum      | Optimum      | Possible use |
| Sandstone                          | Optimum      | Optimum      | Optimum      | Optimum      | Optimum      |
| Slate and Serpentes                | Optimum      | Optimum      | Optimum      | Optimum      | Optimum      |
| Ceramic - Tiles                    | Possible use |              | Optimum      | Possible use | Possible use |
| Glazed ceramic                     |              |              | Optimum      |              |              |
| Porcelain stoneware                | Possible use | Possible use | Optimum      | Possible use | Possible use |
| Klinker                            | Optimum      | Optimum      | Optimum      | Possible use | Possible use |
| Building material and Bricks       | Optimum      | Optimum      | Optimum      | Optimum      | Optimum      |

Excellent  
 Optimum  
 Possible use

# SAITDIAM-TU

## Diamond cutting blades - TURBO




### TREDI TOP

GRANITO / GRANITE / GRANIT  
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ  
PIETRE DURE / HARD STONE / PIERRE DURE

Professional turbo diamond blade TOP level manufactured using a patented technology that ensures a well defined three-dimensional position of the diamonds within the cutting edge. The three-dimensional and controlled disposition of the diamonds allows to achieve:

- excellent cutting speed and cutting capacity
- excellent life and cutting consistency on all construction materials and maximum performance in cutting difficult to cut materials such as very hard stones and granites.



|             |    |  | <br>(MM) |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-TU | TD | 115 x 2,4 x 22,23                                                                 | 10                                                                                        | 10000 97161                                                                       | stock                                                                             |  | 13.300                                                                              | 1 (1x1)                                                                             |
| SAITDIAM-TU | TD | 125 x 2,4 x 22,23                                                                 | 10                                                                                        | 10000 97162                                                                       | stock                                                                             |  | 12.250                                                                              | 1 (1x1)                                                                             |
| SAITDIAM-TU | TD | 230 x 3,2 x 22,23                                                                 | 10                                                                                        | 10000 97163                                                                       | stock                                                                             |  | 6.650                                                                               | 1 (1x1)                                                                             |



### CP PREMIUM

GRANITO / GRANITE / GRANIT  
CALCESTRUZZO / CONCRETE / BÉTON

Professional turbo diamond blade PREMIUM level for cutting of granites, porphyry, hard stones and concrete. Fast cutting and long life blade.

|             |    |  | <br>(MM) |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-TU | CP | 115 x 2,2 x 22,23                                                                   | 7,5                                                                                         | 10000 89003                                                                         | stock                                                                               |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CP | 125 x 2,2 x 22,23                                                                   | 7,5                                                                                         | 10000 89002                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CP | 180 x 2,5 x 22,23                                                                   | 7,5                                                                                         | 10000 89000                                                                         | W4                                                                                  |  | 8.500                                                                                 | 2 (2x1)                                                                               |
| SAITDIAM-TU | CP | 230 x 2,5 x 22,23                                                                   | 7,5                                                                                         | 10000 89001                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |

# SAITDIAM-TU

Diamond cutting blades - **TURBO**



## CV PREMIUM

**GRES PORCELLANATO / PORCELAIN STONEWARE / GRÈS CÉRAM**  
**GRANITO / GRANITE / GRANIT**

Professional turbo diamond blade, PREMIUM level, for fast and clean cutting of porcelain stoneware,klinker, tiles and stones of different hardness. Two metal flanges are welded on the blade to reduce vibrations and noise.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-TU | CV | 85 x 1,2 x 22,23                                                                  | 7,5                                                                               | 10000 97168                                                                       | stock                                                                              |  | 18.000                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-TU | CV | 115 x 1,4 x 22,23                                                                 | 10                                                                                | 10000 97550                                                                       | stock                                                                              |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-TU | CV | 125 x 1,4 x 22,23                                                                 | 10                                                                                | 10000 97160                                                                       | stock                                                                              |  | 12.250                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-TU | CV | 230 x 2,0 x 22,23                                                                 | 7,5                                                                               | 10000 97167                                                                       | stock                                                                              |  | 6.650                                                                               | 1 (1x1)                                                                             |



## CC PREMIUM

**PIETRE DURE / HARD STONE / PIERRE DURE**  
**CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ**  
**GRANITO / GRANITE / GRANIT**

Professional turbo diamond blade, PREMIUM level, for fast cutting of low and high density reinforced concrete, stones also very hard and granites. Optimum cutting performance and long life blade.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-TU | CC | 115 x 2,0 x 22,23                                                                   | 7,5                                                                                 | 10000 97004                                                                         | stock                                                                                |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CC | 125 x 2,0 x 22,23                                                                   | 7,5                                                                                 | 10000 97311                                                                         | stock                                                                                |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CC | 230 x 2,5 x 22,23                                                                   | 7,5                                                                                 | 10000 97300                                                                         | stock                                                                                |  | 6.650                                                                                 | 1 (1x1)                                                                               |



## CU UNIVERSAL


**EDILIZIA / BUILDING MATERIALS / MATÉRIAUX**

Professional turbo diamond blade, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-TU | CU | 115 x 2,0 x 22,23                                                                   | 7                                                                                   | 10000 89500                                                                         | stock                                                                                |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CU | 125 x 2,0 x 22,23                                                                   | 7                                                                                   | 10000 89501                                                                         | stock                                                                                |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-TU | CU | 230 x 2,6 x 22,23                                                                   | 7                                                                                   | 10000 89503                                                                         | stock                                                                                |  | 6.650                                                                                 | 1 (1x1)                                                                               |

# SAITDIAM-CT

## Diamond cutting blades - **CONTINUOUS RIM**




| MATERIAL                    | PRODUCTS                   |           |           |           |           |           |
|-----------------------------|----------------------------|-----------|-----------|-----------|-----------|-----------|
|                             | JV<br><i>VELOCE</i><br>DRY | GR<br>DRY | JR<br>DRY | QZ<br>DRY | CR<br>DRY | CS<br>DRY |
| Ceramic - Tiles             | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Glazed ceramic              | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Klinker                     | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Stoneware                   | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Porcelain stoneware < 10 mm | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Porcelain stoneware > 10 mm | Excellent                  | Excellent | Excellent |           | Excellent | Excellent |
| Engineered stone            |                            |           |           | Excellent |           |           |

Excellent  
 Optimum  
 Possible use

# SAITDIAM-CT

## Diamond cutting blades - CONTINUOUS RIM



GRES / STONEWARE / GRÈS  
CERAMICA / CERAMIC / CÉRAMIQUE

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of stoneware, porcelain stoneware and ceramics. Rim with innovative geometry and profile to enhance performance.

| SAITDIAM-CT | JV | 115 x 1,2 x 22,23 | 10 | 10000 97500 | stock |  | 13.300 | 3 (3x1) |
|-------------|----|-------------------|----|-------------|-------|--|--------|---------|
| SAITDIAM-CT | JV | 125 x 1,2 x 22,23 | 10 | 10000 97515 | stock |  | 12.250 | 3 (3x1) |



CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILLÉE  
GRES / STONEWARE / GRÈS

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of ceramics, porcelain glazed stoneware and klinker. Excellent cutting performance and long life.

| SAITDIAM-CT | GR | 230 x 2,0 x 22,23 | 10 | 10000 97512 | stock |  | 6.650 | 1 (1x1) |
|-------------|----|-------------------|----|-------------|-------|--|-------|---------|



CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILLÉE  
GRES / STONEWARE / GRÈS

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of stoneware, porcelain stoneware and ceramics.

| SAITDIAM-CT | JR | 115 x 1,6 x 22,23 | 7,5 | 10000 97516 | stock |  | 13.300 | 3 (3x1) |
|-------------|----|-------------------|-----|-------------|-------|--|--------|---------|
| SAITDIAM-CT | JR | 125 x 1,6 x 22,23 | 7,5 | 10000 97517 | stock |  | 12.250 | 3 (3x1) |

# SAITDIAM-CT

## Diamond cutting blades - CONTINUOUS RIM



**QZ TOP**  

**AGGLOMERATO  
ENGINEERED STONE**

Professional diamond blade with continuous rim, TOP level, for extremely fast and chip-free cutting of marble agglomerate and stones. Disc with excellent performance, the special formulation allows the disc to cut agglomerate without clogging.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-CT | QZ | 115 x 1,1 x 22,23                                                                 | 7,5                                                                               | 10000 97519                                                                       | stock                                                                             |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-CT | QZ | 125 x 1,1 x 22,23                                                                 | 7,5                                                                               | 10000 97520                                                                       | stock                                                                             |  | 12.250                                                                              | 3 (3x1)                                                                             |



**CR PREMIUM** 

**CERAMICA / CERAMIC / CÉRAMIQUE  
GRES / STONEWARE / GRÈS**

Professional diamond blade with continuous rim, PREMIUM level, for extremely accurate cutting without chipping of glazed ceramic, tiles and stoneware.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-CT | CR | 115 x 1,6 x 22,23                                                                   | 7                                                                                   | 10000 97501                                                                         | stock                                                                               |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-CT | CR | 125 x 1,6 x 22,23                                                                   | 7                                                                                   | 10000 97504                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-CT | CR | 180 x 2,0 x 22,23                                                                   | 7,5                                                                                 | 10000 97505                                                                         | W4                                                                                  |  | 8.500                                                                                 | 2 (2x1)                                                                               |
| SAITDIAM-CT | CR | 200 x 2,0 x 25,4                                                                    | 7,5                                                                                 | 10000 97508                                                                         | stock                                                                               |  | 7.650                                                                                 | 1 (1x1)                                                                               |
| SAITDIAM-CT | CR | 230 x 2,0 x 22,23                                                                   | 7,5                                                                                 | 10000 97507                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |




**CS PREMIUM** 

**CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILLÉE  
GRES / STONEWARE / GRÈS**

Professional thin diamond blade with continuous rim, PREMIUM level, for extremely precise and chip-free cutting of glazed and fragile ceramics.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-CT | CS | 115 x 1,2 x 22,23                                                                   | 7,5                                                                                 | 10000 97050                                                                         | stock                                                                               |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-CT | CS | 125 x 1,2 x 22,23                                                                   | 7,5                                                                                 | 10000 97513                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |




| MATERIAL                           | PRODUCTS |             |       |       |       |                   |
|------------------------------------|----------|-------------|-------|-------|-------|-------------------|
|                                    | TREDI    | GT          | LP    | LV    | LU    | SE                |
|                                    | LASER    | TURBO LASER | LASER | LASER | LASER | SINTERED SEGMENTS |
| Concrete                           | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦♦   | ♦♦    | ♦♦                |
| Low density concrete (reinforced)  | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦♦   | ♦     | ♦                 |
| High density concrete (reinforced) | ♦♦♦      | ♦♦♦         | ♦♦    | ♦♦    |       |                   |
| Hard Granite and Porphyry          | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦     |       |                   |
| Granite and Serizzo                | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦    | ♦     |                   |
| Travertine                         | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦    | ♦♦    | ♦                 |
| Sandstone                          | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦♦   | ♦♦    | ♦♦                |
| Slate and Serpentes                | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦♦   | ♦♦    | ♦♦                |
| Unglazed ceramic                   | ♦        | ♦           |       | ♦     | ♦     | ♦                 |
| Porcelain stoneware                | ♦♦       | ♦♦          | ♦     | ♦     | ♦     |                   |
| Klinker                            | ♦♦       | ♦♦          | ♦     | ♦     | ♦     | ♦                 |
| Building material and Bricks       | ♦♦♦      | ♦♦♦         | ♦♦♦   | ♦♦♦   | ♦♦♦   | ♦♦♦               |

♦♦♦ Excellent  
 ♦♦ Optimum  
 ♦ Possible use

# SAITDIAM-LA

## Diamond cutting blades - LASER



### TREDI TOP


GRANITO DURO / HARD GRANITE / GRANIT DUR  
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ  
PIETRE DURE / HARD STONE / PIERRE DURE

Professional diamond blade with laser welded segments, TOP level, manufactured using a patented technology that ensures a well defined three-dimensional position of the diamonds within the cutting edge. The three-dimensional and controlled disposition of the diamonds allows to achieve:


- excellent cutting speed and cutting capacity
- excellent life and cutting consistency

on all construction materials and maximum performance in cutting difficult to cut materials such as:

- very hard stones and granites
- high density reinforced concrete.



|             |    |  |  (MM) |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-LA | TD | 115 x 2,2 x 22,23                                                                 | 10                                                                                     | 10000 89110                                                                       | stock                                                                             |  | 13.300                                                                              | 1 (1x1)                                                                             |
| SAITDIAM-LA | TD | 125 x 2,2 x 22,23                                                                 | 10                                                                                     | 10000 89111                                                                       | stock                                                                             |  | 12.250                                                                              | 1 (1x1)                                                                             |
| SAITDIAM-LA | TD | 230 x 2,4 x 22,23                                                                 | 10                                                                                     | 10000 89113                                                                       | stock                                                                             |  | 6.650                                                                               | 1 (1x1)                                                                             |



### GT TOP

GRANITO / GRANITE / GRANIT  
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ  
PORFIDO / PORPHYRY / PORPHYRE

Professional diamond blade with laser welded turbo segments, TOP level, for aggressive and fast cutting of high density reinforced concrete, granites and very hard stones. Excellent performance and long life blade.

|             |    |  |  (MM) |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-LA | GT | 230 x 2,4 x 22,23                                                                   | 10                                                                                       | 10000 89400                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |

# SAITDIAM-LA

## Diamond cutting blades - LASER



### LP PREMIUM

GRANITO / GRANITE / GRANIT  
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ

Professional diamond blade with laser welded segments, PREMIUM level, for cutting of granites, porphyry, hard stones and low density reinforced concrete. Long life blade.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-LA | LP | 115 x 2,2 x 22,23                                                                 | 7,5                                                                               | 10000 97252                                                                       | stock                                                                             |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-LA | LP | 125 x 2,2 x 22,23                                                                 | 7,5                                                                               | 10000 97253                                                                       | stock                                                                             |  | 12.250                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-LA | LP | 230 x 2,4 x 22,23                                                                 | 7,5                                                                               | 10000 97251                                                                       | stock                                                                             |  | 6.650                                                                               | 1 (1x1)                                                                             |



### LV PREMIUM

PIETRE DURE / HARD STONE / PIERRE DURE  
CALCESTRUZZO / CONCRETE / BÉTON  
GRANITO / GRANIT / GRANITE

Professional diamond blade with laser welded segments, PREMIUM level, for cutting of building materials and stones of different hardness. Fast cutting blade.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-LA | LV | 115 x 2,2 x 22,23                                                                   | 7                                                                                   | 10000 89100                                                                         | stock                                                                               |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-LA | LV | 125 x 2,2 x 22,23                                                                   | 7                                                                                   | 10000 89109                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-LA | LV | 230 x 2,4 x 22,23                                                                   | 7                                                                                   | 10000 89102                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |



### LS

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments for cutting grooves in building materials.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-LA | LS | 150 x 2,4 x 22,23                                                                   | 10                                                                                  | 10000 89600                                                                         | stock                                                                               |  | 10.500                                                                                | 2 (2x1)                                                                               |

# SAITDIAM-LA

## Diamond cutting blades - LASER



**LU UNIVERSAL** 

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-LA | LU | 115 x 2,2 x 22,23                                                                 | 7                                                                                 | 10000 97400                                                                       | stock                                                                             |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-LA | LU | 125 x 2,2 x 22,23                                                                 | 7                                                                                 | 10000 97401                                                                       | stock                                                                             |  | 12.250                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-LA | LU | 230 x 2,4 x 22,23                                                                 | 7                                                                                 | 10000 97403                                                                       | stock                                                                             |  | 6.650                                                                               | 1 (1x1)                                                                             |

# SAITDIAM-SE

## Diamond cutting blades - SINTERED SEGMENTS



**SE UNIVERSAL** 

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional blade with sintered segments, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-SE | SE | 115 x 1,6 x 22,23                                                                   | 7                                                                                   | 10000 97451                                                                         | stock                                                                               |  | 13.300                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-SE | SE | 125 x 1,6 x 22,23                                                                   | 7                                                                                   | 10000 97452                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-SE | SE | 230 x 2,3 x 22,23                                                                   | 7,5                                                                                 | 10000 97454                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |

# SAITDIAM-EB

## Diamond cutting blades - SPECIALIST BLADES



Electroplated blades for dry cutting of marbles.

MARMO / MARBLE / MARBRE

|             |    |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-EB | ED | 115 x 2,2 x 22,23                                                                 | 10000 92499                                                                       | stock                                                                             |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-EB | ED | 115 x 2,2 - M 14 F*                                                               | 10000 92505                                                                       | stock                                                                             |  | 13.300                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-EB | ED | 125 x 2,2 x 22,23                                                                 | 10000 92500                                                                       | stock                                                                             |  | 12.250                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-EB | ED | 125 x 2,2 - M 14 F*                                                               | 10000 92506                                                                       | stock                                                                             |  | 12.250                                                                              | 3 (3x1)                                                                             |
| SAITDIAM-EB | ED | 180 x 2,8 x 22,23                                                                 | 10000 92501                                                                       | stock                                                                             |  | 8.500                                                                               | 2 (2x1)                                                                             |
| SAITDIAM-EB | ED | 230 x 2,8 x 22,23                                                                 | 10000 92502                                                                       | stock                                                                             |  | 6.650                                                                               | 1 (1x1)                                                                             |

\* F = with flange



MARMO / MARBLE / MARBRE



Electroplated blades for dry cutting and light grinding of marbles.

|             |      |  |  |  |  |  |  |
|-------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-EB | ED C | 125 x 2,2 - M 14 F*                                                                 | 10000 92509                                                                         | stock                                                                               |  | 12.250                                                                                | 3 (3x1)                                                                               |
| SAITDIAM-EB | ED C | 230 x 2,8 x 22,23                                                                   | 10000 92510                                                                         | stock                                                                               |  | 6.650                                                                                 | 1 (1x1)                                                                               |

\* F = with flange

# SAITDIAM-EB

## Diamond cutting blades - SPECIALIST BLADES



PIETRA / STONE / PIERRE

Diamond blade with patented technology teeth, special for cutting of all ceramics and stone materials. **Product suitable for non intensive workings.**

| SAITDIAM-EB | UN | 115 x 2,2 x 22,23 | 10000 89550 | stock |  | 13.300 | 1 (1x1) |
|-------------|----|-------------------|-------------|-------|--|--------|---------|
| SAITDIAM-EB | UN | 230 x 2,8 x 22,23 | 10000 89551 | stock |  | 6.650  | 1 (1x1) |



VETRORESINA / FIBER GLASS / FIBRE DE VERRE

Professional diamond blade with patented technology teeth, special for cutting fibreglass and composite materials. Very accurate finish without chippings.

| SAITDIAM-EB | VR | 115 x 1,4 x 22,23 | 10000 97200 | stock |  | 13.300 | 1 (1x1) |
|-------------|----|-------------------|-------------|-------|--|--------|---------|

# SAITDIAM-EB

## Diamond cutting blades - SPECIALIST BLADES



GHISA / CAST IRON / FONTE

Professional diamond blade with patented technology teeth, special for dry cutting of cast irons. Very accurate finish without chippings.

|             |    |                   |             |       |  |       |         |
|-------------|----|-------------------|-------------|-------|--|-------|---------|
|             |    |                   |             |       |  |       |         |
| SAITDIAM-EB | GH | 230 x 3,4 x 22,23 | 10000 92508 | stock |  | 6.650 | 1 (1x1) |



GHISA / CAST IRON / FONTE

Professional blade, designed for cutting and grinding exclusively cast iron. Thanks to the advanced vacuum-brazed diamond technology, it represents a modern and efficient technological solution for cutting cast iron, including foundry sprues. Suitable for working only on cast iron, it guarantees excellent results in terms of durability and speed. It is not suitable for stone materials, steel or other metals. The disc is designed to fit on conventional angle grinders. The depressed centre shape makes the disc more rigid and prevents the nut from touching the workpiece.

|             |    |                   |             |       |  |       |         |
|-------------|----|-------------------|-------------|-------|--|-------|---------|
|             |    |                   |             |       |  |       |         |
| SAITDIAM-EB | GH | 230 x 3,7 x 22,23 | 10000 92511 | stock |  | 6.650 | 1 (1x1) |

# SAITDIAM-LA

Diamond cutting blades - Ø mm 300-350-400 / LASER



**ASFALTO / ASPHALT / ASPHALTE**

Professional diamond blade with laser welded segments, PREMIUM level, for wet cutting of asphalt. Blade with anti-wear segment for the metal core (protection tip) and pin-hole.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-LA | AS | 300 x 2,8 x 25,4                                                                  | 8                                                                                 | 10000 92599                                                                       | stock                                                                             |  | 4.050                                                                               | 1 (1x1)                                                                             |
| SAITDIAM-LA | AS | 350 x 3,2 x 25,4                                                                  | 8                                                                                 | 10000 92600                                                                       | stock                                                                             |  | 3.450                                                                               | 1 (1x1)                                                                             |
| SAITDIAM-LA | AS | 400 x 3,6 x 25,4                                                                  | 8                                                                                 | 10000 92601                                                                       | stock                                                                             |  | 3.050                                                                               | 1 (1x1)                                                                             |



**TAGLIO GIUNTI / JOINT CUTTER / COUPE DE JOINTES  
CEMENTO FRESCO / GREEN CONCRETE / BÉTON FRAIS**

Professional diamond blade with laser welded segments, PREMIUM level, for wet cutting of joints in green concrete. Blade with anti-wear segment for the metal core (protection tip) and pin-hole.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-LA | GC | 300 x 2,8 x 25,4                                                                    | 8                                                                                   | 10000 92699                                                                         | stock                                                                               |  | 4.050                                                                                 | 1 (1x1)                                                                               |
| SAITDIAM-LA | GC | 350 x 2,8 x 25,4                                                                    | 8,5                                                                                 | 10000 92700                                                                         | stock                                                                               |  | 3.450                                                                                 | 1 (1x1)                                                                               |



# SAITDIAM-LA

Diamond cutting blades - Ø mm 300-350-400 / LASER



PIETRA / STONE / PIERRE  
EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments, PREMIUM level, for dry and wet cutting of granites, concrete and building materials. Fast cut and long life blade.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAITDIAM-LA | PR | 300 x 2,8 x 25,4                                                                  | 8                                                                                 | 10000 89204                                                                       | stock                                                                             |  | 5.100                                                                               | 1 (1x1)                                                                             |
| SAITDIAM-LA | PR | 350 x 3,2 x 25,4                                                                  | 8                                                                                 | 10000 89205                                                                       | stock                                                                             |  | 4.400                                                                               | 1 (1x1)                                                                             |



PIETRA / STONE / PIERRE  
EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments, GENERAL purpose (UNIVERSAL), for dry and wet cutting of granites, concrete and building materials. Fast cutting blade.

|             |    |  |  |  |  |  |  |  |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SAITDIAM-LA | SD | 300 x 2,8 x 25,4                                                                    | 7                                                                                   | 10000 89254                                                                         | stock                                                                               |  | 5.100                                                                                 | 1 (1x1)                                                                               |
| SAITDIAM-LA | SD | 350 x 3,2 x 25,4                                                                    | 7                                                                                   | 10000 89255                                                                         | stock                                                                               |  | 4.400                                                                                 | 1 (1x1)                                                                               |



# SAITDIAM-TA

## Diamond cup wheels for dressing



MARMO / MARBLE / MARBRE  
GRANITO / GRANITE / GRANIT

Diamond cup wheel for dressing of marbles and granits. Dry and wet use. Suggested working speed: 3.000-4.000 1/min.

| <b>PR</b> |  | <b>PREMIUM</b><br>Turbo rim             | Ø 100 - M 14 | 10000 89700 | stock | 6.000 | 3.000-4.000 | 1 (1x1) |
|-----------|--|-----------------------------------------|--------------|-------------|-------|-------|-------------|---------|
| <b>AL</b> |  | <b>PREMIUM</b><br>LEGGERA<br>Turbo rim  | Ø 100 - M 14 | 10000 89702 | stock | 6.000 | 3.000-4.000 | 1 (1x1) |
| <b>GP</b> |  | <b>GENERAL PURPOSE</b><br>Segmented rim | Ø 100 - M 14 | 10000 89703 | stock | 6.000 | 3.000-4.000 | 1 (1x1) |



EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Diamond cup wheel, GENERAL purpose (UNIVERSAL), for dressing of bricks and building materials. Dry and wet use.  
Maximum speed 12.250 1/min.

| <b>PR</b> |  | <b>PREMIUM</b><br>Segmented rim         | Ø 125 x 22,23 | 10000 89704 | stock | 12.250 | 1 (1x1) |
|-----------|--|-----------------------------------------|---------------|-------------|-------|--------|---------|
| <b>GP</b> |  | <b>GENERAL PURPOSE</b><br>Segmented rim | Ø 125 x 22,23 | 10000 89705 | stock | 12.250 | 1 (1x1) |

# SAIT QUICK

## Diamond utensils for drilling



### SAIT QUICK TOP



OPTIMUM  
PERFORMANCE



EXCELLENT  
PERFORMANCE

Professional long-lasting diamond drills manufactured using a new technology of vacuum brazing balance for the application of the diamond.

- Suitable for dry use with drill (not percussion).
- Suitable for drilling from diameter 5 mm to diameter 14 mm.
- Supplied in blister, single packaging.

#### APPLICATIONS




- PORCELAIN STONEWARE
- SINGLE-FIRED, DOUBLE-FIRED AND GLASS TILES
- MARBLE
- GRANITE AND NATURAL STONES

|            |    |  |  |  |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT QUICK | TP | Ø 5 mm                                                                            | 10000 97551                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |
| SAIT QUICK | TP | Ø 6 mm                                                                            | 10000 97552                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |
| SAIT QUICK | TP | Ø 8 mm                                                                            | 10000 97553                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |
| SAIT QUICK | TP | Ø 10 mm                                                                           | 10000 97554                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |
| SAIT QUICK | TP | Ø 12 mm                                                                           | 10000 97555                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |
| SAIT QUICK | TP | Ø 14 mm                                                                           | 10000 97556                                                                       | stock                                                                             |  | 1.700                                                                               | 1.500                                                                               |



UNIT OF SALE

Minimum 3 pcs. to be chosen among the above codes.



# SAIT QUICK

Diamond utensils for drilling



## SAIT QUICK UNIVERSAL



EXCELLENT  
PERFORMANCE



OPTIMUM  
PERFORMANCE

SELF LUBRICATING

General purpose diamond drills manufactured using a new technology of vacuum brazing balance for the application of the diamond.

- Suitable for dry use with drill (not percussion).
- Suitable for drilling from diameter 6 mm to diameter 12 mm.
- Supplied in blister, single packaging.

### APPLICATIONS



- SINGLE-FIRED AND DOUBLE-FIRED TILES
- MARBLE AND MARBLE TILES
- PORCELAIN STONEWARE

| SAIT QUICK | UN | Ø 6 mm  | 10000 97557 | stock |  | 1.700 | 1.500 |
|------------|----|---------|-------------|-------|--|-------|-------|
| SAIT QUICK | UN | Ø 8 mm  | 10000 97558 | stock |  | 1.700 | 1.500 |
| SAIT QUICK | UN | Ø 10 mm | 10000 97559 | stock |  | 1.700 | 1.500 |
| SAIT QUICK | UN | Ø 12 mm | 10000 97560 | stock |  | 1.700 | 1.500 |



UNIT OF SALE

Minimum 3 pcs. to be chosen among the above codes.



SAIT QUICK KIT

Kit composition: 1 pc. for type

10000 97561

stock

1 (4 pz.)



## SAIT QUICK **UNIVERSAL**





**M14 CONNECTION**

Drills for professional use, for those who need to drill precise, clean holes without chipping around the perimeter of the hole. Excellent at drilling extremely hard materials and even thick tiles in porcelain stoneware, marble and granite. The M14 connection allows the tool to be mounted directly on angle grinders. High quality diamond is applied to the tough alloy body through braze welding to ensure fast cutting and maximum life. Dry and wet use.

### APPLICATIONS



- PORCELAIN STONEWARE
- SINGLE-FIRED AND DOUBLE-FIRED GLASS TILES
- MARBLE
- GRANITE AND NATURAL STONES

|            |    |  | CONNECTION |  |  |  |  |  |
|------------|----|-----------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SAIT QUICK | UN | Ø 20 mm                                                                           | M14        | 10000 97562                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 25 mm                                                                           | M14        | 10000 97563                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 30 mm                                                                           | M14        | 10000 97564                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 35 mm                                                                           | M14        | 10000 97565                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 40 mm                                                                           | M14        | 10000 97566                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 45 mm                                                                           | M14        | 10000 97569                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 50 mm                                                                           | M14        | 10000 97567                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |
| SAIT QUICK | UN | Ø 60 mm                                                                           | M14        | 10000 97568                                                                       | stock                                                                             |  | 11.000                                                                              | 1 (1x1)                                                                             |




### IMPORTANT GUIDELINES

Start drilling at an angle of 45° and with circular movements, then gradually bring the angle to 90°. Do not force the tool into the cut. If the tool does not cut, it means that it is worn out, even if the size has not changed.



# SAITDIAM D-VEL

Hook & loop diamond discs




## 100 D (DRY)

Hook & loop diamond discs, high performance for granites, marbles, stone. Dry uses. When working on white stone and marble use wet in order to avoid scratch marks. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

| SAITDIAM D-VEL | ø 100 | D | 50   | 10000 89658 | stock |  | 2.000-2.500 | 5 (5x1) |
|----------------|-------|---|------|-------------|-------|--|-------------|---------|
| SAITDIAM D-VEL | ø 100 | D | 100  | 10000 89659 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | 200  | 10000 89660 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | 400  | 10000 89661 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | 800  | 10000 89662 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | 1500 | 10000 89663 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | 3000 | 10000 89664 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | B BU | 10000 89665 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | D | N BU | 10000 89667 | stock |  | 2.000-2.500 | 5 (5x1) |

B BU bright materials  
N BU dark materials



## 100 SD (SUPER DRY)

Hook & loop diamond discs, high performance for white marble and white stone. Dry uses. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

| SAITDIAM D-VEL | ø 100 | SD | 800  | 10000 89670 | stock |  | 2.000-2.500 | 5 (5x1) |
|----------------|-------|----|------|-------------|-------|--|-------------|---------|
| SAITDIAM D-VEL | ø 100 | SD | 1500 | 10000 89669 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | ø 100 | SD | 3000 | 10000 89668 | stock |  | 2.000-2.500 | 5 (5x1) |

### IMPORTANT GUIDELINES

Working on white marbles and white stones, use DRY discs in grits


50 100 200 400

and complete the process with DRY

B BU discs

# SAITDIAM D-VEL

Hook & loop diamond discs



## 100 W (WET)



Hook & loop diamond discs, high performance for granites, marbles, stone. Wet uses. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

| SAITDIAM D-VEL | Ø 100 | W | 50   | 10000 89650 | stock |  | 2.000-2.500 | 5 (5x1) |
|----------------|-------|---|------|-------------|-------|--|-------------|---------|
| SAITDIAM D-VEL | Ø 100 | W | 100  | 10000 89651 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | 200  | 10000 89652 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | 400  | 10000 89653 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | 800  | 10000 89654 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | 1500 | 10000 89655 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | 3000 | 10000 89656 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | B BU | 10000 89657 | stock |  | 2.000-2.500 | 5 (5x1) |
| SAITDIAM D-VEL | Ø 100 | W | N BU | 10000 89666 | stock |  | 2.000-2.500 | 5 (5x1) |

B BU bright materials  
N BU dark materials




## SAITDIAM PAD

|              |       |        | LOCKING NUT |             |       |  |   |
|--------------|-------|--------|-------------|-------------|-------|--|---|
| SAITDIAM PAD | Ø 100 | HARD   | M14         | 10000 99640 | stock |  | 1 |
| SAITDIAM PAD | Ø 100 | MEDIUM | M14         | 10000 99637 | stock |  | 1 |
| SAITDIAM PAD | Ø 100 | SOFT   | M14         | 10000 99641 | stock |  | 1 |

# SAITDIAM D-VEL

Hook & loop diamond discs



## STARTER KIT


Each of the 3 Starter Kit contains the complete range of hook & loop diamond discs.

| KIT COMPOSITION:<br>1 PC. FOR GRIT           |                   |                                                                                                                                           |             |       |  |           |
|----------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------|--|-----------|
|                                              |                   |                                                                                                                                           |             |       |  |           |
| SAITDIAM D-VEL 100 D KIT<br>(KIT DRY)        | D                 | <div>50</div> <div>100</div> <div>200</div> <div>400</div> <div>800</div> <div>1500</div> <div>3000</div> <div>B BU</div> <div>N BU</div> | 10000 89672 | stock |  | 1 (9 pz.) |
|                                              |                   |                                                                                                                                           |             |       |  |           |
| SAITDIAM D-VEL 100 SD KIT<br>(KIT SUPER DRY) | D                 | <div>50</div> <div>100</div> <div>200</div> <div>400</div>                                                                                | 10000 89673 | stock |  | 1 (8 pz.) |
|                                              | +<br>SD<br>+<br>D | <div>800</div> <div>1500</div> <div>3000</div> <div>B BU</div>                                                                            |             |       |  |           |
| SAITDIAM D-VEL 100 W KIT<br>(KIT WET)        | W                 | <div>50</div> <div>100</div> <div>200</div> <div>400</div> <div>800</div> <div>1500</div> <div>3000</div> <div>B BU</div> <div>N BU</div> | 10000 89671 | stock |  | 1 (9 pz.) |



# SAITDIAM D-VEL

Hook & loop diamond discs



## 4 STEP KIT



Kit of hook & loop diamond discs ideal for a polishing cycle of just 4 steps for fast and accurate polishing; this solution greatly simplifies and optimises the working process, leading to an increase in cycle performance.


Aggressive and durable discs, made of composite material with quality diamond powder. Excellent for restoring marble's gloss.

Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

The kit contains 4 hook & loop diamond discs, to achieve excellent results in just few steps, easily and efficiently.

### APPLICATIONS

- GRANITE
- CONCRETE
- MARBLE
- STONE
- TILES



## 4 STEP KIT DRY



High performance for granites, marbles, stone. Dry uses. When working on white stone and marble use wet in order to avoid scratch marks.

KIT COMPOSITION:  
1 PC. PER TYPE



SAITDIAM D-VEL 100 D KIT 4  
(KIT DRY)

D

|   |
|---|
| 0 |
| 1 |
| 2 |
| 3 |

10000 89675

stock

1 (4 pz.)



## 4 STEP KIT WET



High performance for granites, marbles, stone. Wet uses.

KIT COMPOSITION:  
1 PC. PER TYPE



SAITDIAM D-VEL 100 W KIT 4  
(KIT WET)

W

|   |
|---|
| 0 |
| 1 |
| 2 |
| 3 |

10000 89676

stock

1 (4 pz.)



## BU TURBO

### CONTINUOUS RIM. Turbo.

Dry and wet cut.

#### APPLICATIONS

- CONCRETE
- BUILDING MATERIALS
- BRICKS

|             |    |  |  |  |  |  |  |        |
|-------------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|
| PLANET-DIAM | BU | Ø 115 x 1,9 x 22,23                                                               | 10000 89800                                                                       | stock                                                                             |  | 13.300                                                                              | 10                                                                                  | (10x1) |
| PLANET-DIAM | BU | Ø 125 x 1,9 x 22,23                                                               | 10000 89806                                                                       | stock                                                                             |  | 12.250                                                                              | 10                                                                                  | (10x1) |
| PLANET-DIAM | BU | Ø 230 x 2,5 x 22,23                                                               | 10000 89801                                                                       | stock                                                                             |  | 6.650                                                                               | 5                                                                                   | (5x1)  |

MATTONI - LATERIZI / BUILDING MATERIALS  
MATERIAUX / LADRILLOS

## BC TILE

### CONTINUOUS RIM.

Dry and wet cut.

#### APPLICATIONS

- CERAMIC MATERIALS
- TILES

|             |    |  |  |  |  |  |  |        |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
| PLANET-DIAM | BC | Ø 115 x 1,9 x 22,23                                                                 | 10000 89850                                                                         | stock                                                                               |  | 13.300                                                                                | 10                                                                                    | (10x1) |
| PLANET-DIAM | BC | Ø 125 x 1,9 x 22,23                                                                 | 10000 89805                                                                         | stock                                                                               |  | 12.250                                                                                | 10                                                                                    | (10x1) |
| PLANET-DIAM | BC | Ø 230 x 2,3 x 22,23                                                                 | 10000 89802                                                                         | stock                                                                               |  | 6.650                                                                                 | 5                                                                                     | (5x1)  |



PIASTRELLE - CERAMICA  
TILE - CERAMIC

## BS

### SINTERED SEGMENTS.

Dry and wet cut.

#### APPLICATIONS

- CONCRETE
- BUILDING MATERIALS
- BRICKS

|             |    |  |  |  |  |  |  |        |
|-------------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
| PLANET-DIAM | BS | Ø 115 x 1,6 x 22,23                                                                 | 10000 89900                                                                         | stock                                                                               |  | 13.300                                                                                | 10                                                                                    | (10x1) |
| PLANET-DIAM | BS | Ø 230 x 2,5 x 22,23                                                                 | 10000 89901                                                                         | stock                                                                               |  | 6.650                                                                                 | 5                                                                                     | (5x1)  |

MATTONI - LATERIZI / BUILDING MATERIALS  
MATERIAUX / LADRILLOS



## BRUSHES







# Brushes

## Contents



Technical information.

285

### METAL BRUSHES



Cup wire brushes.




**SM-TA**

286



Wheel brushes.



**SM-CR**

287



Bevel wheel brushes.




**SM-CO**

288



Wheel brushes with shank.




**SG-CR**

289



End brushes.




**SG-FR**

290



Brushes with shank for drill.



**SE-TA**

291

**SE-CR**

291

**SE-FR**

291



Hand brushes.



**SM-MU**

292

**SM-MA**

292

### NYLON BRUSHES



Cup brushes.



**SN-TA**

293



Wheel brushes.




**SN-CR**

293



Brushes with shank for drill.



**SN-TA**

294

**SN-CR**

294



Hand brushes.



**SN-MU**

294



# Brushes

SAIT offers a wide range of brushes designed to meet different working requirements, it consists of brushes of different shapes (cup, circular, conical, with shank and for hand use) and are made of different materials (steel, stainless steel and nylon abrasive filaments).

---

|                      |           |                                                                              |
|----------------------|-----------|------------------------------------------------------------------------------|
| <b>Product lines</b> | <b>SM</b> | Metal brushes for angle grinders, fixed machines or for hand use.            |
|                      | <b>SG</b> | Metal brushes with shank for electric or pneumatic tools.                    |
|                      | <b>SE</b> | Metal brushes with shank for drills.                                         |
|                      | <b>SN</b> | Nylon cup brushes for angle grinders, with shank for drills or for hand use. |

---

|               |           |                                 |
|---------------|-----------|---------------------------------|
| <b>Shapes</b> | <b>TA</b> | Cup brush                       |
|               | <b>CR</b> | Wheel brush                     |
|               | <b>CO</b> | Bevel wheel brush               |
|               | <b>FR</b> | End brush                       |
|               | <b>MU</b> | Hand brush for general use      |
|               | <b>MA</b> | Hand brush for professional use |

---

## Suggestions for the use

To obtain the best performance of a brush is necessary to proportion the work-pressure, in order to avoid the overheating of the wires and their early breakage.

## Standards

The brushes are submitted to testings following the standard UNI EN 1083, that defines the safety requirements of the production and the use of the brushes.





## CUP WIRE METAL BRUSHES



### SM-TA TOP LINE



#### CRIMPED WIRE.

For angle grinders. M14 thread.

Long life. For light deburring operations and removing rust and burrs from pipe ends.

#### APPLICATIONS

■ MEDIUM-LIGHT DUTY APPLICATIONS FOR REMOVAL OF RUST AND PAINTS

|       | Ø BRUSH<br>MM | THREAD | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box     |
|-------|---------------|--------|------------------|--------------|------------|-------------|-------|---------|
| SM-TA | 65            | M14    | STEEL            | 0,30         | 12.500     | 10000 97700 | stock | 6 (6x1) |
| SM-TA | 80            | M14    | STEEL            | 0,30         | 12.500     | 10000 97704 | stock | 6 (6x1) |
| SM-TA | 100           | M14    | STEEL            | 0,30         | 8.500      | 10000 97701 | stock | 6 (6x1) |
| SM-TA | 125           | M14    | STEEL            | 0,30         | 6.500      | 10000 97702 | stock | 6 (6x1) |
| SM-TA | 65            | M14    | INOX             | 0,30         | 12.500     | 10000 97703 | stock | 6 (6x1) |
| SM-TA | 80            | M14    | INOX             | 0,30         | 12.500     | 10000 97708 | stock | 6 (6x1) |



### SM-TA TOP LINE



#### KNOTTED WIRE.

For angle grinders. M14 thread.

Long life. High cleaning power and removal of slags, rust, scale and fouling.

#### APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF SLAGS AND FOULINGS



Note: SM-TA Ø 100 mm is equipped with a retaining ring that can be removed, in order to have some more wire to work with.

|       | Ø BRUSH<br>MM | THREAD | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS | MAX<br>RPM | Barcode     | Truck | Box     |
|-------|---------------|--------|------------------|--------------|----------|------------|-------------|-------|---------|
| SM-TA | 65            | M14    | STEEL            | 0,50         | 18       | 12.500     | 10000 97707 | stock | 6 (6x1) |
| SM-TA | 100           | M14    | STEEL            | 0,50         | 26       | 8.500      | 10000 97705 | stock | 6 (6x1) |
| SM-TA | 65            | M14    | INOX             | 0,50         | 18       | 12.500     | 10000 97706 | stock | 6 (6x1) |

STEEL: steel

INOX: stainless steel



## WHEEL METAL BRUSHES



### SM-CR TOP LINE



#### KNOTTED WIRE.

For angle grinders. Long life. High cleaning power. Ø 178 mm is particularly suitable for cleaning of welded seams during the pipe-line laying.

#### APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF RUST, FOULINGS AND WELDS

|       | Ø BRUSH<br>MM | BORE<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS | MAX<br>RPM | Barcode     | Truck | Box     |
|-------|---------------|------------|------------------|--------------|----------|------------|-------------|-------|---------|
| SM-CR | 115 x 12      | 22,2       | STEEL            | 0,50         | 20       | 12.500     | 10000 97752 | stock | 5 (5x1) |
| SM-CR | 125 x 13      | 22,2       | STEEL            | 0,50         | 20       | 12.500     | 10000 97753 | stock | 5 (5x1) |
| SM-CR | 115 x 12      | 22,2       | INOX             | 0,50         | 20       | 12.500     | 10000 97755 | stock | 5 (5x1) |



#### APPLICATIONS

■ SPECIAL FOR CLEANING OF WELDED SEAMS DURING THE PIPE-LINE LAYING

|       | Ø BRUSH<br>MM | BORE<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS | MAX<br>RPM | Barcode     | Truck | Box     |
|-------|---------------|------------|------------------|--------------|----------|------------|-------------|-------|---------|
| SM-CR | 178 x 6       | 22,2       | STEEL            | 0,50         | 76       | 9.000      | 10000 97754 | stock | 5 (5x1) |

### SM-CR TOP LINE



#### CRIMPED WIRE.

For fixed machines. Long life. For light deburring operations and removing of rust and burrs from pipe ends.

#### APPLICATIONS

■ FOR MEDIUM-LIGHT DUTY APPLICATIONS, FOR DEBURRING, POLISHING AND ROUGHENING OF SURFACES

Every brush is provided with adapters allowing for fitting on arbours with diameters 13 -15 - 16 -19,05 - 20 - 22,23 - 25,4 - 32 mm.

|       | Ø BRUSH<br>MM | BORE<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box     |
|-------|---------------|------------|------------------|--------------|------------|-------------|-------|---------|
| SM-CR | 150 x 18      | 13 ÷ 32    | STEEL            | 0,30         | 6.000      | 10000 97750 | stock | 5 (5x1) |
| SM-CR | 200 x 20      | 13 ÷ 32    | STEEL            | 0,30         | 4.500      | 10000 97751 | stock | 5 (5x1) |



STEEL: steel  
INOX: stainless steel



## BEVEL WHEEL METAL BRUSHES



### SM-CO TOP LINE



#### CRIMPED WIRE.

For angle grinders. M14 thread. Long life. For light deburring operations and removing of rust and burrs from pipe ends.

#### APPLICATIONS

■ MEDIUM-LIGHT DUTY APPLICATIONS FOR REMOVAL OF RUST AND PAINTS

|       | Ø BRUSH<br>MM | THREAD | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck |  | Box     |
|-------|---------------|--------|------------------|--------------|------------|-------------|-------|--|---------|
| SM-CO | 100           | M14    | STEEL            | 0,35         | 12.500     | 10000 97800 | stock |  | 6 (6x1) |
| SM-CO | 120           | M14    | STEEL            | 0,35         | 12.500     | 10000 97804 | stock |  | 6 (6x1) |
| SM-CO | 90            | M14    | INOX             | 0,30         | 12.500     | 10000 97803 | stock |  | 6 (6x1) |



### SM-CO TOP LINE



#### KNOTTED WIRE.

For angle grinders. M14 thread. Long life. High cleaning power.

#### APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF SLAGS, FOULINGS AND CLEANING OF WELDED SEAMS

|       | Ø BRUSH<br>MM | THREAD | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS | MAX<br>RPM | Barcode     | Truck |  | Box     |
|-------|---------------|--------|------------------|--------------|----------|------------|-------------|-------|--|---------|
| SM-CO | 100           | M14    | STEEL            | 0,50         | 18       | 12.500     | 10000 97801 | stock |  | 6 (6x1) |

STEEL: steel  
INOX: stainless steel



## WHEEL METAL BRUSHES WITH SHANK



### SG-CR TOP LINE



#### CRIMPED WIRE.

For electric or pneumatic tools. Long life.

#### APPLICATIONS

■ FOR DEBURRING, REMOVAL OF RUST AND PAINTS AND ROUGHENING OF SURFACES BEFORE PAINTING

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box |
|-------|---------------|---------------|------------------|--------------|------------|-------------|-------|-----|
| SG-CR | 70            | 6             | STEEL            | 0,30         | 15.000     | 10000 97720 | stock | 10  |
| SG-CR | 70            | 6             | INOX             | 0,30         | 15.000     | 10000 97721 | stock | 10  |
| SG-CR | 80            | 6             | INOX             | 0,30         | 15.000     | 10000 97723 | stock | 10  |
| SG-CR | 100           | 6             | INOX             | 0,30         | 10.000     | 10000 97724 | stock | 10  |

### SG-CR TOP LINE

MAX 20.000 RPM



#### KNOTTED WIRE.

For electric or pneumatic tools. Long life.


#### APPLICATIONS

■ CLEANING OF WELDED SEAMS AND AGGRESSIVE REMOVAL OF RUST AND FOULINGS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS | MAX<br>RPM | Barcode     | Truck | Box |
|-------|---------------|---------------|------------------|--------------|----------|------------|-------------|-------|-----|
| SG-CR | 75            | 6             | STEEL            | 0,50         | 15       | 20.000     | 10000 97722 | stock | 10  |



STEEL: steel  
INOX: stainless steel



## END METAL BRUSHES

### SG-FR TOP LINE MAX 18.000 RPM

#### CRIMPED WIRE.

For electric or pneumatic tools. Long life. Cleaning of hard-to-reach areas such as holes.

#### APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM |  |  |  |  |
|-------|---------------|---------------|------------------|--------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SG-FR | 25            | 6             | STEEL            | 0,35         | 18.000                                                                            | 10000 97770                                                                        | stock                                                                               | 10                                                                                  |
| SG-FR | 18            | 6             | INOX             | 0,30         | 18.000                                                                            | 10000 97774                                                                        | stock                                                                               | 10                                                                                  |
| SG-FR | 28            | 6             | INOX             | 0,30         | 18.000                                                                            | 10000 97775                                                                        | stock                                                                               | 10                                                                                  |



### SG-FR TOP LINE

#### KNOTTED WIRE.

For electric or pneumatic tools. Long life. High cleaning power.

#### APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | N° KNOTS |  |  |  |  |
|-------|---------------|---------------|------------------|--------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SG-FR | 23            | 6             | INOX             | 0,35         | 8        | 15.000                                                                              | 10000 97776                                                                           | stock                                                                                 | 10                                                                                    |
| SG-FR | 20            | 6             | INOX             | 0,25         | 8        | 20.000                                                                              | 10000 97777                                                                           | stock                                                                                 | 10                                                                                    |
| SG-FR | 23            | 6             | STEEL            | 0,25         | 8        | 20.000                                                                              | 10000 97771                                                                           | stock                                                                                 | 10                                                                                    |



### SG-FR TOP LINE MAX 18.000 RPM

#### CRIMPED WIRE.

For electric or pneumatic tools. Long life. Cleaning of hard-to-reach areas such as holes.

#### APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM |  |  |  |  |
|-------|---------------|---------------|------------------|--------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SG-FR | 18            | 6             | INOX             | 0,30         | 18.000                                                                              | 10000 97772                                                                          | stock                                                                                 | 10                                                                                    |
| SG-FR | 22            | 6             | INOX             | 0,30         | 18.000                                                                              | 10000 97773                                                                          | stock                                                                                 | 10                                                                                    |



STEEL: steel  
INOX: stainless steel



## METAL BRUSHES WITH SHANK FOR DRILL

### SE-TA PRO LINE

MAX 4.500 RPM



#### CRIMPED WIRE.

Cup wire brush with shank in wavy steel.

#### APPLICATIONS

■ FOR MEDIUM-LIGHT DUTY APPLICATIONS TO REMOVE RUST AND PAINTS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box |
|-------|---------------|---------------|------------------|--------------|------------|-------------|-------|-----|
| SE-TA | 50            | 6             | STEEL            | 0,30         | 4.500      | 10000 97850 | stock | 20  |
| SE-TA | 75            | 6             | STEEL            | 0,30         | 4.500      | 10000 97851 | stock | 20  |



### SE-CR PRO LINE

MAX 4.500 RPM



#### CRIMPED WIRE.

Wheel brushes with shank in wavy steel.

#### APPLICATIONS

■ FOR LIGHT DEBURRING OPERATIONS, REMOVAL OF RUST AND PAINTS AND ROUGHENING OF SURFACES BEFORE PAINTING

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box |
|-------|---------------|---------------|------------------|--------------|------------|-------------|-------|-----|
| SE-CR | 50            | 6             | STEEL            | 0,30         | 4.500      | 10000 97900 | stock | 20  |
| SE-CR | 75            | 6             | STEEL            | 0,30         | 4.500      | 10000 97902 | stock | 20  |
| SE-CR | 100           | 6             | STEEL            | 0,30         | 4.500      | 10000 97901 | stock | 20  |



### SE-FR PRO LINE

MAX 4.500 RPM



#### CRIMPED WIRE.

End brushes with shank in wavy steel.

#### APPLICATIONS

■ FOR LIGHT DEBURRING OPERATIONS, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM | MAX<br>RPM | Barcode     | Truck | Box |
|-------|---------------|---------------|------------------|--------------|------------|-------------|-------|-----|
| SE-FR | 25            | 6             | STEEL            | 0,30         | 4.500      | 10000 97950 | stock | 20  |





## HAND METAL BRUSHES



### SM-MU



The high wire density allows a higher pressure on the work piece. The narrow core helps the access to grooves.

#### APPLICATIONS

##### ■ GENERAL USE

|       | TOTAL LENGHT<br>MM | WIRE<br>MATERIAL | Ø WIRE<br>MM |             |       |  |    |
|-------|--------------------|------------------|--------------|-------------|-------|--|----|
| SM-MU | 265                | OT               | 0,30         | 10000 97873 | stock |  | 12 |
| SM-MU | 265                | INOX             | 0,30         | 10000 97874 | stock |  | 12 |
| SM-MU | 380                | OT               | 0,30         | 10000 97872 | stock |  | 10 |



### SM-MA



Aggressive brush for removal of weld dross and fouling.

#### APPLICATIONS

##### ■ PROFESSIONAL USE

|       | TOTAL LENGHT<br>MM | NO. OF ROWS | WIRE<br>MATERIAL | Ø WIRE<br>MM |               |       |  |    |
|-------|--------------------|-------------|------------------|--------------|---------------|-------|--|----|
| SM-MA | 295                | 3           | STEEL            | 0,35         | 10000 97820   | stock |  | 10 |
| SM-MA | 295                | 4           | STEEL            | 0,35         | 10000 97821 ° | stock |  | 10 |
| SM-MA | 295                | 5           | STEEL            | 0,35         | 10000 97823 ° | stock |  | 10 |
| SM-MA | 295                | 4           | INOX             | 0,30         | 10000 97822   | W4    |  | 10 |

STEEL: steel  
INOX: stainless steel  
OT: brass-coated steel



## NYLON CUP BRUSHES



### SN-TA NYLON LINE



Longue durée. For angle grinders. M14 thread. Brushes produced with nylon filaments and silicon carbide abrasive. Long life.

#### APPLICATIONS

■ REMOVAL OF PAINTS, SANDING OF FLAT AND IRREGULAR SURFACES, GIVING A RUSTIC ANTIQUE FINISH TO WOOD

|       | Ø BRUSH<br>MM | THREAD | GRIT  | MAX<br>RPM |             |       |  |   |
|-------|---------------|--------|-------|------------|-------------|-------|--|---|
| SN-TA | 130 x 50      | M14    | C 46  | 2.500      | 10000 41100 | stock |  | 2 |
| SN-TA | 130 x 50      | M14    | C 60  | 2.500      | 10000 41101 | stock |  | 2 |
| SN-TA | 130 x 50      | M14    | C 80  | 2.500      | 10000 41102 | stock |  | 2 |
| SN-TA | 130 x 50      | M14    | C 120 | 2.500      | 10000 41103 | stock |  | 2 |



## NYLON WHEEL BRUSHES



### SN-CR NYLON LINE



For angle grinders. M14 thread. Brushes produced with nylon filaments and silicon carbide abrasive. Long life.

#### APPLICATIONS

■ REMOVAL OF PAINTS, SANDING OF FLAT AND IRREGULAR SURFACES, GIVING A RUSTIC ANTIQUE FINISH TO WOOD (WORKING ALONG THE GRAIN), EDGE BEVELING

|       | Ø BRUSH<br>MM | THREAD | GRIT  | MAX<br>RPM |             |       |  |   |
|-------|---------------|--------|-------|------------|-------------|-------|--|---|
| SN-CR | 140 x 30      | M14    | C 60  | 2.500      | 10000 41050 | stock |  | 2 |
| SN-CR | 140 x 30      | M14    | C 80  | 2.500      | 10000 41051 | stock |  | 2 |
| SN-CR | 140 x 30      | M14    | C 120 | 2.500      | 10000 41052 | stock |  | 2 |



## BRUSHES WITH SHANK FOR DRILL

### SN-TA NYLON LINE

MAX 4.500 RPM



Brushes produced with nylon filaments and silicon carbide abrasive.

#### APPLICATIONS

■ REMOVAL OF PAINTS AND SMALL BURRS, SANDING OF FLAT AND IRREGULAR SURFACES

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | GRIT    | MAX<br>RPM |             |       |  |    |
|-------|---------------|---------------|---------|------------|-------------|-------|--|----|
| SN-TA | 50            | 6             | RS (80) | 4.500      | 10000 41104 | stock |  | 10 |
| SN-TA | 75            | 6             | RS (80) | 4.500      | 10000 41106 | stock |  | 10 |



### SN-CR NYLON LINE

MAX 4.500 RPM



Brushes produced with nylon filaments and silicon carbide abrasive.

#### APPLICATIONS

■ REMOVAL OF PAINTS AND SMALL BURRS, SANDING OF FLAT AND IRREGULAR SURFACES

|       | Ø BRUSH<br>MM | Ø SHANK<br>MM | GRIT    | MAX<br>RPM |             |       |  |    |
|-------|---------------|---------------|---------|------------|-------------|-------|--|----|
| SN-CR | 75            | 6             | RS (80) | 4.500      | 10000 41053 | stock |  | 10 |
| SN-CR | 100           | 6             | RS (80) | 4.500      | 10000 41055 | stock |  | 10 |



## NYLON HAND BRUSHES

### SN-MU NYLON LINE



Brushes made with nylon filaments for cleaning and removing burrs on delicate materials such as glass, Lexan, plexiglass, printed circuits.

|       | TOTAL LENGHT<br>MM | WIRE |             |       |  |    |
|-------|--------------------|------|-------------|-------|--|----|
| SN-MU | 265                | HARD | 10000 41151 | stock |  | 12 |



1000000

**POLISHING, MACHINES, ACCESSORIES, DISPLAYS**





SAIT®





# Polishing

## Contents



Abrasive compounds.



300



Foam pads.

302

## SAITLAB Polishing system



Microfibre cloths.

303



Wool pad.

304



Decontaminating products.

305

## MASKING and PROTECTION products



Masking foam, film, adhesive tapes.

306





## Machines and accessories

### Contents



*SAITmaster*



Pneumatic random orbital sander.

**SAITMASTER 3 150x3 PN**  
**SAITMASTER 6 150x6 PN**

308  
308

*SAITplus 200*



Angle polisher.

**SAITPLUS 200 EL**

309

*X-SPACE*



Random orbital polisher.

**X-SPACE 21 180 EL S**

310

*VORTEX L*



Professional vacuum cleaner.

**VORTEX L 2400 AS**

312



## Decorating accessories

### Contents



313



## Displays and roll holders

### Contents



314



## PASL10 BN

**High cutting compound, medium coarse grade.** Suitable to renew aged, original, oxidized and very scratched paintworks. Suitable for fresh well dried paintworks sanded with abrasive grits 1200-2000. Available in 500 g and 1 Kg bottle.



|           |       |             |       |   |
|-----------|-------|-------------|-------|---|
|           |       |             |       |   |
| PASL10 BN | 500 g | 10000 70515 | stock | 4 |
| PASL10 BN | 1 kg  | 10000 70500 | stock | 4 |

## PASL20 VR

**Cutting polishing compound all-in-one, medium fine grade.** Suitable to renew aged, original, oxidized and slightly scratched paintworks. Suitable for fresh well dried paintworks sanded with abrasive grits 1500-3000 or worked with cutting compound type PASL10 BN. Available in 500 g and 1 Kg bottle.



|           |       |             |       |   |
|-----------|-------|-------------|-------|---|
|           |       |             |       |   |
| PASL20 VR | 500 g | 10000 70516 | stock | 4 |
| PASL20 VR | 1 kg  | 10000 70501 | stock | 4 |

## PASL30 GB

**Polishing compound anti-hologram, extra fine grade.** Ideal for removing holograms and light defects and scratches due to prior use of cutting compounds. Available in 500 g bottle.



|           |       |             |       |   |
|-----------|-------|-------------|-------|---|
|           |       |             |       |   |
| PASL30 GB | 500 g | 10000 70517 | stock | 4 |

## PASL40 RO

**Protective polish.** To apply by hand or machine. Used to achieve exceptional shine, deep gloss finish and long lasting protection. Available in 500 g bottle.



|           |       |             |       |   |
|-----------|-------|-------------|-------|---|
|           |       |             |       |   |
| PASL40 RO | 500 g | 10000 70518 | stock | 4 |

## PASL42 NR

**Protective black polish.** To apply by hand or machine. Used to achieve exceptional shine, deep gloss finish and long lasting protection. Special for dark varnishes.  
Available in 500 g bottle.



PASL42 NR

500 g

10000 70519

stock

4

## PASL50 SP

**Quick protective polish spray.** Effective against greasy glazes and imprints. Used to achieve exceptional shine, deeper gloss finish and long lasting protection. Antistatic and film effect. Can be used on plastic, leather, rubber and glass.  
Available in 500 g bottle.



PASL50 SP

500 g

10000 70520

stock

4

## PASL60 SC

**Detergent and decontaminating spray.** Degreases, breaks apart and removes contaminating deposits from painted surfaces. Use with decontaminating disc or glove to ease its use without inhibiting its characteristics. Usable to confirm the removal of the marks between polishing operations. This will remove any filling of the scratches by polish and expose the remaining scratches. Easy dry without swirl. Usable on plastic, glass.  
Available in 500 g bottle.



PASL60 SC

500 g

10000 70505

stock

4



WHITE FOAM PAD

Rigid white foam pad for aggressive treatment.

|                                                                                   |                                                                                   |             |                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  | BACKING PAD |  |  |  |
| 150 x 30 mm                                                                       | Ø 125 mm                                                                          | 10000 70601 | stock                                                                             |                                                                                    | 2                                                                                   |

ORANGE FOAM PAD

Medium rigid orange foam pad for medium intensity treatment.

|                                                                                   |                                                                                   |             |                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  | BACKING PAD |  |  |  |
| 150 x 30 mm                                                                       | Ø 125 mm                                                                          | 10000 70602 | stock                                                                             |                                                                                    | 2                                                                                   |

LIGHT BLUE FOAM PAD

Soft light blue foam pad for removal of holograms and finish operations.

|                                                                                     |                                                                                     |             |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | BACKING PAD |  |  |  |
| 150 x 30 mm                                                                         | Ø 125 mm                                                                            | 10000 70603 | stock                                                                               |                                                                                      | 2                                                                                     |

BLACK FOAM PAD

Soft black foam pad for polishing, finish and final protection.

|                                                                                     |                                                                                     |             |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | BACKING PAD |  |  |  |
| 150 x 30 mm                                                                         | Ø 125 mm                                                                            | 10000 70604 | stock                                                                               |                                                                                      | 2                                                                                     |

PAD-VEL

Backing pads for 150x30 mm pads.

|              |                                                                                     |        |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|--------------|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|              |  | THREAD |  |  |  |  |
| PAD-VEL      | Ø 125                                                                               | M14    | 8.800                                                                               | 10000 99605                                                                         | stock                                                                                 | 1                                                                                     |
| PAD-VEL SOFT | Ø 125                                                                               | M14    | 8.800                                                                               | 10000 99644                                                                         | stock                                                                                 | 1                                                                                     |



#### WHITE CLOTH

White 350 g microfibre cloth, with antiscratch seams. Removal of residues of abrasive compound.

|                                                                                   |                                                                                                 |                                                                                                  |                                                                                            |                                                                                           |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
|  | <br>40 x 40 cm | <br>10000 70606 | <br>stock | <br>10 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|

#### BLACK CLOTH

Black 350 g microfibre cloth, with antiscratch seams. Removal of residues of abrasive compound.

|                                                                                   |                                                                                                 |                                                                                                  |                                                                                            |                                                                                           |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
|  | <br>40 x 40 cm | <br>10000 70607 | <br>stock | <br>10 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|

#### GREY CLOTH

Grey 500 g microfibre double face cloth, short hair to clean, long hair to dry. Removal of residues of PASL60 SC compound.

|                                                                                     |                                                                                                   |                                                                                                    |                                                                                              |                                                                                             |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|  | <br>40 x 40 cm | <br>10000 70608 | <br>stock | <br>10 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|

#### YELLOW CLOTH

Yellow 1000 g microfibre cloth, with antiscratch seams. High absorbent power. Removal of residues of PASL30 GB - PASL40 RO - PASL50 SP compounds.

|                                                                                     |                                                                                                   |                                                                                                    |                                                                                              |                                                                                            |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
|  | <br>40 x 40 cm | <br>10000 70609 | <br>stock | <br>5 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|

**WOOL PAD**  
It is recommended for use with PASL20 VR compound.

|                                                                                   |                                                                                   |             |                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  | BACKING PAD |  |  |  |
|                                                                                   | 150 x 30 mm                                                                       | Ø 150 mm    | 10000 70605                                                                       | stock                                                                              | 2                                                                                   |

**PAD-VEL**

Backing pad for wool pad.



|              |                                                                                   |        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|--------------|-----------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|              |  | THREAD |  |  |  |  |
| PAD-VEL      | Ø 150                                                                             | M14    | 6.400                                                                             | 10000 99613                                                                       | stock                                                                               | 1                                                                                   |
| PAD-VEL SOFT | Ø 150                                                                             | M14    | 6.400                                                                             | 10000 99645                                                                       | stock                                                                               | 1                                                                                   |





DECONTAMINATING DISC

It quickly removes overspray, resin of trees, dust and rust of railroad, dust of brakes, industrial contaminations, insects, etc.  
 Use with detergent decontaminating spray PASL60 SC.

|                                                                                   |                                                                                   |                                                                                   |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| 150 x 10 mm                                                                       | 10000 70610                                                                       | stock                                                                             | 1                                                                                   |

PAD-VEL

Backing pad for decontaminating disc.



|              |                                                                                   |        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|--------------|-----------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|              |  | THREAD |  |  |  |  |
| PAD-VEL SOFT | Ø 125                                                                             | M14    | 8.800                                                                             | 10000 99644                                                                       | stock                                                                              | 1                                                                                   |
| PAD-VEL SOFT | Ø 150                                                                             | M14    | 6.400                                                                             | 10000 99645                                                                       | stock                                                                              | 1                                                                                   |





#### MASKING FOAM

Compact and flexible self-adhesive white masking foam, with round cross-section. Particularly suitable for masking all vehicle cracks. Packaging: dispenser of 50 meters with 10 rolls of 5 m each.



13 mm x 50 m



10000 70600



stock



1



#### FILM

Electrostatic masking film in transparent high density polyethylene, designed to protect from paints and overspray the parts of the body that do not have to be painted.

It is folded in reel of 97 cm x 150 m. Full unfolded dimension 4x150 m (width x lenght).



4 x 150 m



10000 70611



stock



1


**PREMIUM PLUS**

Adhesive tape in semi-crimped paper for industrial and automotive masking at medium/high temperature, with extended oven drying cycles (30 minutes). Adhesive: natural rubber.

|      |  |              |  |  |  |  |
|------|-----------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| TAPE | 18 mm x 50 m                                                                      | PREMIUM PLUS | 10000 70633                                                                       | stock                                                                              |  | 48                                                                                  |
| TAPE | 24 mm x 50 m                                                                      | PREMIUM PLUS | 10000 70634                                                                       | stock                                                                              |  | 36                                                                                  |
| TAPE | 36 mm x 50 m                                                                      | PREMIUM PLUS | 10000 70635                                                                       | stock                                                                              |  | 24                                                                                  |
| TAPE | 48 mm x 50 m                                                                      | PREMIUM PLUS | 10000 70636                                                                       | stock                                                                              |  | 24                                                                                  |


**WINNER**

Adhesive tape in semi-crimped paper for industrial and automotive masking at medium/low temperature, with short oven drying cycles. Adhesive: natural rubber.

|      |  |        |  |  |  |  |
|------|------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------|
| TAPE | 18 mm x 50 m                                                                       | WINNER | 10000 70646                                                                        | stock                                                                               |  | 48                                                                                   |
| TAPE | 24 mm x 50 m                                                                       | WINNER | 10000 70647                                                                        | stock                                                                               |  | 36                                                                                   |
| TAPE | 36 mm x 50 m                                                                       | WINNER | 10000 70648                                                                        | stock                                                                               |  | 24                                                                                   |
| TAPE | 48 mm x 50 m                                                                       | WINNER | 10000 70649                                                                        | stock                                                                               |  | 24                                                                                   |



## SAITMASTER 3 150x3 PN

Pneumatic random orbital sander with central dust extraction. Suitable for finishing operations with abrasive grits 320 - 3000. The reduced orbit ensures very high quality results, easing and improving subsequent painting phases. Working pressure: 6,2 bar/90 PSI.

|                       | Ø ORBIT<br>MM | Ø BACKING PAD<br>MM | SPEED<br>REGULATION | RPM        | KG  | Barcode     | Truck | Box |
|-----------------------|---------------|---------------------|---------------------|------------|-----|-------------|-------|-----|
| SAITMASTER 3 150x3 PN | 3             | 150 M8              | •                   | 0 ÷ 11.000 | 0,8 | 11000 70000 | stock | 1   |

## SAITMASTER 6 150x6 PN

Pneumatic random orbital sander with central dust extraction. Enables maximum efficacy in the flattening of fillers and in the removal of paint layers. Up to 20% more effective than a tool with 5 mm. orbit. Best for use with grits ranging from 80 - 320. Working pressure: 6,2 bar/90 PSI.

|                       | Ø ORBIT<br>MM | Ø BACKING PAD<br>MM | SPEED<br>REGULATION | RPM        | KG  | Barcode     | Truck | Box |
|-----------------------|---------------|---------------------|---------------------|------------|-----|-------------|-------|-----|
| SAITMASTER 6 150x6 PN | 6             | 150 M8              | •                   | 0 ÷ 11.000 | 0,8 | 11000 70001 | stock | 1   |

## Accessories



### PAD-VEL

Backing pad for random orbital sanders.

|              | Ø     | HOLES         | THREAD     | Barcode     | Truck | Box |
|--------------|-------|---------------|------------|-------------|-------|-----|
| PAD-VEL      | Ø 150 | F 7           | 5/16" - M8 | 10000 99623 | stock | 1   |
| PAD-VEL SOFT | Ø 150 | F 7           | 5/16" - M8 | 10000 99624 | stock | 1   |
| PAD-VEL      | Ø 150 | F 8+1         | 5/16" - M8 | 10000 99610 | stock | 1   |
| PAD-VEL      | Ø 150 | F 15          | 5/16" - M8 | 10000 99635 | stock | 1   |
| PAD-VEL SOFT | Ø 150 | F 15          | 5/16" - M8 | 10000 99636 | stock | 1   |
| PAD-VEL      | Ø 150 | F M MULTIHOLE | M8         | 10000 99652 | stock | 1   |

### Aeromax

|              |       |                 |            |             |       |   |
|--------------|-------|-----------------|------------|-------------|-------|---|
| PAD-VEL      | Ø 150 | F M MICRO HOLES | 5/16" - M8 | 10000 99638 | stock | 1 |
| PAD-VEL SOFT | Ø 150 | F M MICRO HOLES | 5/16" - M8 | 10000 99642 | stock | 1 |

# SAITplus 200

## Angle polisher



### SAITPLUS 200 EL

1.100 W/hp  
230 V / 50/60 HZ  
SHUKO TYPE C  
(CEE 7/17)

Angle polisher. Ergonomic front handle for a comfortable and secure grip. Soft start. Side handle can be mounted on both right and left sides. Double reduction gear. Electronic speed control. Powerful and lightweight machine. Motor is protected with epoxy resin. Insulation class: II.

|                 | MAX Ø OF PAD<br>MM | SPINDLE LOCK<br>BUTTON | SIDE<br>HANDLE | SPEED<br>REGULATION |             |     |             |       |   |
|-----------------|--------------------|------------------------|----------------|---------------------|-------------|-----|-------------|-------|---|
| SAITPLUS 200 EL | 200 M14            | •                      | •              | •                   | 750 ÷ 1.850 | 1,9 | 11000 70110 | stock | 1 |

## Accessories

Carbon brush

| 11000 70706 | stock | 10 |
|-------------|-------|----|

### PAD-VEL

Backing pad for angle polisher.



|              |       | THREAD |             |       |   |
|--------------|-------|--------|-------------|-------|---|
| PAD-VEL      | Ø 125 | M14    | 10000 99605 | stock | 1 |
| PAD-VEL SOFT | Ø 125 | M14    | 10000 99644 | stock | 1 |
| PAD-VEL      | Ø 150 | M14    | 10000 99613 | stock | 1 |



## X-SPACE 21 180 EL S

500 W  
230 V / 50 HZ  
SHUKO TYPE C  
(CEE 7/17)

Random orbital polisher with large orbital movement, for an effective reduction in overall polishing time. An orbit of up to 21 mm enables the operator to quickly obtain gloss and colour depth.

- Electronic feedback control to maintain constant speed in all applications.
- Soft Start guarantees a controlled acceleration and prevents accidental dispersion of polishing compound.
- The antispinning feature prevents the rapid and unintentional speed rotation.
- Ergonomic front handle.
- The 500 W motor reduces power consumption.

Suitable for all polishing operations on all types of surfaces: painted surfaces or recently painted surfaces and finishing applications, plus holograms removal.

|                     | Ø FOAM PAD<br>MM | Ø BACKING PAD<br>MM | Ø ORBIT<br>MM | SPEED<br>REGULATION | RPM           | KG  | Barcode     | Truck | Box |
|---------------------|------------------|---------------------|---------------|---------------------|---------------|-----|-------------|-------|-----|
| X-SPACE 21 180 EL S | 180              | 150                 | 21            | •                   | 2.000 ÷ 4.200 | 2,6 | 11000 70100 | stock | 1   |

## Accessories

Carbon brush

| Barcode     | Truck | Box |
|-------------|-------|-----|
| 11000 70734 | stock | 10  |



## PAD-VEL

Backing pad for random orbital polisher.

|         | Ø     | HOLES         | THREAD | Barcode     | Truck | Box |
|---------|-------|---------------|--------|-------------|-------|-----|
| PAD-VEL | Ø 150 | F M MULTIHOLE | M8     | 10000 99652 | stock | 1   |

## 180x30 C COARSE

Hard BLUE foam pad for very aggressive working steps.

## 180x30 F FINE

Fine YELLOW foam pad for medium intensity work.

## 180x30 UF ULTRA FINE

Soft WHITE foam pad for finishing operations and detailing.

|                                                                                    |            |  |  |  |  |
|------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   | COARSE     | 180 x 30 mm                                                                       | 10000 70637                                                                       | stock                                                                              | 2                                                                                   |
|   | FINE       | 180 x 30 mm                                                                       | 10000 70630                                                                       | stock                                                                              | 2                                                                                   |
|  | ULTRA FINE | 180 x 30 mm                                                                       | 10000 70638                                                                       | stock                                                                              | 2                                                                                   |



## VORTEX L 2400 AS

1200 W  
230 V / 50/60 HZ  
SHUKO TYPE E+F  
(CEE 7/17)

Professional vacuum cleaner with the possibility of connecting an electric tool (maximum power 2400 W) or two pneumatic tools.

SUPPLIED WITH:

- 1 vacuum hose 5 meters long
- 1 front suction connector
- 1 rubber end with air regulator
- 1 2-way connector
- 2 polyester filters
- 1 non-woven filter bag
- 2 front wheels
- 1 power cord

|                  | <br>CM (HxLxP) | <br>CONTAINER<br>VOLUME | <br>AUTOMATIC FILTER<br>CLEANING SYSTEM | <br>KG |  |  |  |
|------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| VORTEX L 2400 AS | 63,5 x 45 x 45                                                                                  | 45 l                                                                                                     | •                                                                                                                        | 13,5                                                                                     | 11000 70004                                                                         | stock                                                                               | 1                                                                                   |

## Accessories

Carbon brush

|  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 11000 70733                                                                         | stock                                                                               | 1                                                                                     |

Vacuum hose 5 meters long

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70708                                                                         | stock                                                                               | 1                                                                                     |

Front suction connector

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70709                                                                         | stock                                                                               | 1                                                                                     |

Rubber end with air regulator

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70710                                                                         | stock                                                                               | 1                                                                                     |

2-way connector

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70738                                                                         | stock                                                                               | 1                                                                                     |

Polyester filter

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70711                                                                         | stock                                                                               | 1                                                                                     |

Non-woven filter bag

|  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | 11000 70712                                                                         | stock                                                                               | 1 (5 pz.)                                                                             |



## MULTI MASK

Slightly creped paper tapes with natural rubber adhesive and resins. Suitable for use with all types of paint, including water-based paints. Suitable for use and drying at room temperature (recommended not less than 10° C). Hand tearable. Excellent anchorage on wood, glass, plastic, aluminum, steel, surfaces painted with water-based paints or enamel. Leaves no glue residues on surfaces. Colour outlines are defined.

### APPLICATIONS

- MASKING
- SEALING
- LIGHT PACKAGING

|                |  |      |  |  |  |
|----------------|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| MULTIMASK TAPE | 18 mm x 50 m                                                                      | DECO | 10000 70800                                                                       | stock                                                                              | 48                                                                                  |
| MULTIMASK TAPE | 24 mm x 50 m                                                                      | DECO | 10000 70801                                                                       | stock                                                                              | 36                                                                                  |
| MULTIMASK TAPE | 29 mm x 50 m                                                                      | DECO | 10000 70802                                                                       | stock                                                                              | 40                                                                                  |
| MULTIMASK TAPE | 36 mm x 50 m                                                                      | DECO | 10000 70803                                                                       | stock                                                                              | 24                                                                                  |
| MULTIMASK TAPE | 48 mm x 50 m                                                                      | DECO | 10000 70804                                                                       | stock                                                                              | 24                                                                                  |



## RAPID MASK

Rolls of high-density polyethylene (HDPE) with adhesive side; the product guarantees a perfect masking of all kind of surfaces during painting. The electrostatic charge in the product eases its adherence and applicability through a light pressure. The adhesive side consists of a paper strip impregnated with natural rubber and resin adhesive, also used in bodywork, building and industry for treatments at medium temperatures.

### APPLICATIONS

- DECORATION
- VARNISHING
- BUILDING

|            |  |      |  |  |  |
|------------|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| RAPID MASK | 50 cm x 20 m                                                                        | HDPE | 10000 70805                                                                         | stock                                                                                | 20                                                                                    |
| RAPID MASK | 140 cm x 33 m                                                                       | HDPE | 10000 70806                                                                         | stock                                                                                | 10                                                                                    |
| RAPID MASK | 270 cm x 16 m                                                                       | HDPE | 10000 70807                                                                         | stock                                                                                | 10                                                                                    |



## GP

Wall display made of hook bars, 1 folded sheet metal shelf and a roll holder structure. Suitable for abrasive wheels, flap discs, fibre discs, paper/cloth discs, belts for portable machines, sheets, mini rolls and accessories. The back-lit sign with led lighting can be fixed above the body of the display at the desired height.

|    |                                                                                                 |                                                                                   |                                                                                    |                                                                                     |
|----|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | <br>CM (HxLxP) |  |  |  |
| GP | 210÷223 x 93÷104 x 50                                                                           | 11000 97100 - 11000 97101                                                         | stock                                                                              | 1                                                                                   |



### SHELF FOR GP DISPLAY

Folded sheet metal shelf.

|                                                                                                 |                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>CM (LxP) |  |  |  |
| 96 x 36                                                                                         | 11000 97104                                                                         | W4                                                                                  | 1                                                                                     |



### ROLL HOLDER FOR GP DISPLAY

Roll holder structure.

|                                                                                                 |                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>CM (LxP) |  |  |  |
| 96 x 29                                                                                         | 11000 97105                                                                         | W4                                                                                  | 1                                                                                     |



## RO

Roll holder display suitable to hold 8 rolls in different grits, in the dimensions in height 115/120 mm x length 25/50 m. Important measuring and tearing device at the desired length.

|    |                                                                                                 |                                                                                   |                                                                                   |                                                                                     |
|----|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | <br>CM (HxLxP) |  |  |  |
| RO | 174 x 40 x 45                                                                                   | 11000 97111                                                                       | stock                                                                             | 1                                                                                   |



## EL

Roll holder display suitable to hold 6 rolls in different grits, in heights 115/120 mm x length 25/50 m. Equipped with adhesive transparent price labels. Mounted on lockable pivoting wheels.

|    |                                                                                                   |                                                                                     |                                                                                     |                                                                                       |
|----|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | <br>CM (HxLxP) |  |  |  |
| EL | 145 x 45 x 50                                                                                     | 11000 97102                                                                         | stock                                                                               | 1                                                                                     |



## FLOOR DISPLAY



Floor display for discs and wheels. Made of metal panels; the vertical structure is divided into two parts, the base is made of sheet metal and is removable. The crowner is made of impact-resistant plastic material and positioned in relief against the sheet metal panel. The display is equipped with 12 hooks of 12 cm length for the display of discs. Designed to display discs of different diameters (mm 230-180-125-115). The back panel (made of forex plastic) can be purchased separately in case the customer does not wish to lean the display against a wall.



180 x 54 x 53



11000 97121



stock



1



## BACK PANEL FOR FLOOR DISPLAY



180 x 54



11000 97122



stock



1



## COUNTER DISPLAY FOR LOOSE DISCS

Display made of sheet metal. The rear feet are also made of sheet metal welded to the structure. The front side is made of forex plastic. The display is equipped with 5 hooks of 12 cm length, on which the discs can be placed. It is supplied already assembled; it is only necessary to mount the hooks and load the products.



40 x 37 x 25



11000 97118



stock



1



## COUNTER DISPLAY FOR DISCS

Display made of forex. It is designed to display both discs in the tin box and loose discs. Two metal holders are provided on which the discs can be placed. The crowner is made of forex. It is fastened to the display with two plastic expansion pins.



32 x 15,5 x 30



11000 97120



stock



1



SAFETY, PERFORMANCE AND YOU

**SAIT ABRASIVI S.p.A.**

Via Torino Pianezza, 20 - 10093 Collegno (TO) - Italy

Tel. +39-011.40.77.111 - Fax +39-011.40.77.233

uvitalia@sait-abr.com - uvestero@sait-abr.com

**[www.sait-abr.com](http://www.sait-abr.com)**