

**General catalogue
2026**


SAIT[®]
SAFETY, PERFORMANCE AND **YOU**





Contents

ABRASIVE WHEELS

TOP CERAMIC



BF - 27

TOP CERAMIC-DS

Grinding wheels for portable machines - with depressed centre.

24



BF - 42

TOP CERAMIC-DT

Cutting wheels for portable machines - with depressed centre.

24



BF - 41

TOP CERAMIC-TM

Cutting wheels for portable machines - flat.

25



BF - 29

TOP CERAMIC-SAIT-tre

Reinforced discs.

25



BF - 27

POWERMAX-DS

Grinding wheels for portable machines - with depressed centre.

26



BF - 42

POWERMAX-DT

Cutting wheels for portable machines - with depressed centre.

26



BF - 41

POWERMAX-TM

Cutting wheels for portable machines - flat.

27

PREMIUM



BF - 27

PREMIUM-DS

Grinding wheels for portable machines - with depressed centre.

28



BF - 42

PREMIUM-DT

Cutting wheels for portable machines - with depressed centre.

33



BF - 41

PREMIUM-TM

Cutting wheels for portable machines - flat.

37



BF - 41

PREMIUM-PU

Cutting wheels for portable machines - flat.

44



BF - 41

PREMIUM-TR

Wheels for rail cutting with guided machines - flat.

44



BF - 41

PREMIUM-TF

Cutting wheels for fixed machines - flat.

45



BF - 29

PREMIUM-SAIT-tre

Reinforced discs.

49



PREMIUM-SAITRIS

Reinforced discs.

50



BF - 27

EK WINNER-DS

Grinding wheels for portable machines - with depressed centre.

52



BF - 42

EK WINNER-DT

Cutting wheels for portable machines - with depressed centre.

54



BF - 41

EK WINNER-TM

Cutting wheels for portable machines - flat.

56



BF - 41

EK WINNER-TF

Cutting wheels for fixed machines - flat.

59



Contents

ABRASIVE WHEELS

PLANET



BF - 27

PLANET-DS

Grinding wheels for portable machines - with depressed centre.

60



BF - 42

PLANET-DT

Cutting wheels for portable machines - with depressed centre.

61



BF - 41

PLANET-TM

Cutting wheels for portable machines - flat.

62



BF - 41

PLANET-TF

Cutting wheels for fixed machines - flat.

63



V G

Vitrified mounted points.

64

Metal burrs.

65

ABRASIVE DISCS



SAITDISC / POWERMAX
Fibre discs.

73



SAITRON / SAITRON FV
Semi-rigid discs on fibre and discs on fibreglass.

92



SAIT LOCK-SX
Quick change cloth disc.

94



SAITLAM / POWERMAX / PLANET
Flap discs.

96

VEL: with hook & loop velour

ABRASIVE CLOTH PRODUCTS



SAITOR-G
Shaft mounted flap wheels.

121



SAITOR-F
Flap wheels with flange.

124



SAITEX-RI
Industrial rolls.

127



SAITEX-RE
Shop rolls.

132



SAITEX-RM
Mini-rolls.

133



SAITEX-NC
Short belts.

134



SAITEX-N
Belts.

136



SAITEX-NL
Wide belts.

141



SAITEX-MN
Standard sleeves.

142



SAITEX-MR
Interlined sleeves.

145



SAITEX-S
Sheets.

148



Contents

ABRASIVE PAPER, NET, FILM PRODUCTS



SAITAC-RI
Industrial paper rolls.

155



SAITAC-RP
Paper rolls for leather working.

163



SAITAC RI-SOF
Industrial paper rolls with foam.

164



SAITAC RI-VEL
Hook & loop paper rolls.

167



SAITAC-RM / SAITAC RM-VEL
Paper and hook & loop paper mini-rolls.

169



FREE DUST R-VEL
Hook & loop abrasive net rolls.

172



SAITAC-N
Paper belts.

173



SAITAC-NL / SAITAC-NL 5
Paper wide belts.

175



SAITAC-S
Paper sheets.

177



SAITAC-B
Paper strips.

185



SAITAC B-VEL / AEROMAX B-VEL
Hook & loop paper strips.

185



SAITAC D-VEL / AEROMAX D-VEL
Hook & loop paper discs.

189



FREE DUST D-VEL
Hook & loop abrasive net discs.

205
218



FINEFLEX D-VEL
Hook & loop discs on film.

207



FINEFLEX S-VEL
Hook & loop sheets on film.

208



FILM D-VEL
Hook & loop discs on film.

209



SC D-VEL SOF
Hook & loop paper foam discs.

210



FOAM D-VEL
Hook & loop structured discs.

211



SAITAC D-VEL / FREE DUST D-VEL
Hook & loop discs for "Giraffe" wall and ceiling sanders.

215



SAITAC T-VEL
Hook & loop paper triangles.

215



SAITEX D-VEL
Hook & loop cloth discs.

224



SAITEX-DF / SAITAC-DF
Cloth and paper double face discs.

230




SAIT SCREEN-D
Abrasive net discs.

231



Contents

NON-WOVEN PRODUCTS



SAITPOL S-TNT
Sheets.

236



SAITPOL R-TNT
Rolls.

237



SAITPOL D-VEL
Hook & loop discs.

237



SAITPOL D-TNT
Discs.

238



SAITPOL-G / SAITPOL-F
Wheels.

240



SAITPOL-GT / SAITPOL-FT / SAILLAM-XP
Mixed wheels and flap discs.
Flap discs in SCM.

242



SAITLAM-XP LUX
Felt flap discs.

244



SAITPOL-UT / SAITPOL-DU / SAIT LOCK-UT
UNITIZED discs.

245



SAITPOL-FV / SAITPOL D-STRIP
STRIP discs.

247



SURFACE CONDITIONING (SCM)
Quick-change discs, discs and belts.

248



SAIT-FOAM / SAIT-BLOCK
Abrasive sponges.

251

DIAMOND TOOLS

Diamond cutting blades.

TURBO



SAITDIAM-TU	TREDI	259
SAITDIAM-TU	CP	259
SAITDIAM-TU	CV	260
SAITDIAM-TU	CC	260
SAITDIAM-TU	CU	260

Diamond cutting blades.

CONTINUOUS RIM



SAITDIAM-CT	JV	262
SAITDIAM-CT	GR	262
SAITDIAM-CT	JR	262
SAITDIAM-TU/CT	QZ	263
SAITDIAM-CT	CR	264
SAITDIAM-CT	CS	264

Diamond cutting blades.

LASER



SAITDIAM-LA	TREDI	266
SAITDIAM-LA	GT	266
SAITDIAM-LA	LP	267
SAITDIAM-LA	LV	267
SAITDIAM-LA	LS	267
SAITDIAM-LA	LU	268

Diamond cutting blades.

SINTERED SEGMENTS



SAITDIAM-SE	SE	268
--------------------	-----------	-----

Diamond cutting blades.

SPECIALIST BLADES



SAITDIAM-EB	ED / ED C	269
SAITDIAM-EB	UN	270
SAITDIAM-EB	VR	270
SAITDIAM-EB	GH/GH TS	271

Diamond cutting blades.

**Ø mm 300 - 350 - 400 /
LASER**



SAITDIAM-LA	MULTI-TREDI TP	272
SAITDIAM-LA	MULTI PR	272
SAITDIAM-LA	MULTI UN	273

Diamond cup wheels for dressing.

CUP WHEELS



SAITDIAM-TA	274
--------------------	-----



Contents

Diamond utensils for dry drilling.

DRILLS



SAIT QUICK 275

Abrasive flat flap discs.

FLAP DISCS



SAITDIAM POWER 278

Diamond discs.

HOOK & LOOP DISCS



SAITDIAM D-VEL	100 D	279
SAITDIAM D-VEL	100 SD	279
SAITDIAM D-VEL	100 W	280
SAITDIAM PAD		280
STARTER KIT		281
4 STEP KIT		282

Diamond cutting blades.



PLANET-DIAM	BU	283
PLANET-DIAM	BC	283
PLANET-DIAM	BS	283

BRUSHES

METAL BRUSHES




Cup wire brushes.



SM-TA 288



Wheel brushes.



SM-CR 289



Bevel wheel brushes.



SM-CO 290



Wheel brushes with shank.



SG-CR 291




End brushes.



SG-FR 292



Brushes with shank for drill.



SE-TA 293

SE-CR 293

SE-FR 293



Hand brushes.



SM-MU 294

SM-MA 294

NYLON BRUSHES



Cup wire brushes.



SN-TA 295




Wheel brushes.



SN-CR 295



Brushes with shank for drill.



SN-TA 296

SN-CR 296



Hand brushes.



SN-MU 296

POLISHING

SAITLAB POLISHING SYSTEM



Abrasive compounds. 302



Contents



Foam pads. 304



Microfibre cloths. 305



Wool pad. 306



Decontaminating products. 307

MASKING AND PROTECTION PRODUCTS



Masking foam tape, film, adhesive tapes. 308

MACHINES AND ACCESSORIES



SAITmaster
Pneumatic random orbital sander.

SAITMASTER 3 150x3 PN 310

SAITMASTER 6 150x6 PN 310



SAITplus 200
Angle polisher.

SAITPLUS 200 EL 311



VORTEX L
Professional vacuum cleaner.

VORTEX L 2400 AS 313

DECORATING ACCESSORIES



314

DISPLAYS AND ROLL HOLDERS



315



Contents of ACCESSORIES

TM ABRASIVE WHEELS



Flanges.

48

TF ABRASIVE WHEELS



Reduction bushings.

48

PREMIUM-SAITRIS REINFORCED DISCS



SAITRIS PAD

Backing pads and locking nuts.

51

FIBRE DISCS



SAITPAD

Backing pads.

89

90



Spare parts.

91

QUICK-CHANGE DISCS



PAD SAIT LOCK

Backing pads.

94

95

246

248

FLAP WHEELS WITH FLANGE



Flanges.

126

SLEEVES



R/G

Sleeve holders with spindle.

147



R/F

Sleeve holders with bore.

147

HOOK & LOOP ROLLS



SAITVEL-TP

Hand sanding block.

168

HOOK & LOOP STRIPS



SAITVEL-TP Aero-max

Hand sanding blocks.

188

FINEFLEX HOOK & LOOP SHEETS



SAITPAD MICRO

Hand pad.

208



Contents of ACCESSORIES

HOOK & LOOP DISCS



SAITVEL-TP *Aeromax*
Hand sanding tool.

226



SAITVEL-TP
Handblock with self-gripping.

226



PAD-VEL
Backing pads for RANDOM ORBITAL SANDERS.

227



PAD-VEL *Aeromax*
Backing pads for RANDOM ORBITAL SANDERS.

227



Backing pad protections.

228



Soft adapters for RANDOM ORBITAL SANDERS.

228



PSA-VEL
Adapters.

228



PAD-VEL
Backing pads for ROTARY SANDING MACHINES.

229

HOOK & LOOP DIAMOND DISCS



SAITDIAM PAD
Backing pads.

280

PROFESSIONAL VACUUM CLEANER



Spare parts.

313



The company Sait Abrasivi S.p.A.



TORINO (Collegno)

Headquarters and resin bonded wheels production facility

The Turin - Collegno plant today covers 27,000 square meters, was built in 1958 and expanded several times until 2010, when a new building of over 6,000 square meters was built to accommodate new automatic production systems which manufactures the cutting and grinding reinforced bonded wheels, in diameters from 75 to 600 mm.



CUNEO (Piozzo)

Coated abrasives production facility

Coated abrasives (fibre, cloth and paper) are produced in Cuneo - Piozzo. The plant was built in 1975 and expanded over the years until 2012 to accommodate new continuous production lines of coated abrasives. The site now covers an area of more than 25,000 square meters.



TORINO (Settimo T.se)

Warehouse and distribution centre

The central warehouse was built in 1981 and later expanded to support the evolution of the company. Today it is an efficient logistics center of 8,500 square meters equipped with the most modern systems for the storage and shipping of Sait products in the world. The prompt availability of a huge number of products and the advanced logistic management make the Sait service a point of reference in the market of abrasive products.




Established in 1953, Sait Abrasivi S.p.A. is today one of the most important abrasive manufacturers in the world producing both bonded and coated abrasives for the industrial market.

3 plants in Italy, 9 associated companies worldwide, 10 sales branches in Italy, 200 specialists in the sale of abrasive products, 150 international partners, over 90,000 products, are all strengths that Sait Customers can benefit from.

A great, flexible, modern, professional organisation, always aware of the evolution of the market and requirements of Customers.



Sait in Italy



1	PIEMONTE - LIGURIA - VALLE D'AOSTA 10093 Collegno (TO) Via Torino Pianezza, 20	Tel. 011.897.87.26 filiale_torino@sait-abr.com
2	LOMBARDIA 20092 Cinisello Balsamo (MI) Via Monte Grigna, 9/B	Tel. 02.66.01.03.56 filiale_milano@sait-abr.com
3	TRIVENETO 35020 Maserà di Padova (PD) Via 1° Maggio, 4	Tel. 049.886.25.00 filiale_padova@sait-abr.com
4	EMILIA ROMAGNA - MARCHE 40129 Bologna Via dell'Arcoveggio, 74	Tel. 051.72.52.87 - 72.50.68 filiale_bologna@sait-abr.com
5	TOSCANA - UMBRIA 50018 Scandicci (FI) Via Enrico Conti, 19	Tel. 055.88.22.57 filiale_firenze@sait-abr.com
6	LAZIO - ABRUZZO - MARCHE (AP) 00015 Monterotondo (RM) Piazza della Ferriera, 1	Tel. 06.900.36.21 filiale_roma@sait-abr.com
7	CAMPANIA 80078 Pozzuoli (NA) Strada Provinciale Pianura Z.I. - Località S. Martino	Tel. 081.526.81.77 filiale_napoli@sait-abr.com
8	PUGLIA - MOLISE - BASILICATA - CALABRIA (CS, CZ, KR) 70026 Modugno (BA) Via 10 Marzo, 150/152	Tel. 080.530.94.55 filiale_bari@sait-abr.com
7	SICILIA 80078 Pozzuoli (NA) Strada Provinciale Pianura Z.I. - Località S. Martino	Tel. 081.526.81.77 distr_sicilia@sait-abr.com
7	CALABRIA (RC, VV) - SARDEGNA 80078 Pozzuoli (NA) Strada Provinciale Pianura Z.I. - Località S. Martino	Tel. 081.526.81.77 distr_calabria@sait-abr.com



Sait in the world



	1 SAIT ABRASIVI S.p.A. Via Torino Pianezza, 20 10093 Collegno (Torino) ITALIA	Tel. +39 - 011 40 77 111 Fax +39 - 011 40 77 233 www.sait-abr.com uvitalia@sait-abr.com - uvestero@sait-abr.com
	2 SAIT FRANCE SARL 18, rue Ampère - Z.I. - B.P. 40020 95501 Gonesse Cedex FRANCE	Tel. +33 - (0)1 34.07.98.98 Fax +33 - (0)1 34.07.98.99 www.sait-france.fr saitfrance@sait-france.fr
	3 SAIT ABRASIVES (UK) LTD. Regent House, Meridian East, Meridian Business Park Leicester, LE19 1WZ ENGLAND (UK)	Tel. +44 - (0344) 801.33.55 Fax +44 - (0344) 801.33.50 www.sait-abrasives.co.uk info@sait-abrasives.co.uk
	4 C-PARTS GmbH Flachsstraße 50 88512 Mengen DEUTSCHLAND	Tel. +49 (0) 7576 8899 411 Fax +49 (0) 7576 8899 410 www.c-parts.de office@c-parts.de
	5 ABRASIVOS SAIT ESPAÑA S.A. Via Europa, 10 - P.I. Pla de Llerona 08520 Les Franqueses Del Valles (BCN) ESPAÑA	Tel. +34 - 93.849.66.22 www.sait-abr.com ventas@abrasivossait.es
	6 UNITED ABRASIVES INC. 185 Boston Post Road North Windham CT 06256 U.S.A.	Tel. +1 - (860) 456.71.31 Fax +1 - (860) 456.83.41 www.unitedabrasives.com info@unitedabrasives.com
	SOTT - SAIT OVERSEAS TRADING & TECHNICAL CORP. 185 Boston Post Road North Windham CT 06256 U.S.A.	Tel. +1 - (860) 456.41.67 Fax +1 - (860) 450.73.47
	7 UNITED ABRASIVES CANADA, INC. 1835 Meyerside Drive, Unit 3 Mississauga, Ontario - L5T 1G4 CANADA	Tel. (800) 345.72.48 Fax (800) 245.72.48
	8 SAIT ABRASIVOS LTDA Rua Hugo Creplive Filho 693, Bairro Centro Industrial 83.420-000 - Quatro Barras - Paraná BRASIL	Tel. +55 - (41) 3544.7200 Fax +55 - (41) 3544.7201 www.sait.com.br sait@sait.com.br
	9 SAIT ABRASIVES (CHINA) CO., LTD. 6F, Century Metropolis Centre No. 1229 Century Avenue Pudong District, Shanghai CHINA 200122	Tel. +86 21 20702828 www.sait-abr.com Info.cn@sait-abr.com



Certifications and memberships

ISO 9001



SAIT has obtained and maintains ISO 9001 certification for the entire production cycle, from development to the delivery of the product. All SAIT products are subject to strict quality controls to ensure high standards of safety, performance and reliability. The Customer is also constantly assisted by a team of people specialized and qualified in technical and commercial field.

ISO 14001



SAIT considers the protection of the environment and the reduction of environmental impact an essential value. The company complies with the requirements of the ISO 14001 environmental management system standard.



Federation of European Producers of Abrasives.
SAIT is one of the founder members of the Fepa.



SAIT has joined the SEAM Sustainability Program as a demonstration of its commitment to continuously improve its environmental, labour and production processes. The SEAM program ensures that SEAM members manufacture, process, supply and distribute abrasives according to their own sustainability standards with regards to environmental efficiency (waste, energy, resources), health and safety of their workers, production quality and development of innovative processes.



Organisation for the Safety of Abrasives.
SAIT is one of the founder members of the Organisation. oSa promotes the adoption of technologies and controls in the field of product safety among manufacturers of abrasives, following the most rigorous international regulatory standards.



SAIT received the Declaration of Conformity of the Euroasian Economic Union and all its products carry the EAC logo on their label.



Technology

Research and development are always at the forefront of our minds, underpinned with the most advanced technologies and quality control systems allows SAIT to achieve a leading position in the world market of abrasive products.

SAIT constantly invests to maintain its plants and laboratories at the highest levels of technology and automation, to ensure Customers always receive excellence in terms of safety, quality, performance and reliability.


SAIT ABRASIVI S.P.A.: A GROUP WITH SOLID ROOTS LOOKING TOWARDS THE FUTURE.





Packaging and labelling


SAIT products are packed in transport and sales packages (unit of sales or outer boxes), designed to guarantee contents protection and to ease all storage and identification operations. Each outer box has a label containing the main products data. Internally, the products are packed in display packaging (inner boxes).





Packaging and labelling

Display packaging are dimensioned and designed to meet the requirements of both distributors and end users. Each package allows a clear product identification and contains safety information.



Choice of abrasive products

The choice of the most suitable tool for a specific operation is very important to obtain the best result. SAIT technical-commercial organisation is always at the users's disposal to give advices about the most suitable choice of abrasive tools among the many available types.



Storage



Abrasive products must be stored in places with a temperature of approximately 20°C (68°F) and relative humidity of approximately 65%. It is important to avoid storing abrasive products near heat sources and in very humid places.

Images

The images shown are purely indicative, therefore the company reserves the right to make whatever modifications without prior notice.

Safety standards

SAIT abrasive products are manufactured and tested to ensure a high degree of safety for the operator. The machines used should be equipped with all required safety accessories (guards, screens, etc.) Accurate mounting is essential to maintain the safety standards and to achieve the best output from the abrasive tool. The maximum operational speed must not exceed the one recommended for each individual product. Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection. The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.



Refer to instruction manual / booklet.



Wear ear protection.



Wear eye protection.



Wear a mask.



Wear protective gloves.



Do not use a damaged abrasive wheel.



Do not use with hand-held machine.



Do not use for wet grinding and cutting-off.



Do not use for grinding.



Only suitable for wet cutting-off.



Only permitted with back-up pad.

Product availability

- **Stock:** available products, subject to prior sale.
- **W2:** for such items please contact the sales department and verify the best delivery time (within 10 working days from the date of the order confirmation).
- **W4:** for such items please contact the sales department and verify the best delivery time (within 20 working days from the date of the order confirmation).
- **W5:** for such items please contact the sales department and verify the best delivery time (within 25 working days from the date of the order confirmation).
- **W8:** for such items please contact the sales department and verify the best delivery time (within 40 working days from the date of the order confirmation).



ABRASIVE WHEELS














Abrasive Wheels

Contents



		Technical information.	21	
TOP CERAMIC	 BF - 27	Type DS	Grinding wheels for portable machines - with depressed centre.	24
	 BF - 42	DT	Cutting wheels for portable machines - with depressed centre.	24
	 BF - 41	TM	Cutting wheels for portable machines - flat.	25
	 BF - 29	SAIT-tre	Reinforced discs.	25
	 BF - 27	DS	Grinding wheels for portable machines - with depressed centre.	26
	 BF - 42	DT	Cutting wheels for portable machines - with depressed centre.	26
	 BF - 41	TM	Cutting wheels for portable machines - flat.	27
PREMIUM	 BF - 27	DS	Grinding wheels for portable machines - with depressed centre.	28
	 BF - 42	DT	Cutting wheels for portable machines - with depressed centre.	33
	 BF - 41	TM PU	Cutting wheels for portable machines - flat.	37 44
	 BF - 41	TR	Wheels for rail cutting with guided machines - flat.	44
	 BF - 41	TF	Cutting wheels for fixed machines - flat.	45
	 BF - 29	SAIT-tre	Reinforced discs.	49
		SAITRIS	Reinforced discs.	50
	 BF - 27	DS	Grinding wheels for portable machines - with depressed centre.	52
	 BF - 42	DT	Cutting wheels for portable machines - with depressed centre.	54
	 BF - 41	TM	Cutting wheels for portable machines - flat.	56
	 BF - 41	TF	Cutting wheels for fixed machines - flat.	59
	 BF - 27	DS	Grinding wheels for portable machines - with depressed centre.	60
	 BF - 42	DT	Cutting wheels for portable machines - with depressed centre.	61
	 BF - 41	TM	Cutting wheels for portable machines - flat.	62
	 BF - 41	TF	Cutting wheels for fixed machines - flat.	63
		V G	Vitrified mounted points.	64
			Metal burrs.	65



Abrasive Wheels

Cutting and grinding wheels for portable machines from 75 to 230 mm in diameter. For stationary machines up to 500mm in diameter. A complete range of wheels divided by classes of performance, each of which is produced entirely in Europe and suitable to meet the needs of each customer.



TOP CERAMIC

The latest generation range which, thanks to the performance properties of the ceramic abrasive, guarantees an improvement in performance in terms of time, consumption and quality.



EK winner

High performance range, where performance is combined with speed and economy.



POWER MAX

Range developed for maximum performance. The high percentage of excellent quality zirconia enables excellent cutting capacity and guarantees extremely high performance.



PLANET

Particularly versatile range for general purpose.



PREMIUM

High performance specialist range suitable for intensive use for the processing of particularly demanding materials.

How to read the product

PREMIUM	TM	125 x 2,5 x 22,23	A	24	R
Product line	Shape	Dimensions (diameter x thickness x bore)	Abrasive	Average grit size	Hardness

Shapes



BF - 27 Depressed centre - for grinding **(DS)**



BF - 42 Depressed centre - for cutting **(DT)**



BF - 41 Flat - for cutting **(TM, PU, TF, TR)**



BF - 29 Depressed centre - for grinding **(SAIT-tre)**

Bondings

BF Resinoid reinforced bonding

Abrasives

A Aluminium oxide
Z Zirconia


C Silicon carbide
S Ceramic abrasive

Characteristics

The combination of shape, size and specification (abrasive, grit size, hardness, structure and bonding) of every SAIT wheel is the most suitable to obtain the highest out-put as the most economic utilisation of the wheel for the specific operation for which is recommended.



Packaging (examples)



Safety standards

SAIT abrasive wheels are manufactured and tested in order to guarantee the maximum safety for the operation. The efficiency of the machine as well as the suitable power and working speed must be observed.

Safety standards prescribe:

- not to exceed, for any reason, the maximum speed indicated for every type of wheel;
- not to use cutting wheels for grinding operations;
- a correct storage of the wheel in rooms with temperatures between 15°C and 30°C and relative humidity between 45% and 75%;
- to check the wheel before mounting it, to detect possible damages caused by handling and transport;
- a correct mounting of the wheel using suitable flanges;
- the use of the prescribed guards;
- the use of dust exhausters;
- not to use the wheels prescribed for fixed machines with portable machines.


Abrasive wheels, improperly stored, used, mounted or damaged, are dangerous and can cause serious injuries to any person in the surroundings.

Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection.

The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.



How to read the label of the abrasive wheel



Colour code



TOP CERAMIC



POWER MAX



Metal



Stainless steel



Zirconia



Aluminium



Cutting wheels
for fixed machines



Stone, marble

TOP CERAMIC-DS



Depressed centre grinding wheels
for portable machines

 Type 27



AS 24 N **READY**

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. High stock removal.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

							
TOP CERAMIC-DS	AS 24 N	115 x 7,0 x 22,23	10000 00057	stock		13.300	100 (10x10)
TOP CERAMIC-DS	AS 24 N	125 x 7,0 x 22,23	10000 00058	stock		12.250	100 (10x10)
TOP CERAMIC-DS	AS 24 N	150 x 7,0 x 22,23	10000 00046	stock		10.200	60 (4x15)
TOP CERAMIC-DS	AS 24 N	180 x 7,0 x 22,23	10000 00017	stock		8.500	50 (5x5) x 2
TOP CERAMIC-DS	AS 24 N	230 x 7,0 x 22,23	10000 00001	stock		6.650	25 (5x5)

AS 24 R **HEAVY DUTY**

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Very high stock removal.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

							
TOP CERAMIC-DS	AS 24 R	125 x 7,0 x 22,23	10000 00085	W4		12.250	100 (10x10)
TOP CERAMIC-DS	AS 24 R	180 x 7,0 x 22,23	10000 00086	W4		8.500	50 (5x5) x 2
TOP CERAMIC-DS	AS 24 R	230 x 7,0 x 22,23	10000 00089	W4		6.650	25 (5x5)

TOP CERAMIC-DT



Depressed centre cutting wheels
for portable machines

 Type 42 - 27



AS 30 R **SHARP**

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. Extremely high cutting speed. Extremely long life.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

								
TOP CERAMIC-DT	AS 30 R	125 x 3,2 x 22,23		10000 01031	stock		12.250	100 (10x10)
TOP CERAMIC-DT	AS 30 R	150 x 4,6 x 22,23	CUT & GRIND	10000 01053	W4		10.200	60 (4x15)
TOP CERAMIC-DT	AS 30 R	230 x 2,5 x 22,23		10000 01063	W4		6.650	50 (5x10)

A = Aluminium oxide
S = Ceramic abrasive

TOP CERAMIC-TM



Flat cutting wheels
for portable machines

Type 41



AS 60 N SPRINT

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Very fast and cool cut. Very accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

TOP CERAMIC-TM	AS 60 N	115 x 1,0 x 22,23	10000 01599	stock		13.300	100 (5x20)
TOP CERAMIC-TM	AS 60 N	125 x 1,0 x 22,23	10000 01600	stock		12.250	100 (5x20)

AS 46 S HARD

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Fast cut. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

TOP CERAMIC-TM	AS 46 S	115 x 1,6 x 22,23	10000 01601	stock		13.300	100 (5x20)
TOP CERAMIC-TM	AS 46 S	125 x 1,6 x 22,23	10000 01602	stock		12.250	100 (5x20)

AS 36 R SPRINT

METAL - INOX

Special purpose. Wheel with mixture of new generation abrasives with ceramic abrasive. High performance. Fast cut. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS

TOP CERAMIC-TM	AS 36 R	230 x 2,0 x 22,23 ★	10000 01554	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

TOP CERAMIC-SAIT-tre



Reinforced discs

Type 29



AS

METAL - INOX - ALU

Special purpose. Disc with mixture of new generation abrasives with ceramic abrasive. Ideal for light grinding operations with very good finish. The disc can be mounted directly on the machine tool without the use of backing pads. Very high performance. Very high stock removal. Reduced vibrations.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS METALS

TOP CERAMIC-SAIT-tre	AS 36 N	125 x 4,0 x 22,23	10000 86114	stock		12.250	50 (5x10)

A = Aluminium oxide
S = Ceramic abrasive

POWERMAX-DS



Depressed centre grinding wheels
for portable machines



Type 27



METAL - INOX

ZZ 30 S

Special purpose for high grinding pressures. Extremely long life. High stock removal.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

POWERMAX-DS	ZZ 30 S	125 x 7,0 x 22,23	10000 00082	W4	12.250	100 (10x10)
POWERMAX-DS	ZZ 30 S	230 x 7,0 x 22,23	10000 00083	stock	6.650	25 (5x5)

POWERMAX-DT



Depressed centre cutting wheels
for portable machines



Type 42



METAL - INOX

ZZ 30 R

Special purpose for heavy duty applications. Extremely high cutting speed. Extremely long life.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

POWERMAX-DT	ZZ 30 R	230 x 2,5 x 22,23	10000 01064 °	stock	6.650	50 (5x10)

Z = Zirconia

POWERMAX-TM



Flat cutting wheels
for portable machines



Type 41



METAL - INOX

ZZ 36 T

Professional use. Fast cut and accurate finish. Long life.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

						
POWERMAX-TM	ZZ 36 T	180 x 2,0 x 22,23 ★	10000 01547	stock	8.500	50 (5x10)
POWERMAX-TM	ZZ 36 T	230 x 2,0 x 22,23 ★	10000 01546	stock	6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

ZZ 46 T

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

							
POWERMAX-TM	ZZ 46 T	115 x 1,6 x 22,23	10000 01545	stock		13.300	100 (5x20)
POWERMAX-TM	ZZ 46 T	125 x 1,6 x 22,23	10000 01531	stock		12.250	100 (5x20)

ZZ 60 T

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

							
POWERMAX-TM	ZZ 60 T	115 x 1,0 x 22,23	10000 01543	stock		13.300	100 (5x20)
POWERMAX-TM	ZZ 60 T	125 x 1,0 x 22,23	10000 01544	stock		12.250	100 (5x20)

Z = Zirconia



2026

ABRASIVE WHEELS

27

PREMIUM-DS

Depressed centre grinding wheels
for portable machines



Type 27



A 24 R

METAL - METALLO - METALL

General purpose for heavy duty applications. Good stock removal. Long life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

PREMIUM-DS	A 24 R	115 x 6,0 x 22,23	10000 00029	stock		13.300	100 (10x10)
PREMIUM-DS	A 24 R	125 x 6,0 x 22,23	10000 00061	stock		12.250	100 (10x10)
PREMIUM-DS	A 24 R	180 x 7,0 x 22,23	10000 00010	stock		8.500	50 (5x5) x 2
PREMIUM-DS	A 24 R	230 x 7,0 x 22,23	10000 00021	stock		6.650	25 (5x5)

A 24 N

INOX - METAL - METALLO - METALL

General purpose for high stock removal. Wheel produced without addition of iron and sulphur compounds.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

PREMIUM-DS	A 24 N	115 x 6,0 x 22,23	10000 00003	stock		13.300	100 (10x10)
PREMIUM-DS	A 24 N	125 x 6,0 x 22,23	10000 00005	stock		12.250	100 (10x10)
PREMIUM-DS	A 24 N	150 x 6,5 x 22,23	10000 00007	stock		10.200	60 (4x15)
PREMIUM-DS	A 24 N	180 x 7,0 x 22,23	10000 00009	stock		8.500	50 (5x5) x 2
PREMIUM-DS	A 24 N	230 x 7,0 x 22,23	10000 00020	stock		6.650	25 (5x5)

A 30 N

METAL - METALLO - METALL

General purpose for very high stock removal. Wheel produced without addition of iron and sulphur compounds.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- WELDS

PREMIUM-DS	A 30 N	115 x 6,0 x 22,23	10000 00112	stock		13.300	100 (10x10)
PREMIUM-DS	A 30 N	125 x 6,0 x 22,23	10000 00113	stock		12.250	100 (10x10)

A = Aluminium oxide

PREMIUM-DS

Depressed centre grinding wheels
for portable machines



Type 27



A 36 N

INOX

Special purpose for very high stock removal and cool grinding. Wheel produced without addition of iron and sulphur compounds.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

PREMIUM-DS	A 36 N	115 x 6,0 x 22,23	10000 00048	stock		13.300	100 (10x10)
PREMIUM-DS	A 36 N	125 x 6,0 x 22,23	10000 00032	stock		12.250	100 (10x10)
PREMIUM-DS	A 36 N	180 x 7,0 x 22,23	10000 00011	stock		8.500	50 (5x5) x 2
PREMIUM-DS	A 36 N	230 x 7,0 x 22,23	10000 00022	stock		6.650	25 (5x5)

XA 24 Q

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1 %). Certificate available. High stock removal.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

PREMIUM-DS	XA 24 Q	115 x 6,0 x 22,23	10000 00041	stock		13.300	100 (10x10)
PREMIUM-DS	XA 24 Q	125 x 6,0 x 22,23	10000 00040	stock		12.250	100 (10x10)
PREMIUM-DS	XA 24 Q	150 x 6,5 x 22,23	10000 00075	W4		10.200	60 (4x15)
PREMIUM-DS	XA 24 Q	180 x 7,0 x 22,23	10000 00043	W4		8.500	50 (5x5) x 2
PREMIUM-DS	XA 24 Q	230 x 7,0 x 22,23	10000 00042	W4		6.650	25 (5x5)

A 46 N

ALU

Special purpose for clogging materials.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

PREMIUM-DS	A 46 N	115 x 7,0 x 22,23	10000 00059	stock		13.300	100 (10x10)
PREMIUM-DS	A 46 N	125 x 7,0 x 22,23	10000 00062	stock		12.250	100 (10x10)
PREMIUM-DS	A 46 N	180 x 7,0 x 22,23	10000 00012	stock		8.500	50 (5x5) x 2
PREMIUM-DS	A 46 N	230 x 7,0 x 22,23	10000 00023	stock		6.650	25 (5x5)

C 24 N

CAST IRON - GHISA - FONTE - GUSSEISEN - FUNDICIÓN
STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose for very hard materials. High stock removal. Good life.

APPLICATIONS

- CONCRETE
- VERY HARD CAST IRON
- CAST IRON WITH SANDY SURFACES

PREMIUM-DS	C 24 N	115 x 6,0 x 22,23	10000 00004	W4		13.300	100 (10x10)
PREMIUM-DS	C 24 N	125 x 6,0 x 22,23	10000 00006	W4		12.250	100 (10x10)
PREMIUM-DS	C 24 N	180 x 7,0 x 22,23	10000 00014	W4		8.500	50 (5x5) x 2
PREMIUM-DS	C 24 N	230 x 7,0 x 22,23	10000 00025	stock		6.650	25 (5x5)

A = Aluminium oxide
C = Silicon carbide



2026

ABRASIVE WHEELS

PREMIUM-DS

Depressed centre grinding wheels
for portable machines



Type 27



Z 30 R ZIRCON

ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Long life. Good stock removal.

APPLICATIONS

- CAST IRON
- STEELS

PREMIUM-DS	Z 30 R	115 x 7,0 x 22,23	10000 00091	stock		13.300	100 (10x10)
PREMIUM-DS	Z 30 R	125 x 7,0 x 22,23	10000 00092	stock		12.250	100 (10x10)
PREMIUM-DS	Z 30 R	180 x 7,0 x 22,23	10000 00069	W4		8.500	50 (5x5) x 2
PREMIUM-DS	Z 30 R	230 x 7,0 x 22,23	10000 00101	stock		6.650	25 (5x5)

Z 30 N ZIRCON

INOX - ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. High performance. High stock removal.

APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

PREMIUM-DS	Z 30 N	230 x 7,0 x 22,23	10000 00054	stock		6.650	25 (5x5)

PREMIUM-DS

Depressed centre grinding wheels
for portable machines



Type 27



ZZ 24 P ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for high stock removal. High performance.

APPLICATIONS

- CAST IRON
- STEELS

PREMIUM-DS	ZZ 24 P	180 x 7,0 x 22,23 NEW	10000 00030	W4		8.500	50 (5x5) x 2
PREMIUM-DS	ZZ 24 P	230 x 7,0 x 22,23	10000 00028	stock		6.650	25 (5x5)

ZZ 24 N ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO - INOX
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for very high stock removal.

APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

PREMIUM-DS	ZZ 24 N	230 x 7,0 x 22,23	10000 00033	stock		6.650	25 (5x5)

ZZ 24 M ZIRCON

ACCIAIO - STEEL - ACIER - STHAL - ACERO - INOX
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for high grinding pressures. Wheel with special abrasive structure for extremely high stock removal.

APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS

PREMIUM-DS	ZZ 24 M	230 x 7,0 x 22,23	10000 00066	stock		6.650	25 (5x5)

Z = Zirconia

PREMIUM-DS

Depressed centre grinding wheels
for portable machines



Type 27



AZ 24 T HIGH PERFORMANCE

ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. Good stock removal. Long life.

APPLICATIONS

- STEELS
- CAST IRON
- WELDS

PREMIUM-DS	AZ 24 T	180 x 7,0 x 22,23	10000 00038	stock		8.500	50 (5x5) x 2
PREMIUM-DS	AZ 24 T	230 x 7,0 x 22,23	10000 00044	stock		6.650	25 (5x5)

AZ 24 S HIGH PERFORMANCE

INOX - ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. High stock removal. Good life.

APPLICATIONS

- CAST IRON
- STEELS
- STAINLESS STEELS
- WELDS

PREMIUM-DS	AZ 24 S	180 x 7,0 x 22,23	10000 00055	W4		8.500	50 (5x5) x 2
PREMIUM-DS	AZ 24 S	230 x 7,0 x 22,23	10000 00053	stock		6.650	25 (5x5)

AZC 24 Q HIGH PERFORMANCE

ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. Very high stock removal. Good life. Also features silicon carbide abrasive.

APPLICATIONS

- STEELS
- CAST IRON
- WELDS

PREMIUM-DS	AZC 24 Q	180 x 7,0 x 22,23	10000 00047	W4		8.500	50 (5x5) x 2
PREMIUM-DS	AZC 24 Q	230 x 7,0 x 22,23	10000 00050	stock		6.650	25 (5x5)

AZ 24 N

INOX - ACCIAIO - STEEL - ACIER - STHAL
GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN

Special purpose for heavy duty applications. Extremely high stock removal. Good life.

APPLICATIONS

- STEELS
- CAST IRON
- STAINLESS STEELS
- WELDS

PREMIUM-DS	AZ 24 N	180 x 7,0 x 22,23	10000 00067	W4		8.500	50 (5x5) x 2

A = Aluminium oxide
Z = Zirconia
C = Silicon carbide

PREMIUM-DT

Depressed centre cutting wheels
for portable machines



Type 42



A 24 R

METAL - METALLO - METALL

General purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

							
PREMIUM-DT	A 24 R	115 x 2,5 x 22,23	10000 01109	stock		13.300	100 (10x10)
PREMIUM-DT	A 24 R	115 x 3,2 x 22,23	10000 01003	stock		13.300	100 (10x10)
PREMIUM-DT	A 24 R	125 x 2,5 x 22,23	10000 01005	W4		12.250	100 (10x10)
PREMIUM-DT	A 24 R	125 x 3,2 x 22,23	10000 01006	stock		12.250	100 (10x10)
PREMIUM-DT	A 24 R	150 x 3,2 x 22,23	10000 01008	stock		10.200	100 (4x25)
PREMIUM-DT	A 24 R	230 x 2,6 x 22,23	10000 01022	stock		6.650	50 (5x10)
PREMIUM-DT	A 24 R	230 x 3,4 x 22,23	10000 01025	stock		6.650	50 (5x10)

A 24 N

INOX

Special purpose for metals tough to be cut. Wheel produced without addition of iron and sulphur compounds. Cool and fast cut.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- CAST IRON
- NON-FERROUS METALS

							
PREMIUM-DT	A 24 N	115 x 3,2 x 22,23	10000 01037	stock		13.300	100 (10x10)
PREMIUM-DT	A 24 N	125 x 3,2 x 22,23	10000 01074	stock		12.250	100 (10x10)
PREMIUM-DT	A 24 N	230 x 3,2 x 22,23	10000 01023	stock		6.650	50 (5x10)

A = Aluminium oxide

PREMIUM-DT

Depressed centre cutting wheels
for portable machines



Type 42



A 30 S

INOX

Special purpose. Wheel produced without addition of iron and sulphur compounds. Cool and fast cut. Long life.

APPLICATIONS

- STAINLESS STEELS
- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

PREMIUM-DT	A 30 S	115 x 2,5 x 22,23	10000 01110	W4		13.300	100 (10x10)
PREMIUM-DT	A 30 S	125 x 2,5 x 22,23	10000 01043	stock		12.250	100 (10x10)
PREMIUM-DT	A 30 S	125 x 3,2 x 22,23	10000 01086	stock		12.250	100 (10x10)
PREMIUM-DT	A 30 S	180 x 2,5 x 22,23	10000 01044	W4		8.500	50 (5x10)
PREMIUM-DT	A 30 S	230 x 2,5 x 22,23	10000 01045	stock		6.650	50 (5x10)
PREMIUM-DT	A 30 S	230 x 3,2 x 22,23	10000 01049	stock		6.650	50 (5x10)

A 30 T

METAL - INOX

Special purpose. Fast cut. Accurate finish. Long life.

APPLICATIONS

- STAINLESS STEELS
- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

PREMIUM-DT	A 30 T	230 x 2,0 x 22,23	10000 01071	W4		6.650	50 (5x10)

XA 24 Q

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1 %). Certificate available. High cutting speed.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

PREMIUM-DT	XA 24 Q	115 x 3,2 x 22,23	10000 01038	stock		13.300	100 (10x10)
PREMIUM-DT	XA 24 Q	125 x 3,2 x 22,23	10000 01039	stock		12.250	100 (10x10)
PREMIUM-DT	XA 24 Q	180 x 3,2 x 22,23	10000 01035	stock		8.500	50 (5x10)
PREMIUM-DT	XA 24 Q	230 x 3,2 x 22,23	10000 01036	W4		6.650	50 (5x10)

A = Aluminium oxide

PREMIUM-DT

Depressed centre cutting wheels
for portable machines



Type 42

A 46 N

ALU

Special purpose for clogging materials.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

PREMIUM-DT	A 46 N	115 x 3,2 x 22,23	10000 01099 °	stock		13.300	100 (10x10)
PREMIUM-DT	A 46 N	125 x 3,2 x 22,23	10000 01090	W4		12.250	100 (10x10)
PREMIUM-DT	A 46 N	230 x 3,2 x 22,23	10000 01062	stock		6.650	50 (5x10)

C 24 R

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

PREMIUM-DT	C 24 R	115 x 3,2 x 22,23	10000 01004	W4		13.300	100 (10x10)
PREMIUM-DT	C 24 R	230 x 3,2 x 22,23	10000 01027	stock		6.650	50 (5x10)

C 24 N

GHISA - CAST IRON - FONTE - GUSSEISEN - FUNDICIÓN
GRANITO - GRANIT - GRANIT
STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose for hard materials. Fast and clean cut. Good life.

APPLICATIONS

- STONES
- GRANITES
- CERAMICS
- REFRACTORY MATERIALS
- CAST IRON

PREMIUM-DT	C 24 N	230 x 3,2 x 22,23	10000 01026	W4		6.650	50 (5x10)

A = Aluminium oxide
C = Silicon carbide

PREMIUM-DT

Depressed centre cutting wheels
for portable machines



Type 42 - 27



Z 30 R ZIRCON

INOX - METALLO - METAL - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- CAST IRON

PREMIUM-DT	Z 30 R	115 x 3,2 x 22,23		10000 01073	stock		13.300	100 (10x10)
PREMIUM-DT	Z 30 R	125 x 3,2 x 22,23		10000 01075	stock		12.250	100 (10x10)
PREMIUM-DT	Z 30 R	125 x 4,0 x 22,23		10000 01096	stock		12.250	150 (10x15)
PREMIUM-DT	Z 30 R	180 x 3,2 x 22,23		10000 01076	W4		8.500	50 (5x10)
PREMIUM-DT	Z 30 R	230 x 3,4 x 22,23		10000 01028	stock		6.650	50 (5x10)
PREMIUM-DT	Z 30 R	230 x 4,6 x 22,23	CUT & GRIND	10000 01080	stock		6.650	50 (5x10)

AZ 24 T HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- STEELS
- CAST IRON

PREMIUM-DT	AZ 24 T	230 x 3,2 x 22,23		10000 01010	stock		6.650	50 (5x10)
PREMIUM-DT	AZ 24 T	230 x 4,6 x 22,23	CUT & GRIND	10000 01046	stock		6.650	50 (5x10)

AZ 24 Q HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Good life.

APPLICATIONS

- STEELS
- CAST IRON

PREMIUM-DT	AZ 24 Q	230 x 3,2 x 22,23		10000 01047	stock		6.650	50 (5x10)
PREMIUM-DT	AZ 24 Q	230 x 4,6 x 22,23	CUT & GRIND	10000 01069	stock		6.650	50 (5x10)

AZ 24 P HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Easy and fast cut.

APPLICATIONS

- STEELS
- CAST IRON

PREMIUM-DT	AZ 24 P	180 x 4,6 x 22,23	CUT & GRIND	10000 01032	stock		8.500	50 (5x10)

A = Aluminium oxide
Z = Zirconia

PREMIUM-TM



Flat cutting wheels
for portable machines

Type 41



METAL - METALLO - METALL

A 24 R

General purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

							
PREMIUM-TM	A 24 R	125 x 2,5 x 22,23	10000 01503	stock		12.250	100 (10x10)
PREMIUM-TM	A 24 R	230 x 2,6 x 22,23	10000 01526	stock		6.650	50 (5x10)

A 30 S

METAL - INOX

Special purpose. Wheels free from iron, chlorine and sulphur compounds (Fe+Cl+S<0,1%). Certificate available. Suitable for nuclear and food processing plants. Cool and fast cut. Long life. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

							
PREMIUM-TM	A 30 S	125 x 2,0 x 22,23	10000 01588	stock		12.250	100 (10x10)
PREMIUM-TM	A 30 S	150 x 2,0 x 22,23	10000 01626	stock		10.200	100 (4x25)
PREMIUM-TM	A 30 S	180 x 2,0 x 22,23 ★	10000 01590	W4		8.500	50 (5x10)
PREMIUM-TM	A 30 S	230 x 2,0 x 22,23 ★	10000 01669	stock		6.650	50 (5x10)
PREMIUM-TM	A 30 S	230 x 2,5 x 22,23	10000 01593	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide

PREMIUM-TM



Flat cutting wheels
for portable machines

Type 41



A 46 T LONG LIFE

METAL - INOX

Special purpose. Long life. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

PREMIUM-TM	A 46 T	180 x 2,0 x 22,23	★	10000 01509	stock		8.500	50 (5x10)
PREMIUM-TM	A 46 T	230 x 2,0 x 22,23	★	10000 01518	W4		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A 46 S LONG LIFE

METAL - INOX

Special purpose. Cool and fast cut. Very accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

PREMIUM-TM	A 46 S	180 x 1,9 x 22,23	★	10000 01578	W4		8.500	50 (5x10)
PREMIUM-TM	A 46 S	230 x 1,9 x 22,23	★	1000503638	W4		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

XA 46 R

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%).
Certificate available. Cool and fast cut.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

PREMIUM-TM	XA 46 R	180 x 1,8 x 22,23	★	10000 01541	stock		8.500	50 (5x10)
PREMIUM-TM	XA 46 R	230 x 1,9 x 22,23	★	10000 01542	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A 46 N

ALU

Special purpose for clogging materials.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

PREMIUM-TM	A 46 N	230 x 2,5 x 22,23		10000 01616	stock		6.650	50 (5x10)

A = Aluminium oxide



C 24 R

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

PREMIUM-TM	C 24 R	230 x 2,5 x 22,23	10000 01519	stock		6.650	50 (5x10)

C 46 S

GRANITO - GRES - STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Cool and fast cut. Accurate finish.

APPLICATIONS

- BUILDING MATERIALS
- TILES
- CERAMICS
- PORCELAIN STONEWARE
- GRANITES
- NON-FERROUS METALS

PREMIUM-TM	C 46 S	230 x 2,0 x 22,23 ★	10000 01603	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

AZ 24 T HIGH PERFORMANCE

METAL - METALLO - METALL

Special purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- STEELS
- CAST IRON

PREMIUM-TM	AZ 24 T	230 x 2,5 x 22,23	10000 01507	stock		6.650	50 (5x10)

ZC 30 R

GHISA - CAST IRON - GUSSEISEN - FONTE - FUNDICIÓN

Special purpose. Easy and fast cut. Long life. Suggested use with pneumatic grinders.

APPLICATIONS

- CAST IRON

PREMIUM-TM	ZC 30 R	230 x 3,0 x 22,23	10000 01569	stock		6.650	50 (5x10)

A = Aluminium oxide

Z = Zirconia

C = Silicon carbide

PREMIUM-TM



Flat cutting wheels
for portable machines

Type 41



THICKNESS 1,6 MM



A 46 S

METAL - INOX

Special purpose. Cool and fast cut. Very accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

PREMIUM-TM	A 46 S	115 x 1,6 x 22,23	10000 01596	stock		13.300	100 (5x20)
PREMIUM-TM	A 46 S	125 x 1,6 x 22,23	10000 01597	stock		12.250	100 (5x20)
PREMIUM-TM	A 46 S	150 x 1,6 x 22,23	10000 01553	stock		10.200	100 (4x25)

A 46 T LONG LIFE

METAL - INOX

Special purpose. Long life. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

PREMIUM-TM	A 46 T	115 x 1,6 x 22,23	10000 01570	stock		13.300	100 (5x20)
PREMIUM-TM	A 46 T	125 x 1,6 x 22,23	10000 01571	stock		12.250	100 (5x20)

XA 46 R

INOX

Special purpose for nuclear, food and chemical processing plants, free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%).
Certificate available. Cool and fast cut.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

PREMIUM-TM	XA 46 R	115 x 1,6 x 22,23	10000 01627	stock		13.300	100 (5x20)
PREMIUM-TM	XA 46 R	125 x 1,6 x 22,23	10000 01628	W4		12.250	100 (5x20)

A = Aluminium oxide

PREMIUM-TM



Flat cutting wheels
for portable machines

Type 41



THICKNESS 1,6 MM



A 46 N

ALU

Special purpose for clogging materials.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

PREMIUM-TM	A 46 N	115 x 1,6 x 22,23	10000 01660	stock		13.300	100 (5x20)
PREMIUM-TM	A 46 N	125 x 1,6 x 22,23	10000 01661	stock		12.250	100 (5x20)

C 46 S

GRANITO - GRES - STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Cool and fast cut. Accurate finish.

APPLICATIONS

- BUILDING MATERIALS
- TILES
- CERAMICS
- PORCELAIN STONEWARE
- GRANITES
- NON-FERROUS METALS

PREMIUM-TM	C 46 S	115 x 1,6 x 22,23	10000 01642	stock		13.300	100 (5x20)

ZA 46 T High Tech

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Free cutting achieved with high performance grinders.

APPLICATIONS

- STEELS
- MILD STEELS
- STAINLESS STEELS

PREMIUM-TM	ZA 46 T	115 x 1,6 x 22,23	10000 01574	stock		13.300	100 (5x20)
PREMIUM-TM	ZA 46 T	125 x 1,6 x 22,23	10000 01575	stock		12.250	100 (5x20)

A = Aluminium oxide
C = Silicon carbide
Z = Zirconia

PREMIUM-TM



Flat cutting wheels
for portable machines

Type 41



THICKNESS 0,8 - 1,0 MM



A 60 T LONG LIFE

METAL - INOX

Special purpose. Cool cut. Long life.

APPLICATIONS

- STEELS
- NON-FERROUS METALS
- STAINLESS STEELS

PREMIUM-TM	A 60 T	115 x 1,0 x 22,23	10000 01567	stock		13.300	100 (5x20)
PREMIUM-TM	A 60 T	125 x 1,0 x 22,23	10000 01568	stock		12.250	100 (5x20)

A 60 S

INOX

Special purpose. Free from iron, chlorine and sulphur compounds (Fe + Cl + S < 0,1%). Certificate available. Cool and very fast cut. Very accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

Thickness 0,8 mm

PREMIUM-TM	A 60 S	115 x 0,8 x 22,23	10000 01564	stock		13.300	100 (5x20)
PREMIUM-TM	A 60 S	125 x 0,8 x 22,23	10000 01565	stock		12.250	100 (5x20)

Thickness 1,0 mm

PREMIUM-TM	A 60 S	115 x 1,0 x 22,23	10000 01662	stock		13.300	100 (5x20)
PREMIUM-TM	A 60 S	125 x 1,0 x 22,23	10000 01663	stock		12.250	100 (5x20)

A 46 N

ALU

Special purpose for clogging materials.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS

PREMIUM-TM	A 46 N	125 x 1,0 x 22,23	10000 01528	stock		12.250	100 (5x20)

ZA 60 T High Tech

METAL - INOX

Special purpose for cutting of difficult and resistant sections. Long life. Accurate finish. Free cutting achieved with high performance grinders.

APPLICATIONS

- STEELS
- MILD STEEL
- STAINLESS STEEL

Thickness 0,8 mm

PREMIUM-TM	ZA 60 T	115 x 0,8 x 22,23	10000 01604	stock		13.300	100 (5x20)
PREMIUM-TM	ZA 60 T	125 x 0,8 x 22,23	10000 01605	stock		12.250	100 (5x20)

Thickness 1,0 mm

PREMIUM-TM	ZA 60 T	115 x 1,0 x 22,23	10000 01572	stock		13.300	100 (5x20)
PREMIUM-TM	ZA 60 T	125 x 1,0 x 22,23	10000 01573	stock		12.250	100 (5x20)

A = Aluminium oxide
Z = Zirconia

PREMIUM-TM



Flat cutting wheels.
To be used ONLY on fixed machines
with manually guided work-piece.

Type 41



A 24 R 80 M/S

METAL - METALLO - METALL

General purpose for heavy duty applications. Good cutting speed. Long life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

PREMIUM-TM	A 24 R	300 x 3,5 x 20	10000 01512	W4		5.100	20 (2x10)
PREMIUM-TM	A 24 R	300 x 3,5 x 22,23	10000 01514	W4		5.100	20 (2x10)
PREMIUM-TM	A 24 R	350 x 3,8 x 25,4	10000 01521	stock		4.400	20 (2x10)

C 24 R 80 M/S

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

General purpose. Good cutting speed. Long life.

APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- CAST IRON

PREMIUM-TM	C 24 R	300 x 3,5 x 22,23	10000 01525	W4		5.100	20 (2x10)
PREMIUM-TM	C 24 R	400 x 4,0 x 50	10000 01647	W4		3.850	20 (2x10)

A = Aluminium oxide
C = Silicon carbide

PREMIUM-PU

Flat cutting wheels for portable machines



Type 41



INOX

A 60 T

General purpose. High cutting speed. Very accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- FERROUS METALS
- NON FERROUS METALS

PREMIUM-PU	A 60 T	75 x 1,0 x 9,53	10000 05048	stock		20.400	200 (10x20)
PREMIUM-PU	A 60 T	100 x 1,0 x 16	10000 05060	W4		15.300	200 (10x20)

PREMIUM-TR

Abrasive wheels for rail cutting with guided machines



Type 41



A 24 R 100 M/S

RAIL

Special purpose for rail cutting. High cutting speed.

APPLICATIONS

- STEELS FOR RAILS

PREMIUM-TR	A 24 R	350 x 3,8 x 25,4	10000 02001	stock		5.500	20 (2x10)
PREMIUM-TR	A 24 R	400 x 4,5 x 25,4	10000 02008	W6		4.800	20 (2x10)

A 24 S 100 M/S

RAIL

Special purpose for rail cutting. Long life.

APPLICATIONS

- STEELS FOR RAILS

PREMIUM-TR	A 24 S	350 x 3,8 x 25,4	10000 02003	stock		5.500	20 (2x10)

SALE SUBJECT TO AUTHORIZATION, PRIOR TO VERIFICATION OF THE CORRECT CONDITIONS OF USE AND COMPLIANCE WITH SAFETY REGULATIONS.

A = Aluminium oxide

PREMIUM-TF



Cutting wheels for fixed machines
with suitable clamping devices of the work-piece

Type 41



METAL - METALLO - METALL

A 24 R 80 M/S

General purpose. Good cutting speed. Long life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

PREMIUM-TF	A 24 R	300 x 3,5 x 25,4	10000 02506	W4		5.100	20 (2x10)
PREMIUM-TF	A 24 R	300 x 3,5 x 30	10000 02508	W4		5.100	20 (2x10)
PREMIUM-TF	A 24 R	350 x 4,0 x 25,4	10000 02511	stock		4.400	20 (2x10)
PREMIUM-TF	A 24 R	400 x 4,5 x 25,4	10000 02513	W4		3.850	20 (2x10)
PREMIUM-TF	A 24 R	400 x 4,5 x 40	10000 02516	W4		3.850	20 (2x10)
PREMIUM-TF	A 24 R	500 x 5,0 x 25,4	10000 02586	W4		3.100	10 (2x5)
PREMIUM-TF	A 24 R	500 x 5,0 x 40	10000 02593	W4		3.100	10 (2x5)



METAL - METALLO - METALL

A 24 N 80 M/S

Special purpose. High cutting speed. Cool cut. Good life.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON
- NON-FERROUS METALS

PREMIUM-TF	A 24 N	300 x 3,5 x 25,4	10000 02522 °	stock		5.100	20 (2x10)
PREMIUM-TF	A 24 N	350 x 4,0 x 25,4	10000 02528	W4		4.400	20 (2x10)
PREMIUM-TF	A 24 N	400 x 4,5 x 25,4	10000 02531	W4		3.850	20 (2x10)
PREMIUM-TF	A 24 N	500 x 5,0 x 25,4	10000 02585	W4		3.100	10 (2x5)

A = Aluminium oxide



2026

ABRASIVE WHEELS

PREMIUM-TF



Cutting wheels for fixed machines
with suitable clamping devices of the work-piece

Type 41



INOX

A 36 R 80 M/S EVOLUTION

Special purpose for tough materials. High cutting speed. Cool cut.

APPLICATIONS

- STAINLESS STEEL
- ALLOY STEELS
- NON-FERROUS METALS

							
PREMIUM-TF	A 36 R	300 x 3,5 x 25,4	10000 02542	W4		5.100	20 (2x10)
PREMIUM-TF	A 36 R	350 x 3,8 x 25,4	10000 02547	W4		4.400	20 (2x10)
PREMIUM-TF	A 36 R	400 x 4,2 x 40	10000 02551	W4		3.850	20 (2x10)
PREMIUM-TF	A 36 R	500 x 5,0 x 25,4	10000 02589	W4		3.100	10 (2x5)
PREMIUM-TF	A 36 R	500 x 5,0 x 40	10000 02594	W4		3.100	10 (2x5)



C 24 R 80 M/S

STONE - PIETRA - MATERIAUX - STEIN - PIEDRA

Special purpose. Good cutting speed. Long life.

APPLICATIONS

- CONCRETE
- REFRACTORY MATERIALS
- BUILDING MATERIALS
- STONES
- BRICKS
- MARBLES
- NON-FERROUS METALS
- CAST IRON

							
PREMIUM-TF	C 24 R	300 x 3,5 x 25,4	10000 02540	W4		5.100	20 (2x10)
PREMIUM-TF	C 24 R	350 x 3,5 x 25,4	10000 02532	W4		4.400	20 (2x10)

A = Aluminium oxide
C = Silicon carbide

PREMIUM-TF



Cutting wheels for fixed machines, to be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece

Type 41



A 60 P 80 M/S

METAL - INOX

General purpose. High cutting speed. Good life. To be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece.

APPLICATIONS

- STEELS
- NON-FERROUS METALS
- STAINLESS STEELS

							
PREMIUM-TF	A 60 P	300 x 2,8 x 25,4	10000 02648	stock		5.100	20 (2x10)
PREMIUM-TF	A 60 P	300 x 2,8 x 30	10000 02649	W4		5.100	20 (2x10)
PREMIUM-TF	A 60 P	350 x 2,8 x 25,4	10000 02650	stock		4.400	20 (2x10)



A = Aluminium oxide



FLANGES FOR TM WHEELS

Kit of 2 flanges for TM wheels (please see pages 25, 27, 37, 38, 39, 56, 58, 62, 63)



10000 99100



stock



1

FLANGES FOR TM WHEELS COMBINED TO FLEX MACHINES

Kit of 2 flanges for TM wheels (please see pages 25, 27, 37, 38, 39, 56, 58, 62, 63)



10000 99125



stock



1



REDUCTION BUSHING FOR TF WHEELS (do not use with wheels to 100 m/s)

External diameter mm	25,4	25,4	30	30	40	40	40	40	40	50	50	50	50	50
Internal diameter mm	16	22,23	22,23	25,4	22,23	25,4	30	32	22,23	25,4	30	32	32	40

PREMIUM-SAIT-tre



Reinforced discs

Type 29



A

METAL - INOX - ALU

Reinforced disc with convex profile, ideal for grinding as well as finishing. High performance, high stock removal, reduced vibrations.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS ALLOYS

							
PREMIUM-SAIT-tre	A 36 N	115 x 4,0 x 22,23	10000 86100	W4		13.300	50 (5x10)
PREMIUM-SAIT-tre	A 60 N	115 x 4,0 x 22,23	10000 86101	W4		13.300	50 (5x10)
PREMIUM-SAIT-tre	A 36 N	125 x 4,0 x 22,23	10000 86102	stock		12.250	50 (5x10)
PREMIUM-SAIT-tre	A 60 N	125 x 4,0 x 22,23	10000 86103	W4		12.250	50 (5x10)



A = Aluminium oxide



2026

ABRASIVE WHEELS

49

PREMIUM-SAITRIS

Reinforced convex discs.
Use only with the SAITRIS PAD backing pad



METAL - INOX - ALU

A

High stock removal. Long life. Low clogging. Low heat generation.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

							
PREMIUM-SAITRIS	A 36 N	115 x 4,0 x 22,23	10000 86008	W4		13.300	50 (2x25)
PREMIUM-SAITRIS	A 36 N	125 x 4,0 x 22,23	10000 86011	W4		12.250	50 (2x25)
PREMIUM-SAITRIS	A 60 N	125 x 4,0 x 22,23	10000 86012	W4		12.250	50 (2x25)
PREMIUM-SAITRIS	A 36 N	180 x 4,0 x 22,23	10000 86001	W4		8.500	50 (2x25)



STONE - PIETRA - MATERIAUX - PIEDRA

C

High stock removal. Low clogging.

APPLICATIONS

- GRANITES
- MARBLE
- CONCRETE

							
PREMIUM-SAITRIS	C 36 N	180 x 3,5 x 22,23	10000 86004	W4		8.500	50 (2x25)
PREMIUM-SAITRIS	C 60 N	180 x 3,5 x 22,23	10000 86005	stock		8.500	50 (2x25)
PREMIUM-SAITRIS	C 100 N	180 x 3,5 x 22,23	10000 86006	stock		8.500	50 (2x25)
PREMIUM-SAITRIS	C 180 N	180 x 3,5 x 22,23	10000 86007	W4		8.500	50 (2x25)

NOTE

Two complete backing pads SAITRIS PAD are included in each unit of sale.

A = Aluminium oxide
C = Silicon carbide



SAITRIS PAD

Polymer backing pad.

Two backing pads SAITRIS PAD are included in every box of 50 pieces.

Backing pad	BACKING PAD	LOCKING NUT	DISC				
SAITRIS PAD 82	Ø 82	-	Ø 115 - 125	10000 98606	stock	13.300	1

Locking nut

GHIERA M14	M14	Ø 115 - 125	10000 99110	stock	1
GHIERA 5/8	5/8" UNC.	Ø 115 - 125	10000 99112	stock	1

Complete backing pad with locking nut

SAITRIS PAD 82 M14	Ø 82	M14	Ø 115 - 125	10000 98607	stock	13.300	1
SAITRIS PAD 82 5/8 UNC.	Ø 82	5/8" UNC.	Ø 115 - 125	10000 98613	W4	13.300	1

Backing pad	BACKING PAD	LOCKING NUT	DISC				
SAITRIS PAD 130	Ø 130	-	Ø 180	10000 98611	stock	8.600	1

Locking nut

GHIERA M14	M14	Ø 180	10000 99109	stock	1
------------	-----	-------	-------------	-------	---

Complete backing pad with locking nut

SAITRIS PAD 130 M14	Ø 130	M14	Ø 180	10000 98610	stock	8.600	1
SAITRIS PAD 130 5/8 UNC.	Ø 130	5/8" UNC.	Ø 180	10000 98612	W4	8.600	1

NOTE

Two complete backing pads SAITRIS PAD are included in each unit of sale.

EK WINNER-DS



Depressed centre grinding wheels
for portable machines

 Type 27



METAL - INOX

A 30 P

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS
- WELDS

							
EK WINNER-DS	A 30 P	115 x 6,0 x 22,23	10000 08003	stock		13.300	100 (10x10)
EK WINNER-DS	A 30 P	125 x 6,0 x 22,23	10000 08004	stock		12.250	100 (10x10)
EK WINNER-DS	A 30 P	180 x 6,5 x 22,23	10000 08000	stock		8.500	50 (5x5) x 2
EK WINNER-DS	A 30 P	230 x 6,5 x 22,23	10000 08002	stock		6.650	25 (5x5)

A 30 M

General purpose. High stock removal.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS
- WELDS

							
EK WINNER-DS	A 30 M	115 x 6,0 x 22,23	10000 08013	stock		13.300	100 (10x10)
EK WINNER-DS	A 30 M	125 x 6,0 x 22,23	10000 08007	stock		12.250	100 (10x10)
EK WINNER-DS	A 30 M	230 x 6,5 x 22,23	10000 08009	stock		6.650	25 (5x5)

A 36 N

General purpose. Wheel produced without addition of iron, chlorine and sulphur compounds. High stock removal.
SPECIAL FOR STAINLESS STEEL.

APPLICATIONS

- STEELS
- STAINLESS STEELS

							
EK WINNER-DS	A 36 N	115 x 6,0 x 22,23	10000 08023	stock		13.300	100 (10x10)
EK WINNER-DS	A 36 N	125 x 6,0 x 22,23	10000 08024	stock		12.250	100 (10x10)
EK WINNER-DS	A 36 N	150 x 6,5 x 22,23	10000 08026	W4		10.200	60 (4x15)
EK WINNER-DS	A 36 N	230 x 6,5 x 22,23	10000 08025	stock		6.650	25 (5x5)

A = Aluminium oxide

EK WINNER-DS



Depressed centre grinding wheels
for portable machines

 Type 27



AC 30 N

METAL

Special purpose. High stock removal.

APPLICATIONS

- CAST IRON
- STEELS

							
EK WINNER-DS	AC 30 N	230 x 6,5 x 22,23	10000 08006	stock		6.650	25 (5x5)

C 24 N

GHISA - CAST IRON - FONTE - GUSSEISEN

Special purpose. High stock removal.

APPLICATIONS

- VERY HARD CAST IRON
- CAST IRON WITH SANDY SURFACES

							
EK WINNER-DS	C 24 N	180 x 6,5 x 22,23	10000 08015	W4		8.500	25 (5x5)
EK WINNER-DS	C 24 N	230 x 6,5 x 22,23	10000 08016	W4		6.650	25 (5x5)

A = Aluminium oxide
C = Silicon carbide

EK WINNER-DT



Depressed centre cutting wheels
for portable machines

Type 42



A 30 P PERFORMANCE

METAL - INOX

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

EK WINNER-DT	A 30 P	115 x 3,0 x 22,23	10000 08500	stock		13.300	100 (10x10)
EK WINNER-DT	A 30 P	125 x 3,0 x 22,23	10000 08501	stock		12.250	100 (10x10)
EK WINNER-DT	A 30 P	180 x 3,2 x 22,23	10000 08506	stock		8.500	50 (5x10)
EK WINNER-DT	A 30 P	230 x 3,2 x 22,23	10000 08507	stock		6.650	50 (5x10)

A 30 N PERFORMANCE

METAL - INOX

General purpose. Fast cut. Long life.

APPLICATIONS

- STEELS
- FERROUS METALS

EK WINNER-DT	A 30 N	230 x 3,2 x 22,23	10000 08509	stock		6.650	50 (5x10)

A 36 N PERFORMANCE

METAL - INOX

General purpose. Wheel produced without addition of iron, chlorine and sulphur compounds. Fast cut.

APPLICATIONS

- STEELS
- STAINLESS STEELS

EK WINNER-DT	A 36 N	115 x 3,0 x 22,23	10000 08522	stock		13.300	100 (10x10)
EK WINNER-DT	A 36 N	125 x 3,0 x 22,23	10000 08523	stock		12.250	100 (10x10)
EK WINNER-DT	A 36 N	150 x 3,0 x 22,23	10000 08528	W4		10.200	100 (4x25)
EK WINNER-DT	A 36 N	230 x 3,2 x 22,23	10000 08510	W4		6.650	50 (5x10)

A = Aluminium oxide

EK WINNER-DT



Depressed centre cutting wheels
for portable machines

Type 42



C 30 P

STONE

General purpose.

APPLICATIONS

- BUILDING MATERIALS
- CAST IRON

							
EK WINNER-DT	C 30 P	115 x 3,0 x 22,23	10000 08513	stock		13.300	100 (10x10)
EK WINNER-DT	C 30 P	180 x 3,2 x 22,23	10000 08511	W4		8.500	50 (5x10)
EK WINNER-DT	C 30 P	230 x 3,2 x 22,23	10000 08512	stock		6.650	50 (5x10)

C 30 N

STONE - GRANITO - GRES

General purpose for hard materials. Fast cut. Good life.

APPLICATIONS

- GRANITES
- PORCELAIN STONEWARE
- BUILDING MATERIALS
- STONES
- CERAMICS

							
EK WINNER-DT	C 30 N	230 x 3,2 x 22,23	10000 08514	W4		6.650	50 (5x10)

C = Silicon carbide



2026

ABRASIVE WHEELS

EK WINNER-TM



Flat cutting wheels
for portable machines

Type 41



A 30 P PERFORMANCE

METAL - INOX

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

EK WINNER-TM	A 30 P	115 x 2,5 x 22,23	10000 09029	stock		13.300	100 (10x10)
EK WINNER-TM	A 30 P	125 x 2,5 x 22,23	10000 09031	W4		12.250	100 (10x10)
EK WINNER-TM	A 30 P	230 x 2,5 x 22,23	10000 09001	stock		6.650	50 (5x10)

A 46 R PERFORMANCE

METAL - INOX - LONG LIFE

General purpose. Long life.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

EK WINNER-TM	A 46 R	115 x 1,6 x 22,23	10000 09006	stock		13.300	100 (5x20)
EK WINNER-TM	A 46 R	125 x 1,6 x 22,23	10000 09012	stock		12.250	100 (5x20)
EK WINNER-TM	A 46 R	150 x 1,6 x 22,23 NEW	1000503641	stock		10.200	100 (4x25)
EK WINNER-TM	A 46 R	180 x 1,8 x 22,23 NEW	10000 09004	stock		8.500	50 (5x10)
EK WINNER-TM	A 46 R	230 x 1,9 x 22,23 ★	10000 09037	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)



TIN BOX PACKAGING

EK WINNER-TM	A 46 R	115 x 1,6 x 22,23	10000 09030	stock		13.300	200 (20x10)
EK WINNER-TM	A 46 R	125 x 1,6 x 22,23	10000 09034	stock		12.250	200 (20x10)

A 46 P PERFORMANCE

METAL - INOX

General purpose. Wheel produced without addition of iron and sulphur compounds. Fast cut.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

EK WINNER-TM	A 46 P	115 x 1,6 x 22,23	10000 09028	stock		13.300	100 (5x20)
EK WINNER-TM	A 46 P	125 x 1,6 x 22,23	10000 09032	stock		12.250	100 (5x20)
EK WINNER-TM	A 46 P	180 x 2,0 x 22,23 ★	10000 09008	W4		8.500	50 (5x10)
EK WINNER-TM	A 46 P	230 x 2,0 x 22,23 ★	10000 09018	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide

EK WINNER-TM



Flat cutting wheels
for portable machines

Type 41



A 60 R **PERFORMANCE**

METAL - INOX - LONG LIFE

General purpose. Long life. Accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
EK WINNER-TM	A 60 R	115 x 1,0 x 22,23	10000 09020	stock		13.300	100 (5x20)
EK WINNER-TM	A 60 R	125 x 1,0 x 22,23	10000 09022	stock		12.250	100 (5x20)



TIN BOX PACKAGING

EK WINNER-TM	A 60 R	115 x 1,0 x 22,23	10000 09027	stock		13.300	200 (20x10)
EK WINNER-TM	A 60 R	125 x 1,0 x 22,23	10000 09033	stock		12.250	200 (20x10)

A 60 P **PERFORMANCE**

METAL - INOX

General purpose. Wheel produced without addition of iron and sulphur compounds. Very fast cut. Accurate finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
EK WINNER-TM	A 60 P	115 x 1,0 x 22,23	10000 09016	stock		13.300	100 (5x20)
EK WINNER-TM	A 60 P	125 x 1,0 x 22,23	10000 09017	stock		12.250	100 (5x20)

A = Aluminium oxide

EK WINNER-TM



Flat cutting wheels
for portable machines

Type 41



AC 46 P MULTI

METALLO - LEGNO - ALLUMINIO - PIASTRELLE - PLASTICA
METAL - WOOD - ALUMINIUM - TILE - PVC

General purpose. Fast cut.

APPLICATIONS

- METALS
- ALUMINIUM
- BUILDING MATERIALS
- TILES
- MARBLES
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- WOOD

EK WINNER-TM	AC 46 P	115 x 1,6 x 22,23	10000 09038	stock		13.300	100 (5x20)
EK WINNER-TM	AC 46 P	125 x 1,6 x 22,23	10000 09039	stock		12.250	100 (5x20)
EK WINNER-TM	AC 46 P	230 x 2,0 x 22,23 ★	10000 09040	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)



TIN BOX PACKAGING

EK WINNER-TM	AC 46 P	115 x 1,6 x 22,23	10000 09035	stock		13.300	200 (20x10)
EK WINNER-TM	AC 46 P	125 x 1,6 x 22,23	10000 09041	stock		12.250	200 (20x10)

C 46 P

STONE

General purpose. Fast cut.

APPLICATIONS

- BUILDING MATERIALS
- TILES
- MARBLES
- STONES

EK WINNER-TM	C 46 P	230 x 2,0 x 22,23 ★	10000 09023	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

A = Aluminium oxide
C = Silicon carbide

EK WINNER-TM



Flat cutting wheels.
To be used ONLY on fixed machines
with manually guided work-piece.

Type 41



METAL - INOX

A 30 P 80 M/S

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

EK WINNER-TM	A 30 P	300 x 3,5 x 20	10000 09003	W4		5.100	20 (2x10)
EK WINNER-TM	A 30 P	300 x 3,5 x 22,23	10000 09013	stock		5.100	30 (3x10)
EK WINNER-TM	A 30 P	300 x 3,5 x 25,4	10000 09014	stock		5.100	30 (3x10)

EK WINNER-TF



Cutting wheels for fixed machines
with suitable clamping devices of the work-piece

Type 41



METAL - INOX

A 30 P

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

EK WINNER-TF	A 30 P	300 x 4,0 x 25,4	10000 09501	stock		5.100	20 (2x10)
EK WINNER-TF	A 30 P	300 x 4,0 x 30	10000 09502	stock		5.100	20 (2x10)
EK WINNER-TF	A 30 P	350 x 4,0 x 25,4	10000 09504	W4		4.400	20 (2x10)

A = Aluminium oxide



METAL - INOX

A 30 Q

General purpose.

APPLICATIONS

- STEELS
- WELDS
- CAST IRON
- NON-FERROUS METALS

							
PLANET-DS	A 30 Q	100 x 6,0 x 16	10000 06009	W4		15.300	100 (10x10)
PLANET-DS	A 30 Q	115 x 6,0 x 22,23	10000 06000	stock		13.300	100 (10x10)
PLANET-DS	A 30 Q	115 x 6,0 x 22,23	10000 06012	stock		13.300	25 (5x5)
PLANET-DS	A 30 Q	125 x 6,0 x 22,23	10000 06004	stock		12.250	100 (10x10)
PLANET-DS	A 30 Q	230 x 6,5 x 22,23	10000 06018	stock		6.650	25 (5x5)



METAL - INOX

A 30 M

General purpose. High stock removal.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

							
PLANET-DS	A 30 M	115 x 6,0 x 22,23	10000 06013	stock		13.300	100 (10x10)
PLANET-DS	A 30 M	125 x 6,0 x 22,23	10000 06014	stock		12.250	100 (10x10)
PLANET-DS	A 30 M	180 x 6,5 x 22,23	10000 06015	W4		8.500	50 (5x5) x 2
PLANET-DS	A 30 M	230 x 6,5 x 22,23	10000 06016	stock		6.650	25 (5x5)

PLANET-DT

Depressed centre cutting wheels
for portable machines

Type 42



METAL - INOX

A 30 Q

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

							
PLANET-DT	A 30 Q	100 x 3,0 x 16	10000 06205 °	stock		15.300	100 (10x10)
PLANET-DT	A 30 Q	115 x 3,0 x 22,23	10000 06200	stock		13.300	100 (10x10)
PLANET-DT	A 30 Q	115 x 3,0 x 22,23	10000 06214	stock		13.300	50 (5x10)
PLANET-DT	A 30 Q	125 x 3,0 x 22,23	10000 06206	stock		12.250	100 (10x10)
PLANET-DT	A 30 Q	150 x 3,0 x 22,23	10000 06210	W4		10.200	100 (4x25)
PLANET-DT	A 30 Q	180 x 3,2 x 22,23	10000 06209	W4		8.500	50 (5x10)
PLANET-DT	A 30 Q	230 x 3,2 x 22,23	10000 06219	stock		6.650	50 (5x10)
PLANET-DT	A 30 Q	230 x 3,2 x 22,23	10000 06220	stock		6.650	25 (5x5)



PIETRA - MATERIAUX - STONE - STEIN - PIEDRA

C 30 Q

General purpose.

APPLICATIONS

- BUILDING MATERIALS
- HARD CAST IRON

							
PLANET-DT	C 30 Q	115 x 3,0 x 22,23	10000 06202	stock		13.300	100 (10x10)
PLANET-DT	C 30 Q	115 x 3,0 x 22,23	10000 06215	stock		13.300	50 (5x10)
PLANET-DT	C 30 Q	230 x 3,2 x 22,23	10000 06221	stock		6.650	50 (5x10)
PLANET-DT	C 30 Q	230 x 3,2 x 22,23	10000 06222	stock		6.650	25 (5x5)

A = Aluminium oxide
C = Silicon carbide



METAL - INOX

A 60 Q

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

PLANET-TM	A 60 Q	115 x 1,0 x 22,23	10000 06302	stock		13.300	100 (5x20)
PLANET-TM	A 60 Q	125 x 1,0 x 22,23	10000 06303	stock		12.250	100 (5x20)



TIN BOX PACKAGING

PLANET-TM	A 60 Q	115 x 1,0 x 22,23	10000 06338	stock		13.300	200 (20x10)
PLANET-TM	A 60 Q	125 x 1,0 x 22,23	10000 06340	stock		12.250	200 (20x10)

A 46 Q

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

PLANET-TM	A 46 Q	115 x 1,6 x 22,23	10000 06300	stock		13.300	100 (5x20)
PLANET-TM	A 46 Q	125 x 1,6 x 22,23	10000 06301	stock		12.250	100 (5x20)
PLANET-TM	A 46 Q	230 x 2,0 x 22,23 ★	10000 06310	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)



TIN BOX PACKAGING

PLANET-TM	A 46 Q	115 x 1,6 x 22,23	10000 06339	stock		13.300	200 (20x10)
PLANET-TM	A 46 Q	125 x 1,6 x 22,23	10000 06341	stock		12.250	200 (20x10)

A 30 Q

General purpose.

APPLICATIONS

- STEELS
- CAST IRON

PLANET-TM	A 30 Q	300 x 3,5 x 20 ♦	10000 06305	W4		5.100	20 (2x10)
PLANET-TM	A 30 Q	300 x 3,5 x 22,23 ♦	10000 06306	W4		5.100	20 (2x10)

♦ To be used **ONLY** on fixed machines with manually guided work-piece.

A = Aluminium oxide

PLANET-TM



Flat cutting wheels
for portable machines

Type 41



STONE - PIETRA - GRANITO - GRES

C 46 Q

General purpose.

APPLICATIONS

- BUILDING MATERIALS
- HARD CAST IRON

PLANET-TM	C 46 Q	115 x 1,6 x 22,23	10000 06313	stock		13.300	100 (5x20)
PLANET-TM	C 46 Q	230 x 2,0 x 22,23 ★	10000 06314	stock		6.650	50 (5x10)

★ NOTE: Wheel must be used with the provided flanges (please see page 48)

PLANET-TF



Cutting wheels for fixed machines, to be used on low power bench-cutting only (less than 3HP), with suitable clamping devices of the work-piece

Type 41



METAL - INOX

A 46 Q

General purpose.

APPLICATIONS

- STEELS
- CAST IRON
- NON-FERROUS METALS

PLANET-TF	A 46 Q	300 x 2,8 x 25,4	10000 06401	stock		5.100	20 (2x10)
PLANET-TF	A 46 Q	350 x 2,8 x 25,4	10000 06402	stock		4.400	20 (2x10)
PLANET-TF	A 46 Q	400 x 3,0 x 25,4	10000 06400	W4		3.850	20 (2x10)

A = Aluminium oxide
C = Silicon carbide



2026

ABRASIVE WHEELS

63




A 46 P - A 60 P

Aluminium oxide wheels for grinding operations.

APPLICATIONS


- STEELS
- ALLOY STEELS
- CAST IRON
- NON-FERROUS METALS

SHAPE			WHEEL	SPINDLE						
			D X T (mm)	S X L (mm)	OVERHANG OF MANDREL L ₀					
							0 < L ₀ < 10	10 ≤ L ₀ < 20		
V G	A 60 P	W 177	10 x 20	3 x 40	10000 85509	stock		26.500	/	25
V G	A 60 P	W 196	16 x 25	6 x 40	10000 85510	stock		26.500	20.000	25
V G	A 46 P	W 204	20 x 20	6 x 40	10000 85511	stock		26.500	17.000	25
V G	A 46 P	W 208	20 x 50	6 x 40	10000 85513	stock		15.000	12.000	25
V G	A 46 P	W 221	25 x 40	6 x 40	10000 85515	stock		19.000	10.500	25
V G	A 46 P	W 230	30 x 30	6 x 40	10000 85517	stock		20.400	11.500	25
V G	A 46 P	W 238	40 x 40	6 x 40	10000 85519	stock		12.000	7.000	25
V G	A 46 P	A 1	20 x 65	6 x 40	10000 85500	stock		15.000	12.000	25
V G	A 46 P	A 2	25 x 30	6 x 40	10000 85501	stock		15.000	10.500	25
V G	A 46 P	A 4	30 x 30	6 x 40	10000 85502	stock		20.400	13.500	25
V G	A 46 P	A 11	21 x 45	6 x 40	10000 85504	stock		18.000	13.600	25
V G	A 46 P	A 14	18 x 25	6 x 40	10000 85512	stock		26.500	16.000	25
V G	A 46 P	A 21	25 x 25	6 x 40	10000 85505	W4		26.500	16.000	25
V G	A 46 P	A 25	25	6 x 40	10000 85506	W4		26.500	17.000	25
V G	A 60 P	B 52	10 x 20	3 x 30	10000 85507	stock		26.500	/	25
V G	A 60 P	B 121	13	3 x 30	10000 85508	W4		26.500	/	25



IMPORTANT GUIDELINES:

the mandrel's overhang L_0 must be as low as possible. The maximum operating speeds indicated above refer to mandrel's overhangs of 0 < L_0 < 10 and of 10 ≤ L_0 < 20





Carbide burrs

SAIT offers a wide range of metal burrs to meet every need.

If your work involves shaping and finishing, especially with compressed air tools, you will most likely be aware of the handy and robust tungsten carbide burr.

Used for working on a variety of materials, from steel to aluminium, bronze to cast iron, these points are commonly mounted on rotary pneumatic tools.

Being made of tungsten carbide, a material that is extremely hard (three times harder than steel) and can withstand high temperatures, these working tools can keep a cutting edge on the side and be used several times without losing effectiveness.

Their cutting capacity is far superior to that of ordinary steel grinding wheels and they are a high-performance alternative to the traditional options of cartridge rolls, conical sleeves and mounted points, offering supreme stock removal capabilities.
















SAIT carries three different cuts of burr head, to effectively tackle all manner of challenges, including difficult and clogging materials such as aluminium.






Carbide burrs

Types of cut and burr shape

		ALUMINIUM, PLASTIC	BRASS, COPPER, CAST IRON, BRONZE	NON-HARDENED STEEL	HARDENED STEEL	STAINLESS STEEL, NIMONIC ALLOYS, TITANIUM
CUT 2 	Standard cut for all types of applications.					
CUT 3 	Aluminium cut for fast removal on non-ferrous and soft materials, including plastic.					
CUT 6 	Double cut for all types of materials and applications. It increases control and reduces chipping.					
A SHAPE 	CYLINDRICAL WITHOUT HEAD CUT 					
B SHAPE 	CYLINDRICAL WITH HEAD CUT 					
C SHAPE 	CYLINDRICAL WITH ROUND HEAD 					
D SHAPE 	SPHERICAL 					
E SHAPE 	DROP SHAPED 					
F SHAPE 	OGIVE WITH ROUND HEAD 					
G SHAPE 	OGIVE WITH POINTED HEAD 					
H SHAPE 	FLAME 					
L SHAPE 	TAPER WITH ROUND HEAD 					
M SHAPE 	TAPER 					

Dimensions and description of the burr




- D1** Head diameter / cut
- L1** Head length / cut
- D2** Shank diameter
- L2** Total length of the burr

Recommended operating speeds

All speeds in the table are expressed in 1.000 rpm.

		ALUMINIUM, PLASTIC		BRASS, COPPER, CAST IRON, BRONZE		NON-HARDENED STEEL		HARDENED STEEL, STAINLESS STEEL, NIMONIC ALLOYS	
Burr head ø	Max. operating speed	Speed range	Recommended start speed	Speed range	Recommended start speed	Speed range	Recommended start speed	Speed range	Recommended start speed
3 mm (1/8")	100	60-80	65	45-80	65	60-80	80	60-80	80
6 mm (1/4")	65	15-60	40	22-60	45	45-60	50	30-45	40
10 mm (3/8")	55	10-50	25	15-40	30	30-40	30	19-30	25
12 mm (1/2")	35	7-30	20	11-30	25	22-30	25	15-22	20
16 mm (5/8")	25	6-20	15	9-20	20	18-20	20	12-18	15
20 mm (3/4")	20	5-17	10	8-17	12	15-17	15	10-15	10
25 mm (1")	15	4-13	8	6-13	10	10-13	10	7-11	8

CAUTION: these are the recommended speeds for standard length burrs with a max. projection of 13 mm. The maximum recommended operating speed for longer shanks is 15.000 rpm.





Carbide burrs



CYLINDRICAL WITHOUT HEAD CUT

A SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2				
			6,3	12,7	3	45	11000 75110	W4		5
			8	19	6	64	11000 75004	stock		5
			9,5	19	6	64	11000 75005	stock		5
			16	25	6	70	11000 75111	W4		5



CYLINDRICAL WITH HEAD CUT

B SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2				
			3	14	3	38	11000 75061	stock		5
			6,3	12,7	3	55	11000 75112	W4		5
			6	18	6	50	11000 75062	stock		5
			8	19	6	64	11000 75063	stock		5
			9,5	19	6	64	11000 75095	stock		5
			12,7	25	6	70	11000 75113	stock		5
			12,7	25	6	70	11000 75064	stock		5
			16	25	6	70	11000 75114	W4		5




CYLINDRICAL WITH ROUND HEAD

C SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2				
			3	14	3	38	11000 75010	stock		5
			6,3	12,7	3	44	11000 75115	W4		5
			6	18	6	50	11000 75096	stock		5
			6	18	6	50	11000 75013	stock		5
			8	19	6	63	11000 75014	stock		5
			9,5	19	6	63	11000 75015	stock		5
			9,5	19	6	63	11000 75016	stock		5
			12,7	25	6	70	11000 75017	stock		5
			12,7	25	6	70	11000 75018	stock		5
			12,7	25	8	70	11000 75073	stock		5
			16	25	6	70	11000 75116	W4		5



Carbide burrs



SPHERICAL

D SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	2,5	3	38	11000 75020	stock	5
			6,3	5	3	38	11000 75117	W4	5
			9,5	8	6	54	11000 75097	stock	5
			12,7	11	6	56	11000 75028	stock	5
			16	14	6	60	11000 75118	W4	5



DROP SHAPED

E SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	5,5	3	38	11000 75119	stock	5
			6,3	9,5	3	42	11000 75120	W4	5
			6	10	6	50	11000 75121	stock	5
			8	15	6	60	11000 75122	W4	5
			9,5	16	6	60	11000 75123	stock	5
			12,7	22	6	67	11000 75124	stock	5
			16	25	6	70	11000 75125	W4	5



OGIVE WITH ROUND HEAD

F SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	14	3	38	11000 75031	stock	5
			6,35	12,7	3	45	11000 75126	W4	5
			6	18	6	50	11000 75078	stock	5
			9,6	19	6	64	11000 75036	stock	5
			12,7	25	6	70	11000 75038	stock	5
			12,7	25	6	70	11000 75039	stock	5
			12,7	25	8	70	11000 75074	stock	5
			16	25	6	70	11000 75127	W4	5



OGIVE WITH POINTED HEAD

G SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			6	18	6	50	11000 75098	stock	5
			6,3	12,7	3	45	11000 75128	W4	5
			12,7	25	6	70	11000 75068	stock	5
			12,7	25	6	70	11000 75046	stock	5
			16	25	6	70	11000 75129	W4	5



Carbide burrs



FLAME

H SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	6	3	38	11000 75130	stock	5
		●	6	13	3	43	11000 75131	W4	5
		●	6	14	6	50	11000 75132	W4	5
		●	8	19	6	64	11000 75079	stock	5
		●	10	19	6	65	11000 75133	stock	5
		●	12,7	32	6	77	11000 75134	stock	5
		●	16	36	6	80	11000 75135	W4	5



TAPER WITH ROUND HEAD

L SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	14	3	38	11000 75048	stock	5
		●	6,35	15,8	3	48	11000 75136	W4	5
		●	6	18	6	50	11000 75137	W4	5
	●	●	9,6	30	6	76	11000 75083	stock	5
		●	12,7	32	6	77	11000 75055	stock	5
		●	16	33,3	6	78	11000 75138	W4	5



TAPER

M SHAPE

CUT 2	CUT 3	CUT 6	Cutting diameter D1	Cutting length L1	Shank diameter D2	Total length L2			
			3	11	3	38	11000 75080	stock	5
		●	6,3	12,7	3	49	11000 75139	W4	5
		●	6	20	6	50	11000 75081	stock	5
		●	8	18	6	64	11000 75140	W4	5
		●	9,5	16	6	64	11000 75141	stock	5
		●	12,7	22	6	71	11000 75142	stock	5
		●	16	25	6	74	11000 75143	W4	5

ABRASIVE DISCS







Abrasive discs

Contents



SAITDISC / POWERMAX
Fibre discs.

73



SAITRON / SAITRON-FV
Semi-rigid discs on fibre and discs on fibreglass.

92



SAIT LOCK-SX
Quick change cloth disc.

94



SAITLAM / POWERMAX / PLANET
Flap discs.

96






Abrasive fibre sanding discs

SAIT offers one of the most complete range of abrasive fibre discs for professional uses.

The use of special backing made of high strength vulcanized fibre, of a complete range of high performance abrasives (ceramic abrasive, aluminium oxide, zirconia and silicon carbide) and advanced production technologies, guarantee excellent results in all sectors of application, even in the most demanding processes.

The wide range of available grits (16 - 400) satisfies even the most sophisticated needs.

How to read the product



Shapes

	D	Flat shape
	BS	Semi-depressed centre shape
	B	Depressed centre shape

Bores

	Round bore
	Round bore with 4 slots


Abrasives

A	Aluminium oxide
Z	Zirconia
C	Silicon carbide
S	Ceramic abrasive

Adhesives

Synthetic resins

Dimensions



SAITDISC PATENTED PACKAGING

To ease assembly and use, products are available in an exclusive patented packaging that allows to preserve the perfect flatness of the discs.



SAITDISC-D

Abrasive fibre sanding discs - flat



AO

Aluminium oxide abrasive disc with **open coating**. Excellent for removal of paints, lacquers and rust. Ideal for use on materials that clog.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS
- METALS

PATENTED SAIT PACKAGING



				Round bore WITHOUT SLOTS		Round bore WITH 4 SLOTS			
SAITDISC-D	AO	100 x 16	P-24	10000 77556	W4	10000 78141	W4	200	(4x50)
SAITDISC-D	AO	100 x 16	P-36	10000 77557	W4	10000 78142	W4	200	(2x100)
SAITDISC-D	AO	100 x 16	P-40	10000 77561	W4	10000 78143	W4	200	(2x100)
SAITDISC-D	AO	100 x 16	P-50	10000 77569	W4	10000 78145	W4	200	(2x100)
SAITDISC-D	AO	100 x 16	P-60	10000 77526	W4	10000 78146	W4	200	(2x100)
SAITDISC-D	AO	100 x 16	P-80	10000 77527	W4	10000 78147	W4	200	(2x100)
SAITDISC-D	AO	100 x 16	P-120	10000 77616	W4	10000 78152	W4	200	(2x100)
SAITDISC-D	AO	115 x 22	P-16	10000 77065	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-24	10000 78628	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-36	10000 77087	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-40	10000 77226	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-50	10000 77231	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-60	10000 77255	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-80	10000 77258	stock			200	(2x100)
SAITDISC-D	AO	115 x 22	P-120	10000 77609	stock			200	(2x100)
SAITDISC-D	AO	125 x 22	P-16	10000 78519	W4			200	(2x100)
SAITDISC-D	AO	125 x 22	P-24	10000 77081	stock	10000 78539	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-36	10000 77082	stock	10000 77175	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-40	10000 77273	stock	10000 77178	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-50			10000 77181	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-60	10000 77281	stock	10000 77185	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-80	10000 77283	stock	10000 77189	W4	200	(2x100)
SAITDISC-D	AO	125 x 22	P-120	10000 77611	stock	10000 78072	W4	200	(2x100)
SAITDISC-D	AO	180 x 22	P-16	10000 77164	stock			100	(2x50)
SAITDISC-D	AO	180 x 22	P-24	10000 77167	stock			100	(2x50)
SAITDISC-D	AO	180 x 22	P-36	10000 77169	stock			100	(1x100)
SAITDISC-D	AO	180 x 22	P-40	10000 77285	stock			100	(1x100)
SAITDISC-D	AO	180 x 22	P-50	10000 77290	stock			100	(1x100)
SAITDISC-D	AO	180 x 22	P-60	10000 77291	stock			100	(1x100)
SAITDISC-D	AO	180 x 22	P-80	10000 77292	stock			100	(1x100)
SAITDISC-D	AO	180 x 22	P-120	10000 77614	stock			100	(1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



AO

Aluminium oxide abrasive disc with **open coating**. Excellent for removal of paints, lacquers and rust. Ideal for use on materials that clog.

APPLICATIONS

- ALUMINIUM
- NON-FERROUS METALS
- METALS

SHRINK-WRAP PACKAGING



Round bore
WITHOUT SLOTS

						
SAITDISC-D	AO	115 x 22	P-16	10000 78321	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-24	10000 78322	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-36	10000 78323	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-40	10000 78324	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-50	10000 78325	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-60	10000 78326	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-80	10000 78327	stock	100 (4x25)
SAITDISC-D	AO	115 x 22	P-120	10000 78328	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-16	10000 78329	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-24	10000 78330	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-36	10000 78331	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-40	10000 78332	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-50	10000 78333	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-60	10000 78334	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-80	10000 78335	stock	100 (4x25)
SAITDISC-D	AO	125 x 22	P-120	10000 78336	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-16	10000 78337	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-24	10000 78338	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-36	10000 78339	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-40	10000 78340	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-50	10000 78341	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-60	10000 78342	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-80	10000 78343	stock	100 (4x25)
SAITDISC-D	AO	180 x 22	P-120	10000 78344	stock	100 (4x25)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



2A

Aluminium oxide abrasive disc. Fast and aggressive. High abrasive power.

APPLICATIONS

- STEELS
- NON-FERROUS METALS

				 Round bore WITHOUT SLOTS	 Round bore WITH 4 SLOTS			
								
SAITDISC-D	2A	100 x 16	P-24	10000 77004	W4			200 (4x50)
SAITDISC-D	2A	100 x 16	P-36	10000 77007	stock			200 (2x100)
SAITDISC-D	2A	100 x 16	P-50	10000 77012	W4			200 (2x100)
SAITDISC-D	2A	100 x 16	P-60	10000 77015	stock			200 (2x100)
SAITDISC-D	2A	100 x 16	P-80	10000 77018	W4			200 (2x100)
SAITDISC-D	2A	100 x 16	P-120	10000 77317	W4			200 (2x100)
SAITDISC-D	2A	115 x 22	P-16	10000 78279	stock			200 (2x100)
SAITDISC-D	2A	115 x 22	P-24	10000 77033	stock	10000 77304	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-36	10000 77039	stock	10000 77305	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-40	10000 77044	stock	10000 77306	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-50	10000 77049	stock	10000 77307	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-60	10000 77055	stock	10000 77308	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-80	10000 77060	stock	10000 77309	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-100	10000 77066	stock	10000 77310	stock	200 (2x100)
SAITDISC-D	2A	115 x 22	P-120	10000 77319	stock	10000 77311	W4	200 (2x100)
SAITDISC-D	2A	125 x 22	P-16	10000 78280	stock			200 (2x100)
SAITDISC-D	2A	125 x 22	P-24	10000 77099	stock	10000 77312	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-36	10000 77104	stock	10000 77313	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-40	10000 77109	stock	10000 77314	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-50	10000 77113	stock	10000 77322	W4	200 (2x100)
SAITDISC-D	2A	125 x 22	P-60	10000 77118	stock	10000 77329	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-80	10000 77123	stock	10000 77333	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-100	10000 77320	stock	10000 77336	stock	200 (2x100)
SAITDISC-D	2A	125 x 22	P-120	10000 77284	stock	10000 77338	stock	200 (2x100)
SAITDISC-D	2A	150 x 22	P-24			10000 77153	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-36			10000 77155	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-50			10000 77159	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-60			10000 77161	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-80			10000 77163	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-100			10000 77326	W4	100 (1x100)
SAITDISC-D	2A	150 x 22	P-120			10000 77327	W4	100 (1x100)
SAITDISC-D	2A	180 x 22	P-16	10000 78281	stock			100 (2x50)
SAITDISC-D	2A	180 x 22	P-24	10000 77197	stock	10000 77199	W4	100 (2x50)
SAITDISC-D	2A	180 x 22	P-36	10000 77202	stock	10000 77204	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-40	10000 77207	stock	10000 77209	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-50	10000 77211	stock	10000 77213	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-60	10000 77215	stock	10000 77218	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-80	10000 77220	stock	10000 77222	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-100	10000 77224	stock	10000 77227	W4	100 (1x100)
SAITDISC-D	2A	180 x 22	P-120	10000 77229	stock	10000 77232	stock	100 (1x100)
SAITDISC-D	2A	180 x 22	P-150	10000 77458	W4	10000 77545	W4	100 (1x100)

SAITDISC-BS

Abrasive fibre sanding discs - semi-depressed centre



2A

Aluminium oxide abrasive disc. Fast and aggressive. High abrasive power. The semi-depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD pad.**

APPLICATIONS

- STEELS
- NON-FERROUS METALS

Round bore
WITHOUT SLOTS

						
SAITDISC-BS	2A	180 x 22	P-24	10000 82525	stock	100 (2x50)
SAITDISC-BS	2A	180 x 22	P-36	10000 82526	W4	100 (1x100)
SAITDISC-BS	2A	180 x 22	P-50	10000 82527	W4	100 (1x100)
SAITDISC-BS	2A	180 x 22	P-60	10000 82528	W4	100 (1x100)
SAITDISC-BS	2A	180 x 22	P-80	10000 82529	W4	100 (1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.
The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



3A

Special aluminium oxide abrasive disc, with fillers that help reduce heat generation and clogging. Very fast disc, for accurate sanding and finishing operations. Low clogging and low heat generation. Cold cut on heavy duty applications.

APPLICATIONS

■ STAINLESS STEELS

				 Round bore WITHOUT SLOTS	 Round bore WITH 4 SLOTS			
								
SAITDISC-D	3A	100 x 16	P-36	10000 77295	W4			200 (2x100)
SAITDISC-D	3A	100 x 16	P-50	10000 77850	W4			200 (2x100)
SAITDISC-D	3A	100 x 16	P-60	10000 77296	stock			200 (2x100)
SAITDISC-D	3A	100 x 16	P-80	10000 77297	W4			200 (2x100)
SAITDISC-D	3A	100 x 16	P-100	10000 77965	W4			200 (2x100)
SAITDISC-D	3A	100 x 16	P-120	10000 77298	W4			200 (2x100)
SAITDISC-D	3A	100 x 16	P-150	10000 78244	W4			200 (2x100)
SAITDISC-D	3A	115 x 22	P-36	10000 77074	W4	10000 77397	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-50	10000 77075	W4	10000 77398	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-60	10000 77076	stock	10000 77077	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-80	10000 77078	stock	10000 77280	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-100	10000 77079	stock	10000 77080	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-120	10000 77378	stock	10000 77399	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-150	10000 77789	W4	10000 77790	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-180			10000 77541	stock	200 (2x100)
SAITDISC-D	3A	115 x 22	P-220			10000 77542	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-36	10000 77132	W4	10000 77282	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-50	10000 77133	W4	10000 77134	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-60	10000 77135	stock	10000 77136	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-80	10000 77137	stock	10000 77138	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-100			10000 77140	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-120	10000 77827	stock	10000 77279	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-150			10000 77812	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-180			10000 77543	stock	200 (2x100)
SAITDISC-D	3A	125 x 22	P-220			10000 77555	stock	200 (2x100)
SAITDISC-D	3A	180 x 22	P-36	10000 77235	W4	10000 77237	W4	100 (1x100)
SAITDISC-D	3A	180 x 22	P-50	10000 77238	stock	10000 77240	W4	100 (1x100)
SAITDISC-D	3A	180 x 22	P-60	10000 77241	stock	10000 77243	stock	100 (1x100)
SAITDISC-D	3A	180 x 22	P-80	10000 77244	stock	10000 77246	stock	100 (1x100)
SAITDISC-D	3A	180 x 22	P-100	10000 77247	W4	10000 77249	W4	100 (1x100)
SAITDISC-D	3A	180 x 22	P-120	10000 77250	stock	10000 77252	stock	100 (1x100)
SAITDISC-D	3A	180 x 22	P-150	10000 78247	W4			100 (1x100)
SAITDISC-D	3A	180 x 22	P-180			10000 77562	stock	100 (1x100)
SAITDISC-D	3A	180 x 22	P-220			10000 77563	stock	100 (1x100)

SAITDISC-B

Abrasive fibre sanding discs - depressed centre



3A

Special aluminium oxide abrasive disc, with fillers that help reduce heat generation and clogging. Very fast disc, for accurate sanding and finishing operations. Low clogging and low heat generation. Cold cut on heavy duty applications. The depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD BZ pad.**

APPLICATIONS

■ STAINLESS STEELS

Round bore
WITHOUT SLOTS

SAITDISC-B	3A	180 x 22	P-36	10000 82081	W4	100 (1x100)
SAITDISC-B	3A	180 x 22	P-60	10000 82082	stock	100 (1x100)
SAITDISC-B	3A	180 x 22	P-80	10000 82083	stock	100 (1x100)
SAITDISC-B	3A	180 x 22	P-100	10000 82101	W4	100 (1x100)
SAITDISC-B	3A	180 x 22	P-120	10000 82084	stock	100 (1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



AZ

Abrasive disc with aluminium oxide and zirconia mix. Long life. Very aggressive.

APPLICATIONS

- FERROUS METALS
- STEELS

PATENTED SAIT PACKAGING



Round bore
WITHOUT SLOTS

						
SAITDISC-D	AZ	115 x 22	24	10000 77763	W4	200 (2x100)
SAITDISC-D	AZ	115 x 22	36	10000 77764	stock	200 (2x100)
SAITDISC-D	AZ	115 x 22	50	10000 77766	stock	200 (2x100)
SAITDISC-D	AZ	115 x 22	60	10000 77767	stock	200 (2x100)
SAITDISC-D	AZ	115 x 22	80	10000 77768	stock	200 (2x100)
SAITDISC-D	AZ	125 x 22	36	10000 77771	W4	200 (2x100)
SAITDISC-D	AZ	125 x 22	50	10000 77773	stock	200 (2x100)
SAITDISC-D	AZ	125 x 22	60	10000 77774	stock	200 (2x100)
SAITDISC-D	AZ	125 x 22	80	10000 77775	W4	200 (2x100)
SAITDISC-D	AZ	180 x 22	24	10000 77777	W4	100 (2x50)
SAITDISC-D	AZ	180 x 22	36	10000 77778	stock	100 (1x100)
SAITDISC-D	AZ	180 x 22	50	10000 77781	stock	100 (1x100)
SAITDISC-D	AZ	180 x 22	60	10000 77782	W4	100 (1x100)
SAITDISC-D	AZ	180 x 22	80	10000 77783	W4	100 (1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SaitPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



AZ

Abrasive disc with aluminium oxide and zirconia mix. Long life. Very aggressive.

APPLICATIONS

- FERROUS METALS
- STEELS

SHRINK-WRAP PACKAGING



Round bore
WITHOUT SLOTS

						
SAITDISC-D	AZ	115 x 22	24	10000 78301	stock	200 (8x25)
SAITDISC-D	AZ	115 x 22	36	10000 78302	stock	200 (8x25)
SAITDISC-D	AZ	115 x 22	50	10000 78303	stock	200 (8x25)
SAITDISC-D	AZ	115 x 22	60	10000 78304	stock	200 (8x25)
SAITDISC-D	AZ	115 x 22	80	10000 78305	stock	200 (8x25)
SAITDISC-D	AZ	125 x 22	24	10000 78308	stock	200 (8x25)
SAITDISC-D	AZ	125 x 22	36	10000 78309	stock	200 (8x25)
SAITDISC-D	AZ	125 x 22	50	10000 78310	stock	200 (8x25)
SAITDISC-D	AZ	125 x 22	60	10000 78311	stock	200 (8x25)
SAITDISC-D	AZ	125 x 22	80	10000 78313	stock	200 (8x25)
SAITDISC-D	AZ	180 x 22	24	10000 78315	stock	100 (4x25)
SAITDISC-D	AZ	180 x 22	36	10000 78316	stock	100 (4x25)
SAITDISC-D	AZ	180 x 22	50	10000 78317	stock	100 (4x25)
SAITDISC-D	AZ	180 x 22	60	10000 78318	stock	100 (4x25)
SAITDISC-D	AZ	180 x 22	80	10000 78319	stock	100 (4x25)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



Z ZIRCON

Abrasive disc with high content of **zirconia**. High performance and high abrasive power.

APPLICATIONS

- FERROUS METALS
- STEELS
- CAST IRON

				Round bore WITHOUT SLOTS		Round bore WITH 4 SLOTS			
SAITDISC-D	Z	115 x 22	24	10000 77924	stock	10000 77929	stock		200 (2x100)
SAITDISC-D	Z	115 x 22	36	10000 77913	stock	10000 77930	stock		200 (2x100)
SAITDISC-D	Z	115 x 22	50	10000 77915	stock	10000 77932	W4		200 (2x100)
SAITDISC-D	Z	115 x 22	60	10000 77972	stock	10000 77966	stock		200 (2x100)
SAITDISC-D	Z	115 x 22	80	10000 77973	stock	10000 77967	stock		200 (2x100)
SAITDISC-D	Z	115 x 22	120			10000 78719	stock		200 (2x100)
SAITDISC-D	Z	125 x 22	24	10000 77916	stock	10000 77933	stock		200 (2x100)
SAITDISC-D	Z	125 x 22	36	10000 77917	stock	10000 77934	stock		200 (2x100)
SAITDISC-D	Z	125 x 22	50	10000 77919	stock	10000 77936	W4		200 (2x100)
SAITDISC-D	Z	125 x 22	60	10000 77974	stock	10000 77968	stock		200 (2x100)
SAITDISC-D	Z	125 x 22	80	10000 77975	stock	10000 77969	stock		200 (2x100)
SAITDISC-D	Z	125 x 22	120			10000 78720	stock		200 (2x100)
SAITDISC-D	Z	180 x 22	24	10000 77920	stock	10000 77955	stock		100 (2x50)
SAITDISC-D	Z	180 x 22	36	10000 77921	stock	10000 77941	stock		100 (1x100)
SAITDISC-D	Z	180 x 22	50	10000 77923	W4				100 (1x100)
SAITDISC-D	Z	180 x 22	60	10000 77962	stock	10000 77964	stock		100 (1x100)
SAITDISC-D	Z	180 x 22	80			10000 77976	W4		100 (1x100)
SAITDISC-D	Z	180 x 22	120			10000 78721	stock		100 (1x100)



3Z ZIRCON

Abrasive disc with high content of **zirconia**. Top filled, to help reduce heat generation and clogging. High performance and high abrasive power. Low clogging and low heat generation. Cold cut on heavy duty applications.

APPLICATIONS

- STAINLESS STEELS

				Round bore WITHOUT SLOTS		Round bore WITH 4 SLOTS			
SAITDISC-D	3Z	115 x 22	36			10000 78759	W4		200 (2x100)
SAITDISC-D	3Z	125 x 22	36			10000 78778	W4		200 (2x100)
SAITDISC-D	3Z	180 x 22	36	10000 78716	W4	10000 78743	W4		100 (1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



7S CERAMIC

Abrasive disc with high concentration of **ceramic** abrasive. High performance. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

APPLICATIONS

- FERROUS METALS
- STEELS

				Round bore WITHOUT SLOTS		Round bore WITH 4 SLOTS			
SAITDISC-D	7S	115 x 22	24			10000 78969	W4		200 (2x100)
SAITDISC-D	7S	115 x 22	36			10000 78785	stock		200 (2x100)
SAITDISC-D	7S	115 x 22	50			10000 78786	stock		200 (2x100)
SAITDISC-D	7S	115 x 22	60			10000 78787	stock		200 (2x100)
SAITDISC-D	7S	115 x 22	80			10000 78788	stock		200 (2x100)
SAITDISC-D	7S	115 x 22	100			10000 78789	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	24			10000 78970	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	36			10000 78790	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	50			10000 78791	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	60			10000 78792	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	80			10000 78793	stock		200 (2x100)
SAITDISC-D	7S	125 x 22	100			10000 78794	stock		200 (2x100)
SAITDISC-D	7S	180 x 22	24	10000 78931	stock	10000 78971	stock		100 (2x50)
SAITDISC-D	7S	180 x 22	36	10000 78762	stock	10000 78795	stock		100 (1x100)
SAITDISC-D	7S	180 x 22	50	10000 78774	W4	10000 78796	stock		100 (1x100)
SAITDISC-D	7S	180 x 22	60	10000 78763	W4	10000 78797	stock		100 (1x100)
SAITDISC-D	7S	180 x 22	80	10000 78775	W4	10000 78798	stock		100 (1x100)
SAITDISC-D	7S	180 x 22	100	10000 78776	W4	10000 78799	stock		100 (1x100)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-D

Abrasive fibre sanding discs - flat



9S EVOLUTION CERAMIC

Abrasive disc with **ceramic** abrasive. Top filled, to help reduce heat generation and clogging. Very high abrasive power and performance. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

APPLICATIONS

■ STAINLESS STEELS

				 Round bore WITHOUT SLOTS		 Round bore WITH 4 SLOTS			
									
SAITDISC-D	9S	100 x 16	36	10000 77006	W4			200 (2x100)	
SAITDISC-D	9S	100 x 16	50	10000 77011	W4			200 (2x100)	
SAITDISC-D	9S	100 x 16	60	10000 77020	W4			200 (2x100)	
SAITDISC-D	9S	100 x 16	80	10000 77024	W4			200 (2x100)	
SAITDISC-D	9S	100 x 16	100	10000 77029	W4			200 (2x100)	
SAITDISC-D	9S	100 x 16	120	10000 77038	stock			200 (2x100)	
SAITDISC-D	9S	115 x 22	24			10000 77908	W4	200 (2x100)	
SAITDISC-D	9S	115 x 22	36			10000 78962	stock	200 (2x100)	
SAITDISC-D	9S	115 x 22	50			10000 78963	stock	200 (2x100)	
SAITDISC-D	9S	115 x 22	60			10000 78964	stock	200 (2x100)	
SAITDISC-D	9S	115 x 22	80			10000 78965	stock	200 (2x100)	
SAITDISC-D	9S	115 x 22	100			10000 78966	stock	200 (2x100)	
SAITDISC-D	9S	115 x 22	120			10000 78967	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	24			10000 77925	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	36			10000 78957	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	50			10000 78958	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	60			10000 78959	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	80			10000 78968	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	100			10000 78960	stock	200 (2x100)	
SAITDISC-D	9S	125 x 22	120			10000 78961	stock	200 (2x100)	
SAITDISC-D	9S	180 x 22	24			10000 77041	W4	100 (2x50)	
SAITDISC-D	9S	180 x 22	36	10000 78932	stock	10000 78951	stock	100 (1x100)	
SAITDISC-D	9S	180 x 22	50	10000 78933	stock	10000 78952	W4	100 (1x100)	
SAITDISC-D	9S	180 x 22	60	10000 78934	W4	10000 78953	stock	100 (1x100)	
SAITDISC-D	9S	180 x 22	80	10000 78935	W4	10000 78954	stock	100 (1x100)	
SAITDISC-D	9S	180 x 22	100	10000 78936	W4	10000 78955	W4	100 (1x100)	
SAITDISC-D	9S	180 x 22	120	10000 78937	stock	10000 78956	stock	100 (1x100)	

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

POWERMAX-D

Abrasive fibre sanding discs - flat



7.3 **NEW**

Abrasive disc with 100% ceramic abrasive with advanced grain morphology. This feature optimises stock removal efficiency and improves adhesion to the backing, ensuring high performance and a significantly longer lifetime.



The regeneration of the ceramic grit enables high stock removal in heavy duty applications.

The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

APPLICATIONS


- STEELS
- STAINLESS STEELS

PATENTED SAIT PACKAGING



POWERMAX-D	7.3	100 x 16	36+				1000502446	stock	200 (2x100)
POWERMAX-D	7.3	100 x 16	60+				1000502447	stock	200 (2x100)
POWERMAX-D	7.3	115 x 22	24+				10000 78378	stock	200 (2x100)
POWERMAX-D	7.3	115 x 22	36+				10000 78379	stock	200 (2x100)
POWERMAX-D	7.3	115 x 22	50+				10000 78380	stock	200 (2x100)
POWERMAX-D	7.3	115 x 22	60+				10000 78381	stock	200 (2x100)
POWERMAX-D	7.3	115 x 22	80+				10000 78382	stock	200 (2x100)
POWERMAX-D	7.3	125 x 22	24+				10000 78383	stock	200 (2x100)
POWERMAX-D	7.3	125 x 22	36+				10000 78385	stock	200 (2x100)
POWERMAX-D	7.3	125 x 22	50+				10000 78386	stock	200 (2x100)
POWERMAX-D	7.3	125 x 22	60+				10000 78390	stock	200 (2x100)
POWERMAX-D	7.3	125 x 22	80+				10000 78391	stock	200 (2x100)
POWERMAX-D	7.3	180 x 22	24+				10000 78411	stock	100 (2x50)
POWERMAX-D	7.3	180 x 22	36+	10000 78393	stock		10000 78413	stock	100 (1x100)
POWERMAX-D	7.3	180 x 22	50+	10000 78397	W4		10000 78414	stock	100 (1x100)
POWERMAX-D	7.3	180 x 22	60+	10000 78400	W4		10000 78415	stock	100 (1x100)
POWERMAX-D	7.3	180 x 22	80+	10000 78404	W4		10000 78416	stock	100 (1x100)

SHRINK-WRAP PACKAGING



POWERMAX-D	7.3	115 x 22	24+			1000503769	stock	200 (8x25)
POWERMAX-D	7.3	115 x 22	36+			1000503654	stock	200 (8x25)
POWERMAX-D	7.3	115 x 22	50+			1000503655	stock	200 (8x25)
POWERMAX-D	7.3	115 x 22	60+			1000503656	stock	200 (8x25)
POWERMAX-D	7.3	115 x 22	80+			1000503657	stock	200 (8x25)
POWERMAX-D	7.3	125 x 22	24+			1000503774	stock	200 (8x25)
POWERMAX-D	7.3	125 x 22	36+			1000503661	stock	200 (8x25)
POWERMAX-D	7.3	125 x 22	50+			1000503662	stock	200 (8x25)
POWERMAX-D	7.3	125 x 22	60+			1000503663	stock	200 (8x25)
POWERMAX-D	7.3	125 x 22	80+			1000503664	stock	200 (8x25)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

POWERMAX-D

Abrasive fibre sanding discs - flat

POWERMAX CERAMIC



9.3

Abrasive disc with 100% **ceramic** abrasive. Top-filled, to help reduce heat generation. High abrasive power and exceptional stock removal ability. Exceptional performance. The regeneration of the ceramic grit enables high stock removal. Cold cut on heavy duty applications. The use of HARD type backing pads allows maximum performance of the fibre disc (discs ø 115 - 125: Saitpad-DZ HARD, discs ø 180: Saitpad-BZ HARD).

APPLICATIONS

■ STAINLESS STEELS



PATENTED SAIT PACKAGING

				Round bore WITHOUT SLOTS		Round bore WITH 4 SLOTS			
POWERMAX-D	9.3	100 x 16	36+	10000 78167	W4	10000 78156	W4	200	(2x100)
POWERMAX-D	9.3	100 x 16	60+	10000 78168	W4	10000 78161	W4	200	(2x100)
POWERMAX-D	9.3	100 x 16	80+	10000 78169	W4	10000 78163	W4	200	(2x100)
POWERMAX-D	9.3	100 x 16	120+	10000 78170	W4	10000 78164	W4	200	(2x100)
POWERMAX-D	9.3	115 x 22	36+			10000 78171	stock	200	(2x100)
POWERMAX-D	9.3	115 x 22	50+			10000 78172	stock	200	(2x100)
POWERMAX-D	9.3	115 x 22	60+			10000 78174	stock	200	(2x100)
POWERMAX-D	9.3	115 x 22	80+			10000 78175	stock	200	(2x100)
POWERMAX-D	9.3	115 x 22	120+			10000 78177	stock	200	(2x100)
POWERMAX-D	9.3	125 x 22	36+			10000 78178	stock	200	(2x100)
POWERMAX-D	9.3	125 x 22	50+			10000 78179	stock	200	(2x100)
POWERMAX-D	9.3	125 x 22	60+			10000 78180	stock	200	(2x100)
POWERMAX-D	9.3	125 x 22	80+			10000 78181	stock	200	(2x100)
POWERMAX-D	9.3	125 x 22	120+			10000 78182	stock	200	(2x100)
POWERMAX-D	9.3	180 x 22	36+	10000 78183	stock	10000 78189	stock	100	(1x100)
POWERMAX-D	9.3	180 x 22	50+	10000 78184	stock	10000 78190	stock	100	(1x100)
POWERMAX-D	9.3	180 x 22	60+	10000 78185	W4	10000 78191	stock	100	(1x100)
POWERMAX-D	9.3	180 x 22	80+	10000 78187	W4	10000 78192	stock	100	(1x100)
POWERMAX-D	9.3	180 x 22	120+	10000 78188	W4	10000 78194	stock	100	(1x100)

SHRINK-WRAP PACKAGING



				Round bore WITH 4 SLOTS			
POWERMAX-D	9.3	115 x 22	36+	10000 78345	stock	200	(8x25)
POWERMAX-D	9.3	115 x 22	50+	10000 78346	stock	200	(8x25)
POWERMAX-D	9.3	115 x 22	60+	10000 78347	stock	200	(8x25)
POWERMAX-D	9.3	115 x 22	80+	10000 78348	stock	200	(8x25)
POWERMAX-D	9.3	115 x 22	120+	10000 78349	stock	200	(8x25)
POWERMAX-D	9.3	125 x 22	36+	10000 78350	stock	200	(8x25)
POWERMAX-D	9.3	125 x 22	50+	10000 78351	stock	200	(8x25)
POWERMAX-D	9.3	125 x 22	60+	10000 78354	stock	200	(8x25)
POWERMAX-D	9.3	125 x 22	80+	10000 78355	stock	200	(8x25)
POWERMAX-D	9.3	125 x 22	120+	10000 78356	stock	200	(8x25)
POWERMAX-D	9.3	180 x 22	36+	10000 78357	stock	100	(4x25)
POWERMAX-D	9.3	180 x 22	50+	10000 78358	stock	100	(4x25)
POWERMAX-D	9.3	180 x 22	60+	10000 78359	stock	100	(4x25)
POWERMAX-D	9.3	180 x 22	80+	10000 78360	stock	100	(4x25)
POWERMAX-D	9.3	180 x 22	120+	10000 78361	stock	100	(4x25)

SAITDISC-D

Abrasive fibre sanding discs - flat



C

Silicon carbide abrasive disc. Good life. High abrasive power. Very good finish.

APPLICATIONS

- MARBLES
- BUILDING MATERIALS
- NON-FERROUS METALS
- STAINLESS STEELS

PATENTED SAIT PACKAGING



Round bore
WITHOUT SLOTS

SAITDISC-D	C	115 x 22	P-24	10000 77025	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-36	10000 77027	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-60	10000 77866	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-80	10000 77276	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-120	10000 77278	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-150	10000 77355	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-180	10000 77867	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-220	10000 77356	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-320	10000 77868	stock	200 (2x100)
SAITDISC-D	C	115 x 22	P-400	10000 77909	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-24	10000 77349	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-36	10000 77085	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-60	10000 77088	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-80	10000 77090	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-120	10000 77091	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-150	10000 77093	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-180	10000 77095	W4	200 (2x100)
SAITDISC-D	C	125 x 22	P-220	10000 77096	stock	200 (2x100)
SAITDISC-D	C	125 x 22	P-320	10000 77098	stock	200 (2x100)

SHRINK-WRAP PACKAGING



Round bore
WITHOUT SLOTS

SAITDISC-D	C	115 x 22	P-24	10000 78287	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-36	10000 78290	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-50	10000 78291	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-60	10000 78293	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-80	10000 78294	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-120	10000 78295	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-150	10000 78296	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-180	10000 78297	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-220	10000 78298	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-320	10000 78299	stock	200 (8x25)
SAITDISC-D	C	115 x 22	P-400	10000 78300	stock	200 (8x25)

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.

SAITDISC-B

Abrasive fibre sanding discs - depressed centre



C

Silicon carbide abrasive disc. Good life. High abrasive power. Very good finish. The depressed centre profile ensures greater stability with climatic variations and a larger work surface. **For use with SAITPAD BZ pad.**

APPLICATIONS

- MARBLES
- BUILDING MATERIALS
- NON-FERROUS METALS
- STAINLESS STEELS

				Round bore WITHOUT SLOTS			
SAITDISC-B	C	180 x 22	P-16	10000 82015	stock	50 (2x25)	
SAITDISC-B	C	180 x 22	P-24	10000 82017	stock	50 (2x25)	
SAITDISC-B	C	180 x 22	P-36	10000 82019	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-50	10000 82023	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-60	10000 82025	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-80	10000 82029	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-100	10000 82032	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-120	10000 82036	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-150	10000 82040	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-180	10000 82044	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-220	10000 82048	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-280	10000 82052	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-320	10000 82055	stock	100 (4x25)	
SAITDISC-B	C	180 x 22	P-400	10000 82058	stock	100 (4x25)	

IMPORTANT GUIDELINES

Maximum speed rating is 80 m/s and must never be exceeded.

The discs must always be used with the appropriate SAITPAD backing pad. Storage: temperature 15°C-25°C, humidity 45%-75%.



SAITPAD-DQ

Polymer backing pad. High flexibility, with cooling grooves. Suitable for working weld seams and flat surfaces. **Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.**



	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DQ	Ø 110	M 14	Ø 115	10000 99310	stock	1
SAITPAD-DQ	Ø 110	5/8" UNC	Ø 115	10000 99313	stock	1
SAITPAD-DQ	Ø 120	M 14	Ø 125	10000 99320	stock	1
SAITPAD-DQ	Ø 165	M 14	Ø 180	10000 99315	stock	1
SAITPAD-DQ	Ø 165	5/8" UNC	Ø 180	10000 99318	stock	1



	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DQ	Ø 112	M 14	Ø 115	10000 99300	stock	1
SAITPAD-DQ	Ø 122	M 14	Ø 125	10000 99301	stock	1
SAITPAD-DQ	Ø 172	M 14	Ø 180	10000 99302	stock	1

SAITPAD-DZ

Polymer backing pad, flat. Equipped with radial grooves to improve cooling.

SAITPAD-DZ: medium flexibility, suitable for operations that require more flexibility to adapt to surfaces.

SAITPAD-DZ HARD: product with high rigidity for discs with high stock removal capacity.

Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.



	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DZ	Ø 100	M 10	Ø 100	10000 99200	stock	1
SAITPAD-DZ	Ø 170	M 14	Ø 180	10000 99204	stock	1
SAITPAD-DZ	Ø 170	5/8" UNC	Ø 180	10000 99207	stock	1
SAITPAD-DZ HARD	Ø 110	M 14	Ø 115	10000 99201	stock	1
SAITPAD-DZ HARD	Ø 110	5/8" UNC	Ø 115	10000 99205	W2	1
SAITPAD-DZ HARD	Ø 120	M 14	Ø 125	10000 99202	stock	1
SAITPAD-DZ HARD	Ø 120	5/8" UNC	Ø 125	10000 99206	W2	1



	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DZ	Ø 173	M 14	Ø 180	10000 99203	stock	1



SAITPAD-BZ

Polymer backing pad, depressed centre.

SAITPAD-BZ: medium flexibility, suitable for working on flat and rounded surfaces.

SAITPAD-BZ HARD: suitable for operations that require rigidity and durability due to high working pressures, in particular calamine removal.

	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-BZ	Ø 168	M 14	Ø 180	10000 99401	W2	1
	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-BZ	Ø 170	M 14	Ø 180	10000 99404	stock	1
SAITPAD-BZ	Ø 170	5/8" UNC	Ø 180	10000 99407	W2	1
SAITPAD-BZ HARD	Ø 170	M 14	Ø 180	10000 99400	stock	1

SAITPAD-DH

Modular backing pad. Suitable for working weld seams and edges. The backing pad consists of several overlapped discs; it is possible to replace only the external disc when worn.

SAITPAD-DH: medium flexibility, formed by 3 discs, for average duty applications.

SAITPAD-DH HARD: made up of 4 discs, for high duty applications.

Suitable for flat (SAITDISC-D) and semi-depressed centre (SAITDISC-BS) discs.

	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DH	Ø 170	M 14	Ø 180	10000 98708	stock	1
SAITPAD-DH	Ø 170	5/8" UNC	Ø 180	10000 98711	stock	1
	BACKING PAD	LOCKING NUT	DISC			
SAITPAD-DH HARD	Ø 170	M 14	Ø 180	10000 98700	stock	1



SPARE PARTS

Fibre laminates for SAITPAD-DH

			
Ø 126 mm x 2	10000 98806	stock	1
Ø 152 mm x 1,5	10000 98807	stock	1
Ø 170 mm x 1	10000 98808	stock	1

Fibre laminates for SAITPAD-DH HARD

			
Ø 126 mm x 2	10000 98806	stock	1
Ø 152 mm x 1,5	10000 98807	stock	1
Ø 160 mm x 1,5	10000 98800	stock	1
Ø 170 mm x 1,5	10000 98809	stock	1

Ring for SAITPAD-DH and SAITPAD-DH HARD

		
10000 98901	W4	1

Bush for SAITPAD-DH and SAITPAD-DH HARD

		
10000 99000	stock	1

Locking nut M 14

		
10000 99119	stock	1

Locking nut 5/8" UNC

		
10000 99118	W4	1



FIBRE DISCS COMPRESSION HOLDER

	DISC			
115 KIT	Ø 115	10000 98400	stock	1
125 KIT	Ø 125	10000 98401	stock	1
180 KIT	Ø 180	10000 98402	stock	1



C SILICON CARBIDE

Discs made of a special fibre backing on which is firmly anchored a layer of silicon carbide abrasive, bonded together by synthetic resins, which are very durable and have high abrasive power.

APPLICATIONS

- GRANITES
- MARBLES
- CERAMICS
- MANUFACTURED AGGREGATES
- CAST IRON
- NON-FERROUS ALLOYS
- FIBREGLASS
- PLASTIC MATERIALS

							
SAITRON	C	115 x 22	24	10000 96512	stock	11.000	50 (5x10)
SAITRON	C	115 x 22	36	10000 96513	stock	11.000	50 (5x10)
SAITRON	C	115 x 22	60	10000 96519	stock	11.000	50 (5x10)
SAITRON	C	115 x 22	80	10000 96514	stock	11.000	50 (5x10)
SAITRON	C	115 x 22	120	10000 96503	stock	11.000	50 (5x10)
SAITRON	C	125 x 22	24	10000 96518	stock	10.000	50 (5x10)
SAITRON	C	125 x 22	36	10000 96515	stock	10.000	50 (5x10)
SAITRON	C	125 x 22	60	10000 96516	stock	10.000	50 (5x10)
SAITRON	C	125 x 22	80	10000 96517	stock	10.000	50 (5x10)
SAITRON	C	125 x 22	120	10000 96500	stock	10.000	50 (5x10)
SAITRON-B	C	180 x 22	24	10000 96506	stock	6.700	50 (5x10)
SAITRON-B	C	180 x 22	36	10000 96507	stock	6.700	50 (5x10)
SAITRON-B	C	180 x 22	60	10000 96509	stock	6.700	50 (5x10)
SAITRON-B	C	180 x 22	80	10000 96510	stock	6.700	50 (5x10)
SAITRON-B	C	180 x 22	120	10000 96511	stock	6.700	50 (5x10)

IMPORTANT GUIDELINES

The SAITRON disc must be used **with the backing pad type**

SAITPAD-DQ for ø 115 and ø 125

SAITPAD-BZ for ø 180

(see pages 89, 90)

The most suitable angle to approach to the components is approximately 20°.

Do not flex the disc before the use.

The best performance for ø 180 is obtained operating with a speed between 4.500 and 6.000 r.p.m.



C SILICON CARBIDE

Discs made of a fibreglass backing on which a layer of silicon carbide abrasive is applied, bonded together by synthetic resins, which are very durable and have high abrasive power.

The disc can be used without a backing pad.

APPLICATIONS

- GRANITES
- MARBLES
- CERAMICS
- MANUFACTURED AGGREGATES
- CAST IRON
- NON-FERROUS ALLOYS
- FIBREGLASS
- PLASTIC MATERIALS

							
SAITRON-FV	C	115 x 22,23	24	10000 96605	stock	13.300	50 (5x10)
SAITRON-FV	C	115 x 22,23	36	10000 96614	stock	13.300	50 (5x10)
SAITRON-FV	C	115 x 22,23	60	10000 96615	stock	13.300	50 (5x10)
SAITRON-FV	C	125 x 22,23	24	10000 96616	stock	12.250	50 (5x10)
SAITRON-FV	C	125 x 22,23	36	10000 96617	stock	12.250	50 (5x10)
SAITRON-FV	C	125 x 22,23	60	10000 96618	stock	12.250	50 (5x10)
SAITRON-FV	C	180 x 22,23	24	10000 96610	stock	8.500	50 (5x10)
SAITRON-FV	C	180 x 22,23	36	10000 96619	stock	8.500	50 (5x10)
SAITRON-FV	C	180 x 22,23	60	10000 96620	stock	8.500	50 (5x10)

IMPORTANT GUIDELINES

The most suitable angle to approach to the components is approximately 20°. Do not flex the disc before the use.
The best performance for ø 180 is obtained operating with a speed between 4.500 and 6.000 r.p.m.

SAIT LOCK-SX

Quick-change abrasive cloth discs




Z ZIRCONIA

The Sait Lock system is recommended for deburring, sanding, removal of weld marks, paint or rust and finishing operations of flat or hard-to-reach areas. R fitting. Filled. High performance. High abrasive power. Low heat generation and low clogging.

APPLICATIONS

- STEELS
- CAST IRON
- FERROUS METALS

						
SAIT LOCK-SX	Z	Ø 50	36	10000 88015	stock	50
SAIT LOCK-SX	Z	Ø 50	40	10000 88016	stock	50
SAIT LOCK-SX	Z	Ø 50	60	10000 88017	stock	50
SAIT LOCK-SX	Z	Ø 50	80	10000 88018	stock	50
SAIT LOCK-SX	Z	Ø 50	120	10000 88019	stock	50
SAIT LOCK-SX	Z	Ø 75	36	10000 88028	W4	50
SAIT LOCK-SX	Z	Ø 75	40	10000 88029	stock	50
SAIT LOCK-SX	Z	Ø 75	60	10000 88031	stock	50
SAIT LOCK-SX	Z	Ø 75	80	10000 88021	stock	50
SAIT LOCK-SX	Z	Ø 75	120	10000 88020	stock	50



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

				
PAD SAIT LOCK	Ø 50 x 6	10000 99665	stock	1
PAD SAIT LOCK	Ø 75 x 6	10000 99614	stock	1

SAIT LOCK-SX

Quick-change abrasive cloth discs




9S CERAMIC ABRASIVE

The Sait Lock system is recommended for deburring, sanding, removal of weld marks, paint or rust and finishing operations of flat or hard-to-reach areas. R fitting. Top-filled. High performance. High abrasive power. Low heat generation and low clogging.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- STEELS

						
SAIT LOCK-SX	9S	Ø 50	36	10000 88010	stock	50
SAIT LOCK-SX	9S	Ø 50	40	10000 88011	stock	50
SAIT LOCK-SX	9S	Ø 50	60	10000 88012	stock	50
SAIT LOCK-SX	9S	Ø 50	80	10000 88013	stock	50
SAIT LOCK-SX	9S	Ø 50	120	10000 88014	stock	50
SAIT LOCK-SX	9S	Ø 75	36	10000 88022	stock	50
SAIT LOCK-SX	9S	Ø 75	40	10000 88023	W4	50
SAIT LOCK-SX	9S	Ø 75	60	10000 88025	stock	50
SAIT LOCK-SX	9S	Ø 75	80	10000 88026	W4	50
SAIT LOCK-SX	9S	Ø 75	120	10000 88027	stock	50



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

				
PAD SAIT LOCK	Ø 50 x 6	10000 99665	stock	1
PAD SAIT LOCK	Ø 75 x 6	10000 99614	stock	1



Abrasive flap discs

Complete range of flap discs, suitable for all requirements, divided into six performance classes:



Discs with latest generation diamond cloth, designed to guarantee extraordinarily high performance.



Premium

Discs designed with geometry suitable for developing maximum yield even in heavy-duty conditions. Excellent removal and finish. Professional use, long life.



CERAMIC

TOP range discs with ceramic abrasive, top filled. The extremely high abrasive power and the exceptional stock removal rate - thanks to the renewal of the ceramic grain - guarantee extremely high performance.



Winner

High performance discs with good stock removal and excellent finish.



CERAMIC

High performance range thanks to the presence of the ceramic abrasive, ideal for heavy roughing operation. Professional use, long life.



PLANET^{line}

General purpose discs.

How to read the product

SAITLAM-TE

Product line

S

Product specification
(abrasive)

115 x 22,23

Dimensions
(diameter x bore)

40

Grit

Abrasives

A
Z

Aluminium oxide
Zirconia

C
S

Silicon carbide
Ceramic abrasive

Backings



Fibre glass



Polymer

Shapes




Flat shape with flat backing

Conical shape with flat backing

Conical shape with conical backing

Dimensions



d = 16 - 22,23 mm - M14
D = 100 ÷ 180 mm



Abrasive flap discs

OUR PRODUCT RANGE

	FIBRE GLASS BACKING			POLYMER BACKING			
				 SAITDIAM POWER (Polycotton) Ø 115-125			
	POWERMAX-UP (Polycotton) S Ø 115-125	POWERMAX-PK (Polycotton) S Ø 115-125-180					
	SAITLAM-TE (Polycotton) S Ø 115-125			SAITLAM-PE (Polycotton) S Ø 115			
	SAITLAM-UP (Polycotton) Z Ø 115-125-180	SAITLAM-UK (Cotton/Polycotton) 3A - Z Ø 100-115-125	SAITLAM-PK (Cotton/Polycotton) 3A - Z Ø 100-115-125-180	SAITLAM-DP (Cotton) 3A Ø 115	SAITLAM-SP (Cotton/Polycotton) 3A - Z Ø 115-180	SAITLAM-W (Cotton) Z Ø 115-125	SAITLAM-ZK (Polycotton) Z Ø 180
	SAITLAM-FU (Cotton) A - Z Ø 115-125-180	SAITLAM-DOUBLE (Cotton) Z - C Ø 180	SAITLAM-FK (Cotton) Z Ø 115-125	SAITLAM-SL (Cotton) Z - C Ø 115	SAITLAM-PN (Cotton) A - Z - C Ø 115		
	PLANET-VENUS (Polycotton) Z Ø 115-125-180	PLANET-XL (Polycotton) Z Ø 115-125	PLANET-MARS (Polycotton) Z Ø 115-125-180	PLANET-ONE (Polycotton) Z Ø 115	PLANET-TWO (Polycotton) Z Ø 115		

POWERMAX-UP

Abrasive flap discs - flat



CERAMIC



FIBRE GLASS BACKING



S CERAMIC ABRASIVE

Polycotton cloth with ceramic abrasive, top-filled. Very high abrasive power and exceptional stock removal due to the renewal of the ceramic grain. Extremely high performance. Cool cut in heavy-duty applications. Professional use, long life. Low heating and good finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

POWERMAX-UP	S	115 x 22,23	40	10000 48621	stock	13.300		20
POWERMAX-UP	S	115 x 22,23	60	10000 48635	stock	13.300		20
POWERMAX-UP	S	115 x 22,23	80	10000 48636	stock	13.300		20
POWERMAX-UP	S	125 x 22,23	40	10000 48637	stock	12.200		20
POWERMAX-UP	S	125 x 22,23	60	10000 48643	stock	12.200		20
POWERMAX-UP	S	125 x 22,23	80	10000 48642	stock	12.200		20

POWERMAX-PK

Abrasive flap discs - conical



CERAMIC



FIBRE GLASS BACKING



S CERAMIC ABRASIVE

Polycotton cloth with ceramic abrasive, top-filled. Very high abrasive power and exceptional stock removal due to the renewal of the ceramic grain. Extremely high performance. Cool cut in heavy-duty applications. Professional use, long life. Low heating and good finish.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

POWERMAX-PK	S	115 x 22,23	40	10000 49167	stock	13.300		20
POWERMAX-PK	S	115 x 22,23	60	10000 49168	stock	13.300		20
POWERMAX-PK	S	115 x 22,23	80	10000 49169	stock	13.300		20
POWERMAX-PK	S	125 x 22,23	40	10000 49170	stock	12.200		20
POWERMAX-PK	S	125 x 22,23	60	10000 49171	stock	12.200		20
POWERMAX-PK	S	125 x 22,23	80	10000 49172	stock	12.200		20
POWERMAX-PK	S	180 x 22,23	40	10000 49173	stock	8.500		10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-TE CERAMIC

Abrasive flap discs - flat

 FIBRE GLASS BACKING



S CERAMIC ABRASIVE

"Special" polycotton cloth with ceramic abrasive. Professional use, long life. Use with power tools recommended.

LONG LIFE

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS



						
SAITLAM-TE	S	115 x 22,23	40	10000 48500	stock	20
SAITLAM-TE	S	115 x 22,23	60	10000 48501	stock	20
SAITLAM-TE	S	115 x 22,23	80	10000 48502	stock	20
SAITLAM-TE	S	125 x 22,23	40	10000 48503	stock	20
SAITLAM-TE	S	125 x 22,23	60	10000 48504	stock	20
SAITLAM-TE	S	125 x 22,23	80	10000 48505	W4	20

SAITLAM-PE CERAMIC

Abrasive flap discs - flat

 POLYMER BACKING



S CERAMIC ABRASIVE

Ceramic abrasive cloth. Professional use, long life. Use with power tools recommended.

LONG LIFE

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS



						
SAITLAM-PE	S	115 x 22,23	40	10000 49100	stock	20
SAITLAM-PE	S	115 x 22,23	60	10000 49101	stock	20
SAITLAM-PE	S	115 x 22,23	80	10000 49102	W4	20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-UP *Premium*

Abrasive flap discs - flat

 FIBRE GLASS BACKING



Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITLAM-UP	Z	115 x 22,23	40	10000 48600	stock	13.300	20
SAITLAM-UP	Z	115 x 22,23	50	10000 48601	W4	13.300	20
SAITLAM-UP	Z	115 x 22,23	60	10000 48602	stock	13.300	20
SAITLAM-UP	Z	115 x 22,23	80	10000 48603	stock	13.300	20
SAITLAM-UP	Z	115 x 22,23	120	10000 48604	stock	13.300	20
SAITLAM-UP	Z	125 x 22,23	40	10000 48605	stock	12.200	20
SAITLAM-UP	Z	125 x 22,23	60	10000 48607	W4	12.200	20
SAITLAM-UP	Z	125 x 22,23	80	10000 48608	W4	12.200	20
SAITLAM-UP	Z	125 x 22,23	120	10000 48609	W4	12.200	20
SAITLAM-UP	Z	180 x 22,23	40	10000 48630	stock	8.500	10
SAITLAM-UP	Z	180 x 22,23	60	10000 48632	stock	8.500	10
SAITLAM-UP	Z	180 x 22,23	80	10000 48633	W4	8.500	10

SAITLAM-UK *Premium*

Abrasive flap discs - conical

 FIBRE GLASS BACKING



Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS


							
SAITLAM-UK	Z	115 x 22,23	40	10000 48700	stock	13.300	20
SAITLAM-UK	Z	115 x 22,23	60	10000 48702	stock	13.300	20
SAITLAM-UK	Z	115 x 22,23	80	10000 48703	W4	13.300	20
SAITLAM-UK	Z	115 x 22,23	120	10000 48704	W4	13.300	20
SAITLAM-UK	Z	125 x 22,23	40	10000 48705	stock	12.200	20
SAITLAM-UK	Z	125 x 22,23	60	10000 48707	stock	12.200	20
SAITLAM-UK	Z	125 x 22,23	80	10000 48708	W4	12.200	20
SAITLAM-UK	Z	125 x 22,23	120	10000 48709	W4	12.200	20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-UK Premium

Abrasive flap discs - conical



FIBRE GLASS BACKING



3A EVOLUTION ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Professional use, long life. Low heat generation and exceptional finish.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITLAM-UK	3A	115 x 22,23	40	10000 48725	stock	13.300	20
SAITLAM-UK	3A	115 x 22,23	60	10000 48726	stock	13.300	20
SAITLAM-UK	3A	115 x 22,23	80	10000 48727	stock	13.300	20
SAITLAM-UK	3A	125 x 22,23	40	10000 48728	W4	12.200	20
SAITLAM-UK	3A	125 x 22,23	60	10000 48729	W4	12.200	20

SAITLAM-PK Premium

Abrasive flap discs - conical



FIBRE GLASS BACKING



3A EVOLUTION ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Professional use, long life. Low heat generation and exceptional finish.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITLAM-PK	3A	180 x 22,23	40	10000 49164	W4	8.500	10
SAITLAM-PK	3A	180 x 22,23	60	10000 49165	stock	8.500	10
SAITLAM-PK	3A	180 x 22,23	80	10000 49166	W4	8.500	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-PK *Premium*

Abrasive flap discs - conical



FIBRE GLASS BACKING



Z ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITLAM-PK	Z	100 x 16	40	10000 49161	stock	15.300		10
SAITLAM-PK	Z	100 x 16	60	10000 49162	stock	15.300		10
SAITLAM-PK	Z	100 x 16	80	10000 49163	stock	15.300		10
SAITLAM-PK	Z	115 x 22,23	40	10000 49150	stock	13.300		20
SAITLAM-PK	Z	115 x 22,23	60	10000 49151	stock	13.300		20
SAITLAM-PK	Z	115 x 22,23	80	10000 49152	stock	13.300		20
SAITLAM-PK	Z	115 x 22,23	120	10000 49153	W4	13.300		20
SAITLAM-PK	Z	125 x 22,23	40	10000 49154	W4	12.200		20
SAITLAM-PK	Z	125 x 22,23	60	10000 49155	stock	12.200		20
SAITLAM-PK	Z	125 x 22,23	80	10000 49156	W4	12.200		20
SAITLAM-PK	Z	125 x 22,23	120	10000 49157	W4	12.200		20
SAITLAM-PK	Z	180 x 22,23	40	10000 49158	stock	8.500		10
SAITLAM-PK	Z	180 x 22,23	60	10000 49159	stock	8.500		10
SAITLAM-PK	Z	180 x 22,23	80	10000 49160	W4	8.500		10

SAITLAM-DP *Premium*

Abrasive flap discs - flat



POLYMER BACKING



3A ALUMINIUM OXIDE, FILLED

Double flap. Aluminium oxide cloth with cooling additive. Low heat generation and exceptional finish.

INOX

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

SAITLAM-DP	3A	115 x 22,23	40	10000 49009	stock		20
SAITLAM-DP	3A	115 x 22,23	60	10000 49010	stock		20
SAITLAM-DP	3A	115 x 22,23	80	10000 49011	stock		20
SAITLAM-DP	3A	115 x 22,23	120	10000 49019	stock		20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-SP Premium

Abrasive flap discs - flat

 POLYMER BACKING



3A ALUMINIUM OXIDE, FILLED

Aluminium oxide cloth with cooling additive. Low heat generation and exceptional finish.

INOX

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

						
SAITLAM-SP	3A	115 x 22,23	40	10000 48834	stock	20
SAITLAM-SP	3A	115 x 22,23	60	10000 48836	stock	20
SAITLAM-SP	3A	115 x 22,23	80	10000 48837	stock	20



Z EVOLUTION ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
SAITLAM-SP	Z	115 x 22,23	40	10000 49200	stock	20
SAITLAM-SP	Z	115 x 22,23	60	10000 49202	stock	20
SAITLAM-SP	Z	115 x 22,23	80	10000 49203	stock	20
SAITLAM-SP	Z	115 x 22,23	120	10000 49204	stock	20
SAITLAM-SP	Z	115 x 22,23	40	10000 49205	stock	100
SAITLAM-SP	Z	115 x 22,23	60	10000 49207	stock	100
SAITLAM-SP	Z	180 x 22,23	36	10000 49213	stock	10
SAITLAM-SP	Z	180 x 22,23	40	10000 49210	stock	10
SAITLAM-SP	Z	180 x 22,23	60	10000 49211	W4	10
SAITLAM-SP	Z	180 x 22,23	80	10000 49212	W4	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-W *Premium*

Abrasive flap discs - flat



POLYMER BACKING WITH M14 CONNECTION



Z ZIRCONIA

Zirconia cloth. Professional use, long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITLAM-W	Z	115 M 14	40	10000 96900	stock	11.000		20
SAITLAM-W	Z	115 M 14	50	10000 96901	stock	11.000		20
SAITLAM-W	Z	115 M 14	60	10000 96902	stock	11.000		20
SAITLAM-W	Z	115 M 14	80	10000 96903	stock	11.000		20
SAITLAM-W	Z	115 M 14	120	10000 96904	stock	11.000		20
SAITLAM-W	Z	115 M 14	40	10000 96910	stock	11.000		100
SAITLAM-W	Z	115 M 14	60	10000 96912	stock	11.000		100
SAITLAM-W	Z	125 M 14	40	10000 96905	stock	11.000		20
SAITLAM-W	Z	125 M 14	60	10000 96907	stock	11.000		20
SAITLAM-W	Z	125 M 14	80	10000 96908	W4	11.000		20



IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-ZK *Premium*

Abrasive flap discs - conical



POLYMER BACKING



Z *EVOLUTION* ZIRCONIA

Zirconia cloth. Long life. Use with power tools recommended.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITLAM-ZK	Z	180 x 22,23	40	10000 49300	stock	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-FU *Winner*

Abrasive flap discs - flat

 FIBRE GLASS BACKING



A ALUMINIUM OXIDE

Aluminium oxide cloth.

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

							
SAITLAM-FU	A	115 x 22,23	40	10000 48210	stock	13.300	20
SAITLAM-FU	A	115 x 22,23	60	10000 48211	W4	13.300	20



Z ZIRCONIA

Zirconia cloth. Long life.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITLAM-FU	Z	115 x 22,23	40	10000 48200	stock	13.300	20
SAITLAM-FU	Z	115 x 22,23	50	10000 48201	W4	13.300	20
SAITLAM-FU	Z	115 x 22,23	60	10000 48202	stock	13.300	20
SAITLAM-FU	Z	115 x 22,23	80	10000 48203	stock	13.300	20
SAITLAM-FU	Z	115 x 22,23	120	10000 48204	stock	13.300	20
SAITLAM-FU	Z	115 x 22,23	40	10000 48206	stock	13.300	100
SAITLAM-FU	Z	115 x 22,23	60	10000 48207	stock	13.300	100
SAITLAM-FU	Z	115 x 22,23	80	10000 48208	stock	13.300	100
SAITLAM-FU	Z	115 x 22,23	120	10000 48209	stock	13.300	100
SAITLAM-FU	Z	125 x 22,23	40	10000 48213	stock	12.200	20
SAITLAM-FU	Z	125 x 22,23	60	10000 48215	stock	12.200	20
SAITLAM-FU	Z	125 x 22,23	80	10000 48216	stock	12.200	20
SAITLAM-FU	Z	125 x 22,23	120	10000 48217	stock	12.200	20
SAITLAM-FU	Z	180 x 22,23	40	10000 48218	stock	8.500	10
SAITLAM-FU	Z	180 x 22,23	60	10000 48220	stock	8.500	10
SAITLAM-FU	Z	180 x 22,23	80	10000 48221	stock	8.500	10
SAITLAM-FU	Z	180 x 22,23	120	10000 48222	W4	8.500	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-DOUBLE *Winner*

Abrasive flap discs - flat

 FIBRE GLASS BACKING



Z ZIRCONIA

Double flap. Zirconia cloth. Long life.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITLAM-DOUBLE	Z	180 x 22,23	36	10000 49400	stock	8.500	10

SAITLAM-FK *Winner*

Abrasive flap discs - conical

 FIBRE GLASS BACKING



Z ZIRCONIA

Zirconia cloth. Long life.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITLAM-FK	Z	115 x 22,23	40	10000 96705	stock	13.300	20
SAITLAM-FK	Z	115 x 22,23	60	10000 96706	stock	13.300	20
SAITLAM-FK	Z	115 x 22,23	80	10000 96707	stock	13.300	20
SAITLAM-FK	Z	115 x 22,23	120	10000 96708	stock	13.300	20
SAITLAM-FK	Z	125 x 22,23	40	10000 96700	stock	12.200	20
SAITLAM-FK	Z	125 x 22,23	50	10000 96701	stock	12.200	20
SAITLAM-FK	Z	125 x 22,23	60	10000 96702	stock	12.200	20
SAITLAM-FK	Z	125 x 22,23	80	10000 96703	stock	12.200	20
SAITLAM-FK	Z	125 x 22,23	120	10000 96704	stock	12.200	20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-SL *Winner*

Abrasive flap discs - flat

 POLYMER BACKING



Z ZIRCONIA

Double flap. Zirconia cloth. Long life.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
SAITLAM-SL	Z	115 x 22,23	40	10000 49000	stock	20
SAITLAM-SL	Z	115 x 22,23	50	10000 49001	stock	20
SAITLAM-SL	Z	115 x 22,23	60	10000 49002	stock	20
SAITLAM-SL	Z	115 x 22,23	80	10000 49003	stock	20
SAITLAM-SL	Z	115 x 22,23	120	10000 49004	stock	20
SAITLAM-SL	Z	115 x 22,23	40	10000 49005	stock	100
SAITLAM-SL	Z	115 x 22,23	60	10000 49006	stock	100
SAITLAM-SL	Z	115 x 22,23	80	10000 49007	stock	100
SAITLAM-SL	Z	115 x 22,23	120	10000 49008	stock	100

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

Abrasive flap discs - flat

 POLYMER BACKING



A ALUMINIUM OXIDE

Aluminium oxide cloth.

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS

						
SAITLAM-PN	A	115 x 22,23	40	10000 48800	stock	20
SAITLAM-PN	A	115 x 22,23	50	10000 48801	stock	20
SAITLAM-PN	A	115 x 22,23	60	10000 48802	stock	20
SAITLAM-PN	A	115 x 22,23	80	10000 48803	stock	20
SAITLAM-PN	A	115 x 22,23	120	10000 48804	stock	20
SAITLAM-PN	A	115 x 22,23	40	10000 48831	stock	100
SAITLAM-PN	A	115 x 22,23	60	10000 48832	stock	100
SAITLAM-PN	A	115 x 22,23	80	10000 48833	stock	100



Z ZIRCONIA

Zirconia cloth. Long life.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
SAITLAM-PN	Z	115 x 22,23	40	10000 48805	stock	20
SAITLAM-PN	Z	115 x 22,23	50	10000 48806	stock	20
SAITLAM-PN	Z	115 x 22,23	60	10000 48807	stock	20
SAITLAM-PN	Z	115 x 22,23	80	10000 48808	stock	20
SAITLAM-PN	Z	115 x 22,23	100	10000 48825	stock	20
SAITLAM-PN	Z	115 x 22,23	120	10000 48809	stock	20
SAITLAM-PN	Z	115 x 22,23	40	10000 48827	stock	100
SAITLAM-PN	Z	115 x 22,23	60	10000 48828	stock	100
SAITLAM-PN	Z	115 x 22,23	80	10000 48829	stock	100
SAITLAM-PN	Z	115 x 22,23	120	10000 48830	stock	100

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITDIAM POWER

Abrasive flap discs - flat

POLYMER BACKING



SAITDIAM POWER

Polycotton cloth with diamond abrasive, developed to ensure exceptionally high performance. Extremely high stock removal rate. Very aggressive. Long life. Excellent finish.

APPLICATIONS

- MARBLES
- NATURAL STONES
- CONCRETE
- BUILDING MATERIALS

SAITDIAM POWER	115 x 22,23	Coarse	1000503723	stock		3
SAITDIAM POWER	115 x 22,23	Medium	1000503724	stock		3
SAITDIAM POWER	115 x 22,23	Fine	1000503725	stock		3
SAITDIAM POWER	125 x 22,23	Coarse	1000503726	stock		3
SAITDIAM POWER	125 x 22,23	Medium	1000503728	stock		3
SAITDIAM POWER	125 x 22,23	Fine	1000503729	stock		3
SAITDIAM POWER KIT 115	Kit composition: 1 pc. for type		1000503730	stock		1 (3 pz.)
SAITDIAM POWER KIT 125	Kit composition: 1 pc. for type		1000503731	stock		1 (3 pz.)

SAITLAM-DOUBLE

Abrasive flap discs - flat

FIBRE GLASS BACKING



SILICON CARBIDE

Double flap. Silicon carbide cloth.

APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS

SAITLAM-DOUBLE	C	180 x 22,23	60	10000 49405	stock	8.500	10
SAITLAM-DOUBLE	C	180 x 22,23	80	10000 49401	stock	8.500	10
SAITLAM-DOUBLE	C	180 x 22,23	120	10000 49402	stock	8.500	10
SAITLAM-DOUBLE	C	180 x 22,23	220	10000 49403	stock	8.500	10
SAITLAM-DOUBLE	C	180 x 22,23	320	10000 49404	stock	8.500	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAM-SL *Winner*

Abrasive flap discs - flat

 POLYMER BACKING



C SILICON CARBIDE

Double flap. Silicon carbide cloth.

APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS

						
SAITLAM-SL	C	115 x 22,23	120	10000 49021	stock	20
SAITLAM-SL	C	115 x 22,23	220	10000 49012	stock	20
SAITLAM-SL	C	115 x 22,23	320	10000 49013	stock	20

SAITLAM-PN *Winner*

Abrasive flap discs - flat

 POLYMER BACKING



C SILICON CARBIDE

Silicon carbide cloth.

APPLICATIONS

- MARBLES
- STONES
- CONCRETE
- BUILDING MATERIALS
- NON-FERROUS METALS

						
SAITLAM-PN	C	115 x 22,23	40	10000 48820	stock	20
SAITLAM-PN	C	115 x 22,23	60	10000 48821	stock	20
SAITLAM-PN	C	115 x 22,23	80	10000 48822	stock	20
SAITLAM-PN	C	115 x 22,23	120	10000 48823	stock	20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

PLANET-VENUS

Abrasive flap discs - flat

 FIBRE GLASS BACKING



Z ZIRCONIA

General purpose.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

								
PLANET-VENUS	Z	115 x 22,23	40	stock	10000 41501	40	10000 41500	100
PLANET-VENUS	Z	115 x 22,23	60	stock	10000 41506	40	10000 41502	100
PLANET-VENUS	Z	115 x 22,23	80	stock	10000 41510	40	10000 41503	100
PLANET-VENUS	Z	115 x 22,23	100	stock	10000 41521	40		
PLANET-VENUS	Z	115 x 22,23	120	stock	10000 41511	40		
PLANET-VENUS	Z	125 x 22,23	40	stock			10000 41505	100
PLANET-VENUS	Z	125 x 22,23	60	stock			10000 41507	100
PLANET-VENUS	Z	125 x 22,23	80	W4			10000 41508	100
PLANET-VENUS	Z	125 x 22,23	120	W4			10000 41509	100
PLANET-VENUS	Z	180 x 22,23	40	stock			10000 41513	10
PLANET-VENUS	Z	180 x 22,23	60	stock			10000 41514	10
PLANET-VENUS	Z	180 x 22,23	80	stock			10000 41515	10

PLANET-XL

Abrasive flap discs - flat

 FIBRE GLASS BACKING



Z ZIRCONIA

Disc with high number of flaps in planar orientation with high-thickness geometry. Excellent stock removal. Long life.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS

						
PLANET-XL	Z	115 x 22,23	40	10000 41512	stock	20
PLANET-XL	Z	115 x 22,23	60	10000 41516	stock	20
PLANET-XL	Z	115 x 22,23	80	10000 41517	stock	20
PLANET-XL	Z	115 x 22,23	120	10000 41522	stock	20
PLANET-XL	Z	125 x 22,23	40	10000 41518	stock	20
PLANET-XL	Z	125 x 22,23	60	10000 41519	stock	20
PLANET-XL	Z	125 x 22,23	80	10000 41520	stock	20

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.



FIBRE GLASS BACKING



Z ZIRCONIA

General purpose.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
PLANET-MARS	Z	115 x 22,23	40	10000 41600	stock	100
PLANET-MARS	Z	115 x 22,23	60	10000 41602	stock	100
PLANET-MARS	Z	115 x 22,23	80	10000 41603	stock	100
PLANET-MARS	Z	115 x 22,23	120	10000 41604	stock	100
PLANET-MARS	Z	125 x 22,23	40	10000 41605	stock	100
PLANET-MARS	Z	125 x 22,23	60	10000 41606	W4	100
PLANET-MARS	Z	125 x 22,23	80	10000 41607	W4	100
PLANET-MARS	Z	125 x 22,23	120	10000 41608	W4	100
PLANET-MARS	Z	180 x 22,23	40	10000 41619	stock	10
PLANET-MARS	Z	180 x 22,23	60	10000 41620	stock	10
PLANET-MARS	Z	180 x 22,23	80	10000 41621	stock	10

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

PLANET-ONE

Abrasive flap discs - flat

 POLYMER BACKING



Z ZIRCONIA

General purpose.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
PLANET-ONE	Z	115 x 22,23	40	10000 41300	stock	40
PLANET-ONE	Z	115 x 22,23	60	10000 41302	stock	40
PLANET-ONE	Z	115 x 22,23	80	10000 41303	stock	40
PLANET-ONE	Z	115 x 22,23	100	10000 41323	stock	40
PLANET-ONE	Z	115 x 22,23	120	10000 41304	stock	40

PLANET-TWO

Abrasive double flap discs - flat

 POLYMER BACKING



Z ZIRCONIA

General purpose.

APPLICATIONS

- STEELS AND ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

						
PLANET-TWO	Z	115 x 22,23	40	10000 41400	stock	40
PLANET-TWO	Z	115 x 22,23	60	10000 41402	stock	40
PLANET-TWO	Z	115 x 22,23	80	10000 41403	stock	40
PLANET-TWO	Z	115 x 22,23	100	10000 41401	stock	40
PLANET-TWO	Z	115 x 22,23	120	10000 41404	stock	40

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.



ABRASIVE CLOTH PRODUCTS







Abrasive cloth products

Contents



SAITOR-G
Shaft mounted flap wheels.

121



SAITEX-N
Belts.

136



SAITOR-F
Flap wheels with flange.

124



SAITEX-NL
Wide belts.

141



SAITEX-RI
Industrial rolls.

127



SAITEX-MN
Standard sleeves.

142



SAITEX-RE
Shop rolls.

132



SAITEX-MR
Interlined sleeves.

145



SAITEX-RM
Mini-rolls.

133



SAITEX-S
Sheets.

148




SAITEX-NC
Short belts.

134



Abrasive cloth products


How to read the product



Product lines	SAITOR SAITEX	Abrasive flap wheel Abrasive cloth		
Shapes	G F RI RE RM NC	Shaft mounted wheel Wheel with flange Industrial roll Shop roll Mini-roll Short belt	N NL MN MR S	Belt Wide belt Standard sleeve Interlined sleeve Sheet
Abrasives	A AG Z	Aluminium oxide Agglomerate aluminium oxide Zirconia	C S	Silicon carbide Ceramic abrasive
Adhesives	Synthetic resins			

Abrasive cloth backings

H cloth	Very heavy polyester cloth, sturdy and resistant, suitable for grinding and fettling operations. Water resistant.
X cloth	Heavy cotton or polycotton cloth, sturdy and resistant, suitable for fettling, deburring and finishing operations.
J cloth	Flexible cotton or polycotton cloth, suitable for cleaning, polishing and finishing operations.
F cloth	Very flexible cotton or polycotton cloth, suitable for cleaning, polishing and finishing operations of contoured components.
W cloth	Waterproof cotton cloth, sturdy and resistant, suitable for fettling, deburring, cleaning, finishing and polishing operations.





Abrasive cloth products

Products	Width	Lenght	Diameter	Height
SAITEX-RI Industrial roll	38 ÷ 300 mm	25 ÷ 50 m		
SAITEX-RE Shop roll	25 ÷ 50 mm	25 ÷ 50 m		
SAITEX-RM Mini-roll	115 mm	5 m		
SAITEX-NC Short belt	30 ÷ 110 mm	533 ÷ 620 mm		
SAITEX-N Belt	20 ÷ 350 mm	On request		
SAITEX-NL Wide belt	400 ÷ 1500 mm	On request		
SAITEX-MN Standard sleeve			30 ÷ 200 mm	30 ÷ 60 mm
SAITEX-MR Interlined sleeve			10 ÷ 45 mm	10 ÷ 30 mm
SAITEX-S Sheet	230 mm	280 mm		

SAITOR-G

Abrasive shaft mounted flap wheels




A ALUMINIUM OXIDE

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITOR-G	A	20 x 10 x 6	P-60	10000 74020	stock	25.000	20 (2x10)
SAITOR-G	A	20 x 10 x 6	P-80	10000 74045	stock	25.000	20 (2x10)
SAITOR-G	A	20 x 10 x 6	P-120	10000 74046	stock	25.000	20 (2x10)
SAITOR-G	A	30 x 10 x 6	P-60	10000 74008	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 10 x 6	P-80	10000 74010	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 10 x 6	P-120	10000 74012	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 10 x 6	P-180	10000 74014	W4	19.000	20 (2x10)
SAITOR-G	A	30 x 10 x 6	P-240	10000 74016	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 20 x 6	P-60	10000 74254	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 20 x 6	P-80	10000 74268	stock	19.000	20 (2x10)
SAITOR-G	A	30 x 20 x 6	P-120	10000 74255	stock	19.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-40	10000 74027	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-60	10000 74028	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-80	10000 74029	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-120	10000 74030	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-180	10000 74031	W4	15.000	20 (2x10)
SAITOR-G	A	40 x 15 x 6	P-240	10000 74032	W4	15.000	20 (2x10)
SAITOR-G	A	40 x 20 x 6	P-60	10000 74033	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 20 x 6	P-80	10000 74035	stock	15.000	20 (2x10)
SAITOR-G	A	40 x 20 x 6	P-120	10000 74037	stock	15.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-40	10000 74052	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-60	10000 74053	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-80	10000 74055	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-120	10000 74057	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-180	10000 74059	W4	12.000	20 (2x10)
SAITOR-G	A	50 x 20 x 6	P-240	10000 74060	W4	12.000	20 (2x10)
SAITOR-G	A	50 x 30 x 6	P-60	10000 74269	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 30 x 6	P-80	10000 74270	stock	12.000	20 (2x10)
SAITOR-G	A	50 x 30 x 6	P-120	10000 74271	stock	12.000	20 (2x10)



SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.
Maximum speed is relative to max overhang S = 5 mm.

SAITOR-G

Abrasive shaft mounted flap wheels




A ALUMINIUM OXIDE

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITOR-G	A	60 x 15 x 6	P-60	10000 74068	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 15 x 6	P-80	10000 74069	W4	9.000	20 (2x10)
SAITOR-G	A	60 x 15 x 6	P-120	10000 74070	W4	9.000	20 (2x10)
SAITOR-G	A	60 x 20 x 6	P-40	10000 74076	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 20 x 6	P-60	10000 74077	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 20 x 6	P-80	10000 74078	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 20 x 6	P-120	10000 74080	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 20 x 6	P-240	10000 74083	W4	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-40	10000 74089	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-60	10000 74090	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-80	10000 74092	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-120	10000 74094	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-180	10000 74096	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 30 x 6	P-240	10000 74097	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 40 x 6	P-40	10000 74099	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 40 x 6	P-60	10000 74100	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 40 x 6	P-80	10000 74101	stock	9.000	20 (2x10)
SAITOR-G	A	60 x 40 x 6	P-120	10000 74103	stock	9.000	20 (2x10)
SAITOR-G	A	80 x 30 x 6	P-40	10000 74128	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 30 x 6	P-60	10000 74129	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 30 x 6	P-80	10000 74130	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 30 x 6	P-120	10000 74131	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 30 x 6	P-240	10000 74133	W4	6.000	20 (2x10)
SAITOR-G	A	80 x 40 x 6	P-40	10000 74134	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 40 x 6	P-60	10000 74135	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 40 x 6	P-80	10000 74136	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 40 x 6	P-120	10000 74137	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 50 x 6	P-40	10000 74140	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 50 x 6	P-60	10000 74141	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 50 x 6	P-80	10000 74142	stock	6.000	20 (2x10)
SAITOR-G	A	80 x 50 x 6	P-120	10000 74143	W4	6.000	20 (2x10)



SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.
Maximum speed is relative to max overhang S = 5 mm.

SAITOR-G

Abrasive shaft mounted flap wheels



3A ALUMINIUM OXIDE, FILLED

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS


								
SAITOR-G	3A	60 x 30 x 6	P-60	10000 74283	stock	9.000		20 (2x10)
SAITOR-G	3A	60 x 30 x 6	P-80	10000 74284	W4	9.000		20 (2x10)
SAITOR-G	3A	60 x 30 x 6	P-120	10000 74285	W4	9.000		20 (2x10)

C SILICON CARBIDE

APPLICATIONS

- MARBLES
- CERAMICS
- STONES
- CAST IRON
- NON-FERROUS METALS
- WOOD
- LEATHER
- GLASSES
- PLASTIC MATERIALS

								
SAITOR-G	C	60 x 20 x 6	P-40	10000 74232	stock	9.000		20 (2x10)
SAITOR-G	C	60 x 20 x 6	P-60	10000 74073	stock	9.000		20 (2x10)
SAITOR-G	C	60 x 20 x 6	P-80	10000 74074	W4	9.000		20 (2x10)
SAITOR-G	C	60 x 20 x 6	P-120	10000 74075	stock	9.000		20 (2x10)
SAITOR-G	C	60 x 30 x 6	P-40	10000 74233	stock	9.000		20 (2x10)
SAITOR-G	C	60 x 30 x 6	P-60	10000 74229	stock	9.000		20 (2x10)
SAITOR-G	C	60 x 30 x 6	P-120	10000 74231	W4	9.000		20 (2x10)



SAFETY REMARKS

The maximum speed marked on each product must never be exceeded.
Maximum speed is relative to max overhang S = 5 mm.

SAITOR-F

Abrasive flap wheels with flange




A ALUMINIUM OXIDE

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS
- PLASTIC MATERIALS

							
SAITOR-F	A	100 x 30 x 26	P-60	10000 72002	stock	8.500	10
SAITOR-F	A	100 x 30 x 26	P-80	10000 72004	W5	8.500	10
SAITOR-F	A	100 x 30 x 26	P-120	10000 72008	W5	8.500	10
(A = ø 100 mm, B = 30 mm, C = ø 26 mm, D = ø 49 mm)							
SAITOR-F	A	100 x 50 x 26	P-60	10000 72016	stock	8.500	10
(A = ø 100 mm, B = 50 mm, C = ø 26 mm, D = ø 49 mm)							
SAITOR-F	A	100 x 100 x 19,1 C⁽¹⁾	P-40	10000 72022	stock	8.500	6
SAITOR-F	A	100 x 100 x 19,1 C ⁽¹⁾	P-60	10000 72023	W5	8.500	6
SAITOR-F	A	100 x 100 x 19,1 C ⁽¹⁾	P-80	10000 72024	stock	8.500	6
SAITOR-F	A	100 x 100 x 19,1 C ⁽¹⁾	P-120	10000 72093	stock	8.500	6
(A = ø 100 mm, B = 100 mm, ⁽¹⁾ C = spline)							
SAITOR-F	A	125 x 20 M 14	P-40	10000 72195	stock	12.200	3
SAITOR-F	A	125 x 20 M 14	P-60	10000 72114	stock	12.200	3
SAITOR-F	A	125 x 20 M 14	P-80	10000 72193	stock	12.200	3
SAITOR-F	A	125 x 20 M 14	P-120	10000 72194	stock	12.200	3
(A = ø 125 mm, B = 20 mmspline)							
SAITOR-F	A	165 x 30 x 54	P-40	10000 72046	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-60	10000 72048	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-80	10000 72049	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-120	10000 72051	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-180	10000 72053	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-220	10000 72054	W5	5.200	5
SAITOR-F	A	165 x 30 x 54	P-240	10000 72055	stock	5.200	5
SAITOR-F	A	165 x 30 x 54	P-320	10000 72056	W5	5.200	5
(A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)							
SAITOR-F	A	165 x 50 x 54	P-40	10000 72065	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-50	10000 72066	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-60	10000 72067	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-80	10000 72068	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-100	10000 72069	W5	5.200	5
SAITOR-F	A	165 x 50 x 54	P-120	10000 72070	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-150	10000 72071	W5	5.200	5
SAITOR-F	A	165 x 50 x 54	P-180	10000 72072	stock	5.200	5
SAITOR-F	A	165 x 50 x 54	P-320	10000 72075	W5	5.200	5
(A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)							
SAITOR-F	A	200 x 50 x 54	P-50	10000 72082	stock	3.350	5
SAITOR-F	A	200 x 50 x 54	P-60	10000 72083	W5	3.350	5
SAITOR-F	A	200 x 50 x 54	P-80	10000 72084	stock	3.350	5
SAITOR-F	A	200 x 50 x 54	P-120	10000 72086	W5	3.350	5
(A = ø 200 mm, B = 50 mm, C = ø 54 mm, D = ø 82 mm)							
SAITOR-F	A	250 x 30 x 100	P-60	10000 72125	stock	2.650	3
SAITOR-F	A	250 x 30 x 100	P-150	10000 72152	W5	2.650	3
SAITOR-F	A	250 x 30 x 100	P-180	10000 72154	W5	2.650	3
(A = ø 250 mm, B = 30 mm, C = ø 100 mm, D = ø 144 mm)							



SAITOR-F

Abrasive flap wheels with flange



A ALUMINIUM OXIDE

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS
- PLASTIC MATERIALS

							
SAITOR-F	A	250 x 50 x 100	P-50	10000 72136	stock	2.650	3
SAITOR-F	A	250 x 50 x 100	P-60	10000 72151	stock	2.650	3
SAITOR-F	A	250 x 50 x 100	P-80	10000 72166	stock	2.650	3
SAITOR-F	A	250 x 50 x 100	P-100	10000 72167	W5	2.650	3
SAITOR-F	A	250 x 50 x 100	P-120	10000 72180	stock	2.650	3
SAITOR-F	A	250 x 50 x 100	P-220	10000 72189	W5	2.650	3
SAITOR-F	A	250 x 50 x 100	P-320	10000 72191	stock	2.650	3

(A = ø 250 mm, B = 50 mm, C = ø 100 mm, D = ø 144 mm)

SAITOR-F	A	300 x 50 x 104	P-60	10000 72116	stock	2.250	3
SAITOR-F	A	300 x 50 x 104	P-80	10000 72117	W5	2.250	3
SAITOR-F	A	300 x 50 x 104	P-120	10000 72119	W5	2.250	3

(A = ø 300 mm, B = 50 mm, C = ø 104 mm, D = ø 159 mm)

SAITOR-F	A	300 x 75 x 104	P-50	10000 72126	stock	2.250	3
SAITOR-F	A	300 x 75 x 104	P-120	10000 72130	W5	2.250	3

(A = ø 300 mm, B = 75 mm, C = ø 104 mm, D = ø 159 mm)

3A ALUMINIUM OXIDE, FILLED

APPLICATIONS


- STAINLESS STEELS
- ALLOY STEELS
- NON-FERROUS METALS

							
SAITOR-F	3A	165 x 30 x 54	P-60	10000 72058	stock	5.200	5
SAITOR-F	3A	165 x 30 x 54	P-80	10000 72059	stock	5.200	5
SAITOR-F	3A	165 x 30 x 54	P-120	10000 72061	stock	5.200	5

(A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)

SAITOR-F	3A	165 x 50 x 54	P-60	10000 72077	stock	5.200	5
SAITOR-F	3A	165 x 50 x 54	P-80	10000 72078	stock	5.200	5
SAITOR-F	3A	165 x 50 x 54	P-120	10000 72080	W5	5.200	5

(A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)



SAITOR-F

Abrasive flap wheels with flange



AZ ALUMINIUM OXIDE AND ZIRCONIA

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

SAITOR-F	AZ	165 x 50 x 54	40	10000 72155	W5	5.200		5

(A = ø 165 mm, B = 50 mm, C = ø 54 mm, D = ø 78 mm)


C SILICON CARBIDE

APPLICATIONS

- MARBLES
- CERAMICS
- STONES
- NON-FERROUS METALS
- GLASSES
- PLASTIC MATERIALS

SAITOR-F	C	165 x 30 x 54	P-40	10000 72037	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-60	10000 72038	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-80	10000 72039	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-120	10000 72041	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-150	10000 72042	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-180	10000 72043	W5	5.200		5
SAITOR-F	C	165 x 30 x 54	P-220	10000 72044	stock	5.200		5
SAITOR-F	C	165 x 30 x 54	P-320	10000 72045	stock	5.200		5


(A = ø 165 mm, B = 30 mm, C = ø 54 mm, D = ø 78 mm)



Accessories for flap wheels with flange

FLANGES

Ø FLAP WHEELS MM	Ø BORE MM	MAX AVAILABLE BORE MM	Ø COUPLING MM			
100	14	16	26	10000 98309	stock	2
165 - 200	14	32	54	10000 98311	stock	2
250	20	40	134	10000 98302	stock	2
300	20	40	150	10000 98314	stock	2





A-F

Full resin bonded aluminium oxide cloth, polycotton F Flex backing, open coating. Specific for hand operations on flat and shaped surfaces. Dry use. Low clogging. High flexibility. Very good resistance.

APPLICATIONS

- STEELS
- NON-FERROUS METALS
- WOOD
- LEATHER

						
SAITEX-RI	A-F	115 x 25 m	P-36	10000 16608	stock	1
SAITEX-RI	A-F	115 x 25 m	P-40	10000 16441	stock	1
SAITEX-RI	A-F	115 x 25 m	P-50	10000 16442	stock	1
SAITEX-RI	A-F	115 x 25 m	P-60	10000 16268	stock	1
SAITEX-RI	A-F	115 x 25 m	P-80	10000 16269	stock	1
SAITEX-RI	A-F	115 x 25 m	P-100	10000 16270	stock	1
SAITEX-RI	A-F	115 x 25 m	P-120	10000 16298	stock	1
SAITEX-RI	A-F	115 x 25 m	P-150	10000 16302	stock	1
SAITEX-RI	A-F	115 x 25 m	P-180	10000 16337	stock	1
SAITEX-RI	A-F	115 x 25 m	P-220	10000 16339	stock	1
SAITEX-RI	A-F	115 x 25 m	P-240	10000 16347	stock	1
SAITEX-RI	A-F	115 x 25 m	P-320	10000 16429	stock	1
SAITEX-RI	A-F	115 x 25 m	P-400	10000 16432	stock	1
SAITEX-RI	A-F	115 x 50 m	P-36	10000 16609	stock	1
SAITEX-RI	A-F	115 x 50 m	P-40	10000 16454	stock	1
SAITEX-RI	A-F	115 x 50 m	P-50	10000 16458	stock	1
SAITEX-RI	A-F	115 x 50 m	P-60	10000 16479	stock	1
SAITEX-RI	A-F	115 x 50 m	P-80	10000 16483	stock	1
SAITEX-RI	A-F	115 x 50 m	P-100	10000 16494	stock	1
SAITEX-RI	A-F	115 x 50 m	P-120	10000 16496	stock	1
SAITEX-RI	A-F	115 x 50 m	P-150	10000 16506	stock	1
SAITEX-RI	A-F	115 x 50 m	P-180	10000 16508	stock	1
SAITEX-RI	A-F	115 x 50 m	P-220	10000 16509	stock	1
SAITEX-RI	A-F	115 x 50 m	P-240	10000 16558	stock	1
SAITEX-RI	A-F	115 x 50 m	P-320	10000 16561	stock	1
SAITEX-RI	A-F	115 x 50 m	P-400	10000 16567	stock	1



DA-F

Flexible full resin bonded aluminium oxide cloth, open coating. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-RI	DA-F	100 x 50 m	P-60	10000 16188	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-80	10000 16191	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-100	10000 16194	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-120	10000 16197	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-150	10000 16200	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-180	10000 16203	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-220	10000 16206	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-240	10000 16209	stock	1
SAITEX-RI	DA-F	100 x 50 m	P-320	10000 16212	W4	1
SAITEX-RI	DA-F	100 x 50 m	P-400	10000 16215	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-60	10000 16599	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-80	10000 16601	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-100	10000 16602	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-120	10000 16603	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-220	10000 16604	W4	1
SAITEX-RI	DA-F	115 x 50 m	P-400	10000 16605	W4	1
SAITEX-RI	DA-F	120 x 50 m	P-36	10000 16271	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-40	10000 16245	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-50	10000 16186	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-60	10000 16189	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-80	10000 16192	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-100	10000 16195	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-120	10000 16198	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-150	10000 16201	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-180	10000 16204	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-220	10000 16207	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-240	10000 16210	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-320	10000 16213	stock	1
SAITEX-RI	DA-F	120 x 50 m	P-400	10000 16216	stock	1



EA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand and mechanical operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

						
SAITEX-RI	EA-F	38 x 50 m	P-50	10000 16842	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-60	10000 16856	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-80	10000 16812	stock	4
SAITEX-RI	EA-F	38 x 50 m	P-100	10000 16839	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-120	10000 16813	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-150	10000 16843	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-180	10000 16814	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-220	10000 16815	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-240	10000 16875	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-280	10000 16840	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-320	10000 16841	W4	4
SAITEX-RI	EA-F	38 x 50 m	P-400	10000 16876	W4	4
SAITEX-RI	EA-F	50 x 50 m	P-40	10000 16240	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-50	10000 16266	W4	2
SAITEX-RI	EA-F	50 x 50 m	P-60	10000 16241	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-80	10000 16242	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-100	10000 16288	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-120	10000 16264	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-150	10000 16289	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-180	10000 16290	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-220	10000 16243	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-240	10000 16291	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-280	10000 16596	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-320	10000 16292	stock	2
SAITEX-RI	EA-F	50 x 50 m	P-400	10000 16293	stock	2
SAITEX-RI	EA-F	100 x 50 m	P-60	10000 16028	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-80	10000 16029	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-100	10000 16030	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-120	10000 16031	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-150	10000 16032	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-180	10000 16033	stock	1
SAITEX-RI	EA-F	100 x 50 m	P-220	10000 16034	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-240	10000 16035	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-320	10000 16036	W4	1
SAITEX-RI	EA-F	100 x 50 m	P-400	10000 16037	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-36	10000 16074	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-40	10000 16075	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-50	10000 16076	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-60	10000 16077	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-80	10000 16078	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-100	10000 16079	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-120	10000 16080	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-150	10000 16081	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-180	10000 16082	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-220	10000 16083	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-240	10000 16084	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-280	10000 16598	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-320	10000 16085	stock	1
SAITEX-RI	EA-F	120 x 50 m	P-400	10000 16086	stock	1



KA-F

Full resin bonded aluminium oxide cloth. High flexibility.

APPLICATIONS

- STEELS ▲ WOOD
- NON-FERROUS METALS ▲ LEATHER

						
SAITEX-RI	KA-F	50 x 50 m	P-60	10000 16001	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-80	10000 16002	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-100	10000 16003	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-120	10000 16004	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-150	10000 16005	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-180	10000 16006	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-220	10000 16007	stock	2
SAITEX-RI	KA-F	50 x 50 m	P-240	10000 16008	W4	2
SAITEX-RI	KA-F	50 x 50 m	P-320	10000 16010	W4	2
SAITEX-RI	KA-F	50 x 50 m	P-400	10000 16011	W4	2
SAITEX-RI	KA-F	120 x 50 m	P-60	10000 16087	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-80	10000 16088	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-100	10000 16089	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-120	10000 16090	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-150	10000 16091	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-180	10000 16092	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-220	10000 16093	stock	1
SAITEX-RI	KA-F	120 x 50 m	P-240	10000 16094	W4	1
SAITEX-RI	KA-F	120 x 50 m	P-320	10000 16096	W4	1
SAITEX-RI	KA-F	120 x 50 m	P-400	10000 16097	W4	1

AZ-X

Full resin bonded abrasive polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

APPLICATIONS

- STEELS ■ NON-FERROUS METALS
- ALLOY STEELS ■ WOODEN FLOOR

						
SAITEX-RI	AZ-X	205 x 50 m	24	10000 17075	W4	1
SAITEX-RI	AZ-X	205 x 50 m	36	10000 16809	stock	1
SAITEX-RI	AZ-X	205 x 50 m	40	10000 16810	W4	1
SAITEX-RI	AZ-X	205 x 50 m	60	10000 16816	stock	1
SAITEX-RI	AZ-X	205 x 50 m	80	10000 16817	stock	1
SAITEX-RI	AZ-X	205 x 50 m	100	10000 16818	W4	1
SAITEX-RI	AZ-X	205 x 50 m	120	10000 16819	W4	1

CX-F

Full resin bonded silicon carbide cloth. High flexibility. Suitable for operations with medium-light duty applications.

APPLICATIONS

- NON-FERROUS METALS

						
SAITEX-RI	CX-F	120 x 50 m	P-60	10000 16639	stock	1
SAITEX-RI	CX-F	120 x 50 m	P-80	10000 16640	W4	1
SAITEX-RI	CX-F	120 x 50 m	P-120	10000 16641	W4	1

- main applications
- ▲ possible use

SAITEX-RI 300 x 50 m

Industrial abrasive cloth rolls



PRODUCTS	AVAILABLE GRITS																	
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600
A-F		•	•	•	•	•	•	•	•	•	•	•		•		•		•
DA-F		•	•	•	•	•	•	•	•	•	•	•		•		•		
MA-F			•		•	•	•	•	•	•	•	•		•		•		
EA-F		•	•	•	•	•	•	•	•	•	•	•	•	•		•		•
EA-S								•	•	•	•	•		•		•		
KA-F					•	•	•	•	•	•	•	•	•	•		•		
KA-J			•		•	•	•	•		•								
2A-F						•	•	•	•	•	•	•		•		•	•	•
1A-J					•	•	•	•	•	•	•	•		•		•		
AO-X	•	•	•	•	•	•	•	•	•	•								
LA-X			•	•	•	•	•	•	•	•								
TA-X		•	•	•	•	•	•	•	•	•	•	•		•		•		
1A-X	•	•	•	•	•	•	•	•	•	•								
2A-X		•	•		•	•	•	•	•	•	•	•		•		•		
3A-X		•	•		•	•	•	•	•	•	•							
2A-H	•	•	•		•	•	•	•										
AP-H										•	•	•		•		•		
AZ-X	•	•	•	•	•	•	•	•	•	•								
Z-X		•	•		•	•		•										
ZH-X		•	•															
Z-H	•	•	•	•	•	•	•	•										
5Z-H	•	•	•		•													
7S-H	•	•	•		•	•		•										
9SH-X		•	•	•	•	•												
9S-H	•	•	•	•	•	•	•	•										
9S-J						•		•		•	•	•		•				
C-J									•	•	•	•		•	•			
CX-F			•		•	•	•	•						•				
C-W					•	•	•	•	•	•	•							
CW-W												o						
C-H	•	•	•	•	•	•	•	•										
AG-H						•		•		•				•		•		•

Cloth for flap wheels

RA-X			•	•	•	•		•										
AZ-H			•	•	•	•	•	•										
PZ-H			•	•	•	•		•										
LZ-X		•	•	•	•	•	•	•										
PS-H			•		•	•												

		
300 mm	W4	1



DA-F

Full resin bonded aluminium oxide cloth, open coating. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-RE	DA-F	38 x 25 m	P-40	10000 24152	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-60	10000 24174	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-80	10000 24153	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-100	10000 24154	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-120	10000 24155	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-150	10000 24156	W4	5
SAITEX-RE	DA-F	38 x 25 m	P-180	10000 24157	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-220	10000 24158	W4	5
SAITEX-RE	DA-F	38 x 25 m	P-240	10000 24159	stock	5
SAITEX-RE	DA-F	38 x 25 m	P-320	10000 24160	W4	5
SAITEX-RE	DA-F	38 x 25 m	P-400	10000 24161	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-40	10000 24091	W4	5
SAITEX-RE	DA-F	50 x 25 m	P-60	10000 24059	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-80	10000 24056	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-100	10000 24053	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-120	10000 24050	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-150	10000 24047	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-180	10000 24044	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-220	10000 24041	W4	5
SAITEX-RE	DA-F	50 x 25 m	P-240	10000 24038	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-320	10000 24035	stock	5
SAITEX-RE	DA-F	50 x 25 m	P-400	10000 24032	stock	5
SAITEX-RE	DA-F	25 x 50 m	P-60	10000 24117	W4	5
SAITEX-RE	DA-F	25 x 50 m	P-80	10000 24118	stock	5
SAITEX-RE	DA-F	25 x 50 m	P-100	10000 24150	stock	5
SAITEX-RE	DA-F	25 x 50 m	P-120	10000 24119	stock	5
SAITEX-RE	DA-F	25 x 50 m	P-150	10000 24120	W4	5
SAITEX-RE	DA-F	25 x 50 m	P-180	10000 24121	W4	5
SAITEX-RE	DA-F	25 x 50 m	P-220	10000 24122	W4	5
SAITEX-RE	DA-F	25 x 50 m	P-240	10000 24123	stock	5
SAITEX-RE	DA-F	25 x 50 m	P-320	10000 24124	W4	5
SAITEX-RE	DA-F	25 x 50 m	P-400	10000 24125	W4	5

SAITEX-RE

Abrasive cloth shop rolls



DA-F

Full resin bonded aluminium oxide cloth, open coating. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-RE	DA-F	38 x 50 m	P-60	10000 24163	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-80	10000 24164	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-100	10000 24165	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-120	10000 24166	stock	5
SAITEX-RE	DA-F	38 x 50 m	P-150	10000 24167	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-180	10000 24168	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-220	10000 24169	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-240	10000 24170	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-320	10000 24171	W4	5
SAITEX-RE	DA-F	38 x 50 m	P-400	10000 24172	W4	5
SAITEX-RE	DA-F	50 x 50 m	P-60	10000 24140	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-80	10000 24141	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-100	10000 24142	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-120	10000 24143	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-150	10000 24144	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-180	10000 24145	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-220	10000 24146	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-240	10000 24147	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-320	10000 24148	stock	3
SAITEX-RE	DA-F	50 x 50 m	P-400	10000 24149	stock	3

SAITEX-RM

Abrasive cloth mini-rolls



MA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

						
SAITEX-RM	MA-F	115 x 5 m	P-40	10000 94501	stock	10 (2x5)
SAITEX-RM	MA-F	115 x 5 m	P-60	10000 94502	stock	10 (2x5)
SAITEX-RM	MA-F	115 x 5 m	P-80	10000 94503	stock	10 (1x10)
SAITEX-RM	MA-F	115 x 5 m	P-100	10000 94504	stock	10 (1x10)
SAITEX-RM	MA-F	115 x 5 m	P-120	10000 94505	stock	10 (1x10)
SAITEX-RM	MA-F	115 x 5 m	P-150	10000 94506	stock	10 (1x10)

- main applications
- ▲ possible use





A-X

Full resin bonded aluminium oxide cloth. Short belts are produced with specific abrasive cloth, type of joint and dimensions in order to be used on portable sanders.

APPLICATIONS

- WOOD
- STEELS
- NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-NC	A-X	30 x 533	P-40	10000 28000	stock	20 (4x5)
SAITEX-NC	A-X	30 x 533	P-60	10000 28001	stock	20 (4x5)
SAITEX-NC	A-X	30 x 533	P-80	10000 28002	stock	20 (4x5)
SAITEX-NC	A-X	30 x 533	P-120	10000 28003	W4	20 (4x5)
SAITEX-NC	A-X	65 x 410	P-40	10000 28008	W4	20 (2x10)
SAITEX-NC	A-X	65 x 410	P-60	10000 28009	W4	20 (2x10)
SAITEX-NC	A-X	65 x 410	P-80	10000 28010	W4	20 (2x10)
SAITEX-NC	A-X	65 x 410	P-100	10000 28050	W4	20 (2x10)
SAITEX-NC	A-X	65 x 410	P-120	10000 28011	W4	20 (2x10)
SAITEX-NC	A-X	75 x 457	P-40	10000 28024	stock	20 (2x10)
SAITEX-NC	A-X	75 x 457	P-60	10000 28031	stock	20 (2x10)
SAITEX-NC	A-X	75 x 457	P-80	10000 28046	stock	20 (2x10)
SAITEX-NC	A-X	75 x 457	P-100	10000 28048	stock	20 (2x10)
SAITEX-NC	A-X	75 x 457	P-120	10000 28055	stock	20 (2x10)
SAITEX-NC	A-X	75 x 533	P-40	10000 28019	stock	20 (2x10)
SAITEX-NC	A-X	75 x 533	P-60	10000 28020	stock	20 (2x10)
SAITEX-NC	A-X	75 x 533	P-80	10000 28021	stock	20 (2x10)
SAITEX-NC	A-X	75 x 533	P-100	10000 28053	stock	20 (2x10)
SAITEX-NC	A-X	75 x 533	P-120	10000 28022	stock	20 (2x10)
SAITEX-NC	A-X	100 x 560	P-40	10000 28025	stock	20 (2x10)
SAITEX-NC	A-X	100 x 560	P-60	10000 28026	stock	20 (2x10)
SAITEX-NC	A-X	100 x 560	P-80	10000 28027	stock	20 (2x10)
SAITEX-NC	A-X	100 x 560	P-100	10000 28054	stock	20 (2x10)
SAITEX-NC	A-X	100 x 560	P-120	10000 28028	W4	20 (2x10)
SAITEX-NC	A-X	100 x 610	P-40	10000 28033	stock	20 (2x10)
SAITEX-NC	A-X	100 x 610	P-60	10000 28034	stock	20 (2x10)
SAITEX-NC	A-X	100 x 610	P-80	10000 28035	stock	20 (2x10)
SAITEX-NC	A-X	100 x 610	P-100	10000 28056	stock	20 (2x10)
SAITEX-NC	A-X	100 x 610	P-120	10000 28036	stock	20 (2x10)
SAITEX-NC	A-X	100 x 620	P-40	10000 28037	W4	20 (2x10)
SAITEX-NC	A-X	100 x 620	P-60	10000 28038	W4	20 (2x10)
SAITEX-NC	A-X	100 x 620	P-80	10000 28039	W4	20 (2x10)
SAITEX-NC	A-X	100 x 620	P-100	10000 28057	W4	20 (2x10)
SAITEX-NC	A-X	110 x 620	P-40	10000 28041	W4	20 (2x10)
SAITEX-NC	A-X	110 x 620	P-60	10000 28042	W4	20 (2x10)
SAITEX-NC	A-X	110 x 620	P-80	10000 28043	W4	20 (2x10)



KA-J

Full resin bonded aluminium oxide cloth, polycotton J backing, open coating. Dry use.
The open coating reduces and limits clogging, even with clogging materials.
Low clogging. Good flexibility. Very good resistance.

APPLICATIONS

- WOOD
- NON-FERROUS METALS
- ALUMINIUM

						
SAITEX-NC	KA-J	75 x 533	P-40	10000 28005	stock	20 (2x10)
SAITEX-NC	KA-J	75 x 533	P-60	10000 28006	stock	20 (2x10)
SAITEX-NC	KA-J	75 x 533	P-80	10000 28007	stock	20 (2x10)
SAITEX-NC	KA-J	75 x 533	P-100	10000 28016	stock	20 (2x10)
SAITEX-NC	KA-J	75 x 533	P-120	10000 28017	stock	20 (2x10)
SAITEX-NC	KA-J	100 x 610	P-40	10000 28018	stock	20 (2x10)
SAITEX-NC	KA-J	100 x 610	P-60	10000 28023	stock	20 (2x10)
SAITEX-NC	KA-J	100 x 610	P-80	10000 28029	stock	20 (2x10)
SAITEX-NC	KA-J	100 x 610	P-100	10000 28030	stock	20 (2x10)
SAITEX-NC	KA-J	100 x 610	P-120	10000 28032	stock	20 (2x10)



A-X BLISTER PACKAGING

Full resin bonded aluminium oxide cloth. Short belts are produced with specific abrasive cloth, type of joint and dimensions in order to be used on portable sanders.

APPLICATIONS

- WOOD
- STEELS
- NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-NC	A-X	75 x 457	P-40	10000 28047	stock	15 (5x3)
SAITEX-NC	A-X	75 x 457	P-60	10000 28059	stock	15 (5x3)
SAITEX-NC	A-X	75 x 457	P-80	10000 28060	stock	15 (5x3)
SAITEX-NC	A-X	75 x 457	P-100	10000 28061	stock	15 (5x3)
SAITEX-NC	A-X	75 x 457	P-120	10000 28062	W4	15 (5x3)
SAITEX-NC	A-X	75 x 533	P-40	10000 28063	stock	15 (5x3)
SAITEX-NC	A-X	75 x 533	P-60	10000 28064	stock	15 (5x3)
SAITEX-NC	A-X	75 x 533	P-80	10000 28065	stock	15 (5x3)
SAITEX-NC	A-X	75 x 533	P-100	10000 28066	stock	15 (5x3)
SAITEX-NC	A-X	75 x 533	P-120	10000 28067	stock	15 (5x3)
SAITEX-NC	A-X	100 x 610	P-40	10000 28068	stock	15 (5x3)
SAITEX-NC	A-X	100 x 610	P-60	10000 28069	stock	15 (5x3)
SAITEX-NC	A-X	100 x 610	P-80	10000 28070	stock	15 (5x3)
SAITEX-NC	A-X	100 x 610	P-100	10000 28071	stock	15 (5x3)
SAITEX-NC	A-X	100 x 610	P-120	10000 28072	stock	15 (5x3)

- main applications
- ▲ possible use



TABLE A

PRODUCTS	AVAILABLE GRITS																	
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600
EA-F *					•	•	•	•	•	•	•	•	•	•		•		•
EA-S *								•	•	•	•	•		•		•		
KA-F					•	•	•	•	•	•	•	•	•	•		•		
KA-J			•		•	•	•	•		•								
2A-F						•	•	•	•	•	•	•		•		•	•	•
1A-J					•	•	•	•	•	•	•	•		•		•		
AO-X	•	•	•	•	•	•	•	•	•	•								
LA-X			•	•	•	•	•	•	•	•								
TA-X		•	•	•	•	•	•	•	•	•	•	•		•		•		
1A-X	•	•	•	•	•	•	•	•	•	•								
2A-X		•	•		•	•	•	•	•	•	•	•		•		•		
3A-X		•	•		•	•	•	•	•	•	•							
2A-H	•	•	•		•	•	•	•										
AP-H										•	•	•		•		•		
AZ-X	•	•	•	•	•	•	•	•	•	•								
Z-X		•	•		•	•		•										
ZH-X		•	•															
Z-H	•	•	•	•	•	•	•	•										
5Z-H	•	•	•		•													
7S-H	•	•	•		•	•		•										
9SH-X		•	•	•	•	•												
9S-H	•	•	•	•	•	•	•	•										
9S-J						•		•		•	•	•		•				
C-J									•	•	•	•		•	•			
CX-F			•		•	•	•	•						•				
C-W					•	•	•	•	•	•	•							
CW-W												o						
C-H	•	•	•	•	•	•	•	•										
AG-H						•		•		•				•		•		•

* EA-F and EA-S products can be converted into belts only for medium to light duty applications.
Belts not available with TS joint.

TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.








TABLE B

WIDTH MM			UNIT OF SALE	
			LENGTH MM	
			< 5.000	> 5.000
20			150	75
25			120	60
30			100	50
35			80	40
40			70	35
50			60	30
55			60	30
60			50	25
70			40	20
75			40	20
80			30	15
90			30	15
100			30	15
120			20	10
125			20	10
140			20	10
150			20	10
180			20	10
200			10	5
240			10	5
350			10	5


JOINTS

N	NS	TS	TT	ZZ
Normal overlapping joint	Overlapping skived joint	Overlapping double skived joint	Butt joint with tape	Finger joint with tape



SAITEX-N

Abrasive cloth belts - Z Z joint



AO-X

Full resin bonded aluminium oxide cloth, extra open coating. Excellent durability. Low clogging. High performance.

APPLICATIONS

■ WOODEN FLOOR

SAITEX-N	AO-X	200 x 750	P-24	10000 37033	W2	10
SAITEX-N	AO-X	200 x 750	P-36	10000 37034	W2	10
SAITEX-N	AO-X	200 x 750	P-40	10000 37035	W2	10
SAITEX-N	AO-X	200 x 750	P-50	10000 37036	W2	10
SAITEX-N	AO-X	200 x 750	P-60	10000 37037	W2	10
SAITEX-N	AO-X	200 x 750	P-80	10000 37038	W2	10
SAITEX-N	AO-X	200 x 750	P-100	10000 37039	W2	10
SAITEX-N	AO-X	200 x 750	P-120	10000 37040	W2	10

AZ-X

Full resin bonded polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

APPLICATIONS

■ WOODEN FLOOR

SAITEX-N	AZ-X	200 x 750	36	10000 37041	stock	10
SAITEX-N	AZ-X	200 x 750	40	10000 37042	stock	10
SAITEX-N	AZ-X	200 x 750	50	10000 37043	stock	10
SAITEX-N	AZ-X	200 x 750	60	10000 37044	stock	10
SAITEX-N	AZ-X	200 x 750	80	10000 37045	stock	10
SAITEX-N	AZ-X	200 x 750	100	10000 37046	stock	10
SAITEX-N	AZ-X	200 x 750	120	10000 37047	stock	10

5Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Low clogging. Water resistant.

APPLICATIONS

■ WOODEN FLOOR


SAITEX-N	5Z-H	200 x 750	24	10000 37048	stock	10
SAITEX-N	5Z-H	200 x 750	36	10000 37049	stock	10
SAITEX-N	5Z-H	200 x 750	40	10000 37050	W2	10
SAITEX-N	5Z-H	200 x 750	60	10000 37052	stock	10

NOTE

To order the products listed above, use the product code ONLY.

SAITEX-N

Abrasive cloth belts - Z Z joint



Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Water resistant.

APPLICATIONS

■ WOODEN FLOOR

						
SAITEX-N	Z-H	200 x 750	80	10000 37053	stock	10
SAITEX-N	Z-H	200 x 750	100	10000 37054	stock	10
SAITEX-N	Z-H	200 x 750	120	10000 37055	W2	10

7S-H

Full resin bonded ceramic abrasive cloth, polyester backing, for operations in heavy duty applications. High durability. Water resistant.

APPLICATIONS

■ WOODEN FLOOR


						
SAITEX-N	7S-H	200 x 750	36	10000 37116	W2	10
SAITEX-N	7S-H	200 x 750	40	10000 37117	W2	10
SAITEX-N	7S-H	200 x 750	60	10000 37118	stock	10
SAITEX-N	7S-H	200 x 750	80	10000 37120	stock	10
SAITEX-N	7S-H	200 x 750	120	10000 37122	W2	10

NOTE

To order the products listed above, use the product code ONLY.

SAITEX-N

Abrasive cloth belts - T T joint



AZ-X

Full resin bonded abrasive polycotton cloth with aluminium oxide/zirconia mix. For operations in heavy duty applications. Excellent durability.

APPLICATIONS

■ METALS

SAITEX-N	AZ-X	120 x 1500	40	10000 37064	stock	10
SAITEX-N	AZ-X	120 x 1500	60	10000 37065	stock	10
SAITEX-N	AZ-X	120 x 1500	80	10000 37066	stock	10

Z-H

Full resin bonded zirconia cloth, polyester backing. For operations in very heavy duty applications. High durability. Water resistant.

APPLICATIONS

■ STEELS
 ■ ALLOY STEELS
 ■ STAINLESS STEELS
 ■ NON-FERROUS METALS
 ■ LEATHER
 ▲ CAST IRON

SAITEX-N	Z-H	50 x 2000	36	1000 225206	W2	12
SAITEX-N	Z-H	50 x 2000	40	1000 206141	W2	12
SAITEX-N	Z-H	50 x 2000	60	1000 204228	W2	12
SAITEX-N	Z-H	50 x 2000	80	1000 204018	W2	12
SAITEX-N	Z-H	75 x 2000	36	1000 205209	W2	12
SAITEX-N	Z-H	75 x 2000	40	1000 205141	W2	12
SAITEX-N	Z-H	75 x 2000	60	1000 205208	W2	12
SAITEX-N	Z-H	75 x 2000	80	1000 212456	W2	12
SAITEX-N	Z-H	75 x 2500	36	1000 218449	W2	12
SAITEX-N	Z-H	75 x 2500	40	1000 215826	W2	12
SAITEX-N	Z-H	75 x 2500	60	1000 211719	W2	12
SAITEX-N	Z-H	75 x 2500	80	1000 203414	W2	12
SAITEX-N	Z-H	150 x 2000	36	1000 208689	W2	12
SAITEX-N	Z-H	150 x 2000	40	1000 212773	W2	12
SAITEX-N	Z-H	150 x 2000	60	1000 218053	W2	12
SAITEX-N	Z-H	150 x 2000	80	1000 204091	W2	12

■ main applications
 ▲ possible use

NOTE

To order the products listed above, use the product code ONLY.



TABLE A

PRODUCTS	AVAILABLE GRITS																	
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600
AO-X	•	•	•	•	•	•	•	•	•	•								
1A-X	•	•	•	•	•	•	•	•	•	•								
2A-X		•	•		•	•	•	•	•	•	•	•		•		•		
3A-X		•	•		•	•	•	•	•	•	•							
2A-H	•	•	•		•	•	•	•										
AP-H										•	•	•		•		•		
AZ-X	•	•	•	•	•	•	•	•	•	•								
Z-X		•	•		•	•		•										
ZH-X		•	•															
Z-H	•	•	•	•	•	•	•	•										
5Z-H	•	•	•		•													
7S-H	•	•	•		•	•		•										
9SH-X		•	•	•	•	•												
9S-H	•	•	•	•	•	•	•	•										
C-W					•	•	•	•	•	•	•							
CW-W												o						
C-H	•	•	•	•	•	•	•	•										
CH-T*		•	•	•	•	•	•	•	•	•								
AG-H						•		•		•				•		•		•

* Segmented / double-jointed belts available on request

TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

TABLE B

WIDTH MM	UNIT OF SALE	
	GRITS	
	24-36-40-50	60-80-100 AND FINER
400	4	5
450	4	5
500	4	5
550	4	5
600	4	5
650	4	5
700	4	5
750	4	5
800	4	5
850	4	5
1000	4	5
1150	4	5
1300	4	5
1450	4	5
1500	4	5

NOTE
CW-W: maximum width 1430 mm.

JOINTS

N


Normal overlapping joint

NS

Overlapping skived joint

TT

Butt joint with tape



SAITEX-MN

Standard abrasive cloth sleeves




1A-X

Full resin bonded aluminium oxide cloth. High durability.

APPLICATIONS

- STEELS
- WOOD
- LEATHER
- ▲ ALLOY STEELS
- ▲ NON-FERROUS METALS

		Ø x H				
SAITEX-MN	1A-X	45 x 30	P-40	10000 39500	W2	300
SAITEX-MN	1A-X	45 x 30	P-50	10000 39501	W2	300
SAITEX-MN	1A-X	45 x 30	P-60	10000 39502	W2	300
SAITEX-MN	1A-X	45 x 30	P-80	10000 39503	W2	300
SAITEX-MN	1A-X	60 x 30	P-36	10000 39505	W2	300
SAITEX-MN	1A-X	60 x 30	P-40	10000 39506	W2	300
SAITEX-MN	1A-X	60 x 30	P-50	10000 39507	W2	300
SAITEX-MN	1A-X	60 x 30	P-60	10000 39508	W2	300
SAITEX-MN	1A-X	60 x 30	P-80	10000 39509	W2	300
SAITEX-MN	1A-X	60 x 50	P-36	10000 39511	W2	200
SAITEX-MN	1A-X	60 x 50	P-40	10000 39512	W2	200
SAITEX-MN	1A-X	60 x 50	P-60	10000 39513	W2	200
SAITEX-MN	1A-X	60 x 50	P-80	10000 39514	W2	200
SAITEX-MN	1A-X	90 x 35	P-60	10000 39520	W2	200
SAITEX-MN	1A-X	90 x 35	P-80	10000 39521	W2	200
SAITEX-MN	1A-X	140 x 35	P-24	10000 39539	W2	100
SAITEX-MN	1A-X	140 x 35	P-40	10000 39541	W2	100
SAITEX-MN	1A-X	140 x 35	P-50	10000 39542	W2	100
SAITEX-MN	1A-X	140 x 35	P-60	10000 39543	W2	100
SAITEX-MN	1A-X	140 x 35	P-80	10000 39544	W2	100
SAITEX-MN	1A-X	140 x 35	P-100	10000 39545	W2	100
SAITEX-MN	1A-X	140 x 35	P-120	10000 39546	W2	100
SAITEX-MN	1A-X	140 x 35	P-150	10000 39547	W2	100
SAITEX-MN	1A-X	200 x 50	P-40	10000 39549	W2	100
SAITEX-MN	1A-X	200 x 50	P-50	10000 39550	W2	100
SAITEX-MN	1A-X	200 x 50	P-60	10000 39551	W2	100
SAITEX-MN	1A-X	200 x 50	P-80	10000 39552	W2	100
SAITEX-MN	1A-X	200 x 50	P-100	10000 39553	W2	100
SAITEX-MN	1A-X	200 x 50	P-120	10000 39554	W2	100
SAITEX-MN	1A-X	200 x 50	P-150	10000 39555	W2	100



- main applications
- ▲ possible use

SAITEX-MN

Standard abrasive cloth sleeves




Z-H

Full resin bonded zirconia cloth, polyester backing. Water resistant.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER
- ▲ CAST IRON

		Ø x H				
SAITEX-MN	Z-H	45 x 30	36	10000 39579	W2	300
SAITEX-MN	Z-H	45 x 30	40	10000 39580	W2	300
SAITEX-MN	Z-H	45 x 30	50	10000 39581	W2	300
SAITEX-MN	Z-H	45 x 30	60	10000 39582	W2	300
SAITEX-MN	Z-H	45 x 30	80	10000 39583	W2	300
SAITEX-MN	Z-H	60 x 30	36	10000 39584	W2	300
SAITEX-MN	Z-H	60 x 30	40	10000 39585	W2	300
SAITEX-MN	Z-H	60 x 30	50	10000 39776	W2	300
SAITEX-MN	Z-H	60 x 30	60	10000 39586	W2	300
SAITEX-MN	Z-H	60 x 30	80	10000 39587	W2	300
SAITEX-MN	Z-H	60 x 50	36	10000 39566	W2	200
SAITEX-MN	Z-H	60 x 50	40	10000 39609	W2	200
SAITEX-MN	Z-H	60 x 50	50	10000 39589	W2	200
SAITEX-MN	Z-H	60 x 50	60	10000 39590	W2	200
SAITEX-MN	Z-H	60 x 50	80	10000 39591	W2	200
SAITEX-MN	Z-H	90 x 35	40	10000 39561	W2	200
SAITEX-MN	Z-H	90 x 35	60	10000 39593	W2	200
SAITEX-MN	Z-H	90 x 35	80	10000 39652	W2	200
SAITEX-MN	Z-H	100 x 60	40	10000 39594	W2	100
SAITEX-MN	Z-H	100 x 60	50	10000 39592	W2	100
SAITEX-MN	Z-H	100 x 60	60	10000 39595	W2	100
SAITEX-MN	Z-H	100 x 60	80	10000 39596	W2	100
SAITEX-MN	Z-H	200 x 50	36	10000 39603	W2	100
SAITEX-MN	Z-H	200 x 50	40	10000 39604	W2	100
SAITEX-MN	Z-H	200 x 50	50	10000 39558	W2	100
SAITEX-MN	Z-H	200 x 50	60	10000 39606	W2	100
SAITEX-MN	Z-H	200 x 50	80	10000 39607	W2	100



- main applications
- ▲ possible use

SAITEX-MN

Standard abrasive cloth sleeves




5Z-H

Full resin bonded zirconia cloth, polyester backing. Water resistant.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER

		Ø x H					
SAITEX-MN	5Z-H	140 x 35	24	10000 39627	stock		100
SAITEX-MN	5Z-H	140 x 35	36	10000 39628	W2		100
SAITEX-MN	5Z-H	140 x 35	40	10000 39629	W2		100
SAITEX-MN	5Z-H	140 x 35	60	10000 39631	W2		100
SAITEX-MN	5Z-H	140 x 35	80	10000 39516	W2		100



- main applications
- ▲ possible use



SAITEX-MR

Interlined abrasive cloth sleeves




Z-X

Full resin bonded zirconia cloth. For operations in heavy duty applications.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- NON-FERROUS METALS
- LEATHER
- ▲ CAST IRON

		Ø x H				
SAITEX-MR	Z-X	10 x 10	80	10000 38088	stock	200 (4x50)
SAITEX-MR	Z-X	10 x 10	120	10000 38234	W4	200 (4x50)
SAITEX-MR	Z-X	10 x 20	80	10000 38089	stock	200 (4x50)
SAITEX-MR	Z-X	10 x 20	120	10000 38235	stock	200 (4x50)
SAITEX-MR	Z-X	15 x 30	50	10000 38093	stock	200 (2x100)
SAITEX-MR	Z-X	15 x 30	60	10000 38092	stock	200 (2x100)
SAITEX-MR	Z-X	15 x 30	80	10000 38091	stock	200 (2x100)
SAITEX-MR	Z-X	15 x 30	120	10000 38237	stock	200 (2x100)
SAITEX-MR	Z-X	22 x 20	50	10000 38096	stock	200 (2x100)
SAITEX-MR	Z-X	22 x 20	60	10000 38095	stock	200 (2x100)
SAITEX-MR	Z-X	22 x 20	80	10000 38094	stock	200 (2x100)
SAITEX-MR	Z-X	30 x 20	40	10000 38100	W4	200 (4x50)
SAITEX-MR	Z-X	30 x 20	60	10000 38098	W4	200 (4x50)
SAITEX-MR	Z-X	30 x 20	80	10000 38097	W4	200 (4x50)
SAITEX-MR	Z-X	30 x 30	40	10000 38084	stock	200 (4x50)
SAITEX-MR	Z-X	30 x 30	50	10000 38102	stock	200 (4x50)
SAITEX-MR	Z-X	30 x 30	60	10000 38085	stock	200 (4x50)
SAITEX-MR	Z-X	30 x 30	80	10000 38101	stock	200 (4x50)
SAITEX-MR	Z-X	30 x 30	120	10000 38240	stock	200 (4x50)
SAITEX-MR	Z-X	45 x 30	40	10000 38086	stock	200 (4x50)
SAITEX-MR	Z-X	45 x 30	50	10000 38104	W4	200 (4x50)
SAITEX-MR	Z-X	45 x 30	60	10000 38087	stock	200 (4x50)
SAITEX-MR	Z-X	45 x 30	80	10000 38103	stock	200 (4x50)
SAITEX-MR	Z-X	45 x 30	120	10000 38241	stock	200 (4x50)



- main applications
- ▲ possible use



2026

SAITEX-MR

Interlined abrasive cloth sleeves



3A-X

Full resin bonded special aluminium oxide cloth, filled.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ▲ NON-FERROUS METALS

		Ø x H				
SAITEX-MR	3A-X	10 x 20	P-80	10000 38215	stock	200 (4x50)
SAITEX-MR	3A-X	10 x 20	P-120	10000 38216	W4	200 (4x50)
SAITEX-MR	3A-X	15 x 30	P-60	10000 38220	stock	200 (2x100)
SAITEX-MR	3A-X	15 x 30	P-80	10000 38194	stock	200 (2x100)
SAITEX-MR	3A-X	15 x 30	P-120	10000 38221	W4	200 (2x100)
SAITEX-MR	3A-X	22 x 20	P-60	10000 38133	W4	200 (2x100)
SAITEX-MR	3A-X	22 x 20	P-80	10000 38196	stock	200 (2x100)
SAITEX-MR	3A-X	22 x 20	P-120	10000 38197	W4	200 (2x100)
SAITEX-MR	3A-X	30 x 30	P-40	10000 38069	stock	200 (4x50)
SAITEX-MR	3A-X	30 x 30	P-60	10000 38127	stock	200 (4x50)
SAITEX-MR	3A-X	30 x 30	P-80	10000 38190	stock	200 (4x50)
SAITEX-MR	3A-X	45 x 30	P-40	10000 38183	stock	200 (4x50)
SAITEX-MR	3A-X	45 x 30	P-60	10000 38134	stock	200 (4x50)

9S

Full resin bonded cloth with ceramic abrasive. Top-filled. Dry use. High stock removal, low heat generation, long life, even in the most demanding applications.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS

		Ø x H				
SAITEX-MR	9S	15 x 30	36	1000503670	W4	200 (2x100)
SAITEX-MR	9S	15 x 30	40	1000503671	W4	200 (2x100)
SAITEX-MR	9S	15 x 30	60	1000503672	W4	200 (2x100)
SAITEX-MR	9S	22 x 20	36	1000503673	W4	200 (2x100)
SAITEX-MR	9S	22 x 20	40	1000503674	W4	200 (2x100)
SAITEX-MR	9S	22 x 20	60	1000502499	W4	200 (2x100)
SAITEX-MR	9S	22 x 20	80	10000 38004	W4	200 (2x100)
SAITEX-MR	9S	22 x 20	120	10000 38006	W4	200 (2x100)
SAITEX-MR	9S	30 x 30	36	1000503675	W4	200 (4x50)
SAITEX-MR	9S	30 x 30	40	1000503676	W4	200 (4x50)
SAITEX-MR	9S	30 x 30	60	1000503677	W4	200 (4x50)

- main applications
- ▲ possible use



R/G

Sleeve holders with dynamic expansion, with spindle.

					
R/G	SLEEVE HOLDER	10 x 10 x 6	10000 98013	stock	1
R/G	SLEEVE HOLDER	10 x 20 x 6	10000 98014	stock	1
R/G	SLEEVE HOLDER	15 x 30 x 6	10000 98016	stock	1
R/G	SLEEVE HOLDER	22 x 20 x 6	10000 98017	stock	1
R/G	SLEEVE HOLDER	30 x 20 x 6	10000 98018	stock	1
R/G	SLEEVE HOLDER	30 x 30 x 6	10000 98019	stock	1
R/G	SLEEVE HOLDER	45 x 30 x 6	10000 98020	stock	1
R/G	SLEEVE HOLDER	60 x 30 x 6	10000 98021	stock	1
R/G	SLEEVE HOLDER	60 x 50 x 6	10000 98022	stock	1



R/F

Sleeve holders with dynamic expansion, with bore.

					
R/F	SLEEVE HOLDER	90 x 35 x 30	10000 98107	stock	1
R/F	SLEEVE HOLDER	100 x 60 x 35	10000 98108	stock	1
R/F	SLEEVE HOLDER	140 x 35 x 30	10000 98109	stock	1
R/F	SLEEVE HOLDER	200 x 50 x 50	10000 98110	stock	1



A-F

Full resin bonded aluminium oxide cloth, polycotton F Flex backing, open coating. Specific for hand operations on flat and shaped surfaces. Dry use. Low clogging. High flexibility. Very good resistance.

APPLICATIONS

- STEELS
- NON-FERROUS METALS
- WOOD
- LEATHER

						
SAITEX-S	A-F	230 x 280	P-36	10000 44053	W4	100 (4x25)
SAITEX-S	A-F	230 x 280	P-40	10000 44051	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-50	10000 44052	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-60	10000 44033	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-80	10000 44035	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-100	10000 44037	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-120	10000 44039	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-150	10000 44041	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-180	10000 44043	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-220	10000 44045	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-240	10000 44047	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-320	10000 44048	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-400	10000 44049	stock	100 (4x25)
SAITEX-S	A-F	230 x 280	P-600	10000 44050	stock	100 (4x25)



DA-F

Full resin bonded aluminium oxide flexible cloth, open coating. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS
- ▲ LEATHER

						
SAITEX-S	DA-F	230 x 280	P-36	10000 44063	W4	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-40	10000 44060	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-50	10000 44046	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-60	10000 44044	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-80	10000 44042	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-100	10000 44040	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-120	10000 44038	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-150	10000 44036	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-180	10000 44034	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-220	10000 44032	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-240	10000 44030	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-320	10000 44028	stock	100 (4x25)
SAITEX-S	DA-F	230 x 280	P-400	10000 44026	stock	100 (4x25)

EA-F

Full resin bonded aluminium oxide cloth, open coating, very flexible. For hand operations.

APPLICATIONS

- WOOD
- STEELS
- ▲ NON-FERROUS METALS

						
SAITEX-S	EA-F	230 x 280	P-40	10000 44002	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-50	10000 44003	W4	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-60	10000 44004	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-80	10000 44005	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-100	10000 44006	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-120	10000 44007	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-150	10000 44008	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-180	10000 44009	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-220	10000 44010	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-240	10000 44011	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-280	10000 44082	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-320	10000 44012	stock	100 (4x25)
SAITEX-S	EA-F	230 x 280	P-400	10000 44013	stock	100 (4x25)

ABRASIVE PAPER, NET, FILM PRODUCTS







Abrasive paper, net, film products

Contents



SAITAC-RI
Industrial paper rolls.

155



SAITAC-RP
Paper rolls for leather working.

163



SAITAC RI-SOF
Industrial paper rolls with foam.

164



SAITAC RI-VEL
Hook & loop paper rolls.

167



SAITAC-RM / SAITAC RM-VEL
Paper and hook & loop paper mini-rolls.

169



FREE DUST R-VEL
Hook & loop abrasive net rolls.

172



SAITAC-N
Paper belts.

173



SAITAC-NL / SAITAC-NL 5
Paper wide belts.

175



SAITAC-S
Paper sheets.

177



SAITAC-B
Paper strips.

185



SAITAC B-VEL / AEROMAX B-VEL
Hook & loop paper strips.

185



SAITAC D-VEL / AEROMAX D-VEL
Hook & loop paper discs.

189



FREE DUST D-VEL
Hook & loop abrasive net discs.

205
218



FINEFLEX D-VEL
Hook & loop discs on film.

207



FINEFLEX S-VEL
Hook & loop sheets on film.

208



FILM D-VEL
Hook & loop discs on film.

209



SC D-VEL SOF
Hook & loop paper foam discs.

210



FOAM D-VEL
Hook & loop structured discs.

211



SAITAC D-VEL / FREE DUST D-VEL
Hook & loop discs for "Giraffe" wall and ceiling sanders.

215



SAITAC T-VEL
Hook & loop paper triangles.

215



SAITEX D-VEL
Hook & loop cloth discs.

224



Accessories for hook & loop discs.

226



SAITEX-DF / SAITAC-DF
Cloth and paper double face discs.

230




SAIT SCREEN-D
Abrasive net discs.

231



Abrasive paper, net, film products


How to read the product



Product lines	SAITAC AEROMAX FREE DUST FINEFLEX	Abrasive paper Abrasive paper Abrasive net Polymer film	FILM FOAM SAIT SCREEN	PET film Fabric on sponge Abrasive net
Shapes	RI / R RP RM N NL / NL 5	Industrial roll / Roll Roll for leather working Mini-roll Belt Wide belt	S B D T DF	Sheet Strip Disc Triangle Double face disc
Backings	VEL SOF	Hook & loop velour applied on the back Flexible foam applied on the back		
Abrasives	A Z	Aluminium oxide Zirconia	C S	Silicon carbide Ceramic abrasive
Adhesives	Synthetic resins			

Abrasive paper backings


B	Light paper for hand and orbital sanding operations (90 ÷ 115 g/m²).
C	Light paper for hand and orbital sanding operations (115 ÷ 130 g/m²).
D	Medium paper for orbital sanding operations (150 ÷ 200 g/m²).
E	Heavy paper for mechanical operations (225 ÷ 250 g/m²).
F	Heavy paper for mechanical operations (250 ÷ 300 g/m²).
G	Very heavy paper for mechanical operations (400 ÷ 450 g/m²).





Abrasive paper products

Products	Width	Lenght
SAITAC-RI Industrial roll	95 ÷ 205 mm	50 ÷ 100 m
SAITAC-RM Mini-roll	115 mm	5 m
SAITAC-N Belt	20 ÷ 350 mm	On request
SAITAC-NL Wide belt	400 ÷ 1500 mm	On request
SAITAC-S Sheet	230 mm	280 mm



AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

SAITAC-RI	AR-C	115 x 100 m	P-80	10000 56819	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-100	10000 53148	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-120	10000 53169	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-150	10000 53170	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-180	10000 53171	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-220	10000 53173	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-240	10000 53175	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-280	10000 53178	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-320	10000 53182	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-360	10000 53715	W4	1
SAITAC-RI	AR-C	115 x 100 m	P-400	10000 53199	stock	1
SAITAC-RI	AR-C	115 x 100 m	P-500	10000 53716	W4	1
SAITAC-RI	AR-C	115 x 100 m	P-600	10000 53717	W4	1
SAITAC-RI	AR-C	115 x 100 m	P-800	10000 53718	W4	1
SAITAC-RI	AR-C	115 x 100 m	P-1000	10000 53719	W4	1
SAITAC-RI	AR-C	115 x 100 m	P-1200	10000 53720	W4	1

AW-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. Very high flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

SAITAC-RI	AW-C	115 x 100 m	P-100	10000 53226	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-120	10000 59875	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-150	10000 59876	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-180	10000 59877	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-220	10000 56768	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-240	10000 59878	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-280	10000 53227	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-320	10000 59879	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-400	10000 53232	stock	1
SAITAC-RI	AW-C	115 x 100 m	P-500	10000 53233	W4	1
SAITAC-RI	AW-C	115 x 100 m	P-600	10000 53234	W4	1
SAITAC-RI	AW-C	115 x 100 m	P-800	10000 53235	W4	1
SAITAC-RI	AW-C	115 x 100 m	P-1200	10000 53290	W4	1



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-RI	AW-D	95 x 50 m	P-60	10000 53143	W4	2
SAITAC-RI	AW-D	95 x 50 m	P-100	10000 53282	W4	2
SAITAC-RI	AW-D	95 x 50 m	P-120	10000 53283	W4	2
SAITAC-RI	AW-D	95 x 50 m	P-150	10000 54226	W4	2
SAITAC-RI	AW-D	115 x 50 m	P-40	10000 53291	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-50	10000 53292	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-60	10000 56818	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-80	10000 55356	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-100	10000 53293	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-120	10000 59977	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-150	10000 53294	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-180	10000 53022	stock	1
SAITAC-RI	AW-D	115 x 50 m	P-220	10000 53023	stock	1



A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-RI	A-D	115 x 50 m	P-40	10000 53001	stock	1
SAITAC-RI	A-D	115 x 50 m	P-60	10000 53012	stock	1
SAITAC-RI	A-D	115 x 50 m	P-80	10000 53013	stock	1
SAITAC-RI	A-D	115 x 50 m	P-100	10000 53015	stock	1
SAITAC-RI	A-D	115 x 50 m	P-120	10000 53016	stock	1
SAITAC-RI	A-D	115 x 50 m	P-150	10000 53017	stock	1
SAITAC-RI	A-D	115 x 50 m	P-180	10000 53024	stock	1

AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.


APPLICATIONS

- WOOD
- PAINTED WOOD
- PLASTIC MATERIALS
- FILLERS

						
SAITAC-RI	AY-D	115 x 50 m	P-40	10000 53155	W4	1
SAITAC-RI	AY-D	115 x 50 m	P-60	10000 53118	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-80	10000 53156	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-100	10000 53180	W4	1
SAITAC-RI	AY-D	115 x 50 m	P-120	10000 53160	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-150	10000 53161	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-180	10000 53158	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-220	10000 53174	stock	1
SAITAC-RI	AY-D	115 x 50 m	P-240	10000 53176	W4	1
SAITAC-RI	AY-D	115 x 50 m	P-320	10000 53177	W4	1
SAITAC-RI	AY-D	115 x 50 m	P-400	10000 53179	W4	1

SAITAC-RI

Industrial abrasive paper rolls



5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC-RI	5G	115 x 100 m	120	10000 53063	W4	1
SAITAC-RI	5G	115 x 100 m	150	10000 53064	W4	1
SAITAC-RI	5G	115 x 100 m	180	10000 53081	stock	1
SAITAC-RI	5G	115 x 100 m	220	10000 53124	stock	1
SAITAC-RI	5G	115 x 100 m	240	10000 53125	stock	1
SAITAC-RI	5G	115 x 100 m	280	10000 53126	W4	1
SAITAC-RI	5G	115 x 100 m	320	10000 53127	stock	1

6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood industry and automotive. Dry use. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC-RI	6A	115 x 100 m	120	10000 53034	W4	1
SAITAC-RI	6A	115 x 100 m	150	10000 53040	stock	1
SAITAC-RI	6A	115 x 100 m	180	10000 53025	stock	1
SAITAC-RI	6A	115 x 100 m	220	10000 53030	stock	1
SAITAC-RI	6A	115 x 100 m	240	10000 53031	stock	1
SAITAC-RI	6A	115 x 100 m	280	10000 53032	stock	1
SAITAC-RI	6A	115 x 100 m	320	10000 53033	stock	1
SAITAC-RI	6A	115 x 100 m	400	10000 53039	stock	1
SAITAC-RI	6A	115 x 100 m	600	10000 53037	stock	1

SAITAC-RI

Industrial abrasive paper rolls



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry. Dry use. High flexibility. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

						
SAITAC-RI	3S	115 x 100 m	P-80	10000 53301	W4	1
SAITAC-RI	3S	115 x 100 m	P-120	10000 53303	W4	1
SAITAC-RI	3S	115 x 100 m	P-150	10000 53312	stock	1
SAITAC-RI	3S	115 x 100 m	P-180	10000 53313	stock	1
SAITAC-RI	3S	115 x 100 m	P-220	10000 53314	stock	1
SAITAC-RI	3S	115 x 100 m	P-240	10000 53315	stock	1
SAITAC-RI	3S	115 x 100 m	P-280	10000 53316	stock	1
SAITAC-RI	3S	115 x 100 m	P-320	10000 57056	stock	1
SAITAC-RI	3S	115 x 100 m	P-400	10000 53317	stock	1

4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC-RI	4S	115 x 100 m	80	10000 53255	stock	1
SAITAC-RI	4S	115 x 100 m	120	10000 53257	stock	1
SAITAC-RI	4S	115 x 100 m	150	10000 53258	stock	1
SAITAC-RI	4S	115 x 100 m	180	10000 53259	stock	1
SAITAC-RI	4S	115 x 100 m	220	10000 53260	stock	1
SAITAC-RI	4S	115 x 100 m	240	10000 53261	stock	1
SAITAC-RI	4S	115 x 100 m	280	10000 53262	W4	1
SAITAC-RI	4S	115 x 100 m	320	10000 53263	stock	1
SAITAC-RI	4S	115 x 100 m	360	10000 53264	W4	1
SAITAC-RI	4S	115 x 100 m	400	10000 53265	W4	1



A-E

AO-F

A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and mechanical operations.

APPLICATIONS

- WOOD
- WOODEN FLOOR
- PLASTIC MATERIALS
- LEATHER

						
SAITAC-RI	A-E	120 x 50 m	P-40	10000 56981	stock	1
SAITAC-RI	A-E	120 x 50 m	P-50	10000 56982	stock	1
SAITAC-RI	A-E	120 x 50 m	P-60	10000 56456	stock	1
SAITAC-RI	A-E	120 x 50 m	P-80	10000 56457	stock	1
SAITAC-RI	A-E	120 x 50 m	P-100	10000 56458	stock	1
SAITAC-RI	A-E	120 x 50 m	P-120	10000 56459	stock	1
SAITAC-RI	A-E	120 x 50 m	P-150	10000 53009	stock	1
SAITAC-RI	A-E	120 x 50 m	P-180	10000 53010	stock	1
SAITAC-RI	A-E	120 x 50 m	P-220	10000 53011	stock	1
SAITAC-RI	A-E	120 x 50 m	P-240	10000 53014	stock	1
SAITAC-RI	A-E	120 x 50 m	P-280	10000 53721	W4	1
SAITAC-RI	A-E	120 x 50 m	P-320	10000 53722	W4	1

AO-F EVOLUTION

Full resin bonded aluminium oxide paper, antistatic, F weight backing, extra open coating. For mechanical operations.

APPLICATIONS

- WOOD

						
SAITAC-RI	AO-F	120 x 50 m	P-40	10000 55075	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-60	10000 53026	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-80	10000 53027	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-100	10000 53028	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-120	10000 53029	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-150	10000 54224	stock	1
SAITAC-RI	AO-F	120 x 50 m	P-180	10000 54688	W4	1



A-F

Full resin bonded aluminium oxide paper, antistatic, F weight backing, closed coating. For mechanical operations.

APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- STEELS

						
SAITAC-RI	A-F	120 x 50 m	P-36	10000 53514	W4	1
SAITAC-RI	A-F	120 x 50 m	P-40	10000 53003	stock	1
SAITAC-RI	A-F	120 x 50 m	P-50	10000 53004	W4	1
SAITAC-RI	A-F	120 x 50 m	P-60	10000 53005	stock	1
SAITAC-RI	A-F	120 x 50 m	P-80	10000 53006	stock	1
SAITAC-RI	A-F	120 x 50 m	P-100	10000 53007	stock	1
SAITAC-RI	A-F	120 x 50 m	P-120	10000 53008	stock	1
SAITAC-RI	A-F	120 x 50 m	P-150	10000 54101	stock	1
SAITAC-RI	A-F	120 x 50 m	P-180	10000 54731	stock	1
SAITAC-RI	A-F	120 x 50 m	P-220	10000 54732	W4	1
SAITAC-RI	A-F	120 x 50 m	P-240	10000 54733	W4	1

6C

Full resin bonded silicon carbide paper with anti-clogging additive, B weight backing - with latex - closed coating. For dry hand operations. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS

						
SAITAC-RI	6C	115 x 100 m	P-150	10000 53864	W4	1
SAITAC-RI	6C	115 x 100 m	P-180	10000 53865	stock	1
SAITAC-RI	6C	115 x 100 m	P-220	10000 53866	stock	1
SAITAC-RI	6C	115 x 100 m	P-240	10000 53867	stock	1
SAITAC-RI	6C	115 x 100 m	P-320	10000 53870	stock	1
SAITAC-RI	6C	115 x 100 m	P-400	10000 53871	W4	1



CW-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility.

APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES

						
SAITAC-RI	CW-C	115 x 100 m	P-80	10000 53330	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-100	10000 53331	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-120	10000 53332	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-150	10000 53333	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-180	10000 53334	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-220	10000 53335	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-240	10000 53336	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-280	10000 53337	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-320	10000 53338	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-400	10000 53339	stock	1
SAITAC-RI	CW-C	115 x 100 m	P-500	10000 53340	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-800	10000 53342	W4	1
SAITAC-RI	CW-C	115 x 100 m	P-1200	10000 53344	W4	1

C-F

Full resin bonded silicon carbide paper, antistatic, F weight backing, closed coating. For mechanical operations.

APPLICATIONS

- RAW WOODS
- PAINTED WOODS
- WOODEN FLOOR
- PLASTIC MATERIALS
- MARBLE
- STONES

						
SAITAC-RI	C-F	205 x 50 m	P-24	10000 54640	W4	1
SAITAC-RI	C-F	205 x 50 m	P-36	10000 53452	W4	1
SAITAC-RI	C-F	205 x 50 m	P-40	10000 53478	W4	1
SAITAC-RI	C-F	205 x 50 m	P-60	10000 53455	stock	1
SAITAC-RI	C-F	205 x 50 m	P-80	10000 53458	stock	1
SAITAC-RI	C-F	205 x 50 m	P-100	10000 53456	stock	1
SAITAC-RI	C-F	205 x 50 m	P-120	10000 53457	W4	1
SAITAC-RI	C-F	205 x 50 m	P-150	10000 54167	W4	1

SAITAC-RP

Abrasive paper rolls for leather working



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and mechanical operations.

APPLICATIONS

■ LEATHER

						
SAITAC-RP	A-E	610 x 50 m	P-60	10000 26520	W4	1
SAITAC-RP	A-E	610 x 50 m	P-80	10000 26521	W4	1
SAITAC-RP	A-E	610 x 50 m	P-100	10000 26522	W4	1
SAITAC-RP	A-E	610 x 50 m	P-120	10000 26523	W4	1
SAITAC-RP	A-E	610 x 50 m	P-150	10000 26524	W4	2
SAITAC-RP	A-E	610 x 50 m	P-180	10000 26525	W4	2
SAITAC-RP	A-E	610 x 50 m	P-220	10000 26526	W4	2
SAITAC-RP	A-E	610 x 50 m	P-240	10000 26527	W4	2
SAITAC-RP	A-E	610 x 50 m	P-320	10000 26537	W4	2
SAITAC-RP	A-E	610 x 50 m	P-400	10000 26539	W4	2

2S-E

Full resin bonded aluminium oxide paper with anti-clogging additive, E weight backing, open coating. For dry mechanical operations.

APPLICATIONS

■ LEATHER

						
SAITAC-RP	2S-E	610 x 50 m	P-150	10000 26507	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-180	10000 26508	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-220	10000 26509	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-240	10000 26510	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-280	10000 26511	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-320	10000 26512	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-400	10000 26514	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-500	10000 26515	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-600	10000 26516	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-800	10000 26517	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-1000	10000 26518	W4	2
SAITAC-RP	2S-E	610 x 50 m	P-1200	10000 26519	W4	2

SAITAC RI-SOF

Industrial abrasive paper rolls with foam



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in wood industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

PRECUT

						
SAITAC RI-SOF	3S	115 x 25 m	150	10000 94027	stock	1
SAITAC RI-SOF	3S	115 x 25 m	180	10000 94028	stock	1
SAITAC RI-SOF	3S	115 x 25 m	220	10000 94029	stock	1
SAITAC RI-SOF	3S	115 x 25 m	240	10000 94030	stock	1
SAITAC RI-SOF	3S	115 x 25 m	280	10000 94031	stock	1
SAITAC RI-SOF	3S	115 x 25 m	320	10000 94032	stock	1
SAITAC RI-SOF	3S	115 x 25 m	400	10000 94033	stock	1

4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC RI-SOF	4S	115 x 25 m	150	10000 94017	stock	1
SAITAC RI-SOF	4S	115 x 25 m	180	10000 94018	stock	1
SAITAC RI-SOF	4S	115 x 25 m	220	10000 94019	stock	1
SAITAC RI-SOF	4S	115 x 25 m	240	10000 94020	stock	1
SAITAC RI-SOF	4S	115 x 25 m	280	10000 94021	W4	1
SAITAC RI-SOF	4S	115 x 25 m	320	10000 94022	stock	1
SAITAC RI-SOF	4S	115 x 25 m	360	10000 94025	W4	1
SAITAC RI-SOF	4S	115 x 25 m	400	10000 94023	stock	1
SAITAC RI-SOF	4S	115 x 25 m	500	10000 94024	stock	1
SAITAC RI-SOF	4S	115 x 25 m	600	10000 94026	stock	1

SAITAC RI-SOF

Industrial abrasive paper rolls with foam



5G G-SOFT

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC RI-SOF	5G	115 x 25 m	80	10000 94007	stock	1
SAITAC RI-SOF	5G	115 x 25 m	120	10000 94000	stock	1
SAITAC RI-SOF	5G	115 x 25 m	150	10000 94001	stock	1
SAITAC RI-SOF	5G	115 x 25 m	180	10000 94002	stock	1
SAITAC RI-SOF	5G	115 x 25 m	220	10000 94003	stock	1
SAITAC RI-SOF	5G	115 x 25 m	240	10000 94004	stock	1
SAITAC RI-SOF	5G	115 x 25 m	320	10000 94005	stock	1
SAITAC RI-SOF	5G	115 x 25 m	400	10000 94009	stock	1
SAITAC RI-SOF	5G	115 x 25 m	500	10000 94012	stock	1
SAITAC RI-SOF	5G	115 x 25 m	600	10000 94042	stock	1
SAITAC RI-SOF	5G	115 x 25 m	800	10000 94043	stock	1

PRECUT

						
SAITAC RI-SOF	5G	115 x 25 m	80	10000 94008	stock	1
SAITAC RI-SOF	5G	115 x 25 m	120	10000 94148	stock	1
SAITAC RI-SOF	5G	115 x 25 m	150	10000 94149	stock	1
SAITAC RI-SOF	5G	115 x 25 m	180	10000 94150	stock	1
SAITAC RI-SOF	5G	115 x 25 m	220	10000 94151	stock	1
SAITAC RI-SOF	5G	115 x 25 m	240	10000 94152	stock	1
SAITAC RI-SOF	5G	115 x 25 m	280	10000 94158	stock	1
SAITAC RI-SOF	5G	115 x 25 m	320	10000 94153	stock	1
SAITAC RI-SOF	5G	115 x 25 m	360	10000 94040	W4	1
SAITAC RI-SOF	5G	115 x 25 m	400	10000 94154	stock	1
SAITAC RI-SOF	5G	115 x 25 m	500	10000 94155	stock	1
SAITAC RI-SOF	5G	115 x 25 m	600	10000 94156	stock	1
SAITAC RI-SOF	5G	115 x 25 m	800	10000 94157	stock	1
SAITAC RI-SOF	5G	115 x 25 m	1000	10000 94159	stock	1

SAITAC RI-SOF

Industrial abrasive paper rolls with foam



6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

PRECUT

						
SAITAC RI-SOF	6A	115 x 25 m	120	10000 94094	stock	1
SAITAC RI-SOF	6A	115 x 25 m	150	10000 94072	stock	1
SAITAC RI-SOF	6A	115 x 25 m	180	10000 94073	stock	1
SAITAC RI-SOF	6A	115 x 25 m	220	10000 94074	stock	1
SAITAC RI-SOF	6A	115 x 25 m	240	10000 94075	stock	1
SAITAC RI-SOF	6A	115 x 25 m	280	10000 94076	stock	1
SAITAC RI-SOF	6A	115 x 25 m	320	10000 94077	stock	1
SAITAC RI-SOF	6A	115 x 25 m	400	10000 94078	stock	1
SAITAC RI-SOF	6A	115 x 25 m	600	10000 94080	W4	1

6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in automotive and nautical industry. Dry use. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

PRECUT

						
SAITAC RI-SOF	6S	115 x 25 m	220	10000 94114	stock	1
SAITAC RI-SOF	6S	115 x 25 m	240 NEW	10000 94115	W4	1
SAITAC RI-SOF	6S	115 x 25 m	320	10000 94116	stock	1
SAITAC RI-SOF	6S	115 x 25 m	400	10000 94117	stock	1
SAITAC RI-SOF	6S	115 x 25 m	500	10000 94118 °	stock	1

SAITAC RI-VEL

Hook & loop industrial abrasive paper rolls



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations. High flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC RI-VEL	AW-D	70 x 25 m	40	10000 93024	stock	2
SAITAC RI-VEL	AW-D	70 x 25 m	60	10000 93000	stock	2
SAITAC RI-VEL	AW-D	70 x 25 m	80	10000 93001	stock	2
SAITAC RI-VEL	AW-D	70 x 25 m	100	10000 93002	stock	2
SAITAC RI-VEL	AW-D	70 x 25 m	120	10000 93003	stock	2
SAITAC RI-VEL	AW-D	70 x 25 m	150	10000 93004	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	40	10000 93026	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	60	10000 93027	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	80	10000 93028	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	100	10000 93029	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	120	10000 93030	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	150	10000 93031	stock	2
SAITAC RI-VEL	AW-D	81 x 25 m	180	10000 93032	W4	2
SAITAC RI-VEL	AW-D	81 x 25 m	220	10000 93033	stock	2
SAITAC RI-VEL	AW-D	115 x 25 m	40	10000 93025	stock	1
SAITAC RI-VEL	AW-D	115 x 25 m	60	10000 93005	stock	1
SAITAC RI-VEL	AW-D	115 x 25 m	80	10000 93006	stock	1
SAITAC RI-VEL	AW-D	115 x 25 m	100	10000 93007	stock	1
SAITAC RI-VEL	AW-D	115 x 25 m	120	10000 93008	stock	1
SAITAC RI-VEL	AW-D	115 x 25 m	150	10000 93009	stock	1

5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations in wood industry and automotive. Dry use. Very low clogging. Very high flexibility. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC RI-VEL	5G	115 x 25 m	120	10000 93034	W4	1
SAITAC RI-VEL	5G	115 x 25 m	180	10000 93036	stock	1
SAITAC RI-VEL	5G	115 x 25 m	220	10000 93039	stock	1
SAITAC RI-VEL	5G	115 x 25 m	240	10000 93045	stock	1
SAITAC RI-VEL	5G	115 x 25 m	320	10000 93046	stock	1

SAITAC RI-VEL

Hook & loop industrial abrasive paper rolls



3S


Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations in wood industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

						
SAITAC RI-VEL	3S	70 x 25 m	180	10000 93011	stock	2
SAITAC RI-VEL	3S	70 x 25 m	220	10000 93012	stock	2
SAITAC RI-VEL	3S	70 x 25 m	240	10000 93013	stock	2
SAITAC RI-VEL	3S	115 x 25 m	150	10000 93017	stock	1
SAITAC RI-VEL	3S	115 x 25 m	180	10000 93018	stock	1
SAITAC RI-VEL	3S	115 x 25 m	220	10000 93019	stock	1
SAITAC RI-VEL	3S	115 x 25 m	240	10000 93020	stock	1
SAITAC RI-VEL	3S	115 x 25 m	280	10000 93021	stock	1
SAITAC RI-VEL	3S	115 x 25 m	320	10000 93022	stock	1
SAITAC RI-VEL	3S	115 x 25 m	400	10000 93023	stock	1

Accessories



SAITVEL-TP

Hand sanding block with self-gripping.

				
SAITVEL-TP	70 x 125 mm	10000 99551	stock	2 (2x1)

SAITAC-RM

Abrasive paper mini-rolls



AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS
- METALS

						
SAITAC-RM	AR-C	115 x 5 m	P-180	10000 86606	stock	10 (1x10)
SAITAC-RM	AR-C	115 x 5 m	P-220	10000 86607	stock	10 (1x10)
SAITAC-RM	AR-C	115 x 5 m	P-240	10000 86668	W4	10 (1x10)
SAITAC-RM	AR-C	115 x 5 m	P-320	10000 86669	W4	10 (1x10)
SAITAC-RM	AR-C	115 x 5 m	P-400	10000 86670	W4	10 (1x10)

AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- FILLERS
- METALS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-RM	AW-D	115 x 5 m	P-40	10000 86600	stock	10 (2x5)
SAITAC-RM	AW-D	115 x 5 m	P-60	10000 86601	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-80	10000 86602	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-100	10000 86604	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-120	10000 86603	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-150	10000 86605	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-180	10000 86666	stock	10 (1x10)
SAITAC-RM	AW-D	115 x 5 m	P-220	10000 86667	stock	10 (1x10)

A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-RM	A-D	115 x 5 m	P-40	10000 86631	stock	10 (2x5)
SAITAC-RM	A-D	115 x 5 m	P-60	10000 86632	stock	10 (1x10)
SAITAC-RM	A-D	115 x 5 m	P-80	10000 86633	stock	10 (1x10)
SAITAC-RM	A-D	115 x 5 m	P-100	10000 86634	stock	10 (1x10)
SAITAC-RM	A-D	115 x 5 m	P-120	10000 86635	stock	10 (1x10)
SAITAC-RM	A-D	115 x 5 m	P-150	10000 86636	stock	10 (1x10)
SAITAC-RM	A-D	115 x 5 m	P-180	10000 86665	stock	10 (1x10)

SAITAC-RM

Abrasive paper mini-rolls



AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

							
SAITAC-RM	AY-D	115 x 5 m	P-40	10000 86648	stock		10 (2x5)
SAITAC-RM	AY-D	115 x 5 m	P-60	10000 86649	stock		10 (1x10)
SAITAC-RM	AY-D	115 x 5 m	P-80	10000 86650	stock		10 (1x10)
SAITAC-RM	AY-D	115 x 5 m	P-100	10000 86550	W4		10 (1x10)
SAITAC-RM	AY-D	115 x 5 m	P-120	10000 86652	stock		10 (1x10)
SAITAC-RM	AY-D	115 x 5 m	P-150	10000 86660	stock		10 (1x10)
SAITAC-RM	AY-D	115 x 5 m	P-180	10000 86661	stock		10 (1x10)



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For hand and orbital sanding operations. Dry use.

APPLICATIONS

- WOOD
- FILLERS
- PRIMING

							
SAITAC-RM	A-E	115 x 5 m	P-40	10000 86608	stock		10 (2x5)
SAITAC-RM	A-E	115 x 5 m	P-60	10000 86609	stock		10 (2x5)
SAITAC-RM	A-E	115 x 5 m	P-80	10000 86610	stock		10 (1x10)
SAITAC-RM	A-E	115 x 5 m	P-100	10000 86611	stock		10 (1x10)
SAITAC-RM	A-E	115 x 5 m	P-120	10000 86612	stock		10 (1x10)
SAITAC-RM	A-E	115 x 5 m	P-150	10000 86613	stock		10 (1x10)
SAITAC-RM	A-E	115 x 5 m	P-180	10000 86614	stock		10 (1x10)
SAITAC-RM	A-E	115 x 5 m	P-220	10000 86629	stock		10 (1x10)

SAITAC-RM

Abrasive paper mini-rolls



6C

Full resin bonded silicon carbide paper with anti-clogging additive, B weight backing - with latex - closed coating. For hand and orbital sanding operations. Dry use. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS

						
SAITAC-RM	6C	115 x 5 m	P-180	10000 86672	stock	10 (1x10)
SAITAC-RM	6C	115 x 5 m	P-220	10000 86673	stock	10 (1x10)
SAITAC-RM	6C	115 x 5 m	P-240	10000 86621	stock	10 (1x10)
SAITAC-RM	6C	115 x 5 m	P-320	10000 86622	stock	10 (1x10)

SAITAC RM-VEL

Hook & loop abrasive paper mini-rolls



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS
- METALS

						
SAITAC RM-VEL	AW-D	115 x 5 m	40	10000 87500	stock	10 (2x5)
SAITAC RM-VEL	AW-D	115 x 5 m	60	10000 87501	stock	10 (2x5)
SAITAC RM-VEL	AW-D	115 x 5 m	80	10000 87502	stock	10 (1x10)
SAITAC RM-VEL	AW-D	115 x 5 m	100	10000 87504	stock	10 (1x10)
SAITAC RM-VEL	AW-D	115 x 5 m	120	10000 87503	stock	10 (1x10)
SAITAC RM-VEL	AW-D	115 x 5 m	150	10000 87505	stock	10 (1x10)

FREE DUST R-VEL

Hook & loop abrasive net rolls



AA

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable roll in all weather conditions. Flexible and very tear-resistant abrasive net.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

						
FREE DUST R-VEL	AA	115 x 10 m	80	10000 71603	stock	1
FREE DUST R-VEL	AA	115 x 10 m	120	10000 71604	stock	1
FREE DUST R-VEL	AA	115 x 10 m	150	10000 71605	stock	1



S

Nylon net covered with ceramic abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable roll in all weather conditions. Flexible and very tear-resistant abrasive net.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

						
FREE DUST R-VEL	S	115 x 10 m	80	1000503694	stock	1
FREE DUST R-VEL	S	115 x 10 m	120	1000503695	stock	1
FREE DUST R-VEL	S	115 x 10 m	150	1000503696	stock	1



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating.

APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- LEATHER

						
SAITAC-N	A-E	120 x 7800	P-60	10000 27000	stock	10
SAITAC-N	A-E	120 x 7800	P-80	10000 27002	stock	10
SAITAC-N	A-E	120 x 7800	P-100	10000 27004	stock	10
SAITAC-N	A-E	120 x 7800	P-120	10000 27006	W4	10
SAITAC-N	A-E	120 x 8000	P-60	10000 27016	W4	10
SAITAC-N	A-E	120 x 8000	P-80	10000 27018	stock	10
SAITAC-N	A-E	120 x 8000	P-100	10000 27020	W4	10
SAITAC-N	A-E	120 x 8000	P-120	10000 27022	W4	10

AO-F *EVOLUTION*

Full resin bonded aluminium oxide paper, antistatic, F weight backing, extra open coating.

APPLICATIONS

- WOOD
- RESINOUS WOOD

						
SAITAC-N	AO-F	120 x 7800	P-60	10000 27012	stock	10
SAITAC-N	AO-F	120 x 7800	P-80	10000 27013	stock	10
SAITAC-N	AO-F	120 x 7800	P-100	10000 27014	stock	10
SAITAC-N	AO-F	120 x 7800	P-120	10000 27015	stock	10
SAITAC-N	AO-F	120 x 8000	P-60	10000 27028	stock	10
SAITAC-N	AO-F	120 x 8000	P-80	10000 27029	stock	10
SAITAC-N	AO-F	120 x 8000	P-100	10000 27030	stock	10
SAITAC-N	AO-F	120 x 8000	P-120	10000 27031	W4	10

A-F

Full resin bonded aluminium oxide paper, antistatic, F weight backing, closed coating.

APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- STEELS
- SHEETS METAL WORK

						
SAITAC-N	A-F	120 x 7800	P-60	10000 27001	stock	10
SAITAC-N	A-F	120 x 7800	P-80	10000 27003	stock	10
SAITAC-N	A-F	120 x 7800	P-100	10000 27005	stock	10
SAITAC-N	A-F	120 x 7800	P-120	10000 27007	W4	10
SAITAC-N	A-F	120 x 8000	P-60	10000 27017	stock	10
SAITAC-N	A-F	120 x 8000	P-80	10000 27019	stock	10
SAITAC-N	A-F	120 x 8000	P-100	10000 27021	stock	10
SAITAC-N	A-F	120 x 8000	P-120	10000 27023	W4	10



TABLE A

PRODUCTS	AVAILABLE GRITS																							
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	900	1000	1200		
4S-D									•	•	•	•	•	•										
2S-E									•	•	•	•	•	•	•	•	•	•	•		•		•	
AE-D						•	•	•	•	•	•	•	•	•		•								
A-E		•	•	•	•	•	•	•	•	•	•	•	•	•		•								
AO-F			•		•	•	•	•	•	•		•		•		•								
AN-F					•	•	•	•	•	•	•													
A-F		•	•	•	•	•	•	•	•	•	•	•		•		•								
Z-F			•		•	•	•	•	•	•	•	•												
ZF-F					•	•	•	•	•	•	•	•	•	•		•	•	•	•					
SH-F			•		•	•																		
S-F								•	•	•	•	•	•	•		•								
3C-D												•		•		•	•	•						
C-E										•	•	•		•		•	•	•	•					
C-F	•	•	•		•	•	•	•	•							•	•	•	•					
C-G						•	•	•	•	•														

TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

TABLE B

WIDTH MM	UNIT OF SALE	
	LENGTH MM	
	< 5.000	> 5.000
50		60
75		50
100		30
115		30
120		20
125		20
140		20
150		20
200		10
300		10

JOINTS

N

Normal overlapping joint

NS

Overlapping skived joint







TABLE A

PRODUCTS	AVAILABLE GRITS																					
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	900	1000	1200
2S-E									•	•	•	•	•	•	•	•	•	•	•		•	•
AE-D						•	•	•	•	•	•	•	•	•		•						
A-E					•	•	•	•	•	•	•	•	•	•		•						
AO-F			•		•	•	•	•	•	•		•		•		•						
AN-F					•	•	•	•	•	•	•											
A-F		•	•	•	•	•	•	•	•	•	•	•		•		•						
Z-F			•		•	•	•	•														
ZF-F						•	•	•	•	•	•	•	•	•		•	•	•	•			
SH-F			•		•	•																
S-F								•	•	•	•	•	•	•		•						
3C-D												•		•		•	•	•				
C-E						•	•	•	•	•	•			•		•	•	•	•			
C-F	•	•	•		•	•	•	•	•													
C-G						•	•	•	•	•												

TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

TABLE B

WIDTH MM	UNIT OF SALE
800	10
850	10
900	10
950	10
1000	10
1100	10
1120	10
1150	10
1200	10
1250	10
1300	10
1350	10
1400	10
1420	10
1460	10
1500	10

NOTE

Maximum width 1400 mm for:

2S-E all grits
AE-D all grits
A-E grits 80 ÷ 400
AO-F grits 80 ÷ 400
AN-F grits 80 ÷ 220
3C-D all grits

JOINTS

N

Normal overlapping joint

NS

Overlapping skived joint







TABLE A

PRODUCTS	AVAILABLE GRITS																					
	24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	900	1000	1200
2S-E									•	•	•	•	•	•	•	•	•	•	•		•	•
AE-D						•	•	•	•	•	•	•	•	•		•						
A-E						•	•	•	•	•	•	•	•	•		•						
AO-F			•			•	•	•	•	•	•	•		•		•						
AN-F						•	•	•	•	•	•											
A-F		•	•	•	•	•	•	•	•	•	•	•		•		•						
Z-F			•			•	•	•	•													
ZF-F						•	•	•	•	•	•	•	•	•		•	•	•	•			
SH-F			•			•	•															
S-F								•	•	•	•	•	•	•		•						
3C-D												•		•		•	•	•				
C-E										•	•	•		•		•	•	•	•			
C-F	•	•	•		•	•	•	•	•													
C-G						•	•	•	•	•												

TECHNIQUE OF USE

The speed of the belt should be related to the material on which the belt is used. In order to maintain the maximum safety, the speed should not exceed 40 m/s. For a correct mounting of the belt, ensure the correct tension and always observe the direction arrow printed on the back of the product.

TABLE B

WIDTH MM	UNIT OF SALE
800	5
850	5
900	5
950	5
1000	5
1100	5
1120	5
1150	5
1200	5
1250	5
1300	5
1350	5
1400	5
1420	5
1460	5
1500	5

NOTE

Maximum width 1400 mm for:

- 2S-E all grits
- AE-D all grits
- A-E grits 80 ÷ 400
- AO-F grits 80 ÷ 400
- AN-F grits 80 ÷ 220
- 3C-D all grits



JOINTS

N

Normal overlapping joint

NS

Overlapping skived joint



SAITAC-S

Abrasive paper sheets



AB-C

Full resin bonded aluminium oxide white paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- PAINTS
- FILLERS
- PRIMING

						
SAITAC-S	AB-C	230 x 280	60	10000 68156	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	80	10000 68239	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	100	10000 68245	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	120	10000 68240	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	150	10000 68241	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	180	10000 68242	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	220	10000 68243	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	320	10000 68244	W4	200 (2x100)
SAITAC-S	AB-C	230 x 280	400	10000 68248	W4	200 (2x100)

AW-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. Very high flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-S	AW-C	230 x 280	P-100	10000 68012	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-120	10000 68013	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-150	10000 68014	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-180	10000 68015	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-220	10000 68016	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-240	10000 68017	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-280	10000 68064	W4	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-320	10000 68018	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-400	10000 68041	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-500	10000 68042	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-600	10000 68061	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-800	10000 68062	stock	200 (2x100)
SAITAC-S	AW-C	230 x 280	P-1200	10000 68063	stock	200 (2x100)



AR-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-S	AR-C	230 x 280	P-60	10000 68119	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-80	10000 68121	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-100	10000 68122	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-120	10000 68123	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-150	10000 68124	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-180	10000 68125	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-220	10000 68126	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-240	10000 68127	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-280	10000 68128	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-320	10000 68129	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-360	10000 68120	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-400	10000 68130	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-500	10000 68133	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-600	10000 68134	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-800	10000 68136	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-1000	10000 68137	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-1200	10000 68138	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-1500 NEW	1000503667	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-2000 NEW	1000503668	stock	200 (2x100)
SAITAC-S	AR-C	230 x 280	P-60	10000 68250	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-80	10000 68251	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-100	10000 68252	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-120	10000 68253	stock	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-150	10000 68254	stock	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-180	10000 68255	stock	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-220	10000 68256	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-240	10000 68257	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-320	10000 68259	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-400	10000 68261	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-600	10000 68263	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-800	10000 68264	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-1000	10000 68265	W4	100 (4x25)
SAITAC-S	AR-C	230 x 280	P-1200	10000 68266	W4	100 (4x25)



AN-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, black colour. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- FILLERS
- LACQUERS
- PLASTIC MATERIALS
- MARBLE

						
SAITAC-S	AN-C	230 x 280	P-60	10000 68303	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-80	10000 68304	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-100	10000 68305	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-120	10000 68306	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-150	10000 68307	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-180	10000 68308	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-220	10000 68379	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-240	10000 68403	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-320	10000 68407	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-360	10000 68408	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-400	10000 68409	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-600	10000 68411	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-800	10000 68412	W4	200 (2x100)
SAITAC-S	AN-C	230 x 280	P-1200	10000 68414	W4	200 (2x100)



AG-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-S	AG-D	230 x 280	P-40	10000 68335 °	stock	200 (2x100)
SAITAC-S	AG-D	230 x 280	P-60	10000 68319 °	stock	200 (2x100)
SAITAC-S	AG-D	230 x 280	P-80	10000 68320 °	stock	200 (2x100)
SAITAC-S	AG-D	230 x 280	P-100	10000 68321 °	stock	200 (2x100)
SAITAC-S	AG-D	230 x 280	P-120	10000 68322 °	stock	200 (2x100)
SAITAC-S	AG-D	230 x 280	P-150	10000 68323 °	stock	200 (2x100)

AG-C

Full resin bonded aluminium oxide paper, C weight backing - with latex - open coating, waterproof. For hand and orbital sanding operations. Dry and wet use. High flexibility.

APPLICATIONS

- WOOD
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-S	AG-C	230 x 280	P-150	10000 68157	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-180	10000 68324	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-220	10000 68325	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-240	10000 68326	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-280	10000 68327	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-320	10000 68328	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-400	10000 68329	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-500	10000 68330	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-600	10000 68331	stock	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-800	10000 68332	W4	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-1000	1000500078	W4	200 (2x100)
SAITAC-S	AG-C	230 x 280	P-1200	10000 68334	W4	200 (2x100)

SAITAC-S

Abrasive paper sheets



AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For hand and orbital sanding operations. Dry use. Good flexibility.

APPLICATIONS

- WOOD
- PAINTED WOOD
- PLASTIC MATERIALS

						
SAITAC-S	AY-D	230 x 280	P-80	10000 68368	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-100	10000 68175	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-120	10000 68369	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-150	10000 68370	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-180	10000 68371	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-220	10000 68404	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-240	10000 68400	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-320	10000 68402	W4	200 (2x100)
SAITAC-S	AY-D	230 x 280	P-400	10000 68401	W4	200 (2x100)

AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For hand and orbital sanding operations. Dry and wet uses. Good flexibility.


APPLICATIONS

- WOOD
- FILLERS
- PAINTS
- PLASTIC MATERIALS

						
SAITAC-S	AW-D	230 x 280	P-40	10000 68019	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-50	10000 68034	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-60	10000 68020	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-80	10000 68021	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-100	10000 68044	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-120	10000 68043	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-150	10000 68095	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-180	10000 68199	stock	200 (2x100)
SAITAC-S	AW-D	230 x 280	P-220	10000 68200	W4	200 (2x100)

SAITAC-S

Abrasive paper sheets



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry. Dry use. High flexibility. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS

						
SAITAC-S	3S	230 x 280	P-80	10000 68109	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-100	10000 68107	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-120	10000 68108	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-150	10000 68086	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-180	10000 68087	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-220	10000 68088	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-240	10000 68093	W4	200 (2x100)
SAITAC-S	3S	230 x 280	P-320	10000 68091	stock	200 (2x100)
SAITAC-S	3S	230 x 280	P-400	10000 68092	W4	200 (2x100)

4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC-S	4S	230 x 280	80	10000 68001	W4	200 (2x100)
SAITAC-S	4S	230 x 280	100	10000 68002	stock	200 (2x100)
SAITAC-S	4S	230 x 280	120	10000 68003	stock	200 (2x100)
SAITAC-S	4S	230 x 280	150	10000 68007	stock	200 (2x100)
SAITAC-S	4S	230 x 280	180	10000 68008	stock	200 (2x100)
SAITAC-S	4S	230 x 280	220	10000 68009	stock	200 (2x100)
SAITAC-S	4S	230 x 280	240	10000 68010	stock	200 (2x100)
SAITAC-S	4S	230 x 280	320	10000 68011	stock	200 (2x100)
SAITAC-S	4S	230 x 280	360	10000 68032	stock	200 (2x100)
SAITAC-S	4S	230 x 280	400	10000 68029	stock	200 (2x100)
SAITAC-S	4S	230 x 280	500	10000 68030	W4	200 (2x100)

SAITAC-S

Abrasive paper sheets



6A

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand operations in wood and automotive. Dry use. Low clogging. Very high flexibility.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
SAITAC-S	6A	230 x 280	150	10000 68246	W4	200 (2x100)
SAITAC-S	6A	230 x 280	180	10000 68230	stock	200 (2x100)
SAITAC-S	6A	230 x 280	220	10000 68231	W4	200 (2x100)
SAITAC-S	6A	230 x 280	240	10000 68232	stock	200 (2x100)
SAITAC-S	6A	230 x 280	280	10000 68233	W4	200 (2x100)
SAITAC-S	6A	230 x 280	320	10000 68234	stock	200 (2x100)
SAITAC-S	6A	230 x 280	400	10000 68235	W4	200 (2x100)

CB-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility and plasticity. High resistance to water.

APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES
- PAINTS
- PRIMING

						
SAITAC-S	CB-C	230 x 280	P-220	10000 68377 °	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-240	1000500079 °	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-320	10000 68380	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-400	10000 68381	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-500	10000 68382	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-600	10000 68383	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-800	10000 68384	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-1200	10000 68386	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-1500	10000 68387	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-2000	10000 68388	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-2500	10000 68054	stock	200 (2x100)
SAITAC-S	CB-C	230 x 280	P-3000	10000 68055	stock	200 (2x100)



CW-C

Full resin bonded silicon carbide paper, C weight backing - with latex - closed coating, waterproof. For dry and wet hand operations. Very high flexibility.

APPLICATIONS

- PAINTED WOODS
- PLASTIC MATERIALS
- MARBLE
- STONES
- PAINTS
- PRIMING

						
SAITAC-S	CW-C	230 x 280	P-60	10000 68006	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-80	10000 68135	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-100	10000 68131	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-120	10000 68132	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-150	10000 68022	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-180	10000 68023	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-220	10000 68024	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-240	10000 68025	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-280	10000 68035	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-320	10000 68026	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-360	10000 68176	W4	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-400	10000 68027	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-500	10000 68033	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-600	10000 68037	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-800	10000 68038	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-1000	10000 68155	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-1200	10000 68040	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-1500	10000 68036	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-2000	10000 68039	stock	200 (2x100)
SAITAC-S	CW-C	230 x 280	P-80	10000 68267	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-100	10000 68268	W4	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-120	10000 68269	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-150	10000 68270	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-180	10000 68271	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-220	10000 68272	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-240	10000 68273	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-280	10000 68274	W4	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-320	10000 68275	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-400	10000 68276	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-500	10000 68277	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-600	10000 68278	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-800	10000 68279	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-1000	10000 68280	stock	100 (4x25)
SAITAC-S	CW-C	230 x 280	P-1200	10000 68281	stock	100 (4x25)

CW-C SUPER MICROGRITS

						
SAITAC-S	CW-C	140 x 230	P-1500	10000 68152	stock	200 (4x50)
SAITAC-S	CW-C	140 x 230	P-2000	10000 68154	stock	200 (4x50)

SAITAC-B

Abrasive paper strips



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry orbital sanding operations.

APPLICATIONS

- FILLERS
- PRIMING



10 HOLES

SAITAC-B	AW-D	115 x 280 F 10	P-40	10000 86700	stock	200
SAITAC-B	AW-D	115 x 280 F 10	P-60	10000 86701	W4	200
SAITAC-B	AW-D	115 x 280 F 10	P-80	10000 86702	W4	200
SAITAC-B	AW-D	115 x 280 F 10	P-120	10000 86708	stock	200

SAITAC B-VEL

Hook & loop abrasive paper strips



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry orbital sanding operations.

APPLICATIONS

- FILLERS
- PRIMING



8 HOLES

SAITAC B-VEL	AW-D	81 x 133 F 8	60	10000 86879	W4	400 (8x50)

A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry orbital sanding operations.

APPLICATIONS

- FILLERS
- PRIMING



14 HOLES

SAITAC B-VEL	A-E	70 x 420 F 14	40	10000 86828	W4	200 (4x50)
SAITAC B-VEL	A-E	70 x 420 F 14	60	10000 86829	W4	200 (4x50)
SAITAC B-VEL	A-E	70 x 420 F 14	80	10000 86830	W4	200 (4x50)

SAITAC B-VEL

Hook & loop abrasive paper strips



4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



WITHOUT HOLES

SAITAC B-VEL	4S	70 x 125	80	10000 87602	W4		400 (8x50)
SAITAC B-VEL	4S	70 x 125	100	10000 87603	W4		400 (8x50)
SAITAC B-VEL	4S	70 x 125	120	10000 87604	stock		400 (8x50)
SAITAC B-VEL	4S	70 x 125	150	1000501991	stock		800 (16x50)
SAITAC B-VEL	4S	70 x 125	180	1000501993	stock		800 (16x50)
SAITAC B-VEL	4S	70 x 125	240	1000501994	stock		800 (16x50)
SAITAC B-VEL	4S	70 x 125	320	1000501995	W4		800 (16x50)

8 HOLES

SAITAC B-VEL	4S	81 x 133 F 8	80	10000 86880	W4		400 (8x50)
SAITAC B-VEL	4S	81 x 133 F 8	100	10000 86881	stock		400 (8x50)
SAITAC B-VEL	4S	81 x 133 F 8	120	10000 86882	stock		400 (8x50)
SAITAC B-VEL	4S	81 x 133 F 8	150	10000 86840	W4		800 (8x100)
SAITAC B-VEL	4S	81 x 133 F 8	180	10000 86841	W4		800 (8x100)
SAITAC B-VEL	4S	81 x 133 F 8	240	10000 87619	W4		800 (8x100)

10 HOLES

SAITAC B-VEL	4S	115 x 230 F 10	80	10000 86819	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	100	10000 86820	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	120	10000 86821	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	150	10000 86822	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	180	10000 86823	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	220	10000 86824	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	240	10000 86825	stock		200 (4x50)
SAITAC B-VEL	4S	115 x 230 F 10	320	10000 86827	W4		200 (4x50)

AEROMAX B-VEL

Hook & loop abrasive paper strips




6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For hand and orbital sanding operations in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS


- PAINTS
- PRIMING
- FILLERS
- LACQUERS



Aeromax

MICROPERFORATED

AEROMAX B-VEL	6S	70 x 125 F M	80	10000 87625	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 125 F M	120	10000 87626	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 125 F M	180	10000 87628	W4	200 (2x100)



Aeromax

MICROPERFORATED

The strip is precut in the middle, in order to obtain both dimensions

AEROMAX B-VEL	6S	70 x 396 F M	60	10000 87631	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 396 F M	80	10000 87632	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 396 F M	120	10000 87633	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 396 F M	150	10000 87634	stock	100 (2x50)
AEROMAX B-VEL	6S	70 x 396 F M	180	10000 87635	stock	200 (2x100)
AEROMAX B-VEL	6S	70 x 396 F M	240	10000 87636	stock	200 (2x100)
AEROMAX B-VEL	6S	70 x 396 F M	320	10000 87637	stock	200 (2x100)

AEROMAX B-VEL / SAITAC B-VEL

Hook & loop abrasive paper strips



5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For hand and orbital sanding operations in wood industry and automotive. Dry use. Very low clogging. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



Aeromax
MICROPERFORATED

AEROMAX B-VEL	5G	70 x 125 F M	60	10000 87675	W4	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	80	10000 87676	stock	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	120	10000 87677	W4	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	150	10000 87678	W4	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	180	10000 87679	stock	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	240	10000 87680	stock	100 (2x50)
AEROMAX B-VEL	5G	70 x 125 F M	320	10000 87681	W4	100 (2x50)



14 HOLES

SAITAC B-VEL	5G	70 x 420 F 14	120	10000 87550	W4	100 (2x50)
SAITAC B-VEL	5G	70 x 420 F 14	180	10000 87551	W4	100 (2x50)
SAITAC B-VEL	5G	70 x 420 F 14	240	10000 87552	W4	100 (2x50)
SAITAC B-VEL	5G	70 x 420 F 14	320	10000 87553	W4	100 (2x50)

Accessories

SAITVEL-TP

Hand sanding blocks with self gripping.



SAITVEL-TP	70 x 125 F M	F-MICRO	10000 99554	stock	1
SAITVEL-TP	70 x 198 F M	F-MICRO	10000 99555	stock	1
SAITVEL-TP	70 x 396 F M	F-MICRO	10000 99556	stock	1
SAITVEL-TP	115 x 230 F M	F-MICRO	10000 99557	stock	1

SELECTION GUIDE

		PRODUCTS																
DIAMETERS / HOLES		AW-D	3S	4S	4V	5G	5S	6A	XS	6S	SOF	A-E	A-D	AY-D	C-E C-F	Z-F	ZF-F	SH-F
Ø 77 N F										•								
Ø 115 N F												•			•	•	•	•
Ø 120/125/127 N F		•	•	•				•		•		•			•	•	•	•
Ø 127 F 8		•	•	•			•			•		•						
Ø 150 N F		•	•	•	•	•				•		•			•	•	•	•
Ø 150 F 6		•	•															
Ø 150 F 7				•		•						•				•		
Ø 150 F 8+1		•	•	•								•				•		
Ø 150 F 15		•		•	•	•	•	•	•	•	•	•						
Ø 150 F M AEROMAX									•	•								
Ø 180 N F															•			
Ø 203 F 8																•		
Ø 203 F 8+1				•								•						
Ø 225 N F												•			•			
Ø 225 F 16												•						
Ø 225 F 19													•					
Ø 225 F M/T N													•	•				

SAITAC D-VEL

Hook & loop abrasive paper discs



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations with random orbital sanders.

APPLICATIONS

- RAW WOOD
- PRIMING
- FILLERS
- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	AW-D	Ø 120	40	10000 90092	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 120	60	10000 91536	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 120	80	10000 91537	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 120	100	10000 91538	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 120	120	10000 91539	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 120	150	10000 91540	W4		200 (4x50)



WITHOUT HOLES

SAITAC D-VEL	AW-D	Ø 127	40	10000 90321	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127	60	10000 90967	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127	80	10000 90968	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127	100	10000 90324	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127	120	10000 90325	stock		200 (4x50)



8 HOLES

SAITAC D-VEL	AW-D	Ø 127 F 8	40	10000 90264	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127 F 8	60	10000 90969	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127 F 8	80	10000 90970	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127 F 8	100	10000 90768	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 127 F 8	120	10000 90769	stock		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



AW-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - open coating. For dry operations with random orbital sanders.

APPLICATIONS

- RAW WOOD
- PRIMING
- FILLERS
- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	AW-D	Ø 150	40	10000 90000	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150	60	10000 90971	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150	80	10000 90972	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150	100	10000 90973	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150	120	10000 90974	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150	150	10000 90976	stock		200 (4x50)



6 HOLES

SAITAC D-VEL	AW-D	Ø 150 F 6	40	10000 90023	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 6	60	10000 90977	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 6	80	10000 90978	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 6	100	10000 90979	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 6	120	10000 90980	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 6	150	10000 90981	stock		200 (4x50)



8+1 HOLES

SAITAC D-VEL	AW-D	Ø 150 F 8+1	40	10000 90028	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 8+1	60	10000 90982	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 8+1	80	10000 90983	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 8+1	100	10000 90984	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 8+1	120	10000 90985	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 8+1	150	10000 90986	stock		200 (4x50)



15 HOLES

SAITAC D-VEL	AW-D	Ø 150 F 15	40	10000 90824	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 15	60	10000 90825	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 15	80	10000 90821	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 15	100	10000 90822	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 15	120	10000 90823	stock		200 (4x50)
SAITAC D-VEL	AW-D	Ø 150 F 15	150	10000 90826	stock		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- METALS



WITHOUT HOLES

SAITAC D-VEL	3S	Ø 127	80	10000 90386	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127	100	10000 90387	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127	120	10000 90388	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127	150	10000 90389	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127	180	10000 90390	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127	220	10000 90391	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127	320	10000 90392	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127	400	10000 90393	stock		200	(2x100)



8 HOLES

SAITAC D-VEL	3S	Ø 127 F 8	80	10000 90987	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127 F 8	100	10000 90988	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127 F 8	120	10000 90989	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 127 F 8	150	10000 90990	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127 F 8	180	10000 90991	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127 F 8	220	10000 90992	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127 F 8	320	10000 90993	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 127 F 8	400	10000 90994	stock		200	(2x100)



WITHOUT HOLES

SAITAC D-VEL	3S	Ø 150	80	10000 90995	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 150	100	10000 90996	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 150	120	10000 90997	stock		200	(4x50)
SAITAC D-VEL	3S	Ø 150	150	10000 90998	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	180	10000 90999	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	220	10000 91000	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	240	10000 91001	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	280	10000 91002	W4		200	(2x100)
SAITAC D-VEL	3S	Ø 150	320	10000 91003	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	400	10000 91004	stock		200	(2x100)
SAITAC D-VEL	3S	Ø 150	600	10000 91006	stock		200	(2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



3S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- METALS



6 HOLES

SAITAC D-VEL	3S	Ø 150 F 6	80	10000 91007	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 6	100	10000 91008	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 6	120	10000 91009	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 6	150	10000 91010	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	180	10000 91011	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	220	10000 91012	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	240	10000 91013	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	280	10000 91014	W4		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	320	10000 91015	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 6	400	10000 91016	stock		200 (2x100)



8+1 HOLES

SAITAC D-VEL	3S	Ø 150 F 8+1	80	10000 91019	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 8+1	100	10000 91020	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 8+1	120	10000 91021	stock		200 (4x50)
SAITAC D-VEL	3S	Ø 150 F 8+1	150	10000 91022	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	180	10000 91023	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	220	10000 91024	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	240	10000 91025	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	280	10000 91026	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	320	10000 91027	stock		200 (2x100)
SAITAC D-VEL	3S	Ø 150 F 8+1	400	10000 91028	stock		200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



WITHOUT HOLES

SAITAC D-VEL	4S	Ø 127	80	10000 90394	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127	100	10000 90395	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127	120	10000 90396	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127	150	10000 90397	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	180	10000 90398	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	220	10000 90399	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	240	10000 90401	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	280	10000 90402	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 127	320	10000 90405	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	400	10000 90424	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127	500	10000 90440	W4		200 (2x100)



8 HOLES

SAITAC D-VEL	4S	Ø 127 F 8	80	10000 90448	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127 F 8	100	10000 90449	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127 F 8	120	10000 90450	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 127 F 8	150	10000 90454	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	180	10000 90455	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	220	10000 90492	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	240	10000 90493	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	280	10000 90501	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	320	10000 90502	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	360	10000 90503	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	400	10000 90504	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 127 F 8	500	10000 90505	W4		200 (2x100)



WITHOUT HOLES

SAITAC D-VEL	4S	Ø 150	60	10000 91236	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150	80	10000 90935	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150	100	10000 90936	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150	120	10000 90937	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150	150	10000 90938	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	180	10000 90939	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	220	10000 90940	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	240	10000 90941	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	280	10000 90942	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	320	10000 90943	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	400	10000 90945	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	500	10000 90946	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150	600	10000 90947	stock		200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



4S

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



7 HOLES

SAITAC D-VEL	4S	Ø 150 F 7	80	10000 90836	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 7	100	10000 90841	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 7	120	10000 90852	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 7	150	10000 90855	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	180	10000 90856	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	220	10000 90869	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	240	10000 90870	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	280	10000 90871	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	320	10000 90872	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	400	10000 90874	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 7	600	10000 90879	stock		200 (2x100)



8+1 HOLES

SAITAC D-VEL	4S	Ø 150 F 8+1	80	10000 90908	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 8+1	100	10000 90909	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 8+1	120	10000 90910	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 8+1	150	10000 90911	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	180	10000 90912	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	220	10000 90913	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	240	10000 90914	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	280	10000 90915	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	320	10000 90916	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	400	10000 90918	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	500	10000 90919	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 8+1	600	10000 90920	W4		200 (2x100)



15 HOLES

SAITAC D-VEL	4S	Ø 150 F 15	60	10000 91237	W4		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 15	80	10000 90921	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 15	100	10000 90922	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 15	120	10000 90923	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 150 F 15	150	10000 90924	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	180	10000 90925	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	220	10000 90926	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	240	10000 90927	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	280	10000 90928	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	320	10000 90929	stock		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	360	10000 90930	W4		200 (2x100)
SAITAC D-VEL	4S	Ø 150 F 15	400	10000 90931	stock		200 (2x100)



8+1 HOLES

SAITAC D-VEL	4S	Ø 203 F 8+1	180	10000 90291	stock		200 (4x50)
SAITAC D-VEL	4S	Ø 203 F 8+1	240	10000 90296	W4		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



4V

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging. Accurate finish.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



WITHOUT HOLES

SAITAC D-VEL	4V	Ø 150	800	10000 90516	stock		200	(4x50)
SAITAC D-VEL	4V	Ø 150	1000	10000 90518	stock		200	(4x50)
SAITAC D-VEL	4V	Ø 150	1200	10000 90517	stock		200	(4x50)
SAITAC D-VEL	4V	Ø 150	1500	10000 90582	stock		200	(4x50)




15 HOLES

SAITAC D-VEL	4V	Ø 150 F 15	800	10000 90763	W4		200	(4x50)
SAITAC D-VEL	4V	Ø 150 F 15	1000	10000 90764	stock		200	(4x50)
SAITAC D-VEL	4V	Ø 150 F 15	1200	10000 90765	stock		200	(4x50)
SAITAC D-VEL	4V	Ø 150 F 15	1500	10000 90766	stock		200	(4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



5S

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



8 HOLES

SAITAC D-VEL	5S	Ø 127 F 8	80	10000 91633	W4		200 (4x50)
SAITAC D-VEL	5S	Ø 127 F 8	120	10000 91634	W4		200 (4x50)
SAITAC D-VEL	5S	Ø 127 F 8	180	10000 91635	W4		200 (2x100)
SAITAC D-VEL	5S	Ø 127 F 8	240	10000 91636	W4		200 (2x100)
SAITAC D-VEL	5S	Ø 127 F 8	320	10000 91637	W4		200 (2x100)
SAITAC D-VEL	5S	Ø 127 F 8	400	10000 91638	W4		200 (2x100)




15 HOLES

SAITAC D-VEL	5S	Ø 150 F 15	80	10000 91541	stock		200 (4x50)
SAITAC D-VEL	5S	Ø 150 F 15	100	10000 91542	W4		200 (4x50)
SAITAC D-VEL	5S	Ø 150 F 15	120	10000 91543	stock		200 (4x50)
SAITAC D-VEL	5S	Ø 150 F 15	150	10000 91544	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	180	10000 91545	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	220	10000 91546	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	240	10000 91547	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	320	10000 91548	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	400	10000 91549	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	500	10000 91550	W4		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	600	10000 91551	stock		200 (2x100)
SAITAC D-VEL	5S	Ø 150 F 15	800	10000 91552	stock		200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



WITHOUT HOLES

SAITAC D-VEL	5G	Ø 150	40	10000 90056	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150	60	10000 90269	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150	80	10000 90779	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150	120	10000 90699	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150	150	10000 90737	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	180	10000 90738	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	220	10000 90770	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	240	10000 90771	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	320	10000 90772	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	400	10000 90773	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	500	10000 90774	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150	600	10000 90777	stock		200 (2x100)




7 HOLES

SAITAC D-VEL	5G	Ø 150 F 7	40	10000 90171	W4		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 7	60	10000 90270	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 7	80	10000 90811	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 7	120	10000 90337	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 7	150	10000 90338	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	180	10000 90340	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	220	10000 90346	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	240	10000 90347	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	320	10000 90348	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	400	10000 90351	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	500	10000 90352	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	600	10000 90353	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 7	800	10000 90789	stock		200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



5G

Full resin bonded aluminium oxide paper with anti-clogging additive, B weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Very low clogging. Long life.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS



15 HOLES

SAITAC D-VEL	5G	Ø 150 F 15	40	10000 90176	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 15	60	10000 90271	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 15	80	10000 90781	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 15	100	10000 90511	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 15	120	10000 91427	stock		200 (4x50)
SAITAC D-VEL	5G	Ø 150 F 15	150	10000 90333	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	180	10000 90334	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	220	10000 90335	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	240	10000 91428	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	280	10000 90473	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	320	10000 91429	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	360	10000 90085	W4		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	400	10000 91430	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	500	10000 90327	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	600	10000 90336	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	800	10000 90788	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	1000	10000 90576	stock		200 (2x100)
SAITAC D-VEL	5G	Ø 150 F 15	1200	10000 90579	stock		200 (2x100)

NOTE

17 holes are available on request.

SAITAC D-VEL

Hook & loop abrasive paper discs



6A

Full resin bonded aluminium oxide paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in wood industry and automotive. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- ALUMINIUM
- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	6A	Ø 127	80	10000 90004	W4		200	(4x50)
SAITAC D-VEL	6A	Ø 127	120	10000 90007	W4		200	(4x50)
SAITAC D-VEL	6A	Ø 127	150	10000 90008	W4		200	(2x100)
SAITAC D-VEL	6A	Ø 127	180	10000 90009	W4		200	(2x100)
SAITAC D-VEL	6A	Ø 127	220	10000 90017	W4		200	(2x100)
SAITAC D-VEL	6A	Ø 127	320	10000 90020	W4		200	(2x100)



15 HOLES

SAITAC D-VEL	6A	Ø 150 F 15	80	10000 91197	stock		200	(4x50)
SAITAC D-VEL	6A	Ø 150 F 15	120	10000 91198	stock		200	(4x50)
SAITAC D-VEL	6A	Ø 150 F 15	150	10000 91199	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	180	10000 91200	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	220	10000 91201	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	240	10000 91202	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	320	10000 91203	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	400	10000 91204	stock		200	(2x100)
SAITAC D-VEL	6A	Ø 150 F 15	600	10000 91420	stock		200	(2x100)

SAITAC D-VEL / AEROMAX D-VEL

Hook & loop abrasive paper discs



XS **NEW**

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For dry operations with random orbital sanders in automotive. Extremely low clogging. Suitable for roughing, finishing and matting operations.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- LACQUERS
- CATAPHORESIS



15 HOLES

SAITAC D-VEL	XS	Ø 150 F 15	60	10000 91641	stock		200 (4x50)
SAITAC D-VEL	XS	Ø 150 F 15	80	10000 91642	stock		200 (4x50)
SAITAC D-VEL	XS	Ø 150 F 15	120	10000 91625	stock		200 (4x50)
SAITAC D-VEL	XS	Ø 150 F 15	150	10000 91686	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	180	10000 91643	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	240	10000 91626	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	320	10000 91627	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	400	10000 91628	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	500	10000 91644	stock		200 (2x100)
SAITAC D-VEL	XS	Ø 150 F 15	600	10000 91687	stock		200 (2x100)



Aeromax

AEROMAX D-VEL	XS	Ø 150 F M	60	10000 91645	stock		200 (4x50)
AEROMAX D-VEL	XS	Ø 150 F M	80	10000 91646	stock		200 (4x50)
AEROMAX D-VEL	XS	Ø 150 F M	120	10000 91629	stock		200 (4x50)
AEROMAX D-VEL	XS	Ø 150 F M	150	10000 91688	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	180	10000 91647	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	240	10000 91630	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	320	10000 91631	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	400	10000 91632	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	500	10000 91648	stock		200 (2x100)
AEROMAX D-VEL	XS	Ø 150 F M	600	10000 91689	stock		200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	6S	Ø 77	150	10000 91205	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	180	10000 91206	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	220	10000 91207	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	240	10000 91208	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	320	10000 91210	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	400	10000 91211	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	500	10000 91212	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	600	10000 91213	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	800	10000 91214	stock	400 (8x50)
SAITAC D-VEL	6S	Ø 77	1200	10000 90385	W4	400 (8x50)

WITHOUT HOLES

SAITAC D-VEL	6S	Ø 127	60	10000 91622	W4	200 (4x50)
SAITAC D-VEL	6S	Ø 127	80	10000 91157	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 127	120	10000 91158	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 127	150	10000 91215	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	180	10000 91151	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	220	10000 91216	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	240	10000 91217	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	320	10000 91150	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	400	10000 91188	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127	500	10000 91442	W4	200 (2x100)
SAITAC D-VEL	6S	Ø 127	600	10000 90948	W4	200 (2x100)
SAITAC D-VEL	6S	Ø 127	800	10000 91443	W4	200 (2x100)

8 HOLES

SAITAC D-VEL	6S	Ø 127 F 8	120	10000 91123	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 127 F 8	150	10000 91124	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	180	10000 91125	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	220	10000 91126	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	240	10000 91127	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	280	10000 91128	W4	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	320	10000 91129	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	400	10000 91130	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	500	10000 91131	W4	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	600	10000 91132	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 127 F 8	800	10000 91133	stock	200 (2x100)

SAITAC D-VEL

Hook & loop abrasive paper discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS
- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	6S	Ø 150	60	10000 91239	W4	200 (4x50)
SAITAC D-VEL	6S	Ø 150	80	10000 91144	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150	100	10000 91230	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150	120	10000 91145	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150	150	10000 91104	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	180	10000 91110	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	220	10000 91219	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	240	10000 91083	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	280	10000 91220	W4	200 (2x100)
SAITAC D-VEL	6S	Ø 150	320	10000 91146	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	400	10000 91084	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	500	10000 91111	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	600	10000 91142	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	800	10000 91143	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150	1200	10000 91223	stock	200 (2x100)

15 HOLES


SAITAC D-VEL	6S	Ø 150 F 15	60	10000 91221	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150 F 15	80	10000 91085	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150 F 15	100	10000 91238	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150 F 15	120	10000 91086	stock	200 (4x50)
SAITAC D-VEL	6S	Ø 150 F 15	150	10000 91087	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	180	10000 91088	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	220	10000 91089	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	240	10000 91090	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	280	10000 91091	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	320	10000 91092	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	400	10000 91093	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	500	10000 91094	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	600	10000 91138	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	800	10000 91139	stock	200 (2x100)
SAITAC D-VEL	6S	Ø 150 F 15	1200	10000 91224	stock	200 (2x100)

NOTE

17 holes are available on request.

AEROMAX D-VEL

Microperforated hook & loop abrasive paper discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS

						
AEROMAX D-VEL	6S	Ø 150 F M	60	10000 91222	stock	200 (4x50)
AEROMAX D-VEL	6S	Ø 150 F M	80	10000 91060	stock	200 (4x50)
AEROMAX D-VEL	6S	Ø 150 F M	120	10000 91061	stock	200 (4x50)
AEROMAX D-VEL	6S	Ø 150 F M	150	10000 91062	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	180	10000 91063	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	220	10000 91064	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	240	10000 91065	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	280	10000 91095	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	320	10000 91066	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	400	10000 91067	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	500	10000 91072	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	600	10000 91140	stock	200 (2x100)
AEROMAX D-VEL	6S	Ø 150 F M	800	10000 91141	stock	200 (2x100)

Use with **PAD-VEL AEROMAX** backing pads (page 227).

FREE DUST D-VEL

Hook and loop abrasive net discs



A

AA

A

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent finish. Excellent dust extraction. Can be used with any backing pad and any hole pattern (recommended 15 holes). The use of a backing pad protection is recommended to extend the life of the backing pad.

APPLICATIONS

- PAINTS
- FILLERS
- LACQUERS
- PLASTERBOARD
- WOOD
- PAINTED WOOD
- MDF

						
FREE DUST D-VEL	A	Ø 150	80	10000 71500 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	100	10000 71501 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	120	10000 71502 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	150	10000 71503 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	180	10000 71504 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	240	10000 71505 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	320	10000 71506 °	stock	200 (4x50)
FREE DUST D-VEL	A	Ø 150	400	10000 71507 °	stock	200 (4x50)

AA

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net.

Can be used with any backing pad and any hole pattern. The use of a backing pad protection is recommended to extend the life of the backing pad.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

						
FREE DUST D-VEL	AA	Ø 125	80	10000 71525	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	100	10000 71526	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	120	10000 71527	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	150	10000 71528	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	180	10000 71529	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	220	10000 71534	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	240	10000 71531	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	320	10000 71532	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 125	400	10000 71533	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	60 NEW	1000503617	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	80	10000 71508	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	100	10000 71509	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	120	10000 71510	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	150	10000 71511	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	180	10000 71512	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	220	10000 71523	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	240	10000 71513	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	320	10000 71514	stock	200 (4x50)
FREE DUST D-VEL	AA	Ø 150	400	10000 71515	stock	200 (4x50)

FREE DUST D-VEL

Hook and loop abrasive net discs



Nylon net covered with ceramic abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net.

Can be used with any backing pad and any hole pattern. The use of a backing pad protection is recommended to extend the life of the backing pad.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

						
FREE DUST D-VEL	S	Ø 150	80	1000503679	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	100	1000503680	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	120	1000503681	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	150	1000503682	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	180	1000503683	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	240	1000503684	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	320	1000503685	stock	200 (4x50)
FREE DUST D-VEL	S	Ø 150	400	1000503686	stock	200 (4x50)

FINEFLEX D-VEL

Hook and loop discs on film



FF

Extra-flexible polymer film for the removal of painting defects and for super-finishing. The disc combines a high cutting capacity with an excellent and uniform finish without scratches. Dry use.

APPLICATIONS

- PAINTS
- LACQUERS
- CLEARCOAT



WITHOUT HOLES

FINEFLEX D-VEL	FF	Ø 77	400	Turquoise	10000 87908	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	600	Bluish-green	10000 87909	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	800	Cream	10000 87910	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	1200	Light brown	10000 87911	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	1500	Lilac	10000 87912	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	2000	Pearl grey	10000 87913	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	2500	Aquamarine	10000 87914	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 77	3000	Grey	10000 87915	stock		50	(5x10)

15 HOLES

FINEFLEX D-VEL	FF	Ø 150 F 15	400	Turquoise	10000 87905	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	600	Bluish-green	10000 87906	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	800	Cream	10000 87907	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	1200	Light brown	10000 87871	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	1500	Lilac	10000 87872	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	2000	Pearl grey	10000 87873	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	2500	Aquamarine	10000 87875	stock		50	(5x10)
FINEFLEX D-VEL	FF	Ø 150 F 15	3000	Grey	10000 87874	stock		50	(5x10)

For the DV-FINEFLEX adapters, see page 228

FINEFLEX S-VEL

Hook and loop abrasive sheets on film



FF

Extra-flexible polymer film for the removal of painting defects and for super-finishing. The sheet combines a high cutting capacity with an excellent and uniform finish without scratches. Dry use.

APPLICATIONS

- PAINTS
- LACQUERS
- CLEARCOAT

							
FINEFLEX S-VEL	FF	85 x 130	400	Turquoise	10000 88152	stock	50 (5x10)
FINEFLEX S-VEL	FF	85 x 130	600	Bluish-green	10000 88153	stock	50 (5x10)
FINEFLEX S-VEL	FF	85 x 130	800	Cream	10000 88154	stock	50 (5x10)
FINEFLEX S-VEL	FF	85 x 130	1200	Light brown	10000 88150	stock	50 (5x10)
FINEFLEX S-VEL	FF	85 x 130	1500	Lilac	10000 88151	stock	50 (5x10)

Accessories



SAITPAD MICRO

HARD/SOFT double-sided pad for FINEFLEX S-VEL sheets. The pad has been designed for a comfortable grip that enables an excellent finish and avoids excessive scoring.

					
SAITPAD MICRO	82 x 127	SOFT / HARD	10000 99630	stock	2

FILM D-VEL

Hook and loop discs on film



A-F

Extremely smooth PET film, which ensures a uniform and perfectly flat distribution of the abrasive.

APPLICATIONS

- PREPARATION FOR SURFACE FINISH WITH FILLERS, PRIMING AND PAINTS
- REMOVAL OF PRIMING AND PAINTS
- POLYESTER AND ACRYLIC PAINTS
- METAL FINISH
- SANDING OF COMPOSITE MATERIALS



WITHOUT HOLES


FILM D-VEL	A-F	Ø 150	80	10000 87894	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	120	10000 87892	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	150	10000 87895	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	180	10000 87893	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	240	10000 87896	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	320	10000 87850	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	600	10000 87853	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150	800	10000 87854	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150	1000	10000 87855	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150	1200	10000 87856	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150	1500	10000 87857	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150	2000	10000 87858	stock		100 (2x50)

15 HOLES

FILM D-VEL	A-F	Ø 150 F 15	80	10000 87876	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	120	10000 87877	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	150	10000 87878	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	180	10000 87879	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	240	10000 87880	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	320	10000 87859	W4		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	400	10000 87860	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	500	10000 87861	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	600	10000 87862	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	800	10000 87863	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	1000	10000 87864	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	1200	10000 87865	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	1500	10000 87866	stock		100 (2x50)
FILM D-VEL	A-F	Ø 150 F 15	2000	10000 87867	stock		100 (2x50)

SC D-VEL SOF

Hook & loop abrasive paper foam discs



6S

Full resin bonded ceramic abrasive paper with anti-clogging additive, C weight backing - with latex - open coating. For operations with random orbital sanders in automotive and nautical industry. Dry use. Low clogging. High stock removal.

APPLICATIONS

- PAINTS
- PRIMING
- FILLERS
- LACQUERS




15 HOLES

SC D-VEL SOF	6S	Ø 150 F 15	320	10000 97674	stock		100 (5x20)
SC D-VEL SOF	6S	Ø 150 F 15	400	10000 97675	stock		100 (5x20)
SC D-VEL SOF	6S	Ø 150 F 15	500	10000 97676	stock		100 (5x20)
SC D-VEL SOF	6S	Ø 150 F 15	600	10000 97677	stock		100 (5x20)
SC D-VEL SOF	6S	Ø 150 F 15	800	10000 97678	stock		100 (5x20)
SC D-VEL SOF	6S	Ø 150 F 15	1200	10000 97679	stock		100 (5x20)

FOAM D-VEL

Hook & loop structured discs



A

Fabric on hook & loop sponge (5 mm thick) with aluminium oxide. Constant, perfect and high quality finish, light and fast stock removal, fast sanding, long life. Working on profiled surfaces such as round edges, contour lines, concave and convex shapes. For wet use (recommended) and/or dry use.

APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS

						
FOAM D-VEL	A	Ø 77	600	10000 87809	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	800	10000 87814	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	1000	10000 87815	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	1500	10000 87816	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	2000	10000 87817	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	3000	10000 87818	stock	10 (1x10)
FOAM D-VEL	A	Ø 77	5000	10000 87819	stock	10 (1x10)
FOAM D-VEL	A	Ø 150	600	10000 87806	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	800	10000 87807	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	1000	10000 87808	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	1500	10000 87810	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	2000	10000 87811	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	3000	10000 87812	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	4000	10000 87828	stock	20 (2x10)
FOAM D-VEL	A	Ø 150	5000	10000 87813	stock	20 (2x10)

C

Fabric on hook & loop sponge (5 mm thick) with silicon carbide. Constant, perfect and high quality finish, light and fast stock removal, fast sanding, long life. Working on profiled surfaces such as round edges, contour lines, concave and convex shapes. For wet use (recommended) and/or dry use.


APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS

						
FOAM D-VEL	C	Ø 77	2000	10000 87803	stock	10 (1x10)
FOAM D-VEL	C	Ø 77	3000	10000 87804	stock	10 (1x10)
FOAM D-VEL	C	Ø 77	4000	10000 87805	stock	10 (1x10)
FOAM D-VEL	C	Ø 150	2000	10000 87800	stock	20 (2x10)
FOAM D-VEL	C	Ø 150	3000	10000 87801	stock	20 (2x10)
FOAM D-VEL	C	Ø 150	4000	10000 87802	stock	20 (2x10)

FOAM D-VEL

Hook & loop discs for matting operations



T-X

Abrasive discs with an innovative structure specific for the matting process. Triangular-based pyramid structure made up of very fine abrasive grains.

Extremely uniform finish with very low roughness. Extremely high lifetime.

Application fields:

- preparation for clearcoating;
- preparation of shaped surfaces;
- removal of small imperfections;
- metal application - effective in polishing stainless steel.

Suitable for dry use, wet application is recommended to avoid overheating.

APPLICATIONS

- VARNISHES AND CLEARCOATS BEFORE POLISHING
- MAT FINISHING
- GRINDING OF SMALL IMPERFECTIONS
- GRINDING OF PAINT DROPS
- GRINDING OF ORANGE PEEL EFFECT
- POLISHING OF METALS AND STAINLESS STEELS

						
FOAM D-VEL	T-X	Ø 77	1500	10000 87820	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 77	2000	10000 87821	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 77	3000	10000 87822	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 77	5000	10000 87823	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 150	1500	10000 87824	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 150	2000	10000 87825	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 150	3000	10000 87826	stock	20 (1x20)
FOAM D-VEL	T-X	Ø 150	5000	10000 87827	stock	20 (1x20)

SAITAC D-VEL

Hook & loop abrasive paper discs



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For operations with random orbital sanders and rotary sanding machines.

APPLICATIONS

- WOOD
- FILLERS
- STEELS
- METALS



WITHOUT HOLES

SAITAC D-VEL	A-E	Ø 115	40	10000 90735	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	60	10000 90739	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	80	10000 90138	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	100	10000 90142	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	120	10000 90146	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	150	10000 90150	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	180	10000 90151	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	220	10000 90169	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	240	10000 90170	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	320	10000 90173	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 115	400	10000 90891	stock		200 (4x50)

WITHOUT HOLES

SAITAC D-VEL	A-E	Ø 125	80	10000 90740	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 125	120	10000 90323	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 125	150	10000 90374	W4		200 (4x50)

8 HOLES

SAITAC D-VEL	A-E	Ø 127 F 8	40	10000 90545	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 127 F 8	60	10000 90547	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 127 F 8	80	10000 90557	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 127 F 8	100	10000 90637	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 127 F 8	120	10000 90638	stock		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For operations with random orbital sanders and rotary sanding machines.

APPLICATIONS

- WOOD
- FILLERS
- STEELS
- METALS



WITHOUT HOLES

SAITAC D-VEL	A-E	Ø 150	40	10000 90460	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150	60	10000 90361	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150	80	10000 90362	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150	100	10000 90363	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150	120	10000 90364	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150	150	10000 90369	stock		200 (4x50)

7 HOLES

SAITAC D-VEL	A-E	Ø 150 F 7	40	10000 90705	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	60	10000 90706	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	80	10000 90707	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	100	10000 90708	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	120	10000 90709	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	150	10000 90710	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	180	10000 90975	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	220	10000 90639	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	240	10000 90640	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	320	10000 90655	W4		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 7	400	10000 90657	W4		200 (4x50)

8+1 HOLES

SAITAC D-VEL	A-E	Ø 150 F 8+1	40	10000 90451	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 8+1	60	10000 90427	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 8+1	80	10000 90428	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 8+1	100	10000 90429	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 8+1	120	10000 90430	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 150 F 8+1	150	10000 90452	stock		200 (4x50)

15 HOLES


SAITAC D-VEL	A-E	Ø 150 F 15	40	10000 91582	stock		100 (2x50)
SAITAC D-VEL	A-E	Ø 150 F 15	60	10000 91583	stock		100 (2x50)
SAITAC D-VEL	A-E	Ø 150 F 15	80	10000 91584	stock		100 (2x50)
SAITAC D-VEL	A-E	Ø 150 F 15	100	10000 91585	stock		100 (2x50)
SAITAC D-VEL	A-E	Ø 150 F 15	120	10000 91586	stock		100 (2x50)
SAITAC D-VEL	A-E	Ø 150 F 15	150	10000 91587	W4		100 (2x50)

8+1 HOLES

SAITAC D-VEL	A-E	Ø 203 F 8+1	40	10000 90462	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 203 F 8+1	60	10000 90411	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 203 F 8+1	80	10000 90412	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 203 F 8+1	100	10000 90413	stock		200 (4x50)
SAITAC D-VEL	A-E	Ø 203 F 8+1	120	10000 90414	stock		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS



WITHOUT HOLES


SAITAC D-VEL	A-E	Ø 225	40	10000 90463	W4		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	60	10000 90441	W4		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	80	10000 90442	stock		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	100	10000 90443	stock		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	120	10000 90444	stock		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	150	10000 90445	stock		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	180	10000 90447	stock		200 (8x25)
SAITAC D-VEL	A-E	Ø 225	220	10000 90446	W4		200 (8x25)

16 HOLES

SAITAC D-VEL	A-E	Ø 225 F 16	40	10000 90683	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	60	10000 90646	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	80	10000 90684	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	100	10000 90685	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	120	10000 90647	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	150	10000 90648	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	180	10000 90679	stock		100 (4x25)
SAITAC D-VEL	A-E	Ø 225 F 16	220	10000 90649	stock		100 (4x25)

SAITAC T-VEL

Hook & loop abrasive paper triangles



A-E

Full resin bonded aluminium oxide paper, antistatic, E weight backing, open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS




12 HOLES

SAITAC T-VEL	A-E	290 x 290 F 12	80	10000 87706	W4		100 (4x25)
SAITAC T-VEL	A-E	290 x 290 F 12	100	10000 87707	W4		100 (4x25)
SAITAC T-VEL	A-E	290 x 290 F 12	120	10000 87708	W4		100 (4x25)
SAITAC T-VEL	A-E	290 x 290 F 12	150	10000 87709	W4		100 (4x25)
SAITAC T-VEL	A-E	290 x 290 F 12	180	10000 87710	W4		100 (4x25)
SAITAC T-VEL	A-E	290 x 290 F 12	220	10000 87711	W4		100 (4x25)

SAITAC D-VEL

Hook & loop abrasive paper discs



A-D

Full resin bonded aluminium oxide paper, D weight backing, extra open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

WITH HOOK & LOOP VELOUR



19 HOLES

SAITAC D-VEL	A-D	Ø 225 F 19	80	10000 90481	W4		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F 19	100	10000 90715	W4		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F 19	120	10000 90717	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F 19	150	10000 90484	W4		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F 19	180	10000 90487	W4		100 (4x25)



MULTIHOLE

SAITAC D-VEL	A-D	Ø 225 F M	40	10000 90299	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	60	10000 90172	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	80	10000 90300	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	100	10000 90180	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	120	10000 90303	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	150	10000 90310	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	180	10000 90262	stock		100 (4x25)
SAITAC D-VEL	A-D	Ø 225 F M	220	10000 90326	stock		100 (4x25)



WITH HOOK & LOOP TNT




MULTIHOLE

SAITAC D-VEL	A-D	Ø 225 T N	40	10000 90280	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	60	10000 90282	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	80	10000 90284	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	100	10000 90294	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	120	10000 90349	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	150	10000 90350	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	180	10000 90371	stock		50 (5x10)
SAITAC D-VEL	A-D	Ø 225 T N	220	10000 90382	stock		50 (5x10)

SAITAC D-VEL

Hook & loop abrasive paper discs



AY-D

Full resin bonded aluminium oxide paper, D weight backing - with latex - extra open coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

WITH HOOK & LOOP TNT



MULTI HOLE

SAITAC D-VEL	AY-D	Ø 225 T N	40	10000 91444	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	60	10000 91445	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	80	10000 90594	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	100	10000 90949	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	120	10000 90628	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	150	10000 90747	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	180	10000 90629	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	220	10000 91039	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	240	10000 91581	stock		50 (5x10)
SAITAC D-VEL	AY-D	Ø 225 T N	320	10000 91702	stock		50 (5x10)



C-F

Full resin bonded silicon carbide paper, F weight backing, closed coating. For dry sanding of walls with "Giraffe" wall and ceiling sanders, for smoothing of irregularities and preparation for further painting.

APPLICATIONS

- MASONRY WALLS
- PLASTERBOARD
- ALL SURFACES THAT REQUIRE SANDING AND SMOOTHING OPERATIONS

WITH HOOK & LOOP VELOUR



WITHOUT HOLES

SAITAC D-VEL	C-F	Ø 225	24	10000 90488	W4		100 (4x25)
--------------	-----	-------	----	-------------	----	--	------------

FREE DUST D-VEL

Hook and loop abrasive net discs



AA

Nylon net covered with aluminium oxide abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net. For sanding of walls with "Giraffe" wall and ceiling sanders.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

FREE DUST D-VEL	AA	Ø 225	60 NEW	1000503622	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	80	10000 71516	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	100	10000 71517	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	120	10000 71518	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	150	10000 71519	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	180	10000 71520	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	220	10000 71524	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	240	10000 71521	stock	100 (4x25)
FREE DUST D-VEL	AA	Ø 225	320	10000 71522	stock	100 (4x25)



S **NEW**

Nylon net covered with ceramic abrasive. Extremely low clogging. Excellent dust extraction. High stock removal. Extremely stable disc in all weather conditions. Flexible and very tear-resistant abrasive net. For sanding of walls with "Giraffe" wall and ceiling sanders.

APPLICATIONS

- FILLERS
- PRIMING
- PAINTS
- WOOD
- PLASTERBOARD
- COMPOSITE MATERIALS
- GEL-COAT

FREE DUST D-VEL	S	Ø 225	80	1000503687	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	100	1000503688	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	120	1000503689	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	150	1000503690	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	180	1000503691	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	240	1000503692	stock	100 (4x25)
FREE DUST D-VEL	S	Ø 225	320	1000503693	stock	100 (4x25)

SAITAC D-VEL

Hook & loop abrasive paper discs



C-E / C-F

Full resin bonded silicon carbide paper, E/F weight backing, closed coating. For dry operations with rotary sanding machines.

APPLICATIONS

- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- GLASS
- WOODEN FLOOR



WITHOUT HOLES

SAITAC D-VEL	C-F	Ø 115	24	10000 90651	stock		200 (8x25)
SAITAC D-VEL	C-F	Ø 115	36	10000 90851	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	40	10000 90155	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	60	10000 90115	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	80	10000 90116	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	100	10000 90117	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	120	10000 90118	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 115	150	10000 90201	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	180	10000 90119	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	220	10000 90120	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	320	10000 90121	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	400	10000 90132	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	500	10000 90148	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	600	10000 90149	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	800	10000 90197	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 115	1200	10000 90204	stock		400 (8x50)

WITHOUT HOLES

SAITAC D-VEL	C-F	Ø 125	24	10000 90837	stock		200 (8x25)
SAITAC D-VEL	C-F	Ø 125	36	10000 90838	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	40	10000 90156	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	60	10000 90122	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	80	10000 90123	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	100	10000 90124	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	120	10000 90125	stock		400 (8x50)
SAITAC D-VEL	C-F	Ø 125	150	10000 90235	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	180	10000 90126	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	220	10000 90127	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	320	10000 90128	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	400	10000 90133	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	500	10000 90153	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	600	10000 90154	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	800	10000 90198	stock		400 (8x50)
SAITAC D-VEL	C-E	Ø 125	1200	10000 90320	stock		400 (8x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



C-E / C-F

Full resin bonded silicon carbide paper, E/F weight backing, closed coating. For dry operations with rotary sanding machines.

APPLICATIONS

- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS
- GLASS
- WOODEN FLOOR



WITHOUT HOLES

SAITAC D-VEL	C-F	Ø 150	24	10000 90002	stock		200 (8x25)
SAITAC D-VEL	C-F	Ø 150	36	10000 90536	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	40	10000 90305	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	60	10000 90306	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	80	10000 90307	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	100	10000 90308	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	120	10000 90309	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 150	150	10000 90367	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	180	10000 90319	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	220	10000 90317	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	320	10000 90312	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	400	10000 90313	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	500	10000 90314	W4		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	600	10000 90315	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	800	10000 90316	W4		200 (4x50)
SAITAC D-VEL	C-E	Ø 150	1200	10000 90318	stock		200 (4x50)



WITHOUT HOLES

SAITAC D-VEL	C-F	Ø 180	24	10000 90537	stock		200 (8x25)
SAITAC D-VEL	C-F	Ø 180	36	10000 90489	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	40	10000 90439	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	60	10000 90088	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	80	10000 90129	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	100	10000 90130	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	120	10000 90089	stock		200 (4x50)
SAITAC D-VEL	C-F	Ø 180	150	10000 90368	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	180	10000 90131	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	220	10000 90090	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	320	10000 90091	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	400	10000 90134	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	500	10000 90135	W4		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	600	10000 90136	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	800	10000 90199	stock		200 (4x50)
SAITAC D-VEL	C-E	Ø 180	1200	10000 90203	stock		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



Z-F

Full resin bonded zirconia paper, antistatic, F weight backing, closed coating. Aggressive and long life.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS
- RAW WOOD
- FIBREGLASS



WITHOUT HOLES

SAITAC D-VEL	Z-F	Ø 115	40	10000 90259	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 115	60	10000 90258	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 115	80	10000 90260	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 115	100	10000 90261	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 115	120	10000 90267	stock		400 (8x50)

WITHOUT HOLES

SAITAC D-VEL	Z-F	Ø 127	40	10000 90494	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 127	60	10000 90495	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 127	80	10000 90496	stock		400 (8x50)
SAITAC D-VEL	Z-F	Ø 127	120	10000 90497	stock		400 (8x50)

WITHOUT HOLES

SAITAC D-VEL	Z-F	Ø 150	40	10000 90159	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150	60	10000 90467	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150	80	10000 90468	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150	100	10000 90375	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150	120	10000 90469	stock		200 (4x50)

7 HOLES

SAITAC D-VEL	Z-F	Ø 150 F 7	40	10000 90700	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 7	60	10000 90701	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 7	80	10000 90702	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 7	100	10000 90703	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 7	120	10000 90704	stock		200 (4x50)

8+1 HOLES

SAITAC D-VEL	Z-F	Ø 150 F 8+1	40	10000 90552	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 8+1	60	10000 90512	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 8+1	80	10000 90514	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 8+1	100	10000 90553	stock		200 (4x50)
SAITAC D-VEL	Z-F	Ø 150 F 8+1	120	10000 90554	stock		200 (4x50)

8 HOLES

SAITAC D-VEL	Z-F	Ø 203 F 8	40	10000 90725	W4		200 (4x50)
SAITAC D-VEL	Z-F	Ø 203 F 8	60	10000 90726	W4		200 (4x50)
SAITAC D-VEL	Z-F	Ø 203 F 8	80	10000 90727	W4		200 (4x50)
SAITAC D-VEL	Z-F	Ø 203 F 8	120	10000 90729	W4		200 (4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



ZF-F

Full resin bonded paper with zirconia mix, antistatic, F weight backing, closed coating. For dry operations with rotary sanding machines. Low heat generation.

APPLICATIONS

- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	ZF-F	Ø 115	180	10000 91426	stock		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 115	220	10000 90896	stock		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 115	240	10000 90438	W4		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 115	320	10000 90465	stock		200	(4x50)



WITHOUT HOLES

SAITAC D-VEL	ZF-F	Ø 125	180	10000 90767	stock		400	(8x50)
SAITAC D-VEL	ZF-F	Ø 125	220	10000 90819	stock		400	(8x50)
SAITAC D-VEL	ZF-F	Ø 125	240	10000 90827	stock		400	(8x50)
SAITAC D-VEL	ZF-F	Ø 125	320	10000 90828	stock		400	(8x50)



WITHOUT HOLES

SAITAC D-VEL	ZF-F	Ø 150	180	10000 90829	stock		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 150	220	10000 90830	stock		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 150	240	10000 90831	stock		200	(4x50)
SAITAC D-VEL	ZF-F	Ø 150	320	10000 90832	stock		200	(4x50)

SAITAC D-VEL

Hook & loop abrasive paper discs



SH-F

Full resin bonded ceramic abrasive paper, antistatic, semi-filled, F weight backing, closed coating. Excellent durability and performance. Low heat generation.

APPLICATIONS

- STEELS
- ALLOY STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITAC D-VEL	SH-F	Ø 115	40	10000 91446	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 115	60	10000 91447	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 115	80	10000 91448	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 115	120	10000 91449	W4		200 (4x50)

WITHOUT HOLES

SAITAC D-VEL	SH-F	Ø 125	40	10000 91450	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 125	60	10000 91451	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 125	80	10000 91452	W4		200 (4x50)
SAITAC D-VEL	SH-F	Ø 125	120	10000 91453	W4		200 (4x50)

WITHOUT HOLES

SAITAC D-VEL	SH-F	Ø 150	40	10000 91454	stock		200 (4x50)
SAITAC D-VEL	SH-F	Ø 150	60	10000 91455	stock		200 (4x50)
SAITAC D-VEL	SH-F	Ø 150	80	10000 91456	stock		200 (4x50)
SAITAC D-VEL	SH-F	Ø 150	120	10000 91457	stock		200 (4x50)

SAITEX D-VEL

Hook & loop abrasive cloth discs



AZ-X

Full resin bonded polycotton cloth with aluminium oxide/zirconia mix. For dry operations with rotary sanding machines. Excellent performance. Excellent durability.

APPLICATIONS

- STEELS
- ALLOY STEELS
- NON-FERROUS METALS



WITHOUT HOLES

SAITEX D-VEL	AZ-X	Ø 115	40	10000 97625	W4		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 115	60	10000 97627	stock		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 115	80	10000 97628	W4		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 115	120	10000 97629	stock		50 (2x25)

WITHOUT HOLES


SAITEX D-VEL	AZ-X	Ø 125	40	10000 97632	stock		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 125	60	10000 97630	stock		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 125	80	10000 97626	stock		50 (2x25)
SAITEX D-VEL	AZ-X	Ø 125	120	10000 97633	stock		50 (2x25)

WITHOUT HOLES

SAITEX D-VEL	AZ-X	Ø 150	40	10000 97634	W4		100 (4x25)
SAITEX D-VEL	AZ-X	Ø 150	60	10000 97635	W4		100 (4x25)
SAITEX D-VEL	AZ-X	Ø 150	80	10000 97636	W4		100 (4x25)

SAITEX D-VEL

Hook & loop abrasive cloth discs



9S-H

Full resin bonded ceramic abrasive cloth, top filled, polyester backing. For dry operations with rotary sanding machines. Excellent durability. Low heat generation. Excellent performance.

APPLICATIONS

- STEELS
- STAINLESS STEELS



WITHOUT HOLES

SAITEX D-VEL	9S-H	Ø 115	40	10000 97639	W4		50 (2x25)
SAITEX D-VEL	9S-H	Ø 115	60	10000 97640	W4		50 (2x25)
SAITEX D-VEL	9S-H	Ø 115	80	10000 97641	stock		50 (2x25)
SAITEX D-VEL	9S-H	Ø 115	120	10000 97618	stock		50 (2x25)

WITHOUT HOLES

SAITEX D-VEL	9S-H	Ø 125	40	10000 97619	W4		50 (2x25)
SAITEX D-VEL	9S-H	Ø 125	60	10000 97622	W4		50 (2x25)
SAITEX D-VEL	9S-H	Ø 125	80	10000 97623	stock		50 (2x25)
SAITEX D-VEL	9S-H	Ø 125	120	10000 97624	stock		50 (2x25)

5Z-H

Full resin bonded zirconia cloth, polyester backing, for operations in very heavy duty applications. High durability. Low clogging. Water resistant.

APPLICATIONS

- WOODEN FLOOR
- WOOD



WITH CENTRAL HOLE

SAITEX D-VEL	5Z-H	Ø 140 x 30	40	10000 97647	W4		50 (2x25)
SAITEX D-VEL	5Z-H	Ø 140 x 30	60	10000 97648	W4		50 (2x25)
SAITEX D-VEL	5Z-H	Ø 140 x 30	80	10000 97649	W4		50 (2x25)
SAITEX D-VEL	5Z-H	Ø 140 x 30	120	10000 97645	W4		50 (2x25)



Accessories for hook & loop discs



SAITVEL-TP *Aeromax* System Sanding Concepts


Hand tool for sanding flat as well as contoured surfaces, using 150 mm diameter discs. The microperforation system makes it suitable for discs with any number of holes.

- IT BENEFITS FROM:
- ① A COMFORTABLE ERGONOMIC GRIP
 - ② A FLAT ADAPTER 150 X 75 F MICRO
 - ③ A CONVEX ADAPTER 150 X 75 F MICRO
 - ④ A CONCAVE ADAPTER 150 X 75 F MICRO
 - ⑤ AN ADJUSTABLE EXTRACTION VALVE

			HOLES			
SAITVEL-TP	150 x 75	F M MICRO HOLES	10000 99552	stock		1


SAITVEL-TP

Handblock with self-gripping for discs ø 150 mm.



SAITVEL-TP	10000 99550	stock	2 (2x1)

Accessories for hook & loop discs



PAD-VEL

Backing pad to be used on RANDOM ORBITAL SANDERS.

		HOLES	THREAD				
PAD-VEL	Ø 77	- / F 6	5/16"	10000 99659	stock	12.000	1
PAD-VEL	Ø 127	-	5/16"	10000 99611	stock	8.200	1
PAD-VEL	Ø 127	F 8	5/16"	10000 99612	stock	8.200	1
PAD-VEL	Ø 150	-	5/16"	10000 99607	stock	11.000	1
PAD-VEL	Ø 150	F 6	5/16"	10000 99609	stock	11.000	1
PAD-VEL	Ø 150	F 7	5/16" - M8	10000 99623	stock	11.000	1
PAD-VEL SOFT	Ø 150	F 7	5/16" - M8	10000 99624	W4	11.000	1
PAD-VEL	Ø 150	F 8+1	5/16" - M8	10000 99610	stock	11.000	1
PAD-VEL	Ø 150	F 15	5/16" - M8	10000 99635	stock	11.000	1
PAD-VEL	Ø 150	F 15	F ⁽²⁾	10000 99653	stock	11.000	1
PAD-VEL SOFT	Ø 150	F 15	5/16" - M8	10000 99636	W4	11.000	1
PAD-VEL	Ø 150	F 15 / F M MULTIHOLE ⁽¹⁾	M8	11000 70756	stock	11.000	1
PAD-VEL	Ø 150	F M MULTIHOLE ⁽³⁾	M8	10000 99652	stock	11.000	1
KIT ADATTATORE SKORPIO E				10000 99615	stock		1

⁽¹⁾ FLEX

⁽²⁾ FESTO ROTEX

⁽³⁾ Supplied with Sait machines



		SUCTION HOLES	FITTING HOLES				
PAD-VEL	Ø 203 NEW	F 25	13	1000501623	stock	10.000	1




PAD-VEL **Aeromax**

Microperforated backing pad for use on RANDOM ORBITAL SANDERS with Aeromax discs.

		HOLES	THREAD				
PAD-VEL	Ø 150	F M MICRO HOLES	5/16" - M8	10000 99638	stock	11.000	1
PAD-VEL SOFT	Ø 150	F M MICRO HOLES	5/16" - M8	10000 99642	stock	11.000	1

Accessories for hook & loop discs



BACKING PAD PROTECTION

The backing pad protection allows to reduce the wear of the backing pad without altering its hardness. To be used without a soft adapter.

	HOLES				
Ø 77	-	10000 99660	stock	12.000	5
Ø 127	F 8	10000 99629	stock	8.200	5
Ø 150	F 15	10000 99654	stock	11.000	5



ADAPTER VEL

Soft adapter for hook & loop discs for random orbital sanders.

		HOLES				
ADATTATORE VEL SOFT	Ø 150	-	10000 99600	stock	11.000	3
ADATTATORE VEL SOFT	Ø 150	F 7	10000 99625	stock	11.000	3
ADATTATORE VEL SOFT	Ø 150	F 8+1	10000 99602	stock	11.000	3
ADATTATORE VEL SOFT	Ø 150	F 15	10000 99634	stock	11.000	3
ADATTATORE VEL SUPER SOFT	Ø 150	F 7	10000 99626	stock	11.000	3
ADATTATORE VEL SUPER SOFT	Ø 150	F 8+1	10000 99622	stock	11.000	3
ADATTATORE VEL SUPER SOFT	Ø 150	F 15	10000 99633	stock	11.000	3
ADATTATORE FINEFLEX D-VEL	Ø 77	-	10000 99639	stock	12.000	2
ADATTATORE FINEFLEX D-VEL	Ø 150	F 15	10000 99666	stock	11.000	3



PSA-VEL ADAPTER

Disc with one self-adhesive side and one side with self-gripping hook & loop system. It allows backing pads with smooth surface to be used for self-adhesive discs with all self-grip products in the SAITAC VEL series.

		HOLES			
PSA-VEL	Ø 150	-	10000 99603	stock	5
PSA-VEL	Ø 150	F 6	10000 99616	stock	5
PSA-VEL	Ø 150	F 8+1	10000 99617	stock	5



PAD-VEL

Backing pad to be used on ROTARY SANDING MACHINES.

PAD-VEL STANDARD

Pad with synthetic rubber cushion of medium hardness. Suitable for all major operations.

PAD-VEL SOFT

Pad with cushion in soft synthetic rubber. Suitable for working on shaped surfaces and for finishing operations with micro grits.

PAD-VEL HARD

Pad with high density synthetic rubber cushion. Improves the aggressivity of the abrasive disc, suitable for working on flat surfaces.

PAD-VEL EXTRA GRIP

Pad with cushion in natural rubber of reduced thickness and anchoring system with high resistance for heavy duty applications. Also suitable for use with Surface Conditioning Material discs.

PAD-VEL EXTRA HARD

Polymer backing pad without rubber cushion, allowing for heightened aggressiveness of the abrasive disc. Suitable for working on flat surfaces.

		THREAD					
PAD-VEL	Ø 115	M14	10000 99606	stock		10.000	1
PAD-VEL SOFT	Ø 115	M14	10000 99643	stock		10.000	1
PAD-VEL HARD	Ø 115	M14	10000 99619	stock		10.000	1
PAD-VEL EXTRA GRIP	Ø 115	M14	10000 99628	stock		10.000	1
PAD-VEL EXTRA HARD	Ø 115	M14	10000 99647	stock		10.000	1
PAD-VEL	Ø 125	M14	10000 99605	stock		8.800	1
PAD-VEL SOFT	Ø 125	M14	10000 99644	stock		8.800	1
PAD-VEL HARD	Ø 125	M14	10000 99620	stock		8.800	1
PAD-VEL EXTRA GRIP	Ø 125	M14	10000 99608	stock		8.800	1
PAD-VEL	Ø 150	M14	10000 99613	stock		6.400	1
PAD-VEL SOFT	Ø 150	M14	10000 99645	stock		6.400	1
PAD-VEL HARD	Ø 150	M14	10000 99627	stock		6.400	1
PAD-VEL EXTRA GRIP	Ø 150	M14	10000 99631	stock		6.400	1
PAD-VEL	Ø 180	M14	10000 99604	stock		5.000	1
PAD-VEL SOFT	Ø 180	M14	10000 99646	stock		5.000	1
PAD-VEL HARD	Ø 180	M14	10000 99618	stock		5.000	1
PAD-VEL EXTRA GRIP	Ø 180	M14	10000 99632	stock		5.000	1

SAITEX-DF

Abrasive cloth double face discs




C-X

Full resin bonded silicon carbide cloth. Excellent durability.

APPLICATIONS

■ WOODEN FLOOR



SAITEX-DF	C-X	425 x 35 8T	16	10000 89401	stock	25 (5x5)
SAITEX-DF	C-X	425 x 35 8T	24	10000 89402	stock	25 (5x5)

SAITAC-DF

Abrasive paper double face discs




C-F

Full resin bonded silicon carbide paper, F weight backing. For operations with rotary sanding machines. Good durability.

APPLICATIONS

■ WOODEN FLOOR



SAITAC-DF	C-F	400 x 25 8T	36	10000 89305	W4	50 (5x10)
SAITAC-DF	C-F	400 x 25 8T	60	10000 89306	W4	50 (5x10)
SAITAC-DF	C-F	400 x 25 8T	80	10000 89307	W4	50 (5x10)
SAITAC-DF	C-F	400 x 25 8T	120	10000 89308	W4	50 (5x10)
SAITAC-DF	C-F	425 x 35 8T	36	10000 89300	stock	50 (5x10)
SAITAC-DF	C-F	425 x 35 8T	60	10000 89301	stock	50 (5x10)
SAITAC-DF	C-F	425 x 35 8T	80	10000 89302	stock	50 (5x10)
SAITAC-DF	C-F	425 x 35 8T	100	10000 89303	stock	50 (5x10)
SAITAC-DF	C-F	425 x 35 8T	120	10000 89304	stock	50 (5x10)

SAITAC D-VEL

Hook & loop abrasive paper discs



C-F

Full resin bonded silicon carbide paper, F weight backing. For dry operations with rotary sanding machines.

APPLICATIONS

- WOODEN FLOOR
- MARBLE
- STONES
- FIBREGLASS
- PLASTIC MATERIALS

WITHOUT HOLES

						
SAITAC D-VEL	C-F	Ø 425	36	10000 90506	stock	40 (4x10)
SAITAC D-VEL	C-F	Ø 425	60	10000 90507	stock	40 (4x10)
SAITAC D-VEL	C-F	Ø 425	80	10000 90508	stock	40 (4x10)
SAITAC D-VEL	C-F	Ø 425	100	10000 90509	stock	40 (4x10)
SAITAC D-VEL	C-F	Ø 425	120	10000 90510	stock	40 (4x10)

SAIT SCREEN-D

Abrasive net discs



C

Nylon net-discs covered with silicon carbide abrasive. Low clogging. Excellent finish.

APPLICATIONS

- WOODEN FLOOR

						
SAIT SCREEN-D	C	Ø 407	60	10000 60504	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	80	10000 60507	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	100	10000 60510	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	120	10000 60511	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	150	10000 60513	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	180	10000 60514	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	220	10000 60515	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	320	10000 60516	stock	20 (2x10)
SAIT SCREEN-D	C	Ø 407	400	10000 60512	stock	20 (2x10)


NON-WOVEN PRODUCTS





Non-woven products

Contents



SAITPOL S-TNT
Sheets.

236



SAITPOL R-TNT
Rolls.

237



SAITPOL D-VEL
Hook & loop discs.

237



SAITPOL D-TNT
Discs.

238



SAITPOL-G / SAITPOL-F
Wheels.

240



SAITPOL-GT / SAITPOL-FT / SAITLAM-XP
Mixed wheels and flap discs.
Flap discs in surface conditioning.

242



SAITLAM-XP LUX
Felt flap discs.
SAITLAM INOX
Abrasive polishing compounds.

244



SAITPOL-UT / SAITPOL-DU / SAIT LOCK-UT
UNITIZED discs.

245



SAITPOL-FV / SAITPOL D-STRIP
STRIP discs.

247



SURFACE CONDITIONING (SCM)
Quick-change discs, discs and belts.

248




SAIT-FOAM / SAIT-BLOCK
Abrasive sponges.

251



Non-woven products

How to read the product



Product lines

SAITPOL	Non-woven products	SCM	Surface Conditioning
SAITLAM	Flap disc	SAIT-FOAM	Soft synthetic abrasive sponge
SAIT LOCK	Quick-change disc	SAIT-BLOCK	Hard synthetic abrasive sponge

Shapes

S	Sheet	F	Wheel
R	Roll	FT	Wheel with mixed structure
D	Disc	UT / DU	Unitized disc
G	Shaft mounted wheel	FV	Strip disc
GT	Shaft mounted wheel with mixed structure	N	Belt

Abrasives

A	Aluminium oxide
C	Silicon carbide

Adhesives

Synthetic resins

Backings

TNT	Three-dimensional non woven abrasive material
UNITIZED	Three-dimensional abrasive material in compressed layers
STRIP	Rigid three-dimensional abrasive
SCM	Surface Conditioning Material with nylon backing
VEL	Hook & loop velour applied on the back



SAITPOL S-TNT

Three-dimensional non-woven abrasive sheets. Suitable for hand and orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints. Accurate finish.

FLEXLIGHT: Thin and flexible non-woven material, ideal for cleaning or preparation of curved or edges surfaces, complex shapes and contours.

LONG LIFE: Special non-woven material, thick and extremely long-lasting.

PLUS: Special long-lasting non-woven material.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

			ABRASIVE						
SAITPOL S-TNT	115 x 230	VF RF	A		(Very Fine)	FLEXLIGHT	10000 99719	stock	20 (2x10)
SAITPOL S-TNT	115 x 230	UF GF	C		(Ultra Fine)	FLEXLIGHT	10000 99717	stock	20 (2x10)
SAITPOL S-TNT	120 x 280	CA	A		(Coarse)		10000 99721	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	CC	C		(Coarse)		10000 99724	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	GP	A		(General Purpose)		10000 99703	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	MA	A		(Medium)		10000 99725	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	VF	C		(Very Fine)		10000 99700	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	VF L	C		(Very Fine)	LONG LIFE	10000 99702	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	UF	C		(Ultra Fine)		10000 99701	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	UF S	C		(Ultra Fine)		10000 99710	stock	40 (4x10)
SAITPOL S-TNT	120 x 280	VF P	A		(Very Fine)	PLUS	10000 99715	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	GP	A		(General Purpose)		10000 99709	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	MA	A		(Medium)		10000 99726	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	VF	C		(Very Fine)		10000 99707	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	VF L	C		(Very Fine)	LONG LIFE	10000 99705	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	UF	C		(Ultra Fine)		10000 99706	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	UF S	C		(Ultra Fine)		10000 99711	stock	40 (4x10)
SAITPOL S-TNT	152 x 229	VF P	A		(Very Fine)	PLUS	10000 99716	stock	40 (4x10)

APPLICATIONS

- SPECIAL PRODUCT FOR SUPER FADING AND MATTING OPERATIONS IN CAR BODY SHOPS

			ABRASIVE						
SAITPOL S-TNT	120 x 280	SA	A		(Micro Fine)		10000 99727	stock	40 (4x10)



SAITPOL R-TNT

Three-dimensional non-woven abrasive rolls. Suitable for hand and orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints. Accurate finish.

LONG LIFE: Special non-woven material, thick and extremely long-lasting.

PLUS: Special long-lasting non-woven material.

FLEX: Special non-woven material with increased flexibility for curved surfaces.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

			ABRASIVE					
SAITPOL R-TNT	115 x 10 m	MA	A	(Medium)		10000 99868	stock	1
SAITPOL R-TNT	115 x 10 m	VF	C	(Very Fine)		10000 99713	stock	1
SAITPOL R-TNT	115 x 10 m	VF L	C	(Very Fine)	LONG LIFE	10000 99875	stock	1
SAITPOL R-TNT	115 x 10 m	UF S	C	(Ultra Fine)		10000 99712	stock	1
SAITPOL R-TNT	115 x 10 m	VF P	A	(Very Fine)	PLUS	10000 99865	stock	1

APPLICATIONS

- SPECIAL PRODUCT FOR CAR BODY SHOPS

			ABRASIVE					
SAITPOL R-TNT	115 x 10 m	VF R	A	(Very Fine)	FLEX	10000 99863	stock	1
SAITPOL R-TNT	115 x 10 m	UF G	C	(Ultra Fine)	FLEX	10000 99864	stock	1

SAITPOL D-VEL

Hook & loop non-woven abrasive discs



SAITPOL D-VEL

Three-dimensional non-woven abrasive discs. Suitable for orbital sanding operations, from roughing to finishing of surfaces in wood, metal, plastic materials and paints.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- METALS FLATTING
- WOOD
- PAINTS
- PLASTIC MATERIALS

			ABRASIVE					
SAITPOL D-VEL	Ø 150	MA	A	(Medium)		10000 71453	stock	20 (2x10)
SAITPOL D-VEL	Ø 150	VF	A	(Very Fine)		10000 71451	stock	20 (2x10)
SAITPOL D-VEL	Ø 150	UF	C	(Ultra Fine)		10000 71452	stock	20 (2x10)



SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs for glazing operations and metals flatting. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

								
SAITPOL D-TNT	150 x 10 x 10	MA	(Medium)	10000 71000	stock		3.100	50 (2x25)
SAITPOL D-TNT	150 x 10 x 10	FA	(Fine)	10000 71001	stock		3.100	50 (2x25)
SAITPOL D-TNT	150 x 10 x 10	VFA	(Very Fine)	10000 71002	stock		3.100	50 (2x25)
SAITPOL D-TNT	200 x 10 x 20	MA	(Medium)	10000 71003	stock		2.300	50 (2x25)
SAITPOL D-TNT	200 x 10 x 20	FA	(Fine)	10000 71004	stock		2.300	50 (2x25)
SAITPOL D-TNT	200 x 10 x 20	VFA	(Very Fine)	10000 71005	stock		2.300	50 (2x25)
SAITPOL D-TNT	250 x 10 x 20	MA	(Medium)	10000 71011	stock		1.800	50 (2x25)
SAITPOL D-TNT	250 x 10 x 20	FA	(Fine)	10000 71010	stock		1.800	50 (2x25)
SAITPOL D-TNT	250 x 10 x 20	VFA	(Very Fine)	10000 71009	stock		1.800	50 (2x25)



SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs. Accurate finish.

APPLICATIONS

- WOODEN FLOOR

							
SAITPOL D-TNT	Ø 407	MA	(Medium)	10000 71008	stock		15
SAITPOL D-TNT	Ø 407	FA	(Fine)	10000 71012	stock		15
SAITPOL D-TNT	Ø 407	VFA	(Very Fine)	10000 71013	stock		15



SAITPOL D-TNT ALUMINIUM OXIDE

Non-woven abrasive discs.

APPLICATIONS

white



BN

BN

- POLISHING
- SANDING WITH SAIT SCREEN-D DISCS
- DRY USE

red



RS

RS

- REGULAR MAINTENANCE FOR REMOVAL OF SCRATCHES AND IMPERFECTIONS
- DRY USE OR WITH SPECIAL SPRAYS CONTAINING A MINIMUM AMOUNT OF DETERGENT

green



VR

VR

- REMOVAL OF WAX LAYERS
- WET USE WITH MINIMUM AMOUNT OF WATER AND DEWAXER

black



NR

NR

- DEEP CLEANING FOR COMPLETE REMOVAL OF ALL WAX LAYERS
- WET USE WITH DETERGENT AND WATER



REMARK

Discs thickness = approx. 20 mm.

All discs have a precut central-hole, which allows them to be used with hook & loop pads or with threaded ring nut.

					
SAITPOL D-TNT	Ø 407	BN	10000 71016	stock	5
SAITPOL D-TNT	Ø 407	RS	10000 71018	stock	5
SAITPOL D-TNT	Ø 407	VR	10000 71017	stock	5
SAITPOL D-TNT	Ø 407	NR	10000 71019	stock	5
SAITPOL D-TNT	Ø 430	BN	10000 71006	stock	5
SAITPOL D-TNT	Ø 430	RS	10000 71014	stock	5
SAITPOL D-TNT	Ø 430	VR	10000 71007	stock	5
SAITPOL D-TNT	Ø 430	NR	10000 71015	stock	5



SAITPOL-G ALUMINIUM OXIDE

Non-woven abrasive shaft mounted wheels for glazing operations and metals flatting. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

								
SAITPOL-G	40 x 20 x 6	MA	(Medium)	10000 71200	stock		14.000	20 (2x10)
SAITPOL-G	40 x 20 x 6	FA	(Fine)	10000 71201	stock		14.000	20 (2x10)
SAITPOL-G	60 x 30 x 6	MA	(Medium)	10000 71202	stock		9.500	20 (2x10)
SAITPOL-G	60 x 30 x 6	FA	(Fine)	10000 71203	stock		9.500	20 (2x10)
SAITPOL-G	60 x 30 x 6	VFA	(Very Fine)	10000 71204	stock		9.500	20 (2x10)
SAITPOL-G	80 x 40 x 6	MA	(Medium)	10000 71205	stock		7.000	20 (2x10)
SAITPOL-G	80 x 40 x 6	FA	(Fine)	10000 71206	stock		7.000	20 (2x10)



SAITPOL-G CP ALUMINIUM OXIDE

Non-woven abrasive shaft mounted wheels (CP type), for glazing operations and metals flatting. **Particularly recommended for stainless steels.** Accurate finish.

APPLICATIONS

- STAINLESS STEELS
- STEELS
- NON-FERROUS METALS

									
SAITPOL-G	30 x 20 x 6	CP	M	(Medium)	10000 71211	stock		19.000	20 (2x10)
SAITPOL-G	30 x 30 x 6	CP	M	(Medium)	10000 71212	stock		19.000	20 (2x10)
SAITPOL-G	50 x 25 x 6	CP	M	(Medium)	10000 71213	stock		11.000	10 (2x5)
SAITPOL-G	60 x 30 x 6	CP	M	(Medium)	10000 71214	stock		9.500	10 (2x5)
SAITPOL-G	80 x 30 x 6	CP	M	(Medium)	10000 71215	stock		7.000	10 (2x5)
SAITPOL-G	80 x 50 x 6	CP	M	(Medium)	10000 71216	stock		7.000	10 (2x5)



SAITPOL-F ALUMINIUM OXIDE

Non-woven abrasive wheels for glazing operations and metals flatting. Accurate finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

								
SAITPOL-F	110 x 50 x 19,1 C⁽¹⁾	MA	(Medium)	10000 71116	W4		5.730	10
SAITPOL-F	110 x 50 x 19,1 C ⁽¹⁾	FA	(Fine)	10000 71117	stock		5.730	10
SAITPOL-F	110 x 50 x 19,1 C ⁽¹⁾	VFA	(Very Fine)	10000 71118	W4		5.730	10
SAITPOL-F	110 x 100 x 19,1 C⁽¹⁾	CA	(Coarse)	10000 71112	stock		5.730	6
SAITPOL-F	110 x 100 x 19,1 C ⁽¹⁾	MA	(Medium)	10000 71113	stock		5.730	6
SAITPOL-F	110 x 100 x 19,1 C ⁽¹⁾	FA	(Fine)	10000 71114	stock		5.730	6
SAITPOL-F	110 x 100 x 19,1 C ⁽¹⁾	VFA	(Very Fine)	10000 71115	stock		5.730	6
SAITPOL-F	200 x 50 x 76	CA	(Coarse)	10000 71121	stock		2.850	5
SAITPOL-F	200 x 50 x 76	MA	(Medium)	10000 71107	stock		2.850	5
SAITPOL-F	200 x 50 x 76	FA	(Very Fine)	10000 71108	stock		2.850	5

⁽¹⁾ C = BORE

Flange for ø 200

				10000 98301	stock		2.850	2
--	--	--	--	-------------	-------	--	-------	---



SAITPOL-F CP ALUMINIUM OXIDE

Non-woven abrasive wheels (CP type), for glazing operations and metals flatting.

Particularly recommended for stainless steels. Accurate finish.

APPLICATIONS

- STAINLESS STEELS
- STEELS
- NON-FERROUS METALS

									
SAITPOL-F	100 x 100 x 19,1 C⁽¹⁾	CP	M	(Medium)	10000 71124	stock		5.730	2

⁽¹⁾ C = BORE



SAITPOL-GT ALUMINIUM OXIDE

Shaft mounted flap wheels with mixed structure in cloth and non-woven abrasive, for glazing operations and metals flattening with stock removal.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITPOL-GT	40 x 20 x 6	A 80/F	10000 71300	stock		14.000	20 (2x10)
SAITPOL-GT	40 x 20 x 6	A 120/F	10000 71301	stock		14.000	20 (2x10)
SAITPOL-GT	60 x 30 x 6	A 60/F	10000 71307	stock		9.500	20 (2x10)
SAITPOL-GT	60 x 30 x 6	A 80/F	10000 71302	stock		9.500	20 (2x10)
SAITPOL-GT	60 x 30 x 6	A 120/F	10000 71303	stock		9.500	20 (2x10)
SAITPOL-GT	60 x 30 x 6	A 180/F	10000 71304	stock		9.500	20 (2x10)
SAITPOL-GT	80 x 40 x 6	A 60/F	10000 71311	stock		7.000	20 (2x10)
SAITPOL-GT	80 x 40 x 6	A 80/F	10000 71305	stock		7.000	20 (2x10)
SAITPOL-GT	80 x 40 x 6	A 120/F	10000 71306	stock		7.000	20 (2x10)



SAITPOL-FT ALUMINIUM OXIDE

Flap wheels with mixed structure in cloth and non-woven abrasive, for glazing operations and metals flattening with stock removal.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- NON-FERROUS METALS

							
SAITPOL-FT	110 x 100 x 19,1 C⁽¹⁾	A 40/C	10000 71405	stock		5.730	6
SAITPOL-FT	110 x 100 x 19,1 C ⁽¹⁾	A 60/M	10000 71406	stock		5.730	6
SAITPOL-FT	110 x 100 x 19,1 C ⁽¹⁾	A 80/M	10000 71407	stock		5.730	6
SAITPOL-FT	110 x 100 x 19,1 C ⁽¹⁾	A 120/F	10000 71408	stock		5.730	6
SAITPOL-FT	110 x 100 x 19,1 C ⁽¹⁾	A 180/F	10000 71409	stock		5.730	6

⁽¹⁾ C = BORE

SAITLAM-XP

Mixed flap discs - conical



FIBRE GLASS BACKING



SAITLAM-XP ALUMINIUM OXIDE

Mixed surface conditioning (SCM) and abrasive cloth flap discs. High stock removal, excellent finish.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

SAITLAM-XP	115 x 22,23	CO (60)	INOX	10000 96950	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	115 x 22,23	ME (80)	INOX	10000 96951	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	115 x 22,23	VF (150)	INOX	10000 96952	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	125 x 22,23	CO (60)	INOX	10000 96953	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	125 x 22,23	ME (80)	INOX	10000 96954	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	125 x 22,23	VF (150)	INOX	10000 96955	stock		11.000	3.500 ÷ 5.000	5

SAITLAM-XP Surface Conditioning

Flap discs in surface conditioning material - conical



FIBRE GLASS BACKING

NEW



SAITLAM-XP ALUMINIUM OXIDE

Flap discs in surface conditioning.

Can be used directly on angle grinders without a backing pad, simplifying the operation and providing greater convenience.

The structure of the material allows a high finish without clogging.

The advantages of surface conditioning combine with the convenience of a flap disc, offering excellent performance on a wide range of materials and industrial applications.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

SAITLAM-XP SCM	115 x 22,23	CA	(Coarse)	10000 96960	stock		11.000	3.500 ÷ 5.000	10 (2x5)
SAITLAM-XP SCM	115 x 22,23	MA	(Medium)	10000 96961	stock		11.000	3.500 ÷ 5.000	10 (2x5)
SAITLAM-XP SCM	115 x 22,23	VFA	(Very Fine)	10000 96962	stock		11.000	3.500 ÷ 5.000	10 (2x5)
SAITLAM-XP SCM	125 x 22,23	CA	(Coarse)	10000 96963	stock		11.000	3.500 ÷ 5.000	10 (2x5)
SAITLAM-XP SCM	125 x 22,23	MA	(Medium)	10000 96964	stock		11.000	3.500 ÷ 5.000	10 (2x5)
SAITLAM-XP SCM	125 x 22,23	VFA	(Very Fine)	10000 96965	stock		11.000	3.500 ÷ 5.000	10 (2x5)

SAITLAM-XP LUX

Felt flap discs



FIBRE GLASS BACKING



SAITLAM-XP

Flap discs made of felt of pure cotton for mirror finishing of stainless steel to be used with polishing compound SAITLAB Inox. Can also be used on aluminium and non-ferrous metals.

APPLICATIONS

- STAINLESS STEELS
- ALUMINIUM
- NON-FERROUS METALS

SAITLAM-XP	115 x 22,23	LU	10000 96956	stock		11.000	3.500 ÷ 5.000	5
SAITLAM-XP	125 x 22,23	LU	10000 96957	stock		11.000	3.500 ÷ 5.000	5

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITLAB INOX

Abrasive polishing compounds



SAITLAB INOX 500 CE

Abrasive compound fine grade for polishing and mirror finishing of stainless steel. To be used with SAITLAM XP-LUX. Bar of 500 g.

SAITLAB INOX 500 BL

Abrasive compound medium grade for polishing and finishing of stainless steel. To be used with SAITLAM-XP LUX. Bar of 500 g.

SAITLAB INOX 500 CE	10000 70523	stock	6
SAITLAB INOX 500 BL	10000 70524	stock	6

SAITPOL-UT

UNITIZED discs

 FIBRE GLASS BACKING



SAITPOL-UT

Unitized discs for use with angle grinders. Suitable for finishing operations, cleaning and removing signs of previous operations.

2S F: silicon carbide, soft density, fine grit, accurate finish and cleaning.

3S F: silicon carbide, medium/soft density, fine grit, accurate finish and cleaning.

6A M: aluminium oxide, medium/hard density, medium grit, long life for deburring of edges, very high performance.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- TITANIUM
- ALUMINIUM
- PLASTIC
- COMPOSITE MATERIALS

								
SAITPOL-UT	115 x 22,23	2S F	10000 71550	stock		10.000	6.000	5
SAITPOL-UT	115 x 22,23	3S F	10000 71551	stock		10.000	6.000	5
SAITPOL-UT	115 x 22,23	6A M	10000 71552	stock		10.000	6.000	5
SAITPOL-UT	125 x 22,23	2S F	10000 71553	W4		8.500	6.000	5
SAITPOL-UT	125 x 22,23	3S F	10000 71554	W4		8.500	6.000	5
SAITPOL-UT	125 x 22,23	6A M	10000 71555	W4		8.500	6.000	5

SAITPOL-DU

UNITIZED discs



SAITPOL-DU

UNITIZED (TNT-compressed) discs for use on adjustable speed sanding machines suitable for working on corner welds. Suitable for finishing operations, cleaning small surface areas and corner welds.

2A M: aluminium oxide, soft density, medium grit. For general cleaning and finish.

2S F: silicon carbide, soft density, fine grit. It requires light working pressure for finish and fine polishing; it provides a clean and bright surface on stainless steel.

6A M: aluminium oxide, medium/hard density, medium grit. It is used with light working pressure for light grinding and finish; long life in edge processing and faster cut. It enables high stock removal while maintaining an accurate finish.

6S F: silicon carbide, medium/hard density, fine grit. It requires light working pressure for finish and polishing operations; it provides a clean and bright surface when working on stainless steel, softens tool marks from previous workings and removes minor surface imperfections.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

								
SAITPOL-DU	152 x 3,2 x 25,4	2A M	10000 41251	stock		5.000	3.200	5
SAITPOL-DU	152 x 3,2 x 25,4	2S F	10000 41250	stock		5.000	3.200	5
SAITPOL-DU	152 x 3,2 x 25,4	6A M	10000 41252	stock		7.500	3.200	5
SAITPOL-DU	152 x 3,2 x 25,4	6S F	10000 41253	stock		7.500	3.200	5
SAITPOL-DU	152 x 6,4 x 25,4	2A M	10000 41254	stock		5.000	3.200	5
SAITPOL-DU	152 x 6,4 x 25,4	2S F	10000 41255	stock		5.000	3.200	5
SAITPOL-DU	152 x 6,4 x 25,4	6A M	10000 41256	stock		7.500	3.200	5
SAITPOL-DU	152 x 6,4 x 25,4	6S F	10000 41257	stock		7.500	3.200	5

IMPORTANT GUIDELINES

The maximum speed marked on each product must ever be exceeded.



SAIT LOCK-UT

Quick-change UNITIZED (TNT-compressed) discs. For glazing, finishing and removal of welding marks on both flat surfaces and hard-to-reach areas. R fitting. High performance. Low heat generation.

Suitable for finishing operations, cleaning small surface areas and corner welds.

2A M: aluminium oxide, soft density, medium grit. For general cleaning and finish.

2S F: silicon carbide, soft density, fine grit. It requires light working pressure for finish and fine polishing; it provides a clean and bright surface on stainless steel.


6A M: aluminium oxide, medium/hard density, medium grit. It is used with light working pressure for light grinding and finish; long life in edge processing and faster cut. It enables high stock removal while maintaining an accurate finish.

6S F: silicon carbide, medium/hard density, fine grit. It requires light working pressure for finish and polishing operations; it provides a clean and bright surface when working on stainless steel, softens tool marks from previous workings and removes minor surface imperfections.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALUMINIUM

					
SAIT LOCK-UT	Ø 50	2A M	10000 49511	stock	50
SAIT LOCK-UT	Ø 50	2S F	10000 49512	stock	50
SAIT LOCK-UT	Ø 50	6A M	10000 49513	stock	50
SAIT LOCK-UT	Ø 50	6S F	10000 49514	stock	50
SAIT LOCK-UT	Ø 75	2A M	10000 49515	stock	50
SAIT LOCK-UT	Ø 75	2S F	10000 49516	stock	50
SAIT LOCK-UT	Ø 75	6A M	10000 49517	stock	50
SAIT LOCK-UT	Ø 75	6S F	10000 49518	stock	50



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

				
PAD SAIT LOCK	Ø 50 x 6	10000 99665	stock	1
PAD SAIT LOCK	Ø 75 x 6	10000 99614	stock	1

SAITPOL

STRIP discs

 FIBRE GLASS BACKING



SAITPOL-FV

Silicon carbide discs with three-dimensional rigid abrasive (strip), on fibre glass backing.

For use with angle grinders.

RG: silicon carbide, standard strip material, black colour.

RR: aluminium oxide/ceramic, strip material with high resistance and aggressivity, red colour.

APPLICATIONS

- REMOVAL OF RUST, SCALE, PAINTS, ADHESIVES
- CLEANING OF WELD SEAM AND SURFACES

								
SAITPOL-FV	115 x 22,23	RG	10000 71050	stock		10.000	6.000 ÷ 8.500	10 (2x5)
SAITPOL-FV	115 x 22,23	RR	10000 71051	stock		10.000	6.000 ÷ 8.500	10 (2x5)
SAITPOL-FV	125 x 22,23	RG	10000 71053	W4		9.000	5.000 ÷ 7.500	10 (2x5)
SAITPOL-FV	125 x 22,23	RR	10000 71052	W4		9.000	5.000 ÷ 7.500	10 (2x5)



SAITPOL D-STRIP SILICON CARBIDE

Silicon carbide discs with three-dimensional rigid abrasive (strip). To be fitted with suitable arbor.

RG: standard strip material, black colour.


APPLICATIONS

- REMOVAL OF RUST, SCALE, PAINTS, ADHESIVES
- CLEANING OF WELD SEAM AND SURFACES

							
SAITPOL D-STRIP	100 x 13 x 10	RG	10000 71020	stock		6.000	10
SAITPOL D-STRIP	150 x 13 x 10	RG	10000 71021	stock		4.000	10

Arbor kit, spindle ø 6 mm

	10000 98300	stock			1
--	-------------	-------	--	--	---



SAFETY REMARKS

The maximum speed marked on each disc must never be exceeded. Maximum speed stated at S = 5 mm spindle overhang.




SAIT LOCK-SCM ALUMINIUM OXIDE

Quick-change surface conditioning discs. For glazing, finishing and removal of welding marks on both flat surfaces and hard-to-reach areas. R fitting. High performance. Low heat generation. Low clogging.

APPLICATIONS

- STAINLESS STEELS
- ALLOY STEELS
- ALLUMINIUM
- STEELS

						
SAIT LOCK-SCM	Ø 38	CA	(Coarse)	10000 61000	stock	100
SAIT LOCK-SCM	Ø 38	MA	(Medium)	10000 61001	stock	100
SAIT LOCK-SCM	Ø 38	VFA	(Very Fine)	10000 61002	W4	100
SAIT LOCK-SCM	Ø 50	CA	(Coarse)	10000 61003	stock	50
SAIT LOCK-SCM	Ø 50	MA	(Medium)	10000 61004	stock	50
SAIT LOCK-SCM	Ø 50	VFA	(Very Fine)	10000 61005	stock	50
SAIT LOCK-SCM	Ø 75	CA	(Coarse)	10000 61006	stock	50
SAIT LOCK-SCM	Ø 75	MA	(Medium)	10000 61007	stock	50
SAIT LOCK-SCM	Ø 75	VFA	(Very Fine)	10000 61008	stock	50



FASTENING SYSTEM: screw connection with male thread (polymer).



R fitting



PAD SAIT LOCK

Polymer backing pad for SAIT LOCK discs.

				
PAD SAIT LOCK	Ø 38 x 6	10000 99664	stock	1
PAD SAIT LOCK	Ø 50 x 6	10000 99665	stock	1
PAD SAIT LOCK	Ø 75 x 6	10000 99614	stock	1

SCM-D Surface Conditioning

Surface conditioning material abrasive discs



SCM-D ALUMINIUM OXIDE

Hook & loop surface conditioning discs. To be used ONLY with the PAD-VEL EXTRA GRIP backings.

CA HD (Coarse - Heavy Duty):

- high cutting capacity and high stock removal
- extremely long life
- strong and stable product
- low clogging and low heat generation
- specific for removal of surface scratches
- specific for welds cleaning

CA (Coarse) / MA (Medium) / VFA (Very fine):

- high cutting capacity and high stock removal
- very long life
- low clogging and low heat generation
- constant and accurate finish
- specific for cleaning and glazing operations of surfaces

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

SCM-D	Ø 115	CA HD	(Coarse HD)	10000 99900	stock		10.000	5.000 ÷ 7.000	20 (2x10)
SCM-D	Ø 115	CA	(Coarse)	10000 99901	stock		10.000	5.000 ÷ 7.000	20 (2x10)
SCM-D	Ø 115	MA	(Medium)	10000 99902	stock		10.000	5.000 ÷ 7.000	20 (2x10)
SCM-D	Ø 115	VFA	(Very Fine)	10000 99903	stock		10.000	5.000 ÷ 7.000	20 (2x10)
SCM-D	Ø 125	CA HD	(Coarse HD)	10000 99904	stock		8.800	4.500 ÷ 6.500	20 (2x10)
SCM-D	Ø 125	CA	(Coarse)	10000 99905	stock		8.800	4.500 ÷ 6.500	20 (2x10)
SCM-D	Ø 125	MA	(Medium)	10000 99906	stock		8.800	4.500 ÷ 6.500	20 (2x10)
SCM-D	Ø 125	VFA	(Very Fine)	10000 99907	stock		8.800	4.500 ÷ 6.500	20 (2x10)

IMPORTANT GUIDELINES

To be used ONLY with the PAD-VEL EXTRA GRIP (Ø 115 cod. 99628, Ø 125 cod. 99608, pag. 229).



SCM-D ALUMINIUM OXIDE



Surface conditioning discs on **fibre backing**.

Ideal for first-step cleaning, sanding, fettling and finishing operations.

The fibre backing makes the discs more durable, fitting perfectly on irregular or contoured surfaces, without affecting or damaging the material. It also makes them suitable to be fitted on angle grinders with SAITPAD-DQ and SAITPAD-DZ HARD backing pads (see page 89).

- high cutting capacity and high stock removal
- extremely long life
- strong and stable product
- low clogging and low heat generation
- specific for removal of surface scratches
- specific for welds cleaning

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

SCM-D	125 x 22	CA F	(Coarse)	10000 99921	W4		8.800	4.500 ÷ 6.500	20 (2x10)
SCM-D	125 x 22	MA F	(Medium)	10000 99922	W4		8.800	4.500 ÷ 6.500	20 (2x10)

SCM-N Surface Conditioning

Surface conditioning material abrasive belts



SCM-N ALUMINIUM OXIDE

Surface conditioning belts "FLEX" type. For glazing and finishing operations of flat surfaces. High performance. Low heat generation. Low clogging.

APPLICATIONS

- STEELS
- STAINLESS STEELS
- ALLOY STEELS
- ALUMINIUM
- NON-FERROUS MATERIALS

						
SCM-N	13 x 457	CA	(Coarse)	10000 60600	stock	10
SCM-N	13 x 457	MA	(Medium)	10000 60604	W4	10
SCM-N	13 x 457	VFA	(Very Fine)	10000 60608	W4	10
SCM-N	13 x 520	CA	(Coarse)	10000 60622	W4	10
SCM-N	13 x 520	MA	(Medium)	10000 60626	W4	10
SCM-N	13 x 520	VFA	(Very Fine)	10000 60630	W4	10
SCM-N	13 x 533	CA	(Coarse)	10000 60623	W4	10
SCM-N	13 x 533	MA	(Medium)	10000 60627	W4	10
SCM-N	13 x 533	VFA	(Very Fine)	10000 60631	W4	10
SCM-N	13 x 610	CA	(Coarse)	10000 60601	W4	10
SCM-N	13 x 610	MA	(Medium)	10000 60605	W4	10
SCM-N	13 x 610	VFA	(Very Fine)	10000 60609	W4	10
SCM-N	20 x 480	CA	(Coarse)	10000 60610	W4	10
SCM-N	20 x 480	MA	(Medium)	10000 60614	W4	10
SCM-N	20 x 480	VFA	(Very Fine)	10000 60618	W4	10
SCM-N	20 x 520	CA	(Coarse)	10000 60602	W4	10
SCM-N	20 x 520	MA	(Medium)	10000 60606	W4	10
SCM-N	20 x 520	VFA	(Very Fine)	10000 60634	W4	10
SCM-N	20 x 815	CA	(Coarse)	10000 60611	W4	10
SCM-N	20 x 815	MA	(Medium)	10000 60615	W4	10
SCM-N	20 x 815	VFA	(Very Fine)	10000 60619	W4	10
SCM-N	30 x 533	CA	(Coarse)	10000 60603	stock	10
SCM-N	30 x 533	MA	(Medium)	10000 60607	stock	10
SCM-N	30 x 533	VFA	(Very Fine)	10000 60635	stock	10
SCM-N	40 x 618	CA	(Coarse)	10000 60624	W4	10
SCM-N	40 x 618	MA	(Medium)	10000 60628	W4	10
SCM-N	40 x 618	VFA	(Very Fine)	10000 60632	W4	10
SCM-N	40 x 815	CA	(Coarse)	10000 60612	W4	10
SCM-N	40 x 815	MA	(Medium)	10000 60616	W4	10
SCM-N	40 x 815	VFA	(Very Fine)	10000 60620	W4	10



SAIT-FOAM 1 SIDE COATED

Abrasive on high-density soft synthetic sponge. Workings and finishing before painting profiles, edges and shaped pieces. Dry and wet use.

APPLICATIONS

- PAINTS
- FILLERS
- WOOD
- PLASTIC MATERIALS

						
SAIT-FOAM	115 x 140 x 5	MA	60	10000 92904	stock	40
SAIT-FOAM	115 x 140 x 5	FA	120	10000 92905	stock	40
SAIT-FOAM	115 x 140 x 5	SFA	220	10000 92906	stock	40
SAIT-FOAM	115 x 140 x 5	UFA	400	10000 92907	stock	40
SAIT-FOAM	115 x 140 x 5	MFA	600	10000 92908	stock	40



SAIT-FOAM 2 SIDES COATED

Silicon carbide abrasive on low density soft sponge. For finishing hand operations on profiles, edges and shaped workpieces.


APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

						
SAIT-FOAM	120 x 98 x 13	CC	60	10000 92900	stock	60
SAIT-FOAM	120 x 98 x 13	MC	100	10000 92901	stock	60
SAIT-FOAM	120 x 98 x 13	FC	180	10000 92902	stock	60

SAIT-FOAM

Abrasive sponges



SAIT-FOAM 2 SIDES COATED

Aluminium oxide abrasive on high density soft sponge. For finishing hand operations on profiles, edges and shaped workpieces.

APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

						
SAIT-FOAM	120 x 98 x 13	FA	400 (Fine)	10000 92903	stock	40
SAIT-FOAM	120 x 98 x 13	SFA	800 (Super Fine)	10000 92909	stock	40
SAIT-FOAM	120 x 98 x 13	MFA	1200 (Micro Fine)	10000 92910	stock	40

SAIT-BLOCK

Abrasive aluminium oxide blocks

SAIT-BLOCK 4 SIDES COATED

Aluminium oxide abrasive on synthetic sponge. Hand rough shaping and finishing operations for easy access to 90° angles, profiles, edges and shaped workpieces. Low risk of clogging.

APPLICATIONS

- WOOD
- PLASTIC MATERIALS
- PAINTS
- FILLERS

						
SAIT-BLOCK	100 x 70 x 26	CA	36	10000 92800	stock	50
SAIT-BLOCK	100 x 70 x 26	MA	60	10000 92801	stock	50
SAIT-BLOCK	100 x 70 x 26	FA	100	10000 92802	stock	50
SAIT-BLOCK	100 x 70 x 26	SFA	150	10000 92804	stock	50
SAIT-BLOCK	100 x 70 x 26	VFA	180	10000 92803	stock	50
SAIT-BLOCK	100 x 70 x 26	UFA	220	10000 92805	stock	50

						
SAIT-BLOCK	115 x 88 x 26	MA	60	10000 92806	stock	40
SAIT-BLOCK	115 x 88 x 26	FA	100	10000 92807	stock	40
SAIT-BLOCK	115 x 88 x 26	SFA	150	10000 92808	stock	40
SAIT-BLOCK	115 x 88 x 26	VFA	180	10000 92809	stock	40

DIAMOND TOOLS







Diamond tools

Contents



Technical information.

257

TURBO



Diamond cutting blades.

SAITDIAM-TU	TREDI	259
SAITDIAM-TU	CP	259
SAITDIAM-TU	CV	260
SAITDIAM-TU	CC	260
SAITDIAM-TU	CU	260

CONTINUOUS RIM



Diamond cutting blades.

SAITDIAM-CT	JV	262
SAITDIAM-CT	GR	262
SAITDIAM-CT	JR	262
SAITDIAM-TU/CT	QZ	263
SAITDIAM-CT	CR	264
SAITDIAM-CT	CS	264

LASER



Diamond cutting blades.

SAITDIAM-LA	TREDI	266
SAITDIAM-LA	GT	266
SAITDIAM-LA	LP	267
SAITDIAM-LA	LV	267
SAITDIAM-LA	LS	267
SAITDIAM-LA	LU	268

SINTERED SEGMENTS



Diamond cutting blades.

SAITDIAM-SE	SE	268
-------------	----	-----

SPECIALIST BLADES



Diamond cutting blades.

SAITDIAM-EB	ED	269
SAITDIAM-EB	UN	270
SAITDIAM-EB	VR	270
SAITDIAM-EB	GH/GH TS	271

Ø mm 300 - 350 - 400 / LASER



Diamond cutting blades.

SAITDIAM-LA	MULTI-TREDI	TP	272
SAITDIAM-LA	MULTI	PR	272
SAITDIAM-LA	MULTI	UN	273

CUP WHEELS



Diamond cup wheels for dressing.

SAITDIAM-TA	274
-------------	-----

DRILLS



Diamond utensils for dry drilling.

SAIT QUICK	275
------------	-----

FLAP DISCS



Abrasive flat flap discs.

SAITDIAM POWER	278
----------------	-----

HOOK & LOOP DISCS



Hook & loop diamond discs.

SAITDIAM D-VEL	100 D	279
SAITDIAM D-VEL	100 SD	279
SAITDIAM D-VEL	100 W	280
SAITDIAM PAD		280
STARTER KIT		281
4 STEP KIT		282

PLANET^{LINE}



Diamond cutting blades.

PLANET-DIAM	BU	283
PLANET-DIAM	BC	283
PLANET-DIAM	BS	283

VEL: with hook & loop velour





Diamond tools

The SAITDIAM range of diamond tools consists of many families, each developed for very specific uses, in order to offer a valid support in the processing of modern construction.



TOP

For professionals who are looking for maximum performance, even in the most demanding operations.



SPECIAL

Products for special applications.



PREMIUM

Excellent quality and performance for all professional uses.



PLANET-DIAM

For general use in the building industry.



UNIVERSAL

Quality, reliability and cost-efficiency for universal use.

How to read the product

SAITDIAM

Product line

TU

Type

TD

Product specification

230 x 3,2 x 22,23

Dimensions
(diameter x thickness x bore)

Product lines

SAITDIAM
SAIT QUICK


Diamond blade / Diamond wheel
Diamond drill

PLANET-DIAM Diamond blade


Types

TU Turbo
CT Continuous rim
LA Laser


EB Electroplated/brazed
TA Cup
D-VEL Hook & loop



Turbo



Continuous rim



Laser


Safety standards prescribe:

- not to exceed, for any reason, the maximum speed indicated for every type of disc;
- not to use a diamond blade for grinding operations;
- a correct storage of the diamond blade in rooms with temperatures between 15°C and 30°C and relative humidity between 45% and 75%;
- to check the diamond blade before mounting it, to detect possible damages caused by handling and transport;
- a correct mounting of the diamond blade using suitable flanges;
- the use of the prescribed guards;
- the use of dust exhausters;
- not to use the disc prescribed for fixed machines with portable machines.

Diamond blades improperly stored, used, mounted or damaged, are dangerous and can cause serious injuries to any person in the surroundings.

Every operator must be protected by glasses, gloves and protective cloths against the possibility of material being projected as well as anti-dust masks and hearing protection.

The use of these tools can cause noise equal or superior to 85 dBA, which may result in loss of hearing; the operator must therefore wear protective ear muff or other suitable personal protections.



MATERIAL	PRODUCTS				
	TREDI	CP	CV	CC	CU
Concrete	Excellent	Excellent	Optimum	Optimum	Optimum
Low density concrete (reinforced)	Optimum	Optimum	Possible use	Optimum	Possible use
High density concrete (reinforced)	Possible use	Possible use		Optimum	
Hard Granite and Porphyry	Optimum	Optimum	Optimum	Optimum	
Granite and Serizzo	Optimum	Optimum	Optimum	Optimum	Possible use
Travertine	Optimum	Optimum	Optimum	Optimum	Possible use
Sandstone	Optimum	Optimum	Optimum	Optimum	Optimum
Slate and Serpentine	Optimum	Optimum	Optimum	Optimum	Optimum
Ceramic - Tiles	Possible use		Optimum	Possible use	Possible use
Glazed ceramic			Optimum		
Porcelain stoneware	Possible use	Possible use	Optimum	Possible use	Possible use
Klinker	Optimum	Optimum	Optimum	Possible use	Possible use
Building material and Bricks	Optimum	Optimum	Optimum	Optimum	Optimum

Excellent
 Optimum
 Possible use

SAITDIAM-TU

Diamond cutting blades - TURBO




TREDI TOP

GRANITO / GRANITE / GRANIT
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ
PIETRE DURE / HARD STONE / PIERRE DURE

Professional turbo diamond blade TOP level manufactured using a patented technology that ensures a well defined three-dimensional position of the diamonds within the cutting edge. The three-dimensional and controlled disposition of the diamonds allows to achieve:

- excellent cutting speed and cutting capacity
- excellent life and cutting consistency on all construction materials and maximum performance in cutting difficult to cut materials such as very hard stones and granites.



			 (MM)					
SAITDIAM-TU	TD	115 x 2,4 x 22,23	10	10000 97161	stock		13.300	1 (1x1)
SAITDIAM-TU	TD	125 x 2,4 x 22,23	10	10000 97162	stock		12.250	1 (1x1)
SAITDIAM-TU	TD	230 x 3,2 x 22,23	10	10000 97163	stock		6.650	1 (1x1)



CP PREMIUM

GRANITO / GRANITE / GRANIT
CALCESTRUZZO / CONCRETE / BÉTON

Professional turbo diamond blade PREMIUM level for cutting of granites, porphyry, hard stones and concrete. Fast cutting and long life blade.

			 (MM)					
SAITDIAM-TU	CP	115 x 2,2 x 22,23	7,5	10000 89003	stock		13.300	3 (3x1)
SAITDIAM-TU	CP	125 x 2,2 x 22,23	7,5	10000 89002	stock		12.250	3 (3x1)
SAITDIAM-TU	CP	180 x 2,5 x 22,23	7,5	10000 89000	W4		8.500	2 (2x1)
SAITDIAM-TU	CP	230 x 2,5 x 22,23	7,5	10000 89001	stock		6.650	1 (1x1)

SAITDIAM-TU

Diamond cutting blades - **TURBO**



CV PREMIUM

GRES PORCELLANATO / PORCELAIN STONEWARE / GRÈS CÉRAM
GRANITO / GRANITE / GRANIT

Professional turbo diamond blade, PREMIUM level, for fast and clean cutting of porcelain stoneware,klinker, tiles and stones of different hardness. Two metal flanges are welded on the blade to reduce vibrations and noise.

								
SAITDIAM-TU	CV	85 x 1,2 x 22,23	7,5	10000 97168	stock		18.000	3 (3x1)
SAITDIAM-TU	CV	115 x 1,4 x 22,23	10	10000 97550	stock		13.300	3 (3x1)
SAITDIAM-TU	CV	125 x 1,4 x 22,23	10	10000 97160	stock		12.250	3 (3x1)
SAITDIAM-TU	CV	230 x 2,0 x 22,23	7,5	10000 97167	stock		6.650	1 (1x1)



CC PREMIUM

PIETRE DURE / HARD STONE / PIERRE DURE
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ
GRANITO / GRANITE / GRANIT

Professional turbo diamond blade, PREMIUM level, for fast cutting of low and high density reinforced concrete, stones also very hard and granites. Optimum cutting performance and long life blade.

								
SAITDIAM-TU	CC	115 x 2,0 x 22,23	7,5	10000 97004	stock		13.300	3 (3x1)
SAITDIAM-TU	CC	125 x 2,0 x 22,23	7,5	10000 97311	stock		12.250	3 (3x1)
SAITDIAM-TU	CC	230 x 2,5 x 22,23	7,5	10000 97300	stock		6.650	1 (1x1)



CU UNIVERSAL


EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional turbo diamond blade, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

								
SAITDIAM-TU	CU	115 x 2,0 x 22,23	7	10000 89500	stock		13.300	3 (3x1)
SAITDIAM-TU	CU	125 x 2,0 x 22,23	7	10000 89501	stock		12.250	3 (3x1)
SAITDIAM-TU	CU	230 x 2,6 x 22,23	7	10000 89503	stock		6.650	1 (1x1)

SAITDIAM-CT

Diamond cutting blades - CONTINUOUS RIM




MATERIAL	PRODUCTS						
	JV VELOCE DRY	GR DRY	JR DRY	QZ DRY	QZ TURBO DRY	CR DRY	CS DRY
Ceramic - Tiles	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦	♦♦♦	♦♦♦
Glazed ceramic	♦♦♦	♦♦♦	♦♦♦	♦♦	♦	♦♦	♦♦♦
Klinker	♦♦♦	♦♦♦	♦♦♦	♦	♦♦	♦♦	♦♦
Stoneware	♦♦♦	♦♦♦	♦♦♦	♦	♦♦	♦♦♦	♦♦
Porcelain stoneware < 10 mm	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦	♦♦♦	♦♦
Porcelain stoneware > 10 mm	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦	♦♦	
Engineered stone	♦	♦	♦	♦♦♦	♦♦♦	♦	♦
Ultra-compact engineered stone	♦	♦	♦	♦♦	♦♦♦		

♦♦♦ Excellent
 ♦♦ Optimum
 ♦ Possible use

SAITDIAM-CT

Diamond cutting blades - CONTINUOUS RIM



GRES / STONEWARE / GRÈS
CERAMICA / CERAMIC / CÉRAMIQUE

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of stoneware, porcelain stoneware and ceramics. Rim with innovative geometry and profile to enhance performance.

SAITDIAM-CT	JV	115 x 1,2 x 22,23	10	10000 97500	stock		13.300	3 (3x1)
SAITDIAM-CT	JV	125 x 1,2 x 22,23	10	10000 97515	stock		12.250	3 (3x1)



CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILÉE
GRES / STONEWARE / GRÈS

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of ceramics, porcelain glazed stoneware and klinker. Excellent cutting performance and long life.

SAITDIAM-CT	GR	230 x 2,0 x 22,23	10	10000 97512	stock		6.650	1 (1x1)



CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILÉE
GRES / STONEWARE / GRÈS

Professional diamond blade with continuous rim, TOP level, for fast cutting without chipping of stoneware, porcelain stoneware and ceramics.

SAITDIAM-CT	JR	115 x 1,6 x 22,23	7,5	10000 97516	stock		13.300	3 (3x1)
SAITDIAM-CT	JR	125 x 1,6 x 22,23	7,5	10000 97517	stock		12.250	3 (3x1)



SAITDIAM-TU TURBO

QZ TOP  

**AGGLOMERATO
ENGINEERED STONE**

Professional turbo diamond blade, TOP level, for extremely fast and chip-free cutting of marble agglomerate and stones. Disc with excellent performance, the special formulation allows the disc to cut agglomerate without clogging.

							
SAITDIAM-TU	QZ	115 x 1,4 x 22,23	10	1000503653	stock	13.300	3 (3x1)



SAITDIAM-CT CONTINUOUS RIM

QZ TOP  

**AGGLOMERATO
ENGINEERED STONE**

Professional diamond blade with continuous rim, TOP level, for extremely fast and chip-free cutting of marble agglomerate and stones. Disc with excellent performance, the special formulation allows the disc to cut agglomerate without clogging.

							
SAITDIAM-CT	QZ	115 x 1,1 x 22,23	7,5	10000 97519	stock	13.300	3 (3x1)
SAITDIAM-CT	QZ	125 x 1,1 x 22,23	7,5	10000 97520	stock	12.250	3 (3x1)

SAITDIAM-CT

Diamond cutting blades - CONTINUOUS RIM



CR PREMIUM

CERAMICA / CERAMIC / CÉRAMIQUE
GRES / STONEWARE / GRÈS

Professional diamond blade with continuous rim, PREMIUM level, for extremely accurate cutting without chipping of glazed ceramic, tiles and stoneware.

								
SAITDIAM-CT	CR	115 x 1,6 x 22,23	7	10000 97501	stock		13.300	3 (3x1)
SAITDIAM-CT	CR	125 x 1,6 x 22,23	7	10000 97504	stock		12.250	3 (3x1)
SAITDIAM-CT	CR	180 x 2,0 x 22,23	7,5	10000 97505	W4		8.500	2 (2x1)
SAITDIAM-CT	CR	200 x 2,0 x 25,4	7,5	10000 97508	stock		7.650	1 (1x1)
SAITDIAM-CT	CR	230 x 2,0 x 22,23	7,5	10000 97507	stock		6.650	1 (1x1)




CS PREMIUM

CERAMICA SMALTATA / GLAZED CERAMIC / CÉRAMIQUE EMAILÉE
GRES / STONEWARE / GRÈS

Professional thin diamond blade with continuous rim, PREMIUM level, for extremely precise and chip-free cutting of glazed and fragile ceramics.

								
SAITDIAM-CT	CS	115 x 1,2 x 22,23	7,5	10000 97050	stock		13.300	3 (3x1)
SAITDIAM-CT	CS	125 x 1,2 x 22,23	7,5	10000 97513	stock		12.250	3 (3x1)




MATERIAL	PRODUCTS					
	TREDI	GT	LP	LV	LU	SE
	LASER	TURBO LASER	LASER	LASER	LASER	SINTERED SEGMENTS
Concrete	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦
Low density concrete (reinforced)	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦	♦
High density concrete (reinforced)	♦♦♦	♦♦♦	♦♦	♦♦		
Hard Granite and Porphyry	♦♦♦	♦♦♦	♦♦♦	♦		
Granite and Serizzo	♦♦♦	♦♦♦	♦♦♦	♦♦	♦	
Travertine	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦	♦
Sandstone	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦
Slate and Serpentes	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦♦	♦♦
Unglazed ceramic	♦	♦		♦	♦	♦
Porcelain stoneware	♦♦	♦♦	♦	♦	♦	
Klinker	♦♦	♦♦	♦	♦	♦	♦
Building material and Bricks	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦♦♦	♦♦♦

♦♦♦ Excellent
 ♦♦ Optimum
 ♦ Possible use

SAITDIAM-LA

Diamond cutting blades - LASER



TREDI TOP


GRANITO DURO / HARD GRANITE / GRANIT DUR
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ
PIETRE DURE / HARD STONE / PIERRE DURE

Professional diamond blade with laser welded segments, TOP level, manufactured using a patented technology that ensures a well defined three-dimensional position of the diamonds within the cutting edge. The three-dimensional and controlled disposition of the diamonds allows to achieve:


- excellent cutting speed and cutting capacity
- excellent life and cutting consistency

on all construction materials and maximum performance in cutting difficult to cut materials such as:

- very hard stones and granites
- high density reinforced concrete.



							
SAITDIAM-LA	TD	115 x 2,2 x 22,23	10	10000 89110	stock	13.300	1 (1x1)
SAITDIAM-LA	TD	125 x 2,2 x 22,23	10	10000 89111	stock	12.250	1 (1x1)
SAITDIAM-LA	TD	230 x 2,4 x 22,23	10	10000 89113	stock	6.650	1 (1x1)



GT TOP

GRANITO / GRANITE / GRANIT
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ
PORFIDO / PORPHYRY / PORPHYRE

Professional diamond blade with laser welded turbo segments, TOP level, for aggressive and fast cutting of high density reinforced concrete, granites and very hard stones. Excellent performance and long life blade.

							
SAITDIAM-LA	GT	230 x 2,4 x 22,23	10	10000 89400	stock	6.650	1 (1x1)

SAITDIAM-LA

Diamond cutting blades - LASER



LP PREMIUM

GRANITO / GRANITE / GRANIT
CALCESTRUZZO ARMATO / REINFORCED CONCRETE / BÉTON ARMÉ

Professional diamond blade with laser welded segments, PREMIUM level, for cutting of granites, porphyry, hard stones and low density reinforced concrete. Long life blade.

								
SAITDIAM-LA	LP	115 x 2,2 x 22,23	7,5	10000 97252	stock		13.300	3 (3x1)
SAITDIAM-LA	LP	125 x 2,2 x 22,23	7,5	10000 97253	stock		12.250	3 (3x1)
SAITDIAM-LA	LP	230 x 2,4 x 22,23	7,5	10000 97251	stock		6.650	1 (1x1)



LV PREMIUM

PIETRE DURE / HARD STONE / PIERRE DURE
CALCESTRUZZO / CONCRETE / BÉTON
GRANITO / GRANIT / GRANITE

Professional diamond blade with laser welded segments, PREMIUM level, for cutting of building materials and stones of different hardness. Fast cutting blade.

								
SAITDIAM-LA	LV	115 x 2,2 x 22,23	7	10000 89100	stock		13.300	3 (3x1)
SAITDIAM-LA	LV	125 x 2,2 x 22,23	7	10000 89109	stock		12.250	3 (3x1)
SAITDIAM-LA	LV	230 x 2,4 x 22,23	7	10000 89102	stock		6.650	1 (1x1)



LS

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments for cutting grooves in building materials.

								
SAITDIAM-LA	LS	150 x 2,4 x 22,23	10	10000 89600	stock		10.500	2 (2x1)

SAITDIAM-LA

Diamond cutting blades - **LASER**



LU UNIVERSAL 

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional diamond blade with laser welded segments, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

								
SAITDIAM-LA	LU	115 x 2,2 x 22,23	7	10000 97400	stock		13.300	3 (3x1)
SAITDIAM-LA	LU	125 x 2,2 x 22,23	7	10000 97401	stock		12.250	3 (3x1)
SAITDIAM-LA	LU	230 x 2,4 x 22,23	7	10000 97403	stock		6.650	1 (1x1)

SAITDIAM-SE

Diamond cutting blades - **SINTERED SEGMENTS**



SE UNIVERSAL 

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Professional blade with sintered segments, GENERAL purpose (UNIVERSAL), for cutting of bricks and building materials.

								
SAITDIAM-SE	SE	115 x 1,6 x 22,23	7	10000 97451	stock		13.300	3 (3x1)
SAITDIAM-SE	SE	125 x 1,6 x 22,23	7	10000 97452	stock		12.250	3 (3x1)
SAITDIAM-SE	SE	230 x 2,3 x 22,23	7,5	10000 97454	stock		6.650	1 (1x1)

SAITDIAM-EB

Diamond cutting blades - SPECIALIST BLADES



Electroplated blades for dry cutting of marbles.

MARMO / MARBLE / MARBRE

							
SAITDIAM-EB	ED	115 x 2,2 x 22,23	10000 92499	stock		13.300	3 (3x1)
SAITDIAM-EB	ED	115 x 2,2 - M 14 FL*	10000 92505	stock		13.300	3 (3x1)
SAITDIAM-EB	ED	125 x 2,2 x 22,23	10000 92500	stock		12.250	3 (3x1)
SAITDIAM-EB	ED	125 x 2,2 - M 14 FL*	10000 92506	stock		12.250	3 (3x1)
SAITDIAM-EB	ED	180 x 2,8 x 22,23	10000 92501	stock		8.500	2 (2x1)
SAITDIAM-EB	ED	230 x 2,8 x 22,23	10000 92502	stock		6.650	1 (1x1)

* FL = with flange



MARMO / MARBLE / MARBRE



Electroplated blades for dry cutting and light grinding of marbles.

							
SAITDIAM-EB	ED C	125 x 2,2 - M 14 FL*	10000 92509	stock		12.250	3 (3x1)
SAITDIAM-EB	ED C	230 x 2,8 x 22,23 FL*	10000 92510	stock		6.650	1 (1x1)

* FL = with flange

SAITDIAM-EB

Diamond cutting blades - SPECIALIST BLADES



PIETRA / STONE / PIERRE

Diamond blade with patented technology teeth, special for cutting of all ceramics and stone materials. **Product suitable for non intensive workings.**

SAITDIAM-EB	UN	115 x 2,2 x 22,23	10000 89550	stock		13.300	1 (1x1)
SAITDIAM-EB	UN	230 x 2,8 x 22,23	10000 89551	stock		6.650	1 (1x1)



VETRORESINA / FIBER GLASS / FIBRE DE VERRE

Professional diamond blade with patented technology teeth, special for cutting fibreglass and composite materials. Very accurate finish without chippings.

SAITDIAM-EB	VR	115 x 1,4 x 22,23	10000 97200	stock		13.300	1 (1x1)

SAITDIAM-EB

Diamond cutting blades - SPECIALIST BLADES



Professional diamond blade with patented technology teeth, special for dry cutting of cast irons. Very accurate finish without chippings.

GHISA / CAST IRON / FONTE

SAITDIAM-EB	GH	230 x 3,4 x 22,23	10000 92508	stock		6.650	1 (1x1)



Professional blade, designed for cutting and grinding exclusively cast iron. Thanks to the advanced vacuum-brazed diamond technology, it represents a modern and efficient technological solution for cutting cast iron, including foundry sprues. Suitable for working only on cast iron, it guarantees excellent results in terms of durability and speed. It is not suitable for stone materials, steel or other metals. The disc is designed to fit on conventional angle grinders. The depressed centre shape makes the disc more rigid and prevents the nut from touching the workpiece.

GHISA / CAST IRON / FONTE

SAITDIAM-EB	GH TS	230 x 3,7 x 22,23	10000 92511	stock		6.650	1 (1x1)

SAITDIAM-LA

Diamond cutting blades - Ø mm 300-350-400 / LASER



PIETRA / STONE / PIERRE

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

ASFALTO / ASPHALT / ASPHALTE

CEMENTO FRESCO / GREEN CONCRETE / BÉTON FRAIS


MULTI-TREDI TOP



Professional blade with laser welded segments, TOP level, manufactured using patented TREDI technology, which allows the diamond to be distributed in a predefined and orderly position in three dimensions within the rim.

The controlled three-dimensional arrangement of the diamond allows for excellent cutting speed and power, with high durability and consistent performance in dry and wet cutting of asphalt, green concrete, joints, stone, granite and curbs.

The blade is equipped with a wear-resistant segment for the metal core (protection tip) and a pin-hole.



SAITDIAM-LA	MULTI-TREDI	TP	300 x 3,2 x 25,4	12 ÷ 20	1000502583	stock		6.400	1 (1x1)
SAITDIAM-LA	MULTI-TREDI	TP	350 x 3,2 x 25,4	12 ÷ 20	1000502584	stock		5.500	1 (1x1)
SAITDIAM-LA	MULTI-TREDI	TP	400 x 3,2 x 25,4	12 ÷ 20	1000502585	stock		4.800	1 (1x1)



PIETRA / STONE / PIERRE

EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

ASFALTO / ASPHALT / ASPHALTE

CEMENTO FRESCO / GREEN CONCRETE / BÉTON FRAIS

MULTI PREMIUM



Professional blade with laser welded segments, PREMIUM level designed to offer maximum versatility and high performance when dry and wet cutting asphalt, green concrete, joints, stone, granite and curbs.

The blade is equipped with a wear-resistant segment for the metal core (protection tip) and a pin-hole.

SAITDIAM-LA	MULTI	PR	300 x 3,2 x 25,4	12 ÷ 20	1000502587	stock		6.400	1 (1x1)
SAITDIAM-LA	MULTI	PR	350 x 3,2 x 25,4	12 ÷ 20	1000502588	stock		5.500	1 (1x1)
SAITDIAM-LA	MULTI	PR	400 x 3,2 x 25,4	12 ÷ 20	1000502589	stock		4.800	1 (1x1)



SAITDIAM-LA

Diamond cutting blades - Ø mm 300-350-400 / LASER




MULTI UNIVERSAL



PIETRA / STONE / PIERRE
EDILIZIA / BUILDING MATERIALS / MATÉRIAUX
ASFALTO / ASPHALT / ASPHALTE
CEMENTO FRESCO / GREEN CONCRETE / BÉTON FRAIS

Professional blade with laser welded segments, GENERAL purpose (UNIVERSAL), designed to offer maximum versatility and good performance when dry and wet cutting asphalt, green concrete, joints, stone, granite and curbs. The blade is equipped with a pin-hole.

									
SAITDIAM-LA	MULTI	UN	300 x 3,2 x 25,4	8	1000502590	stock		6.400	1 (1x1)
SAITDIAM-LA	MULTI	UN	350 x 3,2 x 25,4	8	1000502591	stock		5.500	1 (1x1)
SAITDIAM-LA	MULTI	UN	400 x 3,2 x 25,4	8	1000502592	stock		4.800	1 (1x1)



SAITDIAM-TA

Diamond cup wheels for dressing



MARMO / MARBLE / MARBRE
GRANITO / GRANITE / GRANIT

Diamond cup wheel for dressing of marbles and granits. Dry and wet use. Suggested working speed: 3.000-4.000 1/min.

PR		PREMIUM Turbo rim	Ø 100 - M 14	10000 89700	stock			
						6.000	3.000-4.000	1 (1x1)
AL		PREMIUM LEGGERA Turbo rim	Ø 100 - M 14	10000 89702	stock			
						6.000	3.000-4.000	1 (1x1)
GP		GENERAL PURPOSE Segmented rim	Ø 100 - M 14	10000 89703	stock			
						6.000	3.000-4.000	1 (1x1)



EDILIZIA / BUILDING MATERIALS / MATÉRIAUX

Diamond cup wheel, GENERAL purpose (UNIVERSAL), for dressing of bricks and building materials. Dry and wet use.
Maximun speed 12.250 1/min.

PR		PREMIUM Segmented rim	Ø 125 x 22,23	10000 89704	stock		
						12.250	1 (1x1)
GP		GENERAL PURPOSE Segmented rim	Ø 125 x 22,23	10000 89705	stock		
						12.250	1 (1x1)

SAIT QUICK

Diamond utensils for drilling



SAIT QUICK TOP

 OPTIMUM PERFORMANCE
  EXCELLENT PERFORMANCE

Professional long-lasting diamond drills manufactured using a new technology of vacuum brazing balance for the application of the diamond.

- Suitable for dry use with drill (not percussion).
- Suitable for drilling from diameter 5 mm to diameter 14 mm.
- Supplied in blister, single packaging.

APPLICATIONS





- PORCELAIN STONEWARE
- SINGLE-FIRED, DOUBLE-FIRED AND GLASS TILES
- MARBLE
- GRANITE AND NATURAL STONES

							
SAIT QUICK	TP	Ø 5 mm	10000 97551	stock		1.700	1.500
SAIT QUICK	TP	Ø 6 mm	10000 97552	stock		1.700	1.500
SAIT QUICK	TP	Ø 8 mm	10000 97553	stock		1.700	1.500
SAIT QUICK	TP	Ø 10 mm	10000 97554	stock		1.700	1.500
SAIT QUICK	TP	Ø 12 mm	10000 97555	stock		1.700	1.500
SAIT QUICK	TP	Ø 14 mm	10000 97556	stock		1.700	1.500



UNIT OF SALE

Minimum 3 pcs. to be chosen among the above codes.



SAIT QUICK

Diamond utensils for drilling



SAIT QUICK UNIVERSAL



EXCELLENT
PERFORMANCE



OPTIMUM
PERFORMANCE

SELF LUBRICATING

General purpose diamond drills manufactured using a new technology of vacuum brazing balance for the application of the diamond.

- Suitable for dry use with drill (not percussion).
- Suitable for drilling from diameter 6 mm to diameter 12 mm.
- Supplied in blister, single packaging.

APPLICATIONS



- SINGLE-FIRED AND DOUBLE-FIRED TILES
- MARBLE AND MARBLE TILES
- PORCELAIN STONEWARE

SAIT QUICK	UN	Ø 6 mm	10000 97557	stock		1.700	1.500
SAIT QUICK	UN	Ø 8 mm	10000 97558	stock		1.700	1.500
SAIT QUICK	UN	Ø 10 mm	10000 97559	stock		1.700	1.500
SAIT QUICK	UN	Ø 12 mm	10000 97560	stock		1.700	1.500



UNIT OF SALE

Minimum 3 pcs. to be chosen among the above codes.



SAIT QUICK KIT	Kit composition: 1 pc. for type	10000 97561	stock		1 (4 pz.)
----------------	---------------------------------	-------------	-------	--	-----------



SAIT QUICK UNIVERSAL



M14 CONNECTION

Drills for professional use, for those who need to drill precise, clean holes without chipping around the perimeter of the hole.

Excellent at drilling extremely hard materials and even thick tiles in porcelain stoneware, marble and granite.

The M14 connection allows the tool to be mounted directly on angle grinders.

High quality diamond is applied to the tough alloy body through braze welding to ensure fast cutting and maximum life.


Dry and wet use.

The drills from Ø 5 mm to Ø 14 mm contain paraffin inside the head.

APPLICATIONS

- PORCELAIN STONWARE
- SINGLE-FIRED AND DOUBLE-FIRED GLASS TILES
- MARBLE
- GRANITE AND NATURAL STONES

			CONNECTION					
SAIT QUICK	UN	Ø 5 x 1,4 x 10 mm	M14	1000501446	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 6 x 1,4 x 10 mm	M14	1000501447	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 8 x 1,4 x 10 mm	M14	1000501448	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 10 x 1,4 x 10 mm	M14	1000501449	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 12 x 1,4 x 10 mm	M14	1000501450	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 14 x 1,4 x 10 mm	M14	1000501451	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 16 x 1,4 x 10 mm	M14	1000501452	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 20 x 2,5 x 10 mm	M14	10000 97562	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 25 x 2,5 x 10 mm	M14	10000 97563	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 30 x 2,5 x 10 mm	M14	10000 97564	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 35 x 2,5 x 10 mm	M14	10000 97565	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 40 x 2,5 x 10 mm	M14	10000 97566	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 45 x 2,5 x 10 mm	M14	10000 97569	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 50 x 2,5 x 10 mm	M14	10000 97567	stock		11.000	1 (1x1)
SAIT QUICK	UN	Ø 60 x 2,5 x 10 mm	M14	10000 97568	stock		11.000	1 (1x1)




Max 11.000 rpm



M 14



h max 35 mm





IMPORTANT GUIDELINES

Start drilling at an angle of 45° and with circular movements, then gradually bring the angle to 90°.

Do not force the tool into the cut.

If the tool does not cut, it means that it is worn out, even if the size has not changed.



SAITDIAM POWER

Abrasive flap discs - flat

 POLYMER BACKING



SAITDIAM POWER

Polycotton cloth with diamond abrasive, developed to ensure exceptionally high performance. Extremely high stock removal rate. Very aggressive. Long life. Excellent finish.

APPLICATIONS

- MARBLES
- NATURAL STONES
- CONCRETE
- BUILDING MATERIALS



					
SAITDIAM POWER	115 x 22,23	Coarse	1000503723	stock	3
SAITDIAM POWER	115 x 22,23	Medium	1000503724	stock	3
SAITDIAM POWER	115 x 22,23	Fine	1000503725	stock	3
SAITDIAM POWER	125 x 22,23	Coarse	1000503726	stock	3
SAITDIAM POWER	125 x 22,23	Medium	1000503728	stock	3
SAITDIAM POWER	125 x 22,23	Fine	1000503729	stock	3
					
SAITDIAM POWER KIT 115	Kit composition: 1 pc. for type		1000503730	stock	1 (3 pz.)
SAITDIAM POWER KIT 125	Kit composition: 1 pc. for type		1000503731	stock	1 (3 pz.)

IMPORTANT GUIDELINES

The maximum speed marked on each product must never be exceeded.

SAITDIAM D-VEL

Hook & loop diamond discs



100 D (DRY)

Hook & loop diamond discs, high performance for granites, marbles, stone. Dry uses. When working on white stone and marble use wet in order to avoid scratch marks. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

SAITDIAM D-VEL	Ø 100	D	50	10000 89658	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	100	10000 89659	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	200	10000 89660	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	400	10000 89661	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	800	10000 89662	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	1500	10000 89663	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	3000	10000 89664	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	B BU	10000 89665	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	D	N BU	10000 89667	stock		2.000-2.500	5 (5x1)

B BU bright materials
N BU dark materials



100 SD (SUPER DRY)

Hook & loop diamond discs, high performance for white marble and white stone. Dry uses. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

SAITDIAM D-VEL	Ø 100	SD	800	10000 89670	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	SD	1500	10000 89669	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	SD	3000	10000 89668	stock		2.000-2.500	5 (5x1)

IMPORTANT GUIDELINES

Working on white marbles and white stones, use DRY discs in grits


50 100 200 400

and complete the process with DRY

B BU discs

SAITDIAM D-VEL

Hook & loop diamond discs



100 W (WET)



Hook & loop diamond discs, high performance for granites, marbles, stone. Wet uses. Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

SAITDIAM D-VEL	Ø 100	W	50	10000 89650	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	100	10000 89651	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	200	10000 89652	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	400	10000 89653	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	800	10000 89654	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	1500	10000 89655	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	3000	10000 89656	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	B BU	10000 89657	stock		2.000-2.500	5 (5x1)
SAITDIAM D-VEL	Ø 100	W	N BU	10000 89666	stock		2.000-2.500	5 (5x1)

B BU bright materials
N BU dark materials




SAITDIAM PAD

			LOCKING NUT				
SAITDIAM PAD	Ø 100	HARD	M14	10000 99640	stock		1
SAITDIAM PAD	Ø 100	MEDIUM	M14	10000 99637	stock		1
SAITDIAM PAD	Ø 100	SOFT	M14	10000 99641	stock		1

SAITDIAM D-VEL

Hook & loop diamond discs



STARTER KIT


Each of the 3 Starter Kit contains the complete range of hook & loop diamond discs.

KIT COMPOSITION: 1 PC. FOR GRIT						
SAITDIAM D-VEL 100 D KIT (KIT DRY)	D	50 100 200 400 800 1500 3000 B BU N BU	10000 89672	stock		1 (9 pz.)
SAITDIAM D-VEL 100 SD KIT (KIT SUPER DRY)	D + SD + D	50 100 200 400 800 1500 3000 B BU	10000 89673	stock		1 (8 pz.)
SAITDIAM D-VEL 100 W KIT (KIT WET)	W	50 100 200 400 800 1500 3000 B BU N BU	10000 89671	stock		1 (9 pz.)



SAITDIAM D-VEL

Hook & loop diamond discs



4 STEP KIT

Kit of hook & loop diamond discs ideal for a polishing cycle of just 4 steps for fast and accurate polishing; this solution greatly simplifies and optimises the working process, leading to an increase in cycle performance.


Aggressive and durable discs, made of composite material with quality diamond powder. Excellent for restoring marble's gloss.

Suggested working speed 2.000-2.500 1/min. Maximum speed 4.000 1/min.

The kit contains 4 hook & loop diamond discs, to achieve excellent results in just few steps, easily and efficiently.

APPLICATIONS

- GRANITE
- CONCRETE
- MARBLE
- STONE
- TILES



4 STEP KIT DRY



High performance for granites, marbles, stone. Dry uses. When working on white stone and marble use wet in order to avoid scratch marks.

KIT COMPOSITION:
1 PC. PER TYPE



SAITDIAM D-VEL 100 D KIT 4
(KIT DRY)

D

0
1
2
3

10000 89675

stock

1 (4 pz.)

4 STEP KIT WET



High performance for granites, marbles, stone. Wet uses.

KIT COMPOSITION:
1 PC. PER TYPE



SAITDIAM D-VEL 100 W KIT 4
(KIT WET)

W

0
1
2
3

10000 89676

stock

1 (4 pz.)





BU TURBO

CONTINUOUS RIM. Turbo.
Dry and wet cut.

APPLICATIONS

- CONCRETE
- BUILDING MATERIALS
- BRICKS

								
PLANET-DIAM	BU	115 x 1,9 x 22,23	10000 89800	stock		13.300	10	(10x1)
PLANET-DIAM	BU	125 x 1,9 x 22,23	10000 89806	stock		12.250	10	(10x1)
PLANET-DIAM	BU	230 x 2,5 x 22,23	10000 89801	stock		6.650	5	(5x1)



BC TILE

CONTINUOUS RIM.
Dry and wet cut.

APPLICATIONS

- CERAMIC MATERIALS
- TILES

								
PLANET-DIAM	BC	115 x 1,9 x 22,23	10000 89850	stock		13.300	10	(10x1)
PLANET-DIAM	BC	125 x 1,9 x 22,23	10000 89805	stock		12.250	10	(10x1)
PLANET-DIAM	BC	230 x 2,3 x 22,23	10000 89802	stock		6.650	5	(5x1)



BS

SINTERED SEGMENTS.
Dry and wet cut.

APPLICATIONS

- CONCRETE
- BUILDING MATERIALS
- BRICKS

								
PLANET-DIAM	BS	115 x 1,6 x 22,23	10000 89900	stock		13.300	10	(10x1)
PLANET-DIAM	BS	230 x 2,5 x 22,23	10000 89901	stock		6.650	5	(5x1)

BRUSHES







Brushes

Contents




Technical information.

287

METAL BRUSHES



Cup wire brushes.




SM-TA

288



Wheel brushes.



SM-CR

289



Bevel wheel brushes.




SM-CO

290



Wheel brushes with shank.




SG-CR

291



End brushes.




SG-FR

292



Brushes with shank for drill.



SE-TA

293

SE-CR

293

SE-FR

293



Hand brushes.



SM-MU

294

SM-MA

294

NYLON BRUSHES



Cup brushes.



SN-TA

295



Wheel brushes.




SN-CR

295



Brushes with shank for drill.



SN-TA

296

SN-CR

296



Hand brushes.



SN-MU

296



Brushes

SAIT offers a wide range of brushes designed to meet different working requirements, it consists of brushes of different shapes (cup, circular, conical, with shank and for hand use) and are made of different materials (steel, stainless steel and nylon abrasive filaments).

Product lines	SM	Metal brushes for angle grinders, fixed machines or for hand use.
	SG	Metal brushes with shank for electric or pneumatic tools.
	SE	Metal brushes with shank for drills.
	SN	Nylon cup brushes for angle grinders, with shank for drills or for hand use.

Shapes	TA	Cup brush
	CR	Wheel brush
	CO	Bevel wheel brush
	FR	End brush
	MU	Hand brush for general use
	MA	Hand brush for professional use

Suggestions for the use

To obtain the best performance of a brush is necessary to proportion the work-pressure, in order to avoid the overheating of the wires and their early breakage.

Standards

The brushes are submitted to testings following the standard UNI EN 1083, that defines the safety requirements of the production and the use of the brushes.



CUP WIRE METAL BRUSHES



SM-TA TOP LINE



CRIMPED WIRE.

For angle grinders. M14 thread.

Long life. For light deburring operations and removing rust and burrs from pipe ends.

APPLICATIONS

■ MEDIUM-LIGHT DUTY APPLICATIONS FOR REMOVAL OF RUST AND PAINTS

	Ø BRUSH MM	THREAD	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SM-TA	65	M14	STEEL	0,30	12.500	10000 97700	stock	6 (6x1)
SM-TA	80	M14	STEEL	0,30	12.500	10000 97704	stock	6 (6x1)
SM-TA	100	M14	STEEL	0,30	8.500	10000 97701	stock	6 (6x1)
SM-TA	125	M14	STEEL	0,30	6.500	10000 97702	stock	6 (6x1)
SM-TA	65	M14	INOX	0,30	12.500	10000 97703	stock	6 (6x1)
SM-TA	80	M14	INOX	0,30	12.500	10000 97708	stock	6 (6x1)



SM-TA TOP LINE



KNOTTED WIRE.

For angle grinders. M14 thread.

Long life. High cleaning power and removal of slags, rust, scale and fouling.

APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF SLAGS AND FOULINGS



Note: SM-TA Ø 100 mm is equipped with a retaining ring that can be removed, in order to have some more wire to work with.

	Ø BRUSH MM	THREAD	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM	Barcode	Truck	Box
SM-TA	65	M14	STEEL	0,50	18	12.500	10000 97707	stock	6 (6x1)
SM-TA	100	M14	STEEL	0,50	26	8.500	10000 97705	stock	6 (6x1)
SM-TA	65	M14	INOX	0,50	18	12.500	10000 97706	stock	6 (6x1)

STEEL: steel

INOX: stainless steel



WHEEL METAL BRUSHES



SM-CR TOP LINE



KNOTTED WIRE.

For angle grinders. Long life. High cleaning power. Ø 178 mm is particularly suitable for cleaning of welded seams during the pipe-line laying.

APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF RUST, FOULINGS AND WELDS

	Ø BRUSH MM	BORE MM	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM	Barcode	Truck	Box
SM-CR	115 x 12	22,2	STEEL	0,50	20	12.500	10000 97752	stock	5 (5x1)
SM-CR	125 x 13	22,2	STEEL	0,50	20	12.500	10000 97753	stock	5 (5x1)
SM-CR	115 x 12	22,2	INOX	0,50	20	12.500	10000 97755	stock	5 (5x1)



APPLICATIONS

■ SPECIAL FOR CLEANING OF WELDED SEAMS DURING THE PIPE-LINE LAYING

	Ø BRUSH MM	BORE MM	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM	Barcode	Truck	Box
SM-CR	178 x 6	22,2	STEEL	0,50	76	9.000	10000 97754	stock	5 (5x1)

SM-CR TOP LINE



CRIMPED WIRE.

For fixed machines. Long life. For light deburring operations and removing of rust and burrs from pipe ends.

APPLICATIONS

■ FOR MEDIUM-LIGHT DUTY APPLICATIONS, FOR DEBURRING, POLISHING AND ROUGHENING OF SURFACES

Every brush is provided with adapters allowing for fitting on arbours with diameters 13 -15 - 16 -19,05 - 20 - 22,23 - 25,4 - 32 mm.

	Ø BRUSH MM	BORE MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SM-CR	150 x 18	13 ÷ 32	STEEL	0,30	6.000	10000 97750	stock	5 (5x1)
SM-CR	200 x 20	13 ÷ 32	STEEL	0,30	4.500	10000 97751	stock	5 (5x1)



STEEL: steel
INOX: stainless steel



BEVEL WHEEL METAL BRUSHES



SM-CO TOP LINE



CRIMPED WIRE.

For angle grinders. M14 thread. Long life. For light deburring operations and removing of rust and burrs from pipe ends.

APPLICATIONS

■ MEDIUM-LIGHT DUTY APPLICATIONS FOR REMOVAL OF RUST AND PAINTS

	Ø BRUSH MM	THREAD	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck		Box
SM-CO	100	M14	STEEL	0,35	12.500	10000 97800	stock		6 (6x1)
SM-CO	120	M14	STEEL	0,35	12.500	10000 97804	stock		6 (6x1)
SM-CO	90	M14	INOX	0,30	12.500	10000 97803	stock		6 (6x1)



SM-CO TOP LINE



KNOTTED WIRE.

For angle grinders. M14 thread. Long life. High cleaning power.

APPLICATIONS

■ AGGRESSIVE FOR REMOVAL OF SLAGS, FOULINGS AND CLEANING OF WELDED SEAMS

	Ø BRUSH MM	THREAD	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM	Barcode	Truck		Box
SM-CO	100	M14	STEEL	0,50	18	12.500	10000 97801	stock		6 (6x1)

STEEL: steel
INOX: stainless steel



WHEEL METAL BRUSHES WITH SHANK



SG-CR TOP LINE



CRIMPED WIRE.

For electric or pneumatic tools. Long life.

APPLICATIONS

■ FOR DEBURRING, REMOVAL OF RUST AND PAINTS AND ROUGHENING OF SURFACES BEFORE PAINTING

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SG-CR	70	6	STEEL	0,30	15.000	10000 97720	stock	10
SG-CR	70	6	INOX	0,30	15.000	10000 97721	stock	10
SG-CR	80	6	INOX	0,30	15.000	10000 97723	stock	10
SG-CR	100	6	INOX	0,30	10.000	10000 97724	stock	10

SG-CR TOP LINE

MAX 20.000 RPM



KNOTTED WIRE.

For electric or pneumatic tools. Long life.


APPLICATIONS

■ CLEANING OF WELDED SEAMS AND AGGRESSIVE REMOVAL OF RUST AND FOULINGS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM	Barcode	Truck	Box
SG-CR	75	6	STEEL	0,50	15	20.000	10000 97722	stock	10



STEEL: steel
INOX: stainless steel



END METAL BRUSHES



SG-FR TOP LINE MAX 18.000 RPM

CRIMPED WIRE.

For electric or pneumatic tools. Long life. Cleaning of hard-to-reach areas such as holes.

APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM			
SG-FR	25	6	STEEL	0,35	18.000	10000 97770	stock	10
SG-FR	18	6	INOX	0,30	18.000	10000 97774	stock	10
SG-FR	28	6	INOX	0,30	18.000	10000 97775	stock	10



SG-FR TOP LINE

KNOTTED WIRE.

For electric or pneumatic tools. Long life. High cleaning power.

APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	N° KNOTS	MAX RPM			
SG-FR	23	6	INOX	0,35	8	15.000	10000 97776	stock	10
SG-FR	20	6	INOX	0,25	8	20.000	10000 97777	stock	10
SG-FR	23	6	STEEL	0,25	8	20.000	10000 97771	stock	10



SG-FR TOP LINE MAX 18.000 RPM

CRIMPED WIRE.

For electric or pneumatic tools. Long life. Cleaning of hard-to-reach areas such as holes.

APPLICATIONS

■ FOR DEBURRING, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM			
SG-FR	18	6	INOX	0,30	18.000	10000 97772	stock	10
SG-FR	22	6	INOX	0,30	18.000	10000 97773	stock	10

STEEL: steel
INOX: stainless steel



METAL BRUSHES WITH SHANK FOR DRILL

SE-TA PRO LINE

MAX 4.500 RPM



CRIMPED WIRE.

Cup wire brush with shank in wavy steel.

APPLICATIONS

■ FOR MEDIUM-LIGHT DUTY APPLICATIONS TO REMOVE RUST AND PAINTS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SE-TA	50	6	STEEL	0,30	4.500	10000 97850	stock	20
SE-TA	75	6	STEEL	0,30	4.500	10000 97851	stock	20



SE-CR PRO LINE

MAX 4.500 RPM



CRIMPED WIRE.

Wheel brushes with shank in wavy steel.

APPLICATIONS

■ FOR LIGHT DEBURRING OPERATIONS, REMOVAL OF RUST AND PAINTS AND ROUGHENING OF SURFACES BEFORE PAINTING

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SE-CR	50	6	STEEL	0,30	4.500	10000 97900	stock	20
SE-CR	75	6	STEEL	0,30	4.500	10000 97902	stock	20
SE-CR	100	6	STEEL	0,30	4.500	10000 97901	stock	20



SE-FR PRO LINE

MAX 4.500 RPM



CRIMPED WIRE.

End brushes with shank in wavy steel.

APPLICATIONS

■ FOR LIGHT DEBURRING OPERATIONS, REMOVAL OF SLAGS AND RUST IN HARD-TO-REACH AREAS

	Ø BRUSH MM	Ø SHANK MM	WIRE MATERIAL	Ø WIRE MM	MAX RPM	Barcode	Truck	Box
SE-FR	25	6	STEEL	0,30	4.500	10000 97950	stock	20





HAND METAL BRUSHES



SM-MU



The high wire density allows a higher pressure on the work piece. The narrow core helps the access to grooves.

APPLICATIONS

■ GENERAL USE

	TOTAL LENGHT MM	WIRE MATERIAL	Ø WIRE MM				
SM-MU	265	OT	0,30	10000 97873	stock		12
SM-MU	265	INOX	0,30	10000 97874	stock		12
SM-MU	380	OT	0,30	10000 97872	stock		10



SM-MA



Aggressive brush for removal of weld dross and fouling.

APPLICATIONS

■ PROFESSIONAL USE

	TOTAL LENGHT MM	NO. OF ROWS	WIRE MATERIAL	Ø WIRE MM				
SM-MA	295	3	STEEL	0,35	10000 97820	stock		10
SM-MA	295	4	STEEL	0,35	10000 97821 °	stock		10
SM-MA	295	5	STEEL	0,35	10000 97823 °	stock		10
SM-MA	295	4	INOX	0,30	10000 97822	W4		10

STEEL: steel
INOX: stainless steel
OT: brass-coated steel



NYLON CUP BRUSHES



SN-TA NYLON LINE



Longue durée. For angle grinders. M14 thread. Brushes produced with nylon filaments and silicon carbide abrasive. Long life.

APPLICATIONS

■ REMOVAL OF PAINTS, SANDING OF FLAT AND IRREGULAR SURFACES, GIVING A RUSTIC ANTIQUE FINISH TO WOOD

	Ø BRUSH MM	THREAD	GRIT	MAX RPM				
SN-TA	130 x 50	M14	C 46	2.500	10000 41100	stock		2
SN-TA	130 x 50	M14	C 60	2.500	10000 41101	stock		2
SN-TA	130 x 50	M14	C 80	2.500	10000 41102	stock		2
SN-TA	130 x 50	M14	C 120	2.500	10000 41103	stock		2



NYLON WHEEL BRUSHES



SN-CR NYLON LINE



For angle grinders. M14 thread. Brushes produced with nylon filaments and silicon carbide abrasive. Long life.

APPLICATIONS

■ REMOVAL OF PAINTS, SANDING OF FLAT AND IRREGULAR SURFACES, GIVING A RUSTIC ANTIQUE FINISH TO WOOD (WORKING ALONG THE GRAIN), EDGE BEVELING

	Ø BRUSH MM	THREAD	GRIT	MAX RPM				
SN-CR	140 x 30	M14	C 60	2.500	10000 41050	stock		2
SN-CR	140 x 30	M14	C 80	2.500	10000 41051	stock		2
SN-CR	140 x 30	M14	C 120	2.500	10000 41052	stock		2



BRUSHES WITH SHANK FOR DRILL



SN-TA NYLON LINE

MAX 4.500 RPM

Brushes produced with nylon filaments and silicon carbide abrasive.

APPLICATIONS

■ REMOVAL OF PAINTS AND SMALL BURRS, SANDING OF FLAT AND IRREGULAR SURFACES

	Ø BRUSH MM	Ø SHANK MM	GRIT				
SN-TA	50	6	RS (80)	4.500	10000 41104	stock	10
SN-TA	75	6	RS (80)	4.500	10000 41106	stock	10



SN-CR NYLON LINE

MAX 4.500 RPM

Brushes produced with nylon filaments and silicon carbide abrasive.

APPLICATIONS

■ REMOVAL OF PAINTS AND SMALL BURRS, SANDING OF FLAT AND IRREGULAR SURFACES

	Ø BRUSH MM	Ø SHANK MM	GRIT				
SN-CR	75	6	RS (80)	4.500	10000 41053	stock	10
SN-CR	100	6	RS (80)	4.500	10000 41055	stock	10



NYLON HAND BRUSHES

SN-MU NYLON LINE

Brushes made with nylon filaments for cleaning and removing burrs on delicate materials such as glass, Lexan, plexiglass, printed circuits.

	TOTAL LENGHT MM	WIRE			
SN-MU	265	HARD	10000 41151	stock	12



1000000

POLISHING, MACHINES, ACCESSORIES, DISPLAYS





SAIT®





Polishing

Contents



Abrasive compounds.

302



Foam pads.

304

SAITLAB Polishing system



Microfibre cloths.

305



Wool pad.

306



Decontaminating products.

307

MASKING and PROTECTION products



Masking foam tape, film, adhesive tapes.

308





Machines and accessories

Contents



SAITmaster



Pneumatic random orbital sander.

SAITMASTER 3 150x3 PN
SAITMASTER 6 150x6 PN

310
310

SAITplus 200



Angle polisher.

SAITPLUS 200 EL

311

VORTEX L



Professional vacuum cleaner.

VORTEX L 2400 AS

313



Decorating accessories

Contents



314



Displays and roll holders

Contents



315



PASL10 BN

High cutting compound, medium coarse grade. Suitable to renew aged, original, oxidized and very scratched paintworks. Suitable for fresh well dried paintworks sanded with abrasive grits 1200-2000. Available in 500 g and 1 Kg bottle.



PASL10 BN	500 g	10000 70515	stock	4
PASL10 BN	1 kg	10000 70500	stock	4

PASL20 VR

Cutting polishing compound all-in-one, medium fine grade. Suitable to renew aged, original, oxidized and slightly scratched paintworks. Suitable for fresh well dried paintworks sanded with abrasive grits 1500-3000 or worked with cutting compound type PASL10 BN. Available in 500 g and 1 Kg bottle.



PASL20 VR	500 g	10000 70516	stock	4
PASL20 VR	1 kg	10000 70501	stock	4

PASL30 GB

Polishing compound anti-hologram, extra fine grade. Ideal for removing holograms and light defects and scratches due to prior use of cutting compounds. Available in 500 g bottle.



PASL30 GB	500 g	10000 70517	stock	4

PASL40 RO

Protective polish. To apply by hand or machine. Used to achieve exceptional shine, deep gloss finish and long lasting protection. Available in 500 g bottle.



PASL40 RO	500 g	10000 70518	stock	4

PASL42 NR

Protective black polish. To apply by hand or machine. Used to achieve exceptional shine, deep gloss finish and long lasting protection. Special for dark varnishes.
Available in 500 g bottle.



PASL42 NR

500 g

10000 70519

stock

4

PASL50 SP

Quick protective polish spray. Effective against greasy glazes and imprints. Used to achieve exceptional shine, deeper gloss finish and long lasting protection. Antistatic and film effect. Can be used on plastic, leather, rubber and glass.
Available in 500 g bottle.



PASL50 SP

500 g

10000 70520

stock

4

PASL60 SC

Detergent and decontaminating spray. Degreases, breaks apart and removes contaminating deposits from painted surfaces. Use with decontaminating disc or glove to ease its use without inhibiting its characteristics. Usable to confirm the removal of the marks between polishing operations. This will remove any filling of the scratches by polish and expose the remaining scratches. Easy dry without swirl. Usable on plastic, glass.
Available in 500 g bottle.



PASL60 SC

500 g

10000 70505

stock

4

WHITE FOAM PAD

Rigid white foam pad for aggressive treatment.

		BACKING PAD			
	150 x 30 mm	Ø 125 mm	10000 70601	stock	2

ORANGE FOAM PAD

Medium rigid orange foam pad for medium intensity treatment.

		BACKING PAD			
	150 x 30 mm	Ø 125 mm	10000 70602	stock	2

LIGHT BLUE FOAM PAD

Soft light blue foam pad for removal of holograms and finish operations.

		BACKING PAD			
	150 x 30 mm	Ø 125 mm	10000 70603	stock	2

BLACK FOAM PAD

Soft black foam pad for polishing, finish and final protection.

		BACKING PAD			
	150 x 30 mm	Ø 125 mm	10000 70604	stock	2

PAD-VEL

Backing pads for 150x30 mm pads.



		THREAD				
PAD-VEL	Ø 125	M14	8.800	10000 99605	stock	1
PAD-VEL SOFT	Ø 125	M14	8.800	10000 99644	stock	1

WHITE CLOTH

White 350 g microfibre cloth, with antiscratch seams. Removal of residues of abrasive compound.

	 40 x 40 cm	 10000 70606	 stock	 10
---	---	--	--	---

BLACK CLOTH

Black 350 g microfibre cloth, with antiscratch seams. Removal of residues of abrasive compound.

	 40 x 40 cm	 10000 70607	 stock	 10
---	---	--	--	---

GREY CLOTH

Grey 500 g microfibre double face cloth, short hair to clean, long hair to dry. Removal of residues of PASL60 SC compound.

	 40 x 40 cm	 10000 70608	 stock	 10
---	---	--	--	---

WOOL PAD
It is recommended for use with PASL20 VR compound.

		BACKING PAD			
	150 x 30 mm	Ø 150 mm	10000 70605	stock	2

PAD-VEL

Backing pad for wool pad.



		THREAD				
PAD-VEL	Ø 150	M14	6.400	10000 99613	stock	1
PAD-VEL SOFT	Ø 150	M14	6.400	10000 99645	stock	1





DECONTAMINATING DISC

It quickly removes overspray, resin of trees, dust and rust of railroad, dust of brakes, industrial contaminations, insects, etc.
 Use with detergent decontaminating spray PASL60 SC.

			
150 x 10 mm	10000 70610	stock	1

PAD-VEL

Backing pad for decontaminating disc.



		THREAD				
PAD-VEL SOFT	Ø 125	M14	8.800	10000 99644	stock	1
PAD-VEL SOFT	Ø 150	M14	6.400	10000 99645	stock	1





MASKING FOAM TAPE

Compact and flexible self-adhesive white masking foam tape, with round cross-section. Particularly suitable for masking all vehicle cracks. Packaging: dispenser of 50 meters with 10 rolls of 5 m each.



13 mm x 50 m



10000 70600



stock



1



FILM

Electrostatic masking film in transparent high density polyethylene, designed to protect from paints and overspray the parts of the body that do not have to be painted.

It is folded in reel of 97 cm x 150 m. Full unfolded dimension 4x150 m (width x lenght).



4 x 150 m



10000 70611



stock



1


PREMIUM PLUS

Adhesive tape in semi-crimped paper for industrial and automotive masking at medium/high temperature, with extended oven drying cycles (30 minutes). Adhesive: natural rubber.

						
TAPE	18 mm x 50 m	PREMIUM PLUS	10000 70633	stock		48
TAPE	24 mm x 50 m	PREMIUM PLUS	10000 70634	stock		36
TAPE	36 mm x 50 m	PREMIUM PLUS	10000 70635	stock		24
TAPE	48 mm x 50 m	PREMIUM PLUS	10000 70636	stock		24


WINNER

Adhesive tape in semi-crimped paper for industrial and automotive masking at medium/low temperature, with short oven drying cycles. Adhesive: natural rubber.

						
TAPE	18 mm x 50 m	WINNER	10000 70646	stock		48
TAPE	24 mm x 50 m	WINNER	10000 70647	stock		36
TAPE	36 mm x 50 m	WINNER	10000 70648	stock		24
TAPE	48 mm x 50 m	WINNER	10000 70649	stock		24



SAITMASTER 3 150x3 PN

Pneumatic random orbital sander with central dust extraction. Suitable for finishing operations with abrasive grits 320 - 3000. The reduced orbit ensures very high quality results, easing and improving subsequent painting phases. Working pressure: 6,2 bar/90 PSI.


	Ø ORBIT MM	Ø BACKING PAD MM	SPEED REGULATION	RPM	KG	Barcode	Truck	Box
SAITMASTER 3 150x3 PN	3	150 M8	•	0 ÷ 11.000	0,8	11000 70000	stock	1

SAITMASTER 6 150x6 PN

Pneumatic random orbital sander with central dust extraction. Enables maximum efficacy in the flattening of fillers and in the removal of paint layers. Up to 20% more effective than a tool with 5 mm. orbit. Best for use with grits ranging from 80 - 320. Working pressure: 6,2 bar/90 PSI.

	Ø ORBIT MM	Ø BACKING PAD MM	SPEED REGULATION	RPM	KG	Barcode	Truck	Box
SAITMASTER 6 150x6 PN	6	150 M8	•	0 ÷ 11.000	0,8	11000 70001	stock	1

Accessories



PAD-VEL

Backing pad for random orbital sanders.

	Ø	HOLES	THREAD	Barcode	Truck	Box
PAD-VEL	Ø 150	F 7	5/16" - M8	10000 99623	stock	1
PAD-VEL SOFT	Ø 150	F 7	5/16" - M8	10000 99624	stock	1
PAD-VEL	Ø 150	F 8+1	5/16" - M8	10000 99610	stock	1
PAD-VEL	Ø 150	F 15	5/16" - M8	10000 99635	stock	1
PAD-VEL SOFT	Ø 150	F 15	5/16" - M8	10000 99636	stock	1
PAD-VEL	Ø 150	F M MULTIHOLE	M8	10000 99652	stock	1

Aeromax

PAD-VEL	Ø 150	F M MICRO HOLES	5/16" - M8	10000 99638	stock	1
PAD-VEL SOFT	Ø 150	F M MICRO HOLES	5/16" - M8	10000 99642	stock	1

SAITplus 200

Angle polisher



SAITPLUS 200 EL

1.100 W/hp
230 V / 50/60 HZ
SHUKO TYPE C
(CEE 7/17)

Angle polisher. Ergonomic front handle for a comfortable and secure grip. Soft start. Side handle can be mounted on both right and left sides. Double reduction gear. Electronic speed control. Powerful and lightweight machine. Motor is protected with epoxy resin. Insulation class: II.

	MAX Ø OF PAD MM	SPINDLE LOCK BUTTON	SIDE HANDLE	SPEED REGULATION	RPM	KG	Barcode	Truck	Box
SAITPLUS 200 EL	200 M14	•	•	•	750 ÷ 1.850	1,9	11000 70110	stock	1

Accessories

Carbon brush

Barcode	Truck	Box
11000 70706	stock	10

PAD-VEL

Backing pad for angle polisher.



	Ø	THREAD	Barcode	Truck	Box
PAD-VEL	Ø 125	M14	10000 99605	stock	1
PAD-VEL SOFT	Ø 125	M14	10000 99644	stock	1
PAD-VEL	Ø 150	M14	10000 99613	stock	1

POLISHING FOAM PADS

For use on random orbital polishers.

180x30 C COARSE

Hard BLUE foam pad for very aggressive working steps.

180x30 F FINE

Fine YELLOW foam pad for medium intensity work.

180x30 UF ULTRA FINE

Soft WHITE foam pad for finishing operations and detailing.

						
	COARSE	180 x 30 mm	10000 70637	stock		2
	FINE	180 x 30 mm	10000 70630	stock		2
	ULTRA FINE	180 x 30 mm	10000 70638	stock		2

Accessories

PAD-VEL

Backing pad for random orbital polisher.



		HOLES	THREAD				
PAD-VEL	Ø 150	F M MULTIHOLE	M8	10000 99652	stock		1

Carbon brush (for random orbital polisher X-Space 21 180 EL S).

				
11000 70734		stock		10



VORTEX L 2400 AS

1200 W
230 V / 50/60 HZ
SHUKO TYPE E+F
(CEE 7/17)

Professional vacuum cleaner with the possibility of connecting an electric tool (maximum power 2400 W) or two pneumatic tools.

SUPPLIED WITH:

- 1 vacuum hose 5 meters long
- 1 connector
- 1 connector with airflow regulator
- 1 2-way connector
- 2 polyester filters
- 1 non-woven filter bag
- 2 front wheels
- 1 power cord

	 CM (HxLxP)	CONTAINER VOLUME	AUTOMATIC FILTER CLEANING SYSTEM	 KG			
VORTEX L 2400 AS	63,5 x 45 x 45	45 l	•	13,5	11000 70004	stock	1

Accessories

Carbon brush

		
11000 70733	stock	1

Vacuum hose 5 meters long

			
	11000 70708	stock	1

Connector

			
	11000 70709	stock	1

Connector with airflow regulator

			
	11000 70710	stock	1

2-way connector

			
	11000 70738	stock	1

Polyester filter

			
	11000 70711	stock	1

Non-woven filter bag

			
	11000 70712	stock	1 (5 pz.)



MULTI MASK

Slightly creped paper tapes with natural rubber adhesive and resins. Suitable for use with all types of paint, including water-based paints. Suitable for use and drying at room temperature (recommended not less than 10° C). Hand tearable. Excellent anchorage on wood, glass, plastic, aluminum, steel, surfaces painted with water-based paints or enamel. Leaves no glue residues on surfaces. Colour outlines are defined.

APPLICATIONS

- MASKING
- SEALING
- LIGHT PACKAGING

					
MULTIMASK TAPE	18 mm x 50 m	DECO	10000 70800	stock	48
MULTIMASK TAPE	24 mm x 50 m	DECO	10000 70801	stock	36
MULTIMASK TAPE	29 mm x 50 m	DECO	10000 70802	stock	40
MULTIMASK TAPE	36 mm x 50 m	DECO	10000 70803	stock	24
MULTIMASK TAPE	48 mm x 50 m	DECO	10000 70804	stock	24



RAPID MASK

Rolls of high-density polyethylene (HDPE) with adhesive side; the product guarantees a perfect masking of all kind of surfaces during painting. The electrostatic charge in the product eases its adherence and applicability through a light pressure. The adhesive side consists of a paper strip impregnated with natural rubber and resin adhesive, also used in bodywork, building and industry for treatments at medium temperatures.

APPLICATIONS

- DECORATION
- VARNISHING
- BUILDING

					
RAPID MASK	50 cm x 20 m	HDPE	10000 70805	stock	20
RAPID MASK	140 cm x 33 m	HDPE	10000 70806	stock	10
RAPID MASK	270 cm x 16 m	HDPE	10000 70807	stock	10



GP

Wall display made of hook bars, 1 folded sheet metal shelf and a roll holder structure. Suitable for abrasive wheels, flap discs, fibre discs, paper/cloth discs, belts for portable machines, sheets, mini rolls and accessories. The back-lit sign with led lighting can be fixed above the body of the display at the desired height.

					
GP	210÷223 x 93÷104 x 50 CM (HxLxP)	11000 97100 - 11000 97101	stock		1



SHELF FOR GP DISPLAY

Folded sheet metal shelf.

			
96 x 36 CM (LxP)	11000 97104	W4	1



ROLL HOLDER FOR GP DISPLAY

Roll holder structure.

			
96 x 29 CM (LxP)	11000 97105	W4	1



RO

Roll holder display suitable to hold 8 rolls in different grits, in the dimensions in height 115/120 mm x length 25/50 m. Important measuring and tearing device at the desired length.

	 CM (HxLxP)			
RO	174 x 40 x 45	11000 97111	stock	1



EL

Roll holder display suitable to hold 6 rolls in different grits, in heights 115/120 mm x length 25/50 m. Equipped with adhesive transparent price labels. Mounted on lockable pivoting wheels.

	 CM (HxLxP)			
EL	145 x 45 x 50	11000 97102	stock	1



FLOOR DISPLAY



Floor display for discs and wheels. Made of metal panels; the vertical structure is divided into two parts, the base is made of sheet metal and is removable. The crowner is made of impact-resistant plastic material and positioned in relief against the sheet metal panel. The display is equipped with 12 hooks of 12 cm length for the display of discs. Designed to display discs of different diameters (mm 230-180-125-115). The back panel (made of forex plastic) can be purchased separately in case the customer does not wish to lean the display against a wall.



180 x 54 x 53



11000 97121



stock



1



BACK PANEL FOR FLOOR DISPLAY



180 x 54



11000 97122



stock



1



COUNTER DISPLAY FOR LOOSE DISCS

Display made of sheet metal. The rear feet are also made of sheet metal welded to the structure. The front side is made of forex plastic. The display is equipped with 5 hooks of 12 cm length, on which the discs can be placed. It is supplied already assembled; it is only necessary to mount the hooks and load the products.



40 x 37 x 25



11000 97118



stock



1



COUNTER DISPLAY FOR DISCS

Display made of forex. It is designed to display both discs in the tin box and loose discs. Two metal holders are provided on which the discs can be placed. The crowner is made of forex. It is fastened to the display with two plastic expansion pins.



32 x 15,5 x 30



11000 97120



stock



1



100



SAFETY, PERFORMANCE AND **YOU**

SAIT FRANCE SARL

18, rue Ampère -Z.I. - B.P. 40020

95501 Gonesse Cedex - France

Tel. +33 - (0)1 34.07.98.98 - Fax +33 - (0)1 34.07.98.99

www.sait-france.fr - saitfrance@sait-france.fr